



Placement Empowerment Program

Cloud Computing and DevOps Centre

Set a private network in cloud – Create a VPC with subnets for your instances. Configure routing for internal communication between subnets

Name : Gobika S

Department: CSE



Introduction

A Virtual Private Cloud (VPC) is a secure and isolated portion of a cloud provider's infrastructure where you can deploy your resources in a controlled environment. Setting up a VPC involves creating subnets, configuring routing, and implementing security measures to manage traffic and access. This setup is essential for applications that require secure internal communication while being accessible to external networks when necessary.

Objectives

1. **Create a VPC:** Establish a private network in the cloud that suits your application requirements.
2. **Configure Subnets:** Design and implement subnets within the VPC for different types of instances (e.g., public and private).
3. **Set Up Routing:** Configure routing tables to enable internal communication between subnets and external access as required.
4. **Implement Security:** Use security groups and network ACLs to control inbound and outbound traffic to your instances.
5. **Ensure High Availability:** Distribute resources across multiple Availability Zones to enhance resilience


Importance

- **Security:** A VPC allows you to maintain a secure environment, isolating your resources from public internet exposure while enabling controlled access.
- **Customization:** You can tailor the network architecture to meet specific needs, such as private IP addressing and subnetwork segmentation.
- **Cost Efficiency:** Efficiently using cloud resources helps in managing costs associated with data transfer and resource allocation.
- **Scalability:** Easily scale your infrastructure to accommodate growing workloads without compromising security or performance.
- **Control:** Gain complete control over the networking environment, including IP address ranges, routing, and access controls.

Step-by-Step Overview

Step 1:

1. Go to [AWS Management Console](#).
2. Enter your username and password to log in



Step 2:

Navigate to the VPC Dashboard

- In the Services menu, select "VPC" to access the VPC Dashboard.
-

Create a VPC

- Click on "Your VPCs" in the left menu, then click "Create VPC."
- Specify the following:
 - **Name tag:** A name for your VPC.
 - **IPv4 CIDR block:** E.g., 10.0.0.0/16 (this gives you 65,536 IP addresses).
 - **IPv6 CIDR block:** (Optional).
 - **Tenancy:** Default is usually sufficient.
- Click "Create."

[Create VPC](#)[Launch EC2 Instances](#)

Note: Your Instances will launch in the US East region.

Resources by Region

[Refresh Resources](#)

You are using the following Amazon VPC resources

[VPCs](#)US East [1](#)[► See all regions](#)[NAT Gateways](#)US East [0](#)[► See all regions](#)[VPC](#) > [Your VPCs](#) > Create VPC

Create only one VPC resource or one VPC and other networking resources.

☒ VPC only ☐ VPC and more

Name tag - optional

Creates a tag with a key of 'Name' and a value that you specify.

vpc-1

IPv4 CIDR block [Info](#)

☒ IPv4 CIDR manual input
☐ IPAM-allocated IPv4 CIDR block

IPv4 CIDR

10.0.0.0/24

CIDR block size must be between /16 and /28.

IPv6 CIDR block [Info](#)

☒ No IPv6 CIDR block
☐ IPAM-allocated IPv6 CIDR block
☐ Amazon-provided IPv6 CIDR block
☐ IPv6 CIDR owned by me

Tenancy [Info](#)

Default

Tags

A tag is a label that you assign to an AWS resource. Each tag consists of a key and an optional value. You can use tags to search and filter your resources or track your AWS costs.

Key	Value - optional	
<input type="text" value="Name"/>	<input type="text" value="vpc-1"/>	Remove tag
Add tag		

Step 3:

Create Subnets

You need at least two private subnets for internal communication:

1. Go to Subnets → Click Create Subnet.
2. Select the VPC (MyPrivateVPC) you created earlier.
3. Create two subnets:

Subnet 1 (Private-Subnet-A)

IPv4 CIDR: 10.0.1.0/24

Availability Zone: us-east-1a (example)

Subnet 2 (Private-Subnet-B)

IPv4 CIDR: 10.0.2.0/24

Subnet 2 of 2

Subnet name

Create a tag with a key of 'Name' and a value that you specify.

sub-2

The name can be up to 256 characters long.

Availability Zone

[Info](#)

Choose the zone in which your subnet will reside, or let Amazon choose one for you.

US East (N. Virginia) / us-east-1b

IPv4 VPC CIDR block

[Info](#)

Choose the VPC's IPv4 CIDR block for the subnet. The subnet's IPv4 CIDR must lie within this block.

10.0.0.0/24

IPv4 subnet CIDR block

10.1.0.0/16

65,536 IPs

Tags - optional

Key

Value - optional

Q Name

X

Q sub-2

X

Remove

Add new tag

You can add 49 more tags.

Remove

aws

Search

[Alt+S]

Europe (Stockholm)

Vignesh V

VPC

Subnets

Create subnet

Subnet settings

Specify the CIDR blocks and Availability Zone for the subnet.

Subnet 1 of 2

Subnet name

Create a tag with a key of 'Name' and a value that you specify.

my sub1

The name can be up to 256 characters long.

Availability Zone

[Info](#)

Choose the zone in which your subnet will reside, or let Amazon choose one for you.

Europe (Stockholm) / eu-north-1a

IPv4 VPC CIDR block

[Info](#)

Choose the VPC's IPv4 CIDR block for the subnet. The subnet's IPv4 CIDR must lie within this block.

10.0.0.0/16

IPv4 subnet CIDR block

10.0.1.0/24

256 IPs

Tags - optional

Key

Value - optional

Q Name

X

Q my sub1

X

Remove

CloudShell

Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

Step 4:

Configure Route Tables for Internal Communication

1. Go to Route Tables → Click Create Route Table.
2. Name it (e.g., PrivateRouteTable).
3. Select MyPrivateVPC.
4. Click Create.

The screenshot shows the 'Create route table' page in the AWS Management Console. The breadcrumb navigation at the top reads 'VPC > Route tables > Create route table'. The page title is 'Create route table' with an 'Info' link. Below the title is a descriptive sentence: 'A route table specifies how packets are forwarded between the subnets within your VPC, the internet, and your VPN connection.'

The 'Route table settings' section contains two fields: 'Name - optional' with a text input containing 'private', and 'VPC' with a dropdown menu showing 'vpc-0b07dbbc4d9e68588 (vpc-1)'. Below this is the 'Tags' section, which includes a description of tags and a table for adding them. The table has two columns: 'Key' and 'Value - optional'. One tag is already added with the key 'Name' and value 'private'. There is an 'Add new tag' button and a 'Remove' button for the existing tag. At the bottom right, there are 'Cancel' and 'Create route table' buttons.

Key	Value - optional	
Name	private	Remove

Step 5:

Associate the subnets:

- Go to Subnet Associations → Click Edit subnet associations.

Select Private-Subnet-A and Private-Subnet-B.

Click Save associations.

edit subnet associations

Change which subnets are associated with this route table.

Available subnets (2/2)

Filter subnet associations

<input checked="" type="checkbox"/>	Name	Subnet ID	IPv4 CIDR	IPv6 CIDR	Route table ID
<input checked="" type="checkbox"/>	sub-2	subnet-08d686eb3bfd3c1c	10.0.2.0/24	-	Main (rtb-0511a15ded68d544d)
<input checked="" type="checkbox"/>	sub-1	subnet-0a23be0f9dc2a24aa	10.0.1.0/24	-	Main (rtb-0511a15ded68d544d)

Selected subnets

subnet-08d686eb3bfd3c1c / sub-2

subnet-0a23be0f9dc2a24aa / sub-1

Cancel

Save associations

VPC

vpc-0b07dbbc4d9e68588 | vpc-1

Internet IP

774305605711

Routes

Subnet associations

Edge associations

Route propagation

Tags

Explicit subnet associations (0)

Edit subnet associations

Find subnet association

Name	Subnet ID	IPv4 CIDR	IPv6 CIDR
------	-----------	-----------	-----------

No subnet associations

You do not have any subnet associations.

Details Info

Route table ID
rtb-09bd5c6927b161264

VPC
vpc-0b07dbbc4d9e68588 | vpc-1

Main
No

Owner ID
774305605711

Explicit subnet associations
2 subnets

Edge associations
–

Routes | Subnet associations | Edge associations | Route propagation | Tags

Routes (1) Both ▾ Edit routes

Destination	Target	Status	Propagated
10.0.0.0/16	local	Active	No

Step 7:

Launch Instances in Private Subnets

1. Go to EC2 Dashboard → Launch Instance.
2. Select an AMI (Amazon Linux, Ubuntu, etc.).
3. Choose an Instance Type (e.g., t2.micro).
4. Under Network settings:

Select MyPrivateVPC.

Select Private Subnet-A or Private-Subnet-B.

Disable Auto-assign Public IP (to keep it private).

EC2 > Instances > Launch an instance

Launch an instance Info

Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.

Name and tags Info

Name

[Add additional tags](#)

▼ Application and OS Images (Amazon Machine Image) Info

An AMI is a template that contains the software configuration (operating system, application server, and applications) required to launch your instance. Search or browse for AMIs if you don't see what you are looking for below.

Recents

My AMIs

Quick Start

Amazon Linux

aws

macOS

Mac

Ubuntu

ubuntu

Windows

Microsoft

Red Hat

Red Hat

SUSE Linux

SUSE

Debian

debian

Browse more AMIs

Including AMIs from AWS, Marketplace and the Community

Amazon Machine Image (AMI)

Amazon Linux 2023 AMI

ami-0c614dee691cbbf37 (64-bit (x86), uefi-preferred) / ami-0b29c89c15cfb8a6d (64-bit (Arm), uefi)

Virtualization: hvm ENA enabled: true Root device type: ebs

Free tier eligible ▼

Description

▼ Summary

Number of instances: 1

Software: Amazon Linux ami-0c614dee691cbbf37

Virtual server type: t2.micro

Firewall (security group): default

Storage (volume type): 1 volume(s)

Free (or t) instance public storage: 16 GB

Cancel

Step 8:

Enable Internal Communication

Instances inside the private subnets can communicate without an internet gateway.

If instances need internet access (for updates, etc.), configure a NAT Gateway in a Public Subnet.

Use Security Groups to allow inbound traffic only from internal sources (e.g., allow SSH from 10.0.0.0/16).

Step 9:

Now, your private network is set up, and instances inside can communicate securely! Let me know if you need extra configurations like VPN, Bastion Host, or NAT setup.

Outcome

After following these steps, you will have:

- A VPC that is isolated from other networks.
- One or more subnets for your instances, with at least one public subnet that can communicate with the Internet.
- Proper routing configured for internal communication between subnets.