




ELEVATION, SIDE 6



SECTION A-A, SIDE 4



SECTION B-B, SIDE 5



SECTION C-C
1:25

A			FIRST ISSUE			LK			2026.01.08		
REV.:			DESCRIPTION:			INIT.:			DATE:		
CAST IN PARTS						CONCRETE DETAILS:			SIDE SURFACE EXP.CLASS		
MARK	SIDE	NO.	DESCRIPTION, DETAILS			CONCRETE:			①	Steel Form	XC4, XF2, DC-42
A	-	-	-			EXPOSURE CLASS:			②	Steel Form	XC4, XF2, DC-42
B	6	4	STARCON LIFTING EYES 5T-95			RECEIPT:			③	Steel Form	XC4, XF2, DC-42
C	6	1	SSRCP1675 (CERTEX)			KONTROLKLASSE(DK):			④	Steel Form	XC4, XF2, DC-42
D	3	3	NAILING BLOCK Ø21/25x25mm			WALL PANEL WEIGHT:			⑤	Steel Form	XC4, XF2, DC-42
E	3-4	10	PVC-DUCT Ø23/25mm			TOLERANCES:			⑥	Steel Float Form	XC4, XF2, DC-42
F	-	-	-			According to A-Consult Quality Manual			HOLE	Steel Form	XC4, XF2, DC-42
G	-	-	-			DETAIL DRAWING:					
H	1-6	1	DN 800 FLANGE			GENERAL NOTES:			ALL DIMENSIONS IN MILLIMETRES. NO DIMENSIONS ARE TO BE SCALED FROM THE DRAWING. THE POST DRILLING OF PRECAST PANELS FOR PIPE CONNECTIONS OR BOLT FIXING IS PERMITTED, HOWEVER THIS WORK MUST BE CARRIED OUT WITH SPECIAL ATTENTION BEING PAID TO THE LOCATION OF THE POST TENSIONING TENDONS WITHIN THE STRUCTURE, ENSURING THAT THE OUTER DIAMETER OF ANY HOLE/APERTURE IS NO LESS 75 MM AWAY FROM THE OUTER DIAMETER OF ANY POST TENSIONING TENDONS. TENDON LOCATION TO BE MEASURED FROM TOP OF WALL DRAWING FOR LOCATION PLEASE REFER TO 'AS BUILT' DRAWINGS AND ANCHOR LOCATION IN BUTTRESS(ES) FURTHER GUIDANCE CAN BE SOUGHT FROM A-CONSULT.		
I	-	-	-			REMARKS:					
J	-	-	-								
K	-	-	-								
L	-	-	-								
M	-	-	-								
Client info:											
MWHT											
-											
-											
Date Plotted:			2026.01.08			Made by:		LK	Check by:		SGK
									Scale:		NTS
Project no.:			Project name:								
430773			Knapp Mill								
Constuction place address:											
-											
-											
Description:			CONCRETE LAYOUT			Drg.no.:			Issue:		
WALL PANEL - TYPE 02			TANK TYPE: N4500-32-2B/2			AQ430773-00-45-32-1102			A		
A-CONSULT Ltd. The Barn Manor Business Park East Drayton Retford DN22 0LG											
Tel.: +44(0)177249444 Fax: +44(0)177248452 e-mail: info@aconult.co.uk http:// www.aconsult.co.uk											
