




ELEVATION, SIDE 6



SECTION A-A, SIDE 4



SECTION B-B, SIDE 5



SECTION C-C
1:25

FIRST ISSUE				LK		2026.01.08						
REV.:		DESCRIPTION:				INIT.:		DATE:				
CAST IN PARTS				CONCRETE DETAILS:								
MARK	SIDE	NO.	DESCRIPTION, DETAILS		CONCRETE:		C40/50	SIDE	SURFACE	EXP.CLASS		
(A)	-	-	-		EXPOSURE CLASS:		XC4, XF2, DC-4z	(1)	Steel Form	XC4, XF2, DC-4z		
(B)	6	4	STARCON LIFTING EYES 5T-95		RECEPT:		-	(2)	Steel Form	XC4, XF2, DC-4z		
(C)	6	1	SSRCP1675 (CERTEX)		KONTROLKLASSE(DK):		-	(3)	Steel Form	XC4, XF2, DC-4z		
(D)	3	3	NAILING BLOCK Ø21/25x25mm		WALL PANEL WEIGHT:		3352 Kg	(4)	Steel Form	XC4, XF2, DC-4z		
(E)	3-4	10	PVC-DUCT Ø23/25mm		TOLERANCES:		According to A-Consult Quality Manual	(5)	Steel Form	XC4, XF2, DC-4z		
(F)	-	-	-		DETAIL DRAWING:		-	(6)	Steel Float Form	XC4, XF2, DC-4z		
(G)	-	-	-		GENERAL NOTES:			RECESS	Steel Form	XC4, XF2, DC-4z		
(H)	1-6	1	DN 900 FLANGE		ALL DIMENSIONS IN MILLIMETRES. NO DIMENSIONS ARE TO BE SCALED FROM THE DRAWING. THE POST DRILLING OF PRECAST PANELS FOR PIPE CONNECTIONS OR BOLT FIXING IS PERMITTED. HOWEVER THIS WORK MUST BE CARRIED OUT WITH SPECIAL ATTENTION BEING PAID TO THE LOCATION OF THE POST TENSIONING TENDONS WITHIN THE STRUCTURE, ENSURING THAT THE OUTER DIAMETER OF ANY HOLE/APERTURE IS NO LESS 75 MM AWAY FROM THE OUTER DIAMETER OF ANY HOLE/APERTURE IS NO LESS 75 MM AWAY FROM THE OUTER DIAMETER OF ANY POST TENSIONING TENDONS. TENDON LOCATION TO BE MEASURED FROM TOP OF WALL DRAWING FOR LOCATION PLEASE REFER TO 'AS BUILT' DRAWINGS AND ANCHOR LOCATION IN BUTTRESS(ES) FURTHER GUIDANCE CAN BE SOUGHT FROM A-CONSULT.							
(I)	-	-	-									
(J)	-	-	-									
(K)	-	-	-									
(L)	-	-	-		REMARKS:							
(M)	-	-	-									
Client info:												
MWHT												
-												
-												
Date Plotted:		2026.01.08		Made by:		LK		Check by:		SGK	Scale:	NTS
Project no.:		Project name:		STATUS FOR APPROVAL								
430773		Knapp Mill										
Construction place address:		-										
-		-										
Description:												
CONCRETE LAYOUT												
WALL PANEL - TYPE 03												
TANK TYPE: N4500-32-2B/2												
Drg.no.:												
Issue:												
A												
A-CONSULT Ltd.												
The Barn												
Manor Business Park												
East Drayton												
Retford DN22 0LG												
Tel.:												
+44(0)1777249444												
Fax:												
+44(0)1777248452												
e-mail:												
info@aconsult.co.uk												
http://												
www.aconsult.co.uk												
