ArCF4Iso · Ar 87 % / CF_4 10 % / Iso 3 % · gap 0.15 mm








```
ROOT runs: 8
Unique physical points: 4
Pressures: 1 bar
Selected model: Townsend 2p
Status: rejected_poor_cross_validation
Training RMSE: ×1.094
Cross-validation median: unavailable
Cross-validation worst: unavailable
Reduced-field range: 17.3–34.6 kV cm⁻¹ bar⁻¹
A=3803.5, B=84.162, m=0, n=1
Covariance condition: 569
Warnings: poor_cross_validation, large_cross_validation_outlier
1 bar display limit: G=1.65e+04 (local inversion limit)
```



Extrapolation capped at G=1e+07 or at the local model limit
Gain vs electric field
1 bar · extrapolation
1 bar · measured-domain segment
1 bar · data
Gain
Electric field [kV/cm]
αeff vs electric field
1 bar · extrapolation
1 bar · measured-domain segment
1 bar · data
αeff [cm⁻¹]
Electric field [kV/cm]

Exact combined points used by the fit · page 1/1
Repeated ROOTs at the same field are pooled once; all source ROOTs remain on disk.

p [bar]	E [kV/cm]	E/p	Gain	σGain	αeff [cm^{-1}]	npe	runs
1	17.3	17.3	1.445	0.0945	24.5406	200	2
1	25.95	25.95	9.67	0.559	151.269	200	2
1	31.14	31.14	42.84	2.94	250.498	200	2
1	34.6	34.6	152.205	8.72	335.015	200	2

Progressive model selection
The higher-order model is selected only when new points improve out-of-sample prediction.

Candidate	k	AICc	CV median	CV worst	usable	warnings
Townsend 2p	2	-3.25	—	—	no	poor cross validation, large cross validation outlier