HEMWATI NANDAN BAHUGUNA GARHWAL UNIVERSITY



(A central University)

BABU RAM DEGREE COLLEGE ROORKEE

A PROJECT REPORT ON

"ONLINE SHOPPING"

(HB ® Traders)

In partial fulfillment of requirement for the degree of

B.SC (Information Technology)

Submitted to:-

YOGESH KASYAP

(HOD) Dept. Of IT

Submitted by:-

Mustafa Hasan

B.Sc (I.T) Final

Roll No: 17302521012

Enrollment No: G173020063

ACKNOWLEDGEMENT

I pay my deep sense of gratitude to Yogesh kasyap (HOD) Of Department of computer science, Babu Ram Degree College, Roorkee to encourage me to the highest peak and to provide me the opportunity to prepare the project. And thanks to my parents who always support me financially for my education.

Mustafa Hasan

DECLARATION

I hereby declare that the project work entitled "HB ® _{Traders}" Submmited to the Babu Ram Degree College, Hemvati Nandan Bahuguna Garhwal University. This is a record of an original work done by me under the supervision of Yogesh kasyap — HOD of department of computer science. And this project work is submitted in the partial fulfillment of the requirement for award of the degree of the Bachelor Of Science In Information Technology

Mustafa Hasan Signature Of Student

Roll Number: 17302521012

Enrollment Number: G173020063

CERTIFICATE

This is to certify that the project report entitled "HB ® Traders". Based on online shopping site. Submitted to the Department of Computer Science, Babu Ram Degree College, Hemvati Nandan Bahuguna Garhwal University, In Partial fulfillment for the award of the degree of Bachelor Of Science In Information Technology. Is record of bona fide work of carried out by Mustafa Hasan, Roll Number: 17302521012 Enrollment Number: G173020063 under Supervision of Yogesh Kashyap HOD-IT.

Place: Roorkee Yogesh Kashyap

Date: HOD - IT

(Supervisor)

CONTENTS

- 1. OVERVIEW OF ORGANIZATION
- 2. PREFACE
- 3. INTRODUCTION
- 4. NEED OF ONLINE SHOPPING PORTAL
- 5. PROFILE OF THE PROBLEM
- 6. STRUCTURE OF THE PROJECT
- 7. SOFTWARE DEVELOPMENT LIFE CYCLE
- 8. PROBLEM ANALYSIS
- 9. PROJECT PLAN
- 10. AVTIVITIES DURING SOFTWARE PROJECT PLANNING
- 11. HARDWARE AND SOFTWARE REQUIREMENT
- 12. FRONT-END DETAILS
- 13. BACK-END DETAILS
- 14. REQUIREMENT ANALYSIS STEPS
- 15. SYSTEM DESIGN
- 16. CLASS DIAGRAM
- 17. COLLABORATION
- 18. SEQUENCE DIAGRAM
- 19. USE CASE DIAGRAM
- 20. DESIGN NOTATIONS
- 21. PRODUCT FUNCTION
- 22. DETAILED DESIGN
- 23. E-R DIAGRAMS
- 24. DATA FLOW DIAGRAMS
- 25. TESTING
- 26. METHODOLOGY USED FOR TESTING

- 27. IMPLEMENTATION
- 28. A DATABASE DRIVEN ONLINE SHOPPING PORTAL
- 29. ABOUT THE CURRENT SYSTEM
- 30. ADVANTAGES
- 31. DEFFICIENCY OF MANUAL SYSTEM
- 32. GOALS OF PROPOSED SYSTEM
- 33. USER REQUIREMENTS
- 34. SYSTEM SECURITY
- 35. LIMITATIONS
- 36. PROJECT LEGACY
- 37. USER MANUAL
- 38. ABBREVIATIONS/ ACRONYMS
- 39. BIBLOGRAPHY
- 40. SCREEN-SHORTS OF THE PROJECT
- 41. CD OF THE PROJECT(ON END OF THE PAGES)

INTRODUCTION

Computer plays an important role in our daily life. Anything we want we can get only in one mouse click. Speed, reliability and accuracy of the computer make it a powerful tool for different purposes. A very important and basic need of today's modern business world is the quick availability and processing of information using computer. One can easily get the type of required information within a fraction of a second. The project that I have taken is also in this category which is used in our daily life whenever we want to purchase some items we can easily get them at our home.

OBJECTIVE

The objective of project on Online Shopping Portal is to developing a GUI based automated system, which will cover all the information Related to the all products which is used in our daily life. For example – Mobiles Phones, Laptops, Clothes, Books, Electronic Items and many more. So by this GUI based automated system a user want to purchase something then it only a mouse click away to purchase these products.

Need of ONLINE SHOPPING PORTAL

The "ONLINE SHOPPING PORTAL" is developed according the current need in different Fields. This is online shopping Website which provides facility for purchasing Mobiles, Laptops, Camera and many more items. So by using this Online Shopping Portal users which want to purchase some products will first Register an account on this portal then Login through their Username and Password, and then Select items which they want to purchase and add them to cart and finally checkout by giving payment details. So by using this portal users can easily purchase products from their home.

PROFILE OF THE PROBLEM

One must know what the problem is before it can be solved. The basis for the online shopping portal is to buy products online and save the timing.

A Online shopping portal, who want to buy any product of their need, has to contact different Shoppers, before deciding upon a particular Product that best suit his needs, requirements and satisfaction. Moreover, most of the work involved in this development process has to be done manually which is very time consuming and cumbersome and also, it reduces the efficiency, accuracy.

To know the facts and understanding of the problem in detail, *System Analysis* is carried out. It is the process of studying the business processes and procedures, generally referred to as business systems, to see how they can operate and whether improvement is needed.

STRUCTURE OF PROJECT

❖ Before Login

- ➤ Login
- > Register
- > Forget Password
- > Administrator Login
- > About Us
- > Contact Us

❖ After Administrator Login

- ➤ Edit Website Details
- > Add Brands
- ➤ Add Category
- > Add Items
- Delete Brands
- ➤ Delete Category
- > Delete Items
- ➤ Manage User
 - See Users
 - Users Shopping
 - Add Users
 - Delete Users
- ➤ Logout

❖ After User Login

- ➤ My Profile
 - Edit Profile
 - Change Password
- Buy Products

- Categories (Controlled by Admin. Which can be add it dynamically according to their needs)
- ➤ My Cart
- ➤ My Shopping's
- ➤ Checkout
- > Logout

SOFTWARE DEVELOPMENT LIFE CYCLE

The software development life cycle, as outlined by Edward Yourdon in his book Modern Structured Analysis (1989) has been followed in this project with minor modifications. The modified life cycle is shown overleaf:-

The activities in the life cycle are explained in brief below:

1) SURVEY PROJECT SCOPE AND FEASIBILITY

This activity is also known as the feasibility study. It begins with a request from the user for a new system. It involves the following:

- Identify the responsible user for a new system
- Clarify the user request
- Identify deficiencies in the current system
- Establish goals and objectives for the new system
- Determine the feasibility for the new system
- Prepare a project charter that will be used to guide the remainder of the Project

2) SYSTEMS ANALYSIS

The objective of the system analysis activity is to develop structured system specification for the proposed system. The structured system specification should describe what the proposed system would do; independent of the technology, which will be used to implement these requirements. The structured system specification will be used to implement these requirements. The structured system specification will be called the essential model (also know as logical model).

The essential model may itself consist of multiple models, modeling different aspect of the system. The data flow diagrams may model the data and there relationships and the state transition diagram may model time dependent behavior of the system. The essential model thus consists of the following.

- Context diagram
- Leveled data flow diagrams
- Process specification for elementary bubbles
- Data dictionary for the flow and stores on the DFDs.

3) PRELIMINARY DESIGN

The activity deals with certain design issues, which are to be finalized in consultation with the user. The two most important design issues of relevance to the user are the automation boundary and the human —machine interface. The output of the activity is the user implementation model. The major part of the user implementation model is the specification for the user interface of the proposed system. The user implementation model is also referred to as the physical model of the proposed system. The user implementation model is also referred to as the physical model of

the proposed system. The model, in addition to the essential model, defines the following for the proposed system:

- Automation boundary
- Report layouts
- Layouts of the source documents
- Screen layouts for the data entry forms
- Menu

4) SYSTEM DESIGN

System design involves transformation of the user implementation model into software design. The design specification of the proposed system consists of the following:

- Database scheme
- Structure charts
- Pseudo codes for the modules in structure charts

5) IMPLEMENTATION

This activity includes programming, testing and integration of modules into a progressively more complete system. Implementation is the process of collect all the required parts and assembles them into a major product.

6) TEST GENERATION

This activity generates a set of test data, which can be used to test the new system before accepting it. In the test generation phase all the parts are come which are to be tested to ensure that system does not produce any error. If there are some errors then we remove them and further it goes for accepting.

PROBLEM ANALYSIS

Product definition

Online Shopping Portal System is a computerized, online solution to the various problems faced by the Product buyer and seller wishing to outsource their software development work to a Provider at an economical cost, thus achieving high performance, accuracy, reliability and high speed of data retrieval.

In this system, there is a registration process each for the Product buyer and seller. The Administrator of the site verifies the Provider after his registration and if satisfied, assigns him a user name and password.

Our site can be used by anyone who is searching for Products whether he/she is first time visiting our site. Our site also provides some discounted Products as same u get on any shop.

The software covers the following point while keeping in mind user's requirement-:

- Fast online access of information about various Products.
- Search Products by keywords like functional area, experience and also by initials of the Product's name.
- Administrator will maintain the database and perform all process.

There are 2 categories of users-

- 1. General User
- 2. Registered Users

HB[®] Traders

FEASIBILITY ANALYSIS

The feasibility study of this project comprise of the following

Economic Feasibility

The cost centers in the system development as well as operation are trivial. The major can be network, internet and the software required for coding. The software used for the development of the proposed system is PHP and MySQL. In terms of wallet our product is in well reach of pocket.

Technical Feasibility

Technical feasibility centers on the current system and to what extent it can support the proposed system, it includes current computer system specifications such as hardware, software etc. it also involves financial considerations to accommodate the technical enhancements. If the budget is serious constraint then the project is judged not feasible.

Though the system is developed in the generalized form, which covers all the procedures and operations carried out in an internet based solution. The version used in the system is PHP and MySQL.

MySQL can manage large amount of data and is simple and secure. Using PHP helps us to design the look of our application.

Operational Feasibility

In this we determine what change will be brought in system, new skills required and other human organization and political aspects.

Each user can easily use our site. However it is desirable that the user has the basic knowledge of the computers.

Without making any changes in the rules and regulations of the existing system proposed system can easily adopted.

HB[®] Traders

PROJECT PLAN

DEFINING A PROBLEM

- Define a problem.
- Justify the needs for a computerized solution.
- Identify the functions to be provided by the systems along with the constraints.
- Determine goal and requirements of the system.
- Establish the high level acceptance criteria.

DEVELOPING A SOLUTION STRATEGY


- Outline several solution strategies. Do not consider constraints for the time being.
- Conduct a feasibility strategy, including why the other strategies are rejected.
- Develop a list of priorities for the product characteristics.

PLANNING THE DEVELOPMENT PROCESS

- Define a life cycle model and an organizational structure for the project.
- Plan the configuration management, quality assurance and validation activities.
- Establish the preliminary cost estimates, the schedule and the staffing estimates for System development.
- Develop preliminary estimates for the computing resources required to operate and maintain the system.

HB ® Traders
Page 15

ACTIVITIES DURING SOFTWARE PROJECT PLANNING



SIZE ESTIMATION

The estimation of size is very critical and difficult area of the project planning. It has been recognized as a crucial step from the very beginning. The difficulties in establishing units for measuring size lie in the fact that the software is essentially abstract; it is difficult to identify the size of the system. Many attempts have been made at establishing a unit for measure size. They are given as-:

Lines Of Code

A line of code is any line of program that is not a comment or blank line, regardless of the number of statements or fragments of statements on the line. This specifically includes all lines containing program header, declarations and executable and non executable statements.

• Function Count

It measures functionally from user point of view that is on the basis of what the user requests and receives in return. Therefore it deals with the functionality being delivered, and not with lines of code, source modules etc. Measuring size in this way has the advantage that size measure is independent of the technology used to deliver the functions.

COST ESTIMATION

For any software project, it is necessary to know how much it will cost to develop and how much development time it will take. These estimates are needed before development is initiated. In many cases estimates are made using past experience as the only guide. A number of techniques have been developed and are having following attributes in common:

- Project scope must be established in advance.
- Software metrics are used as a basis from which estimates are made.
 - The project is broken into small pieces which are estimated individually.

HARDWARE & SOFTWARE REQUIRMENTS

At Developer Side

During system development, i have to design both static and dynamic website interfaces, create website functions and a database system, edit photos and pictures, so its has a set of software and hardware requirements.

Hardware Used

- Intel Dual Core Processor
- 160 GB Hard Disk Drive.
- 1GB RAM.
- O.S. Windows XP SP2

Software Used

- WAMP SERVER
- MYSQL Database
- NOTEPAD
- MS PAINT

At System Users Side

The following is the requirements for the system users including members and administrators.

Hardware Requirements

- Intel Pentium 4 Processor
- 20 GB Hard Disk Drive.
- 256MB RAM.
- O.S. Windows XP

Software Requirements

- Browser (IE 7.0 or Above, Mozilla Firefox, Google Chrome
- Browser Must be JavaScript Enabled

Front End Details

Front End tool is used for give a Graphical user interface to system. By this we can make a system user friendly and more capable. I have chosen PHP as front end tool. Because it is an Open Source Technology, freely available and more familiar with any type of database.

ABOUT PHP:

PHP: Hypertext Preprocessor is a widely used, general-purpose scripting language that was originally designed for web development to produce dynamic web pages. For this purpose, PHP code is embedded into the HTML source document and interpreted by a web server with a PHP processor module, which generates the web page document. As a general-purpose programming language, PHP code is processed by an interpreter application in command-line mode performing desired operating system operations and producing program output on its standard output channel. It may also function as a graphical application. PHP is available as a processor for most modern web servers and as standalone interpreter on most operating systems and computing platforms.

PHP stores whole numbers in a platform-dependent range. This range is typically that of 32-bit signed integers. Unsigned integers are converted to signed values in certain situations; this behavior is different from other programming languages. Integer variables can be assigned using decimal (positive and negative), octal, and hexadecimal notations. Point numbers are also stored in a platform-specific range. They can be specified using floating point notation, or two forms of scientific notation. PHP has a native Boolean type that is similar to the native Boolean types in Java and C++. Using the Boolean type conversion rules, non-zero values are interpreted as true and zero as false, as in Perl and C++. The null data type represents a variable that has no value. The only value in the null data type is NULL. Variables of the "resource" type represent references to resources from external sources. These are typically created by functions from a particular extension, and can only be processed by functions from the same extension; examples include file, image, and database resources. Arrays can contain elements of any type that PHP can handle, including resources, objects, and even other arrays. Order is preserved in lists of values and in hashes with both keys and values, and the two can be intermingled. PHP also supports strings, which can be used with single quotes, double quotes, or heredoc syntax.

Why PHP?

PHP is one of the most popular server side scripting languages running today. It is used for creating dynamic WebPages that interact with the user offering customized information. PHP offers many advantages; it is fast, stable, secure, easy to use and open source (free).

- User friendly
- GUI
- Separation of work (designing & coding)
- Written once run anywhere
- PHP API

Back End Details

Back end part of a system is more important because it controls all the internal process of a system. I have choose oracle database as back end. Because it is word's Most Capable relational database and provide more security than others.

Why MySQL?


MySQL is the world's most popular open source database software, with over 100 million copies of its software downloaded or distributed throughout its history. With its superior speed, reliability, and ease of use, MySQL has become the preferred choice for Web, Web 2.0, SaaS, ISV, Telecom companies and forward-thinking corporate IT Managers because it eliminates the major problems associated with downtime, maintenance and administration for modern, online applications.

Many of the world's largest and fastest-growing organizations use MySQL to save time and money powering their high-volume Web sites, critical business systems, and packaged software — including industry leaders such as Yahoo!, Alcatel-Lucent, Google, Nokia, YouTube, Wikipedia, and Booking.com.

The flagship MySQL offering is MySQL Enterprise, a comprehensive set of production-tested software, proactive monitoring tools, and premium support services available in an affordable annual subscription.

MySQL is a key part of WAMP (Window, Apache, MySQL, PHP), the fast-growing open source enterprise software stack. More and more companies are using WAMP as an alternative to expensive proprietary software stacks because of its lower cost and freedom from platform lock-in.

REQUIREMENT ANALYSIS STEPS



<u>Draw Context Diagrams</u> – The context diagram is a simple model that defines the boundaries and interfaces of the proposed system with the external world. It identifies the entities outside the proposed system that interact with the system

<u>Development Of Prototype</u> – One effective way to find out what the customer really wants is to construct a prototype, something that looks and preferably acts like a part of the system they want.

<u>Model The Requirement</u> – This process really consist of various graphical representations of functions, data entities, external entities and the relationship between them. The graphical view may help to find incorrect, inconsistent, missing and superfluous requirement.

<u>Finalize The Requirements</u> – After modeling the requirements we will have better understanding of the system behavior. The inconsistencies and ambiguities have been identified and corrected.

HB[®] Traders

FUNCTIONAL REQUIREMENTS

Functional requirements define the fundamental actions that must take place in the software in accepting the inputs and in processing and generating the outputs. These are listed as "shall" statements starting with "The system shall…

<u>Login Module</u> – This module is provided for administrator and users such as Product buyer and seller who have registered themselves in the system. These login are provided according to the need of the systems.

- Input User id and password
- <u>Process</u> After entering user id and password by user process of validation occur to identify whether user id and password is available in database or not.
- Output Registered user can access website and can use the services.

<u>Administrator Module</u> — The administrator is provided with password and login-id with which he/she can access the system. Administrator is provided right of maintaining the database, verifies registered users.

- **Input** Login id and password.
- **Process** Process of validation will occur.
- <u>Output</u> Administrator will maintain the database and will perform Product seller process.

<u>Search Module</u> – In this module we are going to provide facility for Product buyer to search for Products according to their specified categories so that users can search for Products easily.

- Input- Initial letter of Product, with the help of keywords and with the help of Brand name.
- Output- Information about Products.

<u>User Module</u> – As users are the main visitor of site, the following facilities are available through this module.

HB[®] Traders

Can search the Products according to their need

Can order online books and pay via credit or atm card or PayPal.

Can get information about Products.

- **Input** User Id and password
- **Process** Process of validation will occur.
- Output Only genuine user can access services provided by website.

NON FUNCTIONAL REQUIREMENT

Performance Requirement

The performance of the product mainly depends on the speed of Internet connection. If the user wants hard real time response, then this is definitely not the product to go for.

Safety Requirements

The electrical connection to the devices is critical and should be done according to the standards to avoid any short circuits.

Security Requirements

We aim to provide high security features like encryption to the user accounts to provide security from illegal hacking and gaining access to the system.

SYSTEM DESIGN

The most creative and challenging phase of System Development Life Cycle (SDLC) is Software Design. SDS is systematic documentation of design. A design process involves "conceiving and planning out in the mind" and "making drawing pattern or sketch". The term "design" describes a final system and the process by which it is developed. It assist in catching potential errors before the implementation phase itself which had been very costly to remove otherwise.


System Design is a solution how to translate the system requirement into a blue print for constructing the software. The goal of SDS is not only to produce a correct design but the best possible one within the limitation imposed by the requirements and the physical and social environment in which the system will operate.

The system architecture description found in this document provides the reader a clear sense of how the system will be organized, how the components will interact and how the users will interface with the running software.

CLASS DIAGRAM:

Class is nothing but a structure that contains both variables and methods. The Class Diagram shows a set of classes, interfaces, and collaborations and their relating ships. There is most common diagram in modeling the object oriented systems and are used to give the static view of a system. It shows the dependency between the classes that can be used in our system.

The interactions between the modules or classes of our projects are shown below. Each block contains Class Name, Variables and Methods.



UML Diagrams:

Actor:

A coherent set of roles that users of use cases play when interacting with the use `cases.



Use case:

A description of sequence of actions, including variants, that a system performs that yields an observable result of value of an actor.



UML stands for Unified Modeling Language. UML is a language for specifying, visualizing and documenting the system. This is the step while developing any product after analysis. The goal from this is to produce a model of the entities involved in the project which later need to be built. The representation of the entities that are to be used in the product being developed need to be designed.


There are various kinds of methods in software design:

They are as follows:

- Use case Diagram
- Sequence Diagram
- Collaboration Diagram

COLLABORATION DIAGRAM:


A collaboration diagram is an introduction diagram that emphasizes the structural organization of the objects that send and receive messages. Graphically a collaboration diagram is a collection of vertices and arcs.



SEQUENCE DIAGRAM:

Sequence diagram and collaboration diagram are called INTERACTION DIAGRAMS. An interaction diagram shows an interaction, consisting of set of objects and their relationship including the messages that may be dispatched among them.


A sequence diagram is an introduction that empathizes the time ordering of messages. Graphically a sequence diagram is a table that shows objects arranged along the X-axis and messages ordered in increasing time along the Y-axis



USECASE DIAGRAMS:

Use case diagrams model behavior within a system and helps the developers understand of what the user require. The stick man represents what's called an actor.

A Use case is a description of set of sequence of actions. Graphically it is rendered as an ellipse with solid line including only its name. Use case diagram is a behavioral diagram that shows a set of use cases and actors and their relationship..




DESIGN NOTATIONS

The DFD also known as the Bubble Chart is a simple graphical formalism that can be used to represent a system in terms of the input data to the system. Various processing carried out on these data, and the output data generated by the system. The main reason why the DFD technique is so popular is probably because of the fact that DFD is a very simple formalism-it is simple to understand and use. A DFD uses a very limited number of primitive symbols to represent the functions performed by a system and the data flow among these functions. Starting with a set of high-level functions that a system performs, a DFD model hierarchically represents various sub functions. The five different types of primitive symbols used for constructing DFDs are:

SYMBOLS USED:

PROCESS:



A function is represented using a circle. This symbol is called a process or a bubble. Bubbles are annotated with the names of the corresponding functions.

EXTERNAL ENTITY:



An external entity such as a librarian, a library member, etc. is represented by a rectangle. The external entities are essentially those physical entities external to the software system that interact with the system by inputting data to the system or by consuming the data produced by the system. In addition to the human users, the external entity symbols can be used to represent external hardware and software such as application software.

DATA FLOW:

A directed arc or an arrow is used as a data flow symbol. A data flow symbol represents the data flow occurring between two processes, or between an external entity and a process, in the direction of the data flow arrow. Data flow symbols are usually annotated with the corresponding data names.

DATA STORE:

A data store represents a logical file. It is represented using two parallel lines. A logical file can represent either a data store symbol, which can represent either a data structure, or a physical file on disk. Each data store is connected to a process by means of a data flow symbol. The direction of the data flow arrow shows whether data is being read from or written into a data store. A arrow flowing in or out of a data store implicitly represents the entire data of the data store and hence connecting to a data store need not be annotated with the name of the corresponding data items.

OUTPUT SYMBOL:



The output symbol is used when a hard copy is produced and the user of the copies cannot be clearly specified or there are several users of the output.

PRODUCT FUNCTION

The complete product is comprised of various functions-

Function available to general user-

- User can access the information about various Products and Brands.
- User can become a member of site by registering himself.
- User can buy a Product online.
- Selected categories can be explored by user.

Registered user has some other function like-

- Log –in page to log into the application.
- He will get email from administrator sending him information about new Products in the store.
- Can change his/her password.

Function available to Administrator

- Administrator will add or delete the Products in the database.
- Administrator also provides the discount on the Products.
- It enables or disables the user after fill the user registration form.
- Administrator will send new password to the user email address.

USER CHARACTERISTICS

This subsection of SRS should describe whose characteristics of the eventual user of the product that will affect the specific requirement. Our website will be intended not only for authorized user but also for general user.

ADMINISTRATOR

- Administrator should know how to access internet and must have good knowledge of English.
- He must be aware of how to respond feedback and queries fired by user.

GENERAL USER

- We assume that user knows English & user need not be computer professionals.
- User should be aware of internet.
- User can access information through hyperlink such that navigation of various pages.

CONSTRAINTS

Only administrator will be able to make entries in the database and can modify it.

DETAIL DESIGN

Search

On this web site two type of user can search the book one is registered and another is unregistered. Registered user have to fill the form and then he/she can search or buy the Products but unregistered can only search the Products not buy the Product until they did not get the registered user.

Registration Form

Shop will place registration form on the site. In this buyer interact with the shop. Buyer will get registration form from the site and fill those forms and submit on the site. Shop will store these registration forms in their database. In this we have to fill first name, last name, address, e-mail, etc.

Entity Relationship Diagram

Entity relationship diagrams are a way to represent the structure and layout of a database. It is used frequently to describe the database schema. ER diagrams are very useful as they provide a good conceptual view of any database, regardless of the underlying hardware and software. An ERD is a model that identifies the concepts or entities that exist in a system and the relationships between those entities. An ERD is often used as a way to visualize a relational database: each entity represents a database table, and the relationship lines represent the keys in one table that point to specific records in related tables.

ERDs may also be more abstract, not necessarily capturing every table needed within a database, but serving to diagram the major concepts and relationships. This ERD is of the latter type, intended to present an abstract, theoretical view of the major entities and relationships needed for management of electronic resources. It may assist the database design process for an e-resource management system, but does not identify every table that would be necessary for an electronic resource management database.

Objects

There are three main objects on an ER Diagram:

- 1. Entities
- 2. Relations
- 3. Attributes.

Entities

An entity is a concept or object in the database. Entities are concepts within the data model. Each entity is represented by a box within the ERD. Entities are abstract concepts, each representing one or more instances of the concept in question. An entity might be considered a container that holds all of the instances of a particular thing in a system. Entities are equivalent to database tables in a relational database, with each row of the table representing an instance of that entity.


Attributes

The Supplier Name, Supplier Address, Telephone Number etc. A given attribute belonging to a given entity occurrence can only have one value. Therefore, if a supplier could have more than one address or telephone number then this should be determined before defining the attributes of that entity type. In this example the defined entity may require two or three address and/or telephone number attributes. It is the maximum practical instances of a given attribute that should be catered for in the entity type definition.

Relationships

Relations are the connections between two or more entities. Relationship lines indicate that each instance of an entity may have a relationship with instances of the connected entity, and vice versa. Each entity type can always be described in terms of attributes, and these attributes will apply to all occurrences of that given entity type

FLOWCHART




HB ® _{Traders}


Page 36

(0 level DFD)


For Registration



For Login




For Buying Product:



HB[®] Traders

E-R Diagram



TESTING

Testing is the process of executing a program with the intent of finding errors. Although software testing is itself an expensive activity, yet launching of software without may lead to cost potentially much higher than that of testing, especially in systems where human safety is involved. Effective software testing will contribute to the delivery of higher quality software products, more satisfied users, and lower maintenance costs, more accurate and reliable results. Software testing is necessary and important activity of software development process.

STRUCTURAL TESTING

Structural Testing takes into account the internal mechanism of a system or component. Fatigue Testing is carried out with the objective of determining the relationship between the stress range and the number of times it can be applied before causing failure. So when your product's structural durability needs to be predicted, verified and validated, turn to DTB's Structural Testing and Fatigue Testing experts. We provide you with the necessary structural testing and fatigue testing equipment and personnel to test the design and manufacturing integrity of your product. Call upon our vast experience in commercial and military applications.

Software Structural Testing is a 2-day course designed to provide an excellent knowledge base and practical skills for anyone interested in improving Software Structural Testing techniques and practices in their organization. This course starts with an overview of software testing basics, including discussions of the importance of software testing, the different levels of testing and basic testing principles. Basic testing terminology is defined. Techniques for ensure test coverage of requirements, different types of testing documentation and various test activities are discussed.

Course attendees will learn how to utilize various techniques for performing systematic structural testing, including decision/condition coverage, loop testing and basis path testing. Strategies for performing software and system integration testing are also covered.

HB[®] Traders

FUNCTIONAL TESTING

It is very useful and convenient in support of functional testing. Although JMeter is known more as a performance testing tool, functional testing elements can be integrated within the Test Plan, which was originally designed to support load testing. Many other load-testing tools provide little or none of this feature, restricting themselves to performance-testing purposes. Besides integrating functional-testing elements along with load-testing elements in the Test Plan, you can also create a Test Plan that runs these exclusively. In other words, aside from creating a Load Test Plan, it also allows you to create a **Functional Test Plan**. This flexibility is certainly resource-efficient for the testing project.

This will give a walkthrough on how to create a Test Plan as we incorporate and/or configure its elements to support functional testing. This created a Test Plan for a specific target web server. We will begin the chapter with a quick overview to prepare you with a few expectations; we will create a new Test Plan, only smaller. The Test Plan we will create and run at the end of this chapter will incorporate elements that support functional testing, exclusively.

METHODOLOGY USED FOR TESTING

ACCEPTANCE TEST GENERATION

The objective of this step is to produce a set of test data that may be used to test the system. Whenever a new system is developed it need to be tested to confirm its validity and to determine whether it meets the user requirements. The system was also tested with some sample records. The records were entered into the system and various reports were generated to check the system.

System testing is a critical phase of implementation. Testing of the system involves hardware devices and debugging of computer programs and testing information processing procedures. Testing can be done with test data, which attempt to simulate all possible condition that may rise during processing. The testing methods adopted during the testing of system are unit testing and integration testing.

UNIT TESTING

Unit testing focuses on the modules independently locate the errors. This enables the tester to detect errors in coding. It is the process of taking a module and running it in isolation from rest of the software product by using prepared test cases and comparing the actual result with the result redirected with the specifications and design of the module. One purpose of testing is to find and remove as many errors in the software as practical. There are number of reason in support of unit testing-:

- The size of module single module is small that we can locate an error fairly easily.
- The module is small enough that we can attempt to test it in some demonstrably exhaustive fashion.
- Confusing interactions of multiple errors in widely different parts of software are eliminated.

There are problem associated with testing a module in isolation. How do we run a module without anything to call it, to be called by it, possibly to output intermediate values obtained during execution? One approach is to construct an appropriate driver routine to call it, and simply stubs to be called by it, and to insert output statements in it. Stubs serve to replace modules that are

subordinate to the module to be tested. A stub or dummy subprogram uses the subordinate module's interface, may do minimal data manipulation, prints verification of entry and returns.

INTEGRATION TESTING

This is a systematic technique for constructing the program structure while at the same time to uncover the errors associated with the interface. The objective is to take unit tested module and build a program structure that has been detected by designing. The main purpose of integration testing is to determine that the interfaces between modules are correct or not. One specific target of integration testing is the interface: whether parameter matches on both sides as to type, permissible ranges, meaning & utilization. There are 3 types of integration testing-

- <u>Top Down Approach</u>- Top Down integration proceeds down the invocation hierarchy, adding one module at a time until an entire tree level is generated.
- Bottom Up Approach The Bottom up strategy works similarly from the bottom to up.
- Sandwich Strategy A sandwich strategy runs from top and bottom simultaneously.

TEST DATA USED

The proper selection of the data is very important. If the test data is not appropriate or representative of the data to be provided by the user, the reliability of the output is susceptible.

Two different sources were during testing of the system-:

- <u>Using Live Test Data</u> Live test are those that are actually extracted from the organization files. Use of the live data make testing easier by obtaining most expected outputs and if it is found that the program can handle the entries processing of the system accurately.
- <u>Using Artificial Test Data</u> Live data is difficult to obtain insufficient amount to conduct extensive testing. It does not test all the combination or formats that can be done by entering to the system. Therefore artificial test data were used at the time of unit testing. Artificial test data was created solely for test purposes which provide extreme values for testing the limit of candidate system.

TEST CASES

- System is properly linked or not Whether they are redirected to desired page or not.
- <u>Information passed</u> If a page passes some parameter to another page then it should be checked that the page get the correct information, whatever is passed by the previous page.
- Output should be correct Every functionality of the system should be checked properly whether it gives the right result or not generally test is performed with known results. If the output of the system is matched with that result the system is working fine.

TEST CASES

LOGIN FOR USER

| Serial | Description | Expected | Actual Result | Result | |
|--------|--|---|---|--------|--|
| No | | Result | | | |
| 1. | This page contains 2 fields user name and password and a login button to submit the information. User is entering correct information. | User home page should open after successful login. | Respective user home page is opening after successful login by user. | Passed | |
| 2. | If either user name or password is filled incorrect or left blank. | An error message should be displayed and user should be asked fill the information again. | When wrong information is entered by user then an error message is displayed. | Passed | |

USER REGISTRATION PAGE

| Serial | Description | Expected | Actual Result | Result | |
|--------|----------------------------|------------------|----------------------|--------|--|
| No | | Result | | | |
| 1. | User registration page 1 | After | After | Passed | |
| | consist of detail | submitting | submitting | | |
| | information about User | information | information | | |
| | and a submit button to | User | User | | |
| | submit the information | registration | registration | | |
| | .Here user is entering | page 2 should | page 2 is | | |
| | correct information. | be displayed. | displayed. | | |
| 2. | If the information entered | An error | An error | Passed | |
| | by user in incorrect or | message should | message is | | |
| | left somewhere blank. | be displayed | occurred if the | | |
| | | and ask the user | information is | | |
| | | to fill the | incorrect or left | | |
| | | information | blank. | | |
| | | again. | | | |
| | | | | | |

IMPLEMENTATION

Implementation is the stage in the project where the theoretical design is turned into the working system and is giving confidence to the new system for the users i.e. will work efficiently and effectively. It involves careful planning, investigation of the current system and its constraints on implementation, design of method to achieve the change over, an evaluation, of change over methods. A part from planning major task of preparing the implementation is education of users. The more complex system is implemented, the more involved will be the system analysis and design effort required just for implementation. An implementation coordinating committee based on policies of individual organization has been appointed. The implementation process begins with preparing a plan for the implementation for the system. According to this plan, the activities are to be carried out; discussions may regarding the equipment have to be acquired to implement the new system.

Implementation is the final and important phase. The most critical stage is in achieving a successful new system and in giving the users confidence that the new system will work and be effective. The system can be implemented only after thorough testing is done and if it found to working according to the specification. This method also offers the greatest security since the old system can take over if the errors are found or inability to handle certain types of transaction while using the new system.

At the beginning of the development phase a preliminary implementation plan is created to schedule and manage the many different activities that must be integrated into plan. The implementation plan is updated throughout the Development phase, culminating in a changeover plan for the operation phase. The major elements of implementation plan are test plan, training plan, equipment installation plan, and a conversion plan.

There are three types of implementation:

- ✓ Implementation of a computer system to replace a manual system.
- ✓ Implementation of a new computer system to replace an existing system.
- ✓ Implementation of a modified application to replace an existing one, using the same computer.

Successful implementation may not guarantee improvement in the organization using the new system, but improper installation will prevent it. It has been observed that even the best system cannot show good result if the analysts managing the implementation do not attend to every important detail. This is an area where the systems analysts need to work with utmost care.

Conversion Methods

A conversion is the process of changing from the old system to the new one. It must be properly planned and executed. Four methods are common in use. They are Parallel Systems, Direct Conversion, Pilot System and Phase In method.

Parallel systems:

The most secure method of converting from an old to new system is to run both systems in parallel. This method is safest one because it ensures that in case of any problem in using new system, the organization can still fall back to the old system without the loss of time and money.

The disadvantages of parallel systems approach are:

- ➤ It doubles operating costs.
- The new system may not get fair trial.

Phase –IN- method:

This method is used when it is not possible to install a new system throughout an organization all at once. The conversion of files, training of personnel or arrival of equipment may force the staging of the implementation over a period of time, ranging from weeks to months.

Post Implementation Review

After the system is implemented and conversion is complete, a review should be conducted to determine whether the system is meeting expectations and where improvements are needed. A post implementation review measures the systems performance against predefined requirement. It determines how well the system continues to meet the performance specifications.

A DATABASE-DRIVEN ONLINE SHOPPING PORTAL

The shopping portal that I have build for our store makes use of several advance features that the cart contain all the selected products until checkout and My Shopping by which user can track their previous shopping on this portal. For doing so shopping portal uses a Database by which all these information stored in this database and when required then it is fetched from it. So I use MYSQL Database in this project.

So this shopping portal contains dynamic effects by using this database. Some parts of this project which use database are following:

- Firstly when user Register an account on this website the user give their information which are stored in database.
- Then when users want to login on this website then they give their username and password as they choose at registration time, if both are matched with database's username and password then user can successfully logged in the website otherwise Access Denied.
- The Objects which users can see on homepage, after login page, buy products page are also come from database.
- Now After login user can modify their profile and password. The modified profile details and password details altered in the database.
- In Buy Products Section Product and Their Prices also fetched from database's table. When user select a product and push Add to cart then items added to database's cart table.
- Then in My Cart section the products displayed which are in the cart table of the database following by user.
- Checkout section takes the carts item and their total price and then payment details are given by the user and these details store in separate database table. After Successful entry in this table users cart empty automatically because all items purchased by him.
- In My Shopping section the products a user puSrchased are displayed.

ABOUT THE CURRENT SYSTEM

Advantages of the Current System:

The project Online Shopping Portal System is GUI based system so that it is easy to handle. It also increases the efficiency of the end user, because it will reduce the redundant job, which is tedious to complete. The Online System also has automated capability to complete job, so it reduces the work manually.

Advantage of Online Shopping Portal:

- 1. This online program will take less time and gives better results.
- 2. It reduces the tedious jobs Like (Redundant work, long procedures, Up to Date Information).
- **3.** It will improve the online shopping system, since all the information is available whenever required.
- **4.** It provides quick processing thus helps in transaction and updating in Edit personal view can perform in few seconds.
- 5. It provides accurate Output.
- **6.** It gives fast answer of queries.
- **7.** The amount of paper work is reduced.
- 8. Better Control.

Deficiencies of the manual system:

1) Lack of immediate retrieval of information

In manual system, lot of time is wasted in retrieving information. Much searching is required before required information is found. This wastes a lot of time of the user as well as the person.

2) Lack of immediate information storage

In manual system, it is difficult to store information at proper place at that very moment. This is because the person is unable to quickly locate the place where the information is to be stored.

3) Prompts updating not possible

Changes are quite natural in all walks of life. Information and stored data also changes from time to time. These changes should be incorporated in the working also to keep the information up to date. However, bringing about changes through the manual system is a slow and tedious process because of which inaccurate information storage occurs.

4) Unplanned working

The manual system lacks the element of planned working. Records are not properly maintained. This creates a lot of problems at times like during information retrieval and storage.

5) Insignificant generation of managerial and Strategic reports.

In manual system, reports for management are difficult to be generated and strategic reports are almost impossible. This is because for these reports proper storage of information, its retrieval and it's filtering (i.e. choosing information that meets criteria are very important and are very tough in manual system.

6) Accuracy

The manual system lacks accuracy in working and a number of operations may be performed incorrectly. The computations that are done in the organization may be incorrect and whatever are generated in the system may be inaccurate.

7) Reliability

The reliability of a manual system is considered to be low because of the above given reasons including the fact that 'To error is human'. Any task that is performed by men, always contain the risk of errors.

8) Redundancy of information

In manual system, particular information may be stored at a number of places, lending to redundancy. Redundancy of data or information creates a number of problems storage space is wasted; changes at one place are to be made at a number of places and so on.

GOALS OF THE PROPOSED SYSTEM

1) Immediate retrieval of information

The main objective of the new system is to provide for quick and efficient retrieval of information. Any type of information would be available to the user whenever he requires. Facility would be provided for online query to cut down on the response time greatly.

2) Immediate storage of information

In the proposed system, it will be easy to store information at any given time at the correct places. The location of storage would be easily available and user will face no difficulty.

3) Prompt updating of information

In the proposed system, the information will always remain up to date as the updating will be prompt and without any efforts. This factor will be of great importance in the proposed system as it determines the integrity of the information stored.

4) Fast computation of information

The computation of information will be quite fast in the proposed system. Not only mathematical calculations, but also logical comparisons will be quick in the new system.

5) Planned approach toward working

The working in the service center information system will be well planned and organized. The data will be stored properly in the data store, which will help in retrieval of information as well as in its storage.

6) Generation of managerial and strategic reports

The new system would provide for regular generation of reports, which would help the management in decisions making work and in controlling the overall working of the organization. The generation, of these reports would be possible only if the system is organized such that retrieval of information can be made on conditions.

7) Accuracy

The level of accuracy in the new proposed system would be higher. All operations and computations would be done correctly and this will ensure that whatever information is coming from the center, it is accurate.

8) Reliability

The reliability of the proposed system would be high due to the above stated reasons. The reason for the increased reliability of the system is that now there would be proper storage of information, its maintenance would be well managed and retrieval would be possible in the desired manner.

9) Non Redundant Information

In the new system, utmost care would be taken that no information is repeated, any usage of storage or otherwise. This would assure economic usage of storage or space and consistency in the data stored. This will also help make those changes easily as the change would have to be made only at that very place and no where else.

USER REQUIREMENT

The user requires these features from the proposed system:

- Quick generation of data entry forms
- Quick processing of information
- Quick retrieval of data
- Quick and correct updating of data.
- Least storage requirements
- Secured and controllable data storage
- Full backups of data
- Readable, clean, up to date and timely reports

Note: These are some of the basic requirements, which the system should provide, but additional Requirements can be different for other online program.

SYSTEM SECURITY MEASURES

Site Security

A basic website security feature is that the online store must operate on a secure server. From a visitor's point of view, this means the site URL starts with the "https" designation rather than "http." The security plan has to specify secure server hosting and whether you need a third-party security certificate. Such a certificate means a security specialist has verified the security of the server. Credit card companies usually require such certification.

Customer Identification

Once the site is secure, your next concern is separating real customers from threats. A common way to do this is to make customers set up an account and use their addresses to verify their identity. Some credit card systems include automatic address verification. If customers don't need accounts, you can use a test like a question or a captcha to block automated hacking programs. Your security plan has to detail the approach you want to take.

Ordering

Most online stores use a shopping cart system for customer orders. You can also design your own system, but your security plan has to detail how the customer enters his personal data and how the online store processes it. The key is that the customer must enter the data on the secure server, and the server must not transfer the data outside itself.

Payment

A key part of your security plan details how you process payments. Once the secure server stores the credit card number, a payment system has to process it so the money goes into your account. Many credit card systems use encrypted transfer mechanisms to send the credit card number to the processor. The credit card system supplier has instructions on how to do this. Others have virtual terminals where merchants can enter the numbers that they get directly from the secure server. Your security plan has to detail exactly how you plan to process the credit card numbers.

Confirmation

The final part of the security plan describes the order confirmation. Customers usually get an email confirming their order. Such emails must only include non-sensitive information because emails are not secure. They specifically can't include credit card numbers. You should limit other order details as well, especially details regarding medical supplies or other personally sensitive information. The security plan has to specify what the confirmation email includes and keep it to the minimum the customer needs to identify his order.

LIMITATIONS

Although I have tried to do the best and try to do all the things that are possible in an Online System, but still the system contains some of the limitations.

The reason of these limitations is the time constraints. Time is the major problem. I Have to deliver the project in a particular time period. That's way I have to leave Some of the topics that actually I want to cover, I am still working on this software And my next goal is to remove these limitations and develop a more efficient and Elegant system.

Limitations of the System:

- 1. This project does not give the information about the stock (quantity) present within the shop.
- 2. This project does not create monthly, yearly Reports.

After removing these and other minor limitations I hope this project will very efficient and effective.

PROJECT LEGACY

Objective describes what the prospective users of the system want from the system. Being an important part of the system development process, preparation of the requirement specification has been done after studying the existing procedure and personal interaction with prospective users.

The Online Shopping Portal is an Intermediate between Product Buyers and Sellers. The purpose is to enable the Product Buyers to search for the Products from any remote location. The Product Buyer can Search for the Products from any remote location.

We are going to design an application which is beneficial for all those who wants to do shopping from home. The main aim of this software is to provide Products according to their area of need. It also provides information about various companies to users and Products of those companies. The administrator will maintain the database and perform all updation and deletion process.

USER MANUAL

DEFINITION, ACRONYMS, ABBREVIATIONS

- **Browser**: A software application used to locate and display web pages.
- <u>Database</u>: A database that stores data. It is a collection of interrelated data that contains information relevant to enterprise.
- MYSQL: Most widely used query language for creating database.
- <u>Internet</u>: Worldwide networks of computers from where anyone can take information.
- **Homepage:** The first page when you go to a worldwide website on internet.
- <u>HTML</u>: It is a computer language specifying the content & formats of web document .It allows additional text to include codes that define fonts, layouts, graphics & hypertext.
- **PHP:** It is called Hypertext Pre-Processor.
- <u>Webpage</u>: pages of information placed on network that may contain text, graphics, images, moving pictures, sound files & other type of electronic information.
- Website: Collection of files called webpage, which can contain text & images.
- <u>DBMS</u>: A collection of computer program that allow storage, modification, extraction of information from database.
- <u>SQL</u>: It is a standard interactive & programming language for getting information & updating database..

ABBREVIATIONS/ ACRONYMS

- **SQL**: Structured Query Language
- **SRS**: System Requirement Specification
- <u>OS</u>: Operating System
- **DBMS**: Database Management System
- <u>URL</u>: Uniform Resource Locator
- <u>IIS</u>: Internet Information Server
- XML: Extensible Markup Language
- PHP: Hypertext Pre-Processor

HB ® Traders
Page 58

DATABASE AND TABLES OF PROJECT

Admin-Info TABLE



Brand TABLE



Cart TABLE

| ←T | → | | ▽ | id | p_id | ip_add | user_id | qty |
|-------------|-------------|------------------|--------|----|------|-----------|---------|-----|
| | Edit | ≩ сору | Delete | 6 | 26 | ::1 | 4 | 1 |
| | Edit | ≩ - сору | Delete | 9 | 10 | ::1 | 7 | 1 |
| | Edit | ≩ сору | Delete | 10 | 11 | ::1 | 7 | 1 |
| | | ≩ сору | Delete | 11 | 45 | ::1 | 7 | 1 |
| | Edit | ≩ сору | Delete | 44 | 5 | ::1 | 3 | 0 |
| | @ Edit | ≩ ≟ Сору | Delete | 46 | 2 | ::1 | 3 | 0 |
| | Edit | ≩ сору | Delete | 48 | 72 | ::1 | 3 | 0 |
| | Edit | 3 -ċ Copy | Delete | 49 | 60 | ::1 | 8 | 1 |
| | Edit | 3 -ċ Copy | Delete | 50 | 61 | ::1 | 8 | 1 |
| | | 3 -с Сору | Delete | 51 | 1 | 01 | 8 | 1 |
| | Edit | 3- сору | Delete | 52 | 5 | ::1 | 9 | 1 |
| | | 3 -с Сору | Delete | 53 | 2 | ::1 | 14 | 1 |
| | Edit | ≩ сору | Delete | 54 | 3 | ::1 | 14 | 1 |
| | Edit | ≩ сору | Delete | 55 | 5 | ::1 | 14 | 1 |
| | Edit | ≩- сору | Delete | 56 | 1 | ::1 | 9 | 1 |
| | | 3 -с Сору | Delete | 57 | 2 | ::1 | 9 | 1 |
| TOTAL NAME. | Edit onsole | ≩- Copy | Delete | 71 | 61 | 127.0.0.1 | -1 | 1 |

CATEGORY TABLE



Email-Info TABLE



HB[®] Traders


Orders TABLE



Order-Info TABLE



Order-Product TABLE




PRODUCT TABLE

| + T → | | product | product_i product_bra | product_title product_pr | product_desc product_image | product_keywords |
|--------------------------|-----|---------|-----------------------|--------------------------|----------------------------|------------------|
| ☐ 🥜 Edit 👫 Copy 🖨 Delete | 102 | 4 | 4 Bamboo Curtain | 2500 8*8 | 1602750971_7.jpg | CHICK |
| ☐ 🌽 Edit 🕦 Copy 🥥 Delete | 103 | 4 | 4 Bamboo Curtain | 1700 4*8 | 1602751008_8.jpg | CHICK |
| ☐ 🥜 Edit 👫 Copy 😊 Delete | 104 | 4 | 4 Bamboo Curtain | 1750 3*8 | 1602751054_9.jpg | CHICK |
| ☐ 🥜 Edit 👫 Copy 👵 Delete | 105 | 4 | 4 Bamboo Curtain | 2500 8*8 | 1602751081_10.jpg | CHICK |
| ☐ 🌽 Edit 👫 Copy 👵 Delete | 106 | 4 | 4 Bamboo Curtain | 1800 6*8 | 1602751111_11.jpg | CHICK |
| ☐ 🥜 Edit 👫 Copy 🖨 Delete | 107 | 4 | 4 Bamboo Curtain | 1600 4*4 | 1602751135_12.jpg | CHICK |
| ☐ 🎤 Edit 👫 Copy 😊 Delete | 108 | 4 | 4 Bamboo Curtain | 1600 6*6 | 1602751198_14.jpg | CHICK |
| ☐ 🥜 Edit 👫 Copy 😊 Delete | 109 | 4 | 4 Bamboo Curtain | 3000 10*8 | 1602751239_15.jpg | CHICK |
| ☐ 🥜 Edit 👫 Copy 😊 Delete | 110 | 4 | 4 Bamboo Curtain | 1700 3*6 | 1602751284_16.jpg | CHICK |
| ☐ 🥜 Edif 👫 Copy 👵 Delete | 111 | 4 | 4 Bamboo Curtain | 1600 3*8 | 1602751321_17.jpg | CHICK |
| ☐ 🥜 Edit 👫 Copy 😊 Delete | 112 | 4 | 4 Bamboo Curtain | 2000 4*8 | 1602751346_18.jpg | CHICK |
| ☐ 🥜 Edit 🏰 Copy 😊 Delete | 113 | 4 | 4 Bamboo Curtain | 2500 8*8 | 1602751378_19.jpg | CHICK |
| ☐ 🥜 Edit 👫 Copy 😊 Delete | 114 | 4 | 4 Bamboo Curtain | 1600 3*6 | 1602751427_20.jpg | CHICK |
| ☐ 🥜 Edit 👫 Copy 😊 Delete | 115 | 4 | 4 Bamboo Curtain | 2000 6*8 | 1602751457_21.jpg | CHICK |

USER INFORMATION TABLE

| -1 | - | | ∀ | user_id | first_name | last_name | email | password | mobile | address1 | address2 |
|----|--------|-----------------|--------|---------|------------|-----------|---------------------------|-------------|------------|------------------|-------------|
| 0 | 🧷 Edit | ≱ Сору | Delete | 12 | puneeth | Reddy | puneethreddy951@gmail.com | puneeth | 9448121558 | 123456789 | sdcjns,djc |
| 0 | Ø Edit | 3 € Copy | Delete | 15 | hemu | ajhgdg | puneethreddy951@gmail.com | 346778 | 536487276 | ,mdnbca | asdmhmhvbv |
| 0 | 🧷 Edit | } Copy | Delete | 16 | venky | VS | venkey@gmail.com | 1234534 | 9877654334 | snhdgvajfehyfygv | asdjbhfkeur |
| 0 | Ø Edit | 3 € Copy | Delete | 19 | abhishek | bs | abhishekbs@gmail.com | asdcsdcc | 9871236534 | bangalore | hassan |
| 0 | 🧷 Edit | ≱ i Copy | Delete | 21 | prajval | mcta | prajvalmcta@gmail.com | 1234545662 | 202-555-01 | bangalore | kumbalagodu |
| 0 | Ø Edit | 3 € Copy | Delete | 22 | puneeth | ٧ | hemu@gmail.com | 1234534 | 9877654334 | snhdgvajfehyfygv | asdjbhfkeur |
| 0 | 🧷 Edit | } Copy | Delete | 23 | hemanth | reddy | hemanth@gmail.com | Puneeth@123 | 9876543234 | Bangalore | Kumbalagodu |
| 0 | Ø Edit | 3 € Copy | Delete | 24 | newuser | user | newuser@gmail.com | puneeth@123 | 9535688928 | Bangalore | Kumbalagodu |
| 0 | Ø Edit | } Copy | Delete | 25 | otheruser | user | otheruser@gmail.com | puneeth@123 | 9535688928 | Bangalore | Kumbalagodu |

User-Info-Backup TABLE



CODE OF PROJECT

User side

```
db.php

$servername = "localhost";
$username = "root";
$password = "";
$db = "ecommerce";
```

// Check connection
if (!\$con) {
 die("Connection failed: " . mysqli_connect_error());
}

\$con = mysqli_connect(\$servername, \$username, \$password,\$db);

?>

config.ylm

// Create connection

theme: jekyll-theme-cayman

config .php

```
<?php
session_start();
include "db.php";
if (isset($_SESSION["uid"])) {
       $f_name = $_POST["firstname"];
       $email = $_POST['email'];
       $address = $_POST['address'];
  $city = $_POST['city'];
  $state = $_POST['state'];
  $zip= $_POST['zip'];
  $cardname= $ POST['cardname'];
  $cardnumber= $_POST['cardNumber'];
  $expdate= $_POST['expdate'];
  $cvv= $_POST['cvv'];
  $user_id=$_SESSION["uid"];
  $cardnumberstr=(string)$cardnumber;
  $total_count=$_POST['total_count'];
  $prod_total = $_POST['total_price'];
```

```
$sql0="SELECT order_id from `orders_info`";
 $runquery=mysqli_query($con,$sql0);
 if (mysqli num rows($runguery) == 0) {
    echo( mysqli_error($con));
    $order id=1;
  }else if (mysqli_num_rows($runquery) > 0) {
    $sql2="SELECT MAX(order id) AS max val from `orders info`";
    $runquery1=mysqli_query($con,$sql2);
    $row = mysqli_fetch_array($runquery1);
    $order id= $row["max val"];
    $order_id=$order_id+1;
    echo( mysqli_error($con));
  }
       $sql = "INSERT INTO `orders info`
       (`order_id`,`user_id`,`f_name`, `email`,`address`,
       `city`, `state`, `zip`, `cardname`,`cardnumber`,`expdate`,`prod_count`,`total_amt`,`cvv`)
       VALUES ($order id, '$user id', '$f name', '$email',
  '$address', '$city', '$state',
'$zip', '$cardname', '$cardnumberstr', '$expdate', '$total_count', '$prod_total', '$cvv')";
 if(mysqli_query($con,$sql)){
    i=1:
    $prod_id_=0;
    $prod_price_=0;
    $prod_qty_=0;
    while($i<=$total_count){</pre>
       $str=(string)$i;
       $prod_id_+$str = $_POST['prod_id_'.$i];
       $prod id=$prod id +$str;
       $prod_price_+$str = $_POST['prod_price_'.$i];
       $prod_price=$prod_price_+$str;
       $prod_qty_+$str = $_POST['prod_qty_'.$i];
       $prod_qty=$prod_qty_+$str;
       $sub_total=(int)$prod_price*(int)$prod_qty;
       $sql1="INSERT INTO `order products`
       (`order_pro_id`,`order_id`,`product_id`,`qty`,`amt`)
       VALUES (NULL, '$order_id', '$prod_id', '$prod_qty', '$sub_total')";
       if(mysqli_query($con,$sql1)){
         $del sql="DELETE from cart where user id=$user id";
         if(mysqli_query($con,$del sql)){
           echo"<script>window.location.href='store.php'</script>";
         }else{
           echo(mysqli_error($con));
       }else{
         echo(mysqli error($con));
```

```
$i++;

} else{
  echo(mysqli_error($con));
}
}else{
  echo"<script>window.location.href='index.php'</script>";
}
```

Index.php

```
<?php
include "header.php";
include "body.php";
include "newslettter.php";
include "footer.php";
?>
```

Header.php

```
<?php
session_start();
?>
<!DOCTYPE html>
<html lang="en">
       <head>
              <meta charset="utf-8">
              <meta http-equiv="X-UA-Compatible" content="IE=edge">
              <meta name="viewport" content="width=device-width, initial-scale=1">
              <!-- The above 3 meta tags *must* come first in the head; any other head content
must come *after* these tags -->
              <title>HB ® Traders</title>
              <!-- Google font -->
              k href="https://fonts.googleapis.com/css?family=Montserrat:400,500,700"
rel="stylesheet">
              <!-- Bootstrap -->
              k type="text/css" rel="stylesheet" href="css/bootstrap.min.css"/>
              <!-- Slick -->
              k type="text/css" rel="stylesheet" href="css/slick.css"/>
              k type="text/css" rel="stylesheet" href="css/slick-theme.css"/>
              <!-- nouislider -->
              <link type="text/css" rel="stylesheet" href="css/nouislider.min.css"/>
              <!-- Font Awesome Icon -->
              k rel="stylesheet" href="css/font-awesome.min.css">
              <!-- Custom stlylesheet -->
              k type="text/css" rel="stylesheet" href="css/style.css"/>
              <link type="text/css" rel="stylesheet" href="css/accountbtn.css"/>
              <!-- HTML5 shim and Respond.js for IE8 support of HTML5 elements and media
queries -->
              <!-- WARNING: Respond.js doesn't work if you view the page via file:// -->
              <!--[if lt IE 9]>
               <script src="https://oss.maxcdn.com/html5shiv/3.7.3/html5shiv.min.js"></script>
               <script src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"></script>
              <![endif]-->
  <style>
    #navigation {
```

```
background: #FF4E50; /* fallback for old browsers */
       background: -webkit-linear-gradient(to right, #F9D423, #FF4E50); /* Chrome 10-25,
Safari 5.1-6 */
       background: linear-gradient(to right, #F9D423, #FF4E50); /* W3C, IE 10+/ Edge, Firefox
16+, Chrome 26+, Opera 12+, Safari 7+ */
    #header {
       background: #780206; /* fallback for old browsers */
       background: -webkit-linear-gradient(to right, #061161, #780206); /* Chrome 10-25, Safari
5.1-6 */
       background: linear-gradient(to right, #061161, #780206); /* W3C, IE 10+/ Edge, Firefox
16+, Chrome 26+, Opera 12+, Safari 7+ */
    #top-header {
       background: #870000; /* fallback for old browsers */
       background: -webkit-linear-gradient(to right, #190A05, #870000); /* Chrome 10-25, Safari
5.1-6 */
       background: linear-gradient(to right, #190A05, #870000); /* W3C, IE 10+/ Edge, Firefox
16+, Chrome 26+, Opera 12+, Safari 7+ */
    #footer {
       background: #7474BF; /* fallback for old browsers */
       background: -webkit-linear-gradient(to right, #348AC7, #7474BF); /* Chrome 10-25,
Safari 5.1-6 */
       background: linear-gradient(to right, #348AC7, #7474BF); /* W3C, IE 10+/ Edge, Firefox
16+, Chrome 26+, Opera 12+, Safari 7+ */
      color: #1E1F29;
    #bottom-footer {
       background: #7474BF; /* fallback for old browsers */
       background: -webkit-linear-gradient(to right, #348AC7, #7474BF); /* Chrome 10-25,
Safari 5.1-6 */
       background: linear-gradient(to right, #348AC7, #7474BF); /* W3C, IE 10+/ Edge, Firefox
16+, Chrome 26+, Opera 12+, Safari 7+ */
     }
     .footer-links li a {
      color: #1E1F29;
```

```
}
    .mainn-raised {
      margin: -7px 0px 0px;
      border-radius: 6px;
      box-shadow: 0 16px 24px 2px rgba(0, 0, 0, 0.14), 0 6px 30px 5px rgba(0, 0, 0, 0.12), 0 8px
10px - 5px rgba(0, 0, 0, 0.2);
    }
    .glyphicon{
  display: inline-block;
  font: normal normal 14px/1 FontAwesome;
  font-size: inherit;
  text-rendering: auto;
  -webkit-font-smoothing: antialiased;
  -moz-osx-font-smoothing: grayscale;
  .glyphicon-chevron-left:before{
    content:"\f053"
  .glyphicon-chevron-right:before{
    content:"\f054"
  }
    </style>
  </head>
      <body>
             <!-- HEADER -->
             <header>
                    <!-- TOP HEADER -->
                    <div id="top-header">
                           <div class="container">
                                 <a href="#"><i class="fa fa-inr"></i>
INR</a>
                                        <!php
                include "db.php";
               if(isset($_SESSION["uid"])){
                  $sql = "SELECT first_name FROM user_info WHERE
user_id='$_SESSION[uid]'";
                  $query = mysqli_query($con,$sql);
                  $row=mysqli_fetch_array($query);
                  echo '
```

```
<div class="dropdownn">
                    <a href="#" class="dropdownn" data-toggle="modal" data-
target="#myModal" ><i class="fa fa-user-o"></i> HI '.$row["first_name"].'</a>
                    <div class="dropdownn-content">
                     <a href="" data-toggle="modal" data-target="#profile"><i class="fa fa-user-
circle" aria-hidden="true" ></i>My Profile</a>
                     <a href="logout.php" ><i class="fa fa-sign-in" aria-hidden="true"></i>Log
out</a>
                    </div>
                   </div>':
                }else{
                   echo '
                   <div class="dropdownn">
                    <a href="#" class="dropdownn" data-toggle="modal" data-
target="#myModal" ><i class="fa fa-user-o"></i> My Account</a>
                    <div class="dropdownn-content">
                     <a href="" data-toggle="modal" data-target="#Modal_login"><i class="fa
fa-sign-in" aria-hidden="true" ></i>Login</a>
                     <a href="" data-toggle="modal" data-target="#Modal_register"><i class="fa
fa-user-plus" aria-hidden="true"></i>Register</a>
                    </div>
                   </div>':
                }
                          ?>
                   </div>
                     </div>
                     <!-- /TOP HEADER -->
                     <!-- MAIN HEADER -->
                     <div id="header">
                            <!-- container -->
                            <div class="container">
                                   <!-- row -->
                                   <div class="row">
                                          <!-- LOGO -->
                                           <div class="col-md-3">
                                                  <div class="header-logo">
                                                         <a href="#" class="logo">
                                                         <font style="font-style:normal; font-</pre>
size: 33px;color: aliceblue;font-family: serif">
```

```
HB ® Traders
                     </font>
                                                        </a>
                                                 </div>
                                          </div>
                                          <!-- /LOGO -->
                                          <!-- SEARCH BAR -->
                                          <div class="col-md-6">
                                                 <div class="header-search">
                                                        <form>
                                                               <select class="input-select">
                                                                      <option value="0">All
Categories</option>
                                                                      <option
value="1">Craft</option>
                                                                      <option
value="2">Furniture </option>
                       <option value="3">Leader </option>
                       <option value="4">Hut </option>
                       <option value="5">Curtain </option>
                                                               </select>
                                                               <input class="input"
id="search" type="text" placeholder="Search here">
                                                               <button type="submit"
id="search_btn" class="search-btn">Search</button>
                                                        </form>
                                                 </div>
                                          </div>
                                          <!-- /SEARCH BAR -->
```

<!-- ACCOUNT -->

<div class="col-md-3 clearfix">

<div class="header-ctn">

<!-- Cart -->

```
<div class="cart-list"
id="cart_product">
                                                                       </div>
                                                                       <div class="cart-btns">
                                                                                      <a
href="cart.php" style="width:100%;"><i class="fa fa-edit"></i> edit cart</a>
                                                                       </div>
                                                                </div>
                                                                </div>
                                                         <!-- /Cart -->
                                                         <!-- Menu Toogle -->
                                                         <div class="menu-toggle">
                                                                <a href="#">
                                                                       <i class="fa fa-
bars"></i>
                                                                       <span>Menu</span>
                                                                </a>
                                                         </div>
                                                         <!--/Menu Toogle -->
                                                  </div>
                                           </div>
                                           <!-- /ACCOUNT -->
                                   </div>
                                   <!-- row -->
                            </div>
                            <!-- container -->
                     </div>
                     <!-- /MAIN HEADER -->
              </header>
              <!-- /HEADER -->
              <nav id='navigation'>
                     <!-- container -->
       <div class="container" id="get_category_home">
       </div>
                            <!-- responsive-nav -->
                     <!-- /container -->
              </nav>
              <!-- NAVIGATION -->
```

HB ® Traders
Page 75

<div class="modal fade" id="Modal_login" role="dialog">

```
<div class="modal-dialog">
     <!-- Modal content-->
      <div class="modal-content">
       <div class="modal-header">
        <button type="button" class="close" data-dismiss="modal">&times;</button>
       </div>
       <div class="modal-body">
       <?php
         include "login_form.php";
       ?>
       </div>
      </div>
    </div>
   </div>
<div class="modal fade" id="Modal_register" role="dialog">
    <div class="modal-dialog" style="">
      <!-- Modal content-->
      <div class="modal-content">
       <div class="modal-header">
        <button type="button" class="close" data-dismiss="modal">&times;</button>
       </div>
       <div class="modal-body">
       <?php
         include "register_form.php";
       ?>
       </div>
     </div>
    </div>
   </div>
```

body.php

```
<!-- Indicators -->
  <!-- Wrapper for slides -->
  <div class="carousel-inner">
   <div class="item active">
    <img src="img/banner3.jpg" alt="Los Angeles" style="width:100%;">
   </div>
   <div class="item">
    <img src="img/banner2.jpg" style="width:100%;">
   </div>
   <div class="item">
    <img src="img/banner4.jpg" alt="New York" style="width:100%;">
   </div>
   <div class="item">
    <img src="img/banner1.jpg" alt="New York" style="width:100%;">
   </div>
   <div class="item">
    <img src="img/banner3.jpg" alt="New York" style="width:100%;">
   </div>
  </div>
  <!-- Left and right controls -->
  <a class="left carousel-control _26sdfg" href="#myCarousel" data-slide="prev">
   <span class="glyphicon glyphicon-chevron-left"></span>
   <span class="sr-only" >Previous</span>
  </a>
  <a class="right carousel-control _26sdfg" href="#myCarousel" data-slide="next">
   <span class="glyphicon glyphicon-chevron-right"></span>
   <span class="sr-only">Next</span>
  </a>
 </div>
</div>
              <!-- SECTION -->
              <div class="section mainn mainn-raised">
                     <!-- container -->
```

```
<div class="container">
                            <!-- row -->
                            <div class="row">
                                   <!-- shop -->
                                   <div class="col-md-4 col-xs-6">
                                          <a href="product.php?p=78"><div class="shop">
                                                 <div class="shop-img">
                                                         <img src="./img/shop01.png" alt="">
                                                 </div>
                                                 <div class="shop-body">
                                                        <h3>Hut<br/>collection</h3>
                                                        <a href="product.php?p=78"
class="cta-btn">Shop now <i class="fa fa-arrow-circle-right"></i></a>
                                                 </div>
                                          </div></a>
                                   </div>
                                   <!-- /shop -->
                                   <!-- shop -->
                                   <div class="col-md-4 col-xs-6">
                                          <a href="product.php?p=72"><div class="shop">
                                                 <div class="shop-img">
                                                        <img src="./img/shop03.png" alt="">
                                                 </div>
                                                 <div class="shop-body">
                                                        <h3>Craft<br>Collection</h3>
                                                        <a href="product.php?p=72"
class="cta-btn">Shop now <i class="fa fa-arrow-circle-right"></i></a>
                                                 </div>
                                          </div></a>
                                   </div>
                                   <!-- /shop -->
                                   <!-- shop -->
                                   <div class="col-md-4 col-xs-6">
                                          <a href="product.php?p=79"><div class="shop">
                                                 <div class="shop-img">
                                                        <img src="./img/shop3.png" alt="">
                                                 </div>
                                                 <div class="shop-body">
                                                        <h3>Furniture<br>Collection</h3>
                                                        <a href="product.php?p=79"
class="cta-btn">Shop now <i class="fa fa-arrow-circle-right"></i></a>
                                                 </div>
                </div></a>
                                   </div>
                                   <!-- /shop -->
                            </div>
```

<!-- /row -->

```
</div>
                    <!-- /container -->
             </div>
             <!-- /SECTION -->
             <!-- SECTION -->
             <div class="section">
                    <!-- container -->
                    <div class="container">
                           <!-- row -->
                           <div class="row">
                                 <!-- section title -->
                                 <div class="col-md-12">
                                        <div class="section-title">
                                               <h3 class="title">New Products</h3>
                                               <div class="section-nav">
                                        <!--
                                                     cli class="active"><a data-
toggle="tab" href="#tab1">Bamboo Curtain </a>
                                                            <a data-toggle="tab"
href="#tab1">Furniture</a>
                                                            <a data-toggle="tab"
href="#tab1">Craft</a>
                                                            <a data-toggle="tab"
href="#tab1">Leader </a>
                                                     </div>
                                        </div>
                                 </div>
                                 <!--/section title -->
                                 <!-- Products tab & slick -->
                                 <div class="col-md-12 mainn mainn-raised">
                                        <div class="row">
                                               <div class="products-tabs">
                                                     <!-- tab -->
                                                     <div id="tab1" class="tab-pane</pre>
active">
                                                            <div class="products-slick"
data-nav="#slick-nav-1" >
                                                            <?php
           include 'db.php';
```

\$product_query = "SELECT * FROM products,categories
WHERE product_cat=cat_id AND product_id BETWEEN 70 AND 75";

```
while($row = mysqli_fetch_array($run_query)){
              $pro_id = $row['product_id'];
              $pro_cat = $row['product_cat'];
              $pro brand = $row['product brand'];
              $pro_title = $row['product_title'];
              $pro_price = $row['product_price'];
              $pro_image = $row['product_image'];
              $cat_name = $row["cat_title"];
              echo "
                                                         <div class='product'>
                                                                <a
href='product.php?p=$pro_id'><div class='product-img'>
                                                                       <img
src='product_images/$pro_image' style='max-height: 170px;' alt=">
                                                                       <div class='product-
label'>
                                                                               <span
class='sale'>-30%</span>
                                                                               <span
class='new'>NEW</span>
                                                                       </div>
                                                                </div></a>
                                                                <div class='product-body'>
                                                                       category'>$cat_name
                                                                       <h3 class='product-
name header-cart-item-name'><a href='product.php?p=$pro_id'>$pro_title</a></h3>
                                                                       <h4 class='product-price
header-cart-item-info'>$pro price<del class='product-old-price'>$990.00</del></h4>
                                                                       <div class='product-
rating'>
                                                                               <i class='fa fa-
star'></i>
                                                                               <i class='fa fa-
star'></i>
                                                                               <i class='fa fa-
star'></i>
                                                                               <i class='fa fa-
star'></i>
                                                                               <i class='fa fa-
star'></i>
                                                                       </div>
```

\$run_query = mysqli_query(\$con,\$product_query);

if(mysqli_num_rows(\$run_query) > 0){

```
<div class='product-
btns'>
                                                                                   <button
class='add-to-wishlist'><i class='fa fa-heart-o'></i><span class='tooltipp'>add to
wishlist</span></button>
                                                                                   <button
class='add-to-compare'><i class='fa fa-exchange'></i><span class='tooltipp'>add to
compare</span></button>
                                                                                   <button
class='quick-view'><i class='fa fa-eye'></i><span class='tooltipp'>quick view</span></button>
                                                                           </div>
                                                                    </div>
                                                                    <div class='add-to-cart'>
                                                                           <button pid='$pro_id'
id='product' class='add-to-cart-btn block2-btn-towishlist' href='#'><i class='fa fa-shopping-
cart'></i> add to cart</button>
                                                                   </div>
                                                            </div>
                      ۳,
               }
                                                                           <!-- product -->
                                                                           <!-- /product -->
                                                                           <!-- /product -->
                                                                   </div>
                                                                    <div id="slick-nav-1"</pre>
class="products-slick-nav"></div>
                                                            </div>
                                                            <!-- /tab -->
                                                    </div>
                                             </div>
                                     </div>
                                     <!-- Products tab & slick -->
                              </div>
                              <!-- /row -->
                      </div>
                      <!-- /container -->
               </div>
               <!--/SECTION -->
```

HB ® _{Traders}

```
<!-- HOT DEAL SECTION -->
            <div id="hot-deal" class="section mainn mainn-raised">
                   <!-- container -->
                   <div class="container">
                         <!-- row -->
                         <div class="row">
                               <div class="col-md-12">
                                     <div class="hot-deal">
                                            <h2 class="text-uppercase">hot deal this
week < /h2 >
                                            New Collection Up to 20% OFF
                                            <a class="primary-btn cta-btn"
href="store.php">Shop now</a>
                                     </div>
                               </div>
                         </div>
                         <!-- /row -->
                   </div>
                   <!-- /container -->
            </div>
            <!--/HOT DEAL SECTION -->
            <!-- SECTION -->
            <div class="section">
                  <!-- container -->
                   <div class="container">
                         <!-- row -->
                         <div class="row">
                               <!-- section title -->
                               <div class="col-md-12">
                                     <div class="section-title">
                                            <h3 class="title">Top selling</h3>
                                            <div class="section-nav">
                                                  <a data-</pre>
                         <!--
toggle="tab" href="#store.php">Lamps</a>
                                                        <a data-toggle="tab"
href="#store.php">Show Piece</a>
                                                        <a data-toggle="tab"
href="#store.php">Sofa Set</a>
                                                        <a data-toggle="tab"
href="#$tore.php">Curtain</a>
                                                  </div>
                                     </div>
```

```
</div>
                                   <!-- /section title -->
                                   <!-- Products tab & slick -->
                                   <div class="col-md-12 mainn mainn-raised">
                                           <div class="row">
                                                  <div class="products-tabs">
                                                         <!-- tab -->
                                                         <div id="tab2" class="tab-pane fade in
active">
                                                                <div class="products-slick"</pre>
data-nav="#slick-nav-2">
                                                                        <!-- product -->
                                                                        <?php
           include 'db.php';
                                   $product_query = "SELECT * FROM products,categories
WHERE product_cat=cat_id AND product_id BETWEEN 59 AND 65";
         $run_query = mysqli_query($con,$product_query);
         if(mysqli_num_rows($run_query) > 0){
           while($row = mysqli_fetch_array($run_query)){
              $pro_id = $row['product_id'];
              $pro_cat = $row['product_cat'];
              $pro_brand = $row['product_brand'];
              $pro_title = $row['product_title'];
              $pro_price = $row['product_price'];
              $pro image = $row['product image'];
              $cat_name = $row["cat_title"];
              echo "
                                                         <div class='product'>
href='product.php?p=$pro_id'><div class='product-img'>
                                                                        <img
src='product images/$pro image' style='max-height: 170px;' alt=">
                                                                        <div class='product-
label'>
                                                                               <span
class='sale'>-30%</span>
                                                                               <span
class='new'>NEW</span>
                                                                        </div>
                                                                </div></a>
                                                                 <div class='product-body'>
```

```
category'>$cat_name
                                                                         <h3 class='product-
name header-cart-item-name'><a href='product.php?p=$pro_id'>$pro_title</a></h3>
                                                                         <h4 class='product-price
header-cart-item-info'>$pro_price<del class='product-old-price'>$990.00</del></h4>
                                                                         <div class='product-
rating'>
                                                                                <i class='fa fa-
star'></i>
                                                                                <i class='fa fa-
star'></i>
                                                                                <i class='fa fa-
star'></i>
                                                                                <i class='fa fa-
star'></i>
                                                                                <i class='fa fa-
star'></i>
                                                                         </div>
                                                                         <div class='product-
btns'>
                                                                                <button
class='add-to-wishlist'><i class='fa fa-heart-o'></i><span class='tooltipp'>add to
wishlist</span></button>
                                                                                <button
class='add-to-compare'><i class='fa fa-exchange'></i><span class='tooltipp'>add to
compare</span></button>
                                                                                <button
class='quick-view'><i class='fa fa-eye'></i><span class='tooltipp'>quick view</span></button>
                                                                         </div>
                                                                  </div>
                                                                  <div class='add-to-cart'>
                                                                         <button pid='$pro_id'
id='product' class='add-to-cart-btn block2-btn-towishlist' href='#'><i class='fa fa-shopping-
cart'></i> add to cart</button>
                                                                  </div>
                                                          </div>
              }
                                                                         <!-- /product -->
                                                                  </div>
```

```
<div id="slick-nav-2"</pre>
class="products-slick-nav"></div>
                                                           </div>
                                                           <!-- /tab -->
                                                    </div>
                                            </div>
                                     </div>
                                     <!--/Products tab & slick -->
                             </div>
                             <!-- /row -->
                      </div>
                      <!-- /container -->
              </div>
               <!-- /SECTION -->
              <!-- SECTION -->
               <div class="section">
                      <!-- container -->
                      <div class="container">
                              <!-- row -->
                              <div class="row">
                                     <div class="col-md-4 col-xs-6">
                                            <div class="section-title">
                                                    <h4 class="title">Top selling</h4>
                                                    <div class="section-nav">
                                                           <div id="slick-nav-3" class="products-</pre>
slick-nav"></div>
                                                    </div>
                                            </div>
                                            <div class="products-widget-slick" data-nav="#slick-
nav-3">
                                                    <div id="get_product_home">
                                                           <!-- product widget -->
                                                           <!-- product widget -->
                                                    </div>
              </div>
            </div>
         </div>
       </div>
    </div>
</div>
```

Newsletter.php

```
<div id="newsletter" class="section">
                 <!-- container -->
                 <div class="container">
```

```
<!-- row -->
                          <div class="row">
                                 <div class="col-md-12">
                                        <div class="newsletter">
                                              Sign Up for the
<strong>OFFERUPDATES</strong>
                                              <form id="offer_form" onsubmit="return
false">
                                                     <input class="input" type="email"</pre>
id="email" name="email" placeholder="Enter Your Email">
                                                     <button class="newsletter-btn"
value="Sign Up" name="signup_button" type="submit"><i class="fa fa-envelope"></i>
Subscribe</button>
                                              </form>
                                              <div class="" id="offer_msg">
                  <!--Alert from signup form-->
               </div>
                                              <
                                                            <a href="#"><i class="fa fa-
facebook"></i></a>
                                                     \langle li \rangle
                                                            <a href="#"><i class="fa fa-
twitter"></i></a>
                                                     <
                                                            <a href="#"><i class="fa fa-
instagram"></i></a>
                                                     </div>
                                 </div>
                          </div>
                          <!-- /row -->
                    </div>
                    <!-- /container -->
             </div>
```

Footer.php

```
<footer id="footer">
                   <!-- top footer -->
                   <div class="section">
                         <!-- container -->
                         <div class="container">
                               <!-- row -->
                               <div class="row">
                                      <div class="col-md-3 col-xs-6">
                                            <div class="footer">
                                                   <h3 class="footer-title">About
Us < /h3 >
                                                   <a
href="https://www.google.com/maps/place/House+Of+Hasan+Brothers/@29.7850278,77.8764199"
.17z/data=!4m12!1m6!3m5!1s0x390eb27f1373081b:0x614baf88bf838f5a!2sHouse+Of+Hasan+Br
others!8m2!3d29.7850278!4d77.8786086!3m4!1s0x390eb27f1373081b:0x614baf88bf838f5a!8m2
!3d29.7850278!4d77.8786086"><i class="fa fa-map-marker"></i>Moholla Saray Aziz
Mangloure</a>
                                                         <a href="#"><i class="fa"
fa-phone"></i>+91 8279861949</a>
                   <a href="https://www.instagram.com/cheater__420/?hl=en"><i
class="fa fa-envelope-o"></i>Mustafa Hasan</a>
                   <i class="fa fa-envelope-o"></i>Mustafahasan555@gmail.com
                                                   </div>
                                      </div>
                                      <div class="col-md-6 text-center" style="margin-</pre>
top:80px;">
                                            <a href="#"><i class="fa fa-cc-
visa"></i></a>
                                                  <a href="#"><i class="fa fa-credit-
card"></i></a>
                                                  <a href="#"><i class="fa fa-cc-
paypal"></i></a>
                                                   <a href="#"><i class="fa fa-cc-
mastercard"></i></a>
                                                   <a href="#"><i class="fa fa-cc-
discover"></i></a>
                                                  <a href="#"><i class="fa fa-cc-
amex"></i></a>
                                            <span class="copyright">
                                                  <!-- Link back to Colorlib can't be
removed. Template is licensed under CC BY 3.0. -->
                                                  Copyright
©<script>document.write(new Date().getFullYear());</script> All rights reserved to HB ®
```

Traders

```
</span>
                                         </div>
                           <!--
                                         <div class="col-md-3 col-xs-6">
                                                <div class="footer">
                                                      <h3 class="footer-
title">Categories</h3>
                                                      <a
href="#">Mobiles</a>
                                                             <a href="#">Men</a>
                                                             <a
href="#">Women</a>
                                                             <a href="#">Kids</a>
                                                             <a
href="#">Accessories</a>
                                                      </div>
                                         </div>
-->
                                         <div class="clearfix visible-xs"></div>
                                  </div>
                                  <!-- /row -->
                           </div>
                           <!-- /container -->
                    </div>
                    <!-- /top footer -->
                    <!-- bottom footer -->
                    <!--/bottom footer -->
             </footer>
             <script src="js/jquery.min.js"></script>
             <script src="js/bootstrap.min.js"></script>
             <script src="js/slick.min.js"></script>
             <script src="js/nouislider.min.js"></script>
             <script src="js/jquery.zoom.min.js"></script>
              <script src="js/main.js"></script>
             <script src="js/actions.js"></script>
             <script src="js/sweetalert.min"></script>
             <script src="js/jquery.payform.min.js" charset="utf-8"></script>
  <script src="js/script.js"></script>
             <script>var c = 0;
    function menu(){
     if(c \% 2 == 0) {
      document.querySelector('.cont_drobpdown_menu').className = "cont_drobpdown_menu
active";
```

```
document.querySelector('.cont_icon_trg').className = "cont_icon_trg active";
       c++;
         }else{
       document.querySelector('.cont_drobpdown_menu').className = "cont_drobpdown_menu
disable":
       document.querySelector('.cont_icon_trg').className = "cont_icon_trg disable";
       c++;
        }
     }
</script>
  <script type="text/javascript">
               $('.block2-btn-addcart').each(function(){
                      var nameProduct = $(this).parent().parent().parent().find('.block2-
name').html();
                      $(this).on('click', function(){
                              swal(nameProduct, "is added to cart!", "success");
                      });
               });
               $('.block2-btn-addwishlist').each(function(){
                      var nameProduct = $(this).parent().parent().parent().find('.block2-
name').html();
                      $(this).on('click', function(){
                              swal(nameProduct, "is added to wishlist!", "success");
                      });
               });
       </script>
```

Homeaction.php

```
<a href='store.php'>HB ® Traders Products</a>
      if(mysqli_num_rows($run_query) > 0){
             while($row = mysqli_fetch_array($run_query)){
                   $cid = $row["cat_id"];
                   $cat_name = $row["cat_title"];
      $sql = "SELECT COUNT(*) AS count_items FROM products, categories WHERE
product_cat=cat_id";
      $query = mysqli_query($con,$sql);
      $row = mysqli_fetch_array($query);
      $count=$row["count_items"];
                   echo "
                <a href='store.php'>$cat_name</a>
             }
             echo "
                                <!-- /NAV -->
                          <!-- /responsive-nav -->
      }
}
if(isset($_POST["page"])){
      $sql = "SELECT * FROM products";
      $run_query = mysqli_query($con,$sql);
      $count = mysqli_num_rows($run_query);
      $pageno = ceil($count/2);
      for($i=1;$i<=$pageno;$i++){
             echo "
                   <a href='#product-row' page='$i' id='page'>$i</a>
      }
if(isset($_POST["getProducthome"])){
      $limit = 3;
      if(isset($_POST["setPage"])){
             $pageno = $_POST["pageNumber"];
```

```
$start = ($pageno * $limit) - $limit;
       }else{
              \$start = 0;
       $product_query = "SELECT * FROM products,categories WHERE product_cat=cat_id
LIMIT $start,$limit";
       $run query = mysqli query($con,$product query);
      if(mysqli_num_rows($run_query) > 0){
              while($row = mysqli_fetch_array($run_query)){
                     $pro_id = $row['product_id'];
                     $pro_cat = $row['product_cat'];
                     $pro_brand = $row['product_brand'];
                     $pro_title = $row['product_title'];
                     $pro price = $row['product price'];
                     $pro_image = $row['product_image'];
       $cat_name = $row["cat_title"];
                     echo "
             <div class='product-widget'>
                  <a href='product.php?p=$pro_id'>
                                                               <div class='product-img'>
                                                                      <img
src='product_images/$pro_image' alt=">
                                                               </div>
                                                               <div class='product-body'>
                                                                      category'>$cat_name
                                                                      <h3 class='product-
name'><a href='product.php?p=$pro_id'>$pro_title</a></h3>
                                                                      <h4 class='product-
price'>$pro_price<del class='product-old-price'>$990.00</del></h4>
                                                               </div></a>
                                                        </div>
              }
}
if(isset($_POST["gethomeProduct"])){
       $limit = 9;
      if(isset($_POST["setPage"])){
              $pageno = $_POST["pageNumber"];
              $start = ($pageno * $limit) - $limit;
       }else{
              \$start = 0;
       }
```

```
$product_query = "SELECT * FROM products,categories WHERE product_cat=cat_id
AND product_id BETWEEN 71 AND 74":
       $run_query = mysqli_query($con,$product_query);
       if(mysqli_num_rows($run_query) > 0){
              while($row = mysqli_fetch_array($run_query)){
                     $pro id = $row['product id'];
                     $pro_cat = $row['product_cat'];
                     $pro_brand = $row['product_brand'];
                     $pro_title = $row['product_title'];
                     $pro_price = $row['product_price'];
                     $pro_image = $row['product_image'];
       $cat_name = $row["cat_title"];
                    echo "
                  <div class='col-md-3 col-xs-6'>
                                                        <a href='product.php?p=$pro_id'><div
class='product'>
                                                               <div class='product-img'>
                                                                      <img
src='product_images/$pro_image' style='max-height: 170px;' alt=">
                                                                      <div class='product-
label'>
                                                                             <span
class='sale'>-30%</span>
                                                                             <span
class='new'>NEW</span>
                                                                      </div>
                                                               </div></a>
                                                               <div class='product-body'>
                                                                      category'>$cat_name
                                                                      <h3 class='product-
name header-cart-item-name'><a href='product.php?p=$pro_id'>$pro_title</a></h3>
                                                                      <h4 class='product-price
header-cart-item-info'>$pro_price<del class='product-old-price'>$990.00</del></h4>
                                                                      <div class='product-
rating'>
                                                                             <i class='fa fa-
star'></i>
                                                                             <i class='fa fa-
star'></i>
                                                                             <i class='fa fa-
star'></i>
                                                                             <i class='fa fa-
star'></i>
```

```
<i class='fa fa-
star'></i>
                                                                        </div>
                                                                        <div class='product-
btns'>
                                                                               <button
class='add-to-wishlist'><i class='fa fa-heart-o'></i><span class='tooltipp'>add to
wishlist</span></button>
                                                                               <button
class='add-to-compare'><i class='fa fa-exchange'></i><span class='tooltipp'>add to
compare</span></button>
                                                                               <button
class='quick-view'><i class='fa fa-eye'></i><span class='tooltipp'>quick view</span></button>
                                                                 </div>
                                                                 <div class='add-to-cart'>
                                                                        <button pid='$pro_id'
id='product' class='add-to-cart-btn block2-btn-towishlist' href='#'><i class='fa fa-shopping-
cart'></i> add to cart</button>
                                                                 </div>
                                                         </div>
                   </div>
              }
}
       }
if(isset($_POST["get_seleted_Category"]) || isset($_POST["search"])){
       if(isset($_POST["get_seleted_Category"])){
              $id = $_POST["cat_id"];
              $sql = "SELECT * FROM products, categories WHERE product_cat = '$id' AND
product_cat=cat_id";
       }else {
              $keyword = $_POST["keyword"];
              $sql = "SELECT * FROM products, categories WHERE product_cat=cat_id AND
product keywords LIKE '%$keyword%'";
       $run_query = mysqli_query($con,$sql);
       while($row=mysqli_fetch_array($run_query)){
                     $pro_id = $row['product_id'];
                     $pro_cat = $row['product_cat'];
                     $pro_brand = $row['product_brand'];
                     $pro_title = $row['product_title'];
                     $pro_price = $row['product_price'];
```

```
$pro_image = $row['product_image'];
       $cat_name = $row["cat_title"];
                     echo "
              <div class='col-md-4 col-xs-6'>
                                                          <a href='product.php?p=$pro_id'><div
class='product'>
                                                                 <div class='product-img'>
                                                                        <img
src='product_images/$pro_image' style='max-height: 170px;' alt=">
                                                                        <div class='product-
label'>
                                                                               <span
class='sale'>-30%</span>
                                                                               <span
class='new'>NEW</span>
                                                                        </div>
                                                                 </div></a>
                                                                 <div class='product-body'>
                                                                        category'>$cat_name
                                                                        <h3 class='product-
name header-cart-item-name'><a href='product.php?p=$pro_id'>$pro_title</a></h3>
                                                                        <h4 class='product-price
header-cart-item-info'>$pro_price<del class='product-old-price'>$990.00</del></h4>
                                                                        <div class='product-
rating'>
                                                                               <i class='fa fa-
star'></i>
                                                                               <i class='fa fa-
star'></i>
                                                                               <i class='fa fa-
star'></i>
                                                                               <i class='fa fa-
star'></i>
                                                                               <i class='fa fa-
star'></i>
                                                                        </div>
                                                                        <div class='product-
btns'>
class='add-to-wishlist' tabindex='0'><i class='fa fa-heart-o'></i><span class='tooltipp'>add to
wishlist</span></button>
                                                                               <button
class='add-to-compare'><i class='fa fa-exchange'></i><span class='tooltipp'>add to
compare</span></button>
                                                                               <button
class='quick-view' ><i class='fa fa-eye'></i><span class='tooltipp'>quick view</span></button>
                                                                        </div>
```

login_form.php

```
<?php
#this is Login form page, if user is already logged in then we will not allow user to access this
page by executing isset($_SESSION["uid"])
#if below statment return true then we will send user to their profile.php page
//in action.php page if user click on "ready to checkout" button that time we will pass data in a form
from action.php page
if (isset($_POST["login_user_with_product"])) {
       //this is product list array
       $product_list = $_POST["product_id"];
       //here we are converting array into json format because array cannot be store in cookie
       $ison_e = ison_encode($product_list);
       //here we are creating cookie and name of cookie is product_list
       setcookie("product_list",$json_e,strtotime("+1 day"),"/","","",TRUE);
?>
       <div class="wait overlay">
               <div class="loader"></div>
       </div>
       <div class="container-fluid">
                              <!-- row -->
                                     <div class="login-marg">
                                             <!-- Billing Details -->
                                            <!-- /Billing Details -->
                                                           <form onsubmit="return false"
id="login" class="login100-form ">
                                                                   <div class="billing-details
jumbotron">
                      <div class="section-title">
```

```
<h2 class="login100-form-title p-b-49" >Login Here</h2>
                     </div>
                     <div class="form-group">
                       <label for="email">Email</label>
                        <input class="input input-borders" type="email" name="email"</pre>
placeholder="Email" id="password" required>
                     </div>
                     <div class="form-group">
                       <label for="email">Password</label>
                        <input class="input input-borders" type="password" name="password"
placeholder="password" id="password" required>
                     </div>
                     <div class="text-pad" >
                       <a href="#">
                          forget password?
                       </a>
                     </div>
                        <input class="primary-btn btn-block" type="submit" Value="Login">
                        <div class="panel-footer"><div class="alert alert-danger"><h4</pre>
id="e_msg"></h4></div></div>
                   </div>
                                                          </form>
                                           <!-- Shiping Details -->
                                           <!--/Shiping Details -->
                                           <!-- Order notes -->
                                           <!-- /Order notes -->
                                    </div>
                                    <!-- Order Details -->
                                    <!--/Order Details -->
                             <!-- /row -->
```

register_form.php

```
<div class="wait overlay">
    <div class="loader"></div>
  </div>
  <style>
  .input-borders{
    border-radius:30px;
  </style>
                             <!-- row -->
         <div class="container-fluid">
                                            <!--/Billing Details -->
                                                          <form id="signup_form"</pre>
onsubmit="return false" class="login100-form">
                                                                  <div class="billing-details
jumbotron">
                      <div class="section-title">
                        <h2 class="login100-form-title p-b-49" >Register Here</h2>
                      <div class="form-group ">
                        <input class="input form-control input-borders" type="text"</pre>
name="f_name" id="f_name" placeholder="First Name">
                      </div>
                      <div class="form-group">
                        <input class="input form-control input-borders" type="text"</pre>
name="l_name" id="l_name" placeholder="Last Name">
                      </div>
                      <div class="form-group">
                        <input class="input form-control input-borders" type="email"</pre>
name="email" placeholder="Email">
                      </div>
                      <div class="form-group">
                        <input class="input form-control input-borders" type="password"</pre>
name="password" id="password" placeholder="password">
                      </div>
                      <div class="form-group">
                        <input class="input form-control input-borders" type="password"</pre>
name="repassword" id="repassword" placeholder="confirm password">
                      </div>
                      <div class="form-group">
```

HB[®] Traders

```
<input class="input form-control input-borders" type="text"</pre>
name="mobile" id="mobile" placeholder="mobile">
                     </div>
                      <div class="form-group">
                        <input class="input form-control input-borders" type="text"</pre>
name="address1" id="address1" placeholder="Address">
                     </div>
                      <div class="form-group">
                        <input class="input form-control input-borders" type="text"</pre>
name="address2" id="address2" placeholder="City">
                     </div>
                      <div style="form-group">
                       <input class="primary-btn btn-block" value="Sign Up" type="submit"</pre>
name="signup_button">
                      </div>
                      <div class="text-pad">
                      <a href="" data-toggle="modal" data-target="#Modal_login">Already have
an Account? then login</a>
                     </div>
                                                          </form>
                   <div class="login-marg">
                                           <!-- Billing Details -->
                                           <div class="row">
                 <div class="col-md-2"></div>
                 <div class="col-md-8" id="signup_msg">
                   </div>
                   <!--Alert from signup form-->
                 <div class="col-md-2"></div>
              </div>
                                    </div>
            </div>
                             <!-- /row -->
```

register.php

```
<?php
session_start();
include "db.php";
if (isset($_POST["f_name"])) {
       f_name = POST["f_name"];
       l_name = POST["l_name"];
       $email = $_POST['email'];
       $password = $_POST['password'];
       $repassword = $_POST['repassword'];
       $mobile = $_POST['mobile'];
       $address1 = $_POST['address1'];
       $address2 = $ POST['address2'];
       ne = ''/[a-zA-Z] + '';
       \label{eq:condition} $$ \text{semailValidation} = ''/^[_a-z0-9-]+(\.[_a-z0-9-]+)*@[a-z0-9]+(\.[a-z]\{2,4\})$/"; 
       number = "/^[0-9]+$/";
if(empty($f_name) || empty($l_name) || empty($email) || empty($password) || empty($repassword)
empty($mobile) || empty($address1) || empty($address2)){
              echo "
                      <div class='alert alert-warning'>
                             <a href='#' class='close' data-dismiss='alert' aria-
label='close'>×</a><b>PLease Fill all fields..!</b>
                      </div>
              exit();
       } else {
              if(!preg_match($name,$f_name)){
              echo "
                      <div class='alert alert-warning'>
                             <a href='#' class='close' data-dismiss='alert' aria-
label='close'>×</a>
                             <b>this $f_name is not valid..!</b>
                      </div>
              exit();
       if(!preg_match($name,$l_name)){
              echo "
                      <div class='alert alert-warning'>
                             <a href='#' class='close' data-dismiss='alert' aria-
label='close'>×</a>
                             <b>this $1 name is not valid..!</b>
                      </div>
               ":
              exit();
       }
```

```
if(!preg_match($emailValidation,$email)){
              echo "
                      <div class='alert alert-warning'>
                              <a href='#' class='close' data-dismiss='alert' aria-
label='close'>×</a>
                              <b>this $email is not valid..!</b>
                      </div>
              exit();
       if(strlen(password) < 9)
              echo "
                      <div class='alert alert-warning'>
                              <a href='#' class='close' data-dismiss='alert' aria-
label='close'>×</a>
                              <br/>b>Password is weak</b>
                      </div>
              exit();
       if(strlen($repassword) < 9 ){</pre>
              echo "
                      <div class='alert alert-warning'>
                              <a href='#' class='close' data-dismiss='alert' aria-
label='close'>×</a>
                              <br/>b>Password is weak</b>
                      </div>
              exit();
       if($password != $repassword){
              echo "
                      <div class='alert alert-warning'>
                              <a href='#' class='close' data-dismiss='alert' aria-
label='close'>×</a>
                              <b>password is not same</b>
                      </div>
              ";
       if(!preg_match($number,$mobile)){
              echo "
                      <div class='alert alert-warning'>
                              <a href='#' class='close' data-dismiss='alert' aria-
label='close'>×</a>
                              <b>Mobile number $mobile is not valid</b>
                      </div>
              exit();
       if(!(strlen(\$mobile) == 10)){}
```

```
echo "
                      <div class='alert alert-warning'>
                             <a href='#' class='close' data-dismiss='alert' aria-
label='close'>&times:</a>
                             <b>Mobile number must be 10 digit</b>
                      </div>
              exit();
       //existing email address in our database
       $sql = "SELECT user_id FROM user_info WHERE email = '$email' LIMIT 1";
       $check_query = mysqli_query($con,$sql);
       $count_email = mysqli_num_rows($check_query);
       if(\text{scount email} > 0)
              echo "
                      <div class='alert alert-danger'>
                             <a href='#' class='close' data-dismiss='alert' aria-
label='close'>&times:</a>
                             <br/> Email Address is already available Try Another email
address</b>
                     </div>
              exit();
       } else {
              $sql = "INSERT INTO `user_info`
              (`user_id`, `first_name`, `last_name`, `email`,
              `password`, `mobile`, `address1`, `address2`)
              VALUES (NULL, '$f name', '$1 name', '$email',
              '$password', '$mobile', '$address1', '$address2')";
              $run query = mysqli query($con,$sql);
              $_SESSION["uid"] = mysqli_insert_id($con);
              $_SESSION["name"] = $f_name;
              $ip_add = getenv("REMOTE_ADDR");
              $sql = "UPDATE cart SET user_id = '$_SESSION[uid]' WHERE ip_add='$ip_add'
AND user_id = -1";
              if(mysqli_query($con,$sql)){
                     echo "register_success";
                     echo "<script> location.href='store.php'; </script>";
       exit;
              }
}
```

?>

action.php

```
<?php
session_start();
$ip_add = getenv("REMOTE_ADDR");
include "db.php";
if(isset($_POST["category"])){
      $category_query = "SELECT * FROM categories";
       $run_query = mysqli_query($con,$category_query) or die(mysqli_error($con));
      echo "
       <div class='aside'>
                                                 <h3 class='aside-title'>Categories</h3>
                                                 <div class='btn-group-vertical'>
      if(mysqli_num_rows($run_query) > 0){
    i=1:
              while($row = mysqli_fetch_array($run_query)){
                     $cid = $row["cat_id"];
                     $cat_name = $row["cat_title"];
       $sql = "SELECT COUNT(*) AS count_items FROM products WHERE product_cat=$i";
       $query = mysqli_query($con,$sql);
       $row = mysqli_fetch_array($query);
       $count=$row["count_items"];
       $i++;
                     echo "
           <div type='button' class='btn navbar-btn category' cid='$cid'>
                                                               <a href='#'>
                                                                      <span ></span>
                                                                      $cat name
                                                                      <small
class='qty'>($count)</small>
                                                               </a>
                                                        </div>
              }
              echo "</div>";
```

```
}
}
if(isset($_POST["brand"])){
       $brand_query = "SELECT * FROM brands";
       $run_query = mysqli_query($con,$brand_query);
      echo "
             <div class='aside'>
                                                <h3 class='aside-title'>Brand</h3>
                                                <div class='btn-group-vertical'>
      if(mysqli_num_rows($run_query) > 0){
    i=1;
             while($row = mysqli_fetch_array($run_query)){
                     $bid = $row["brand_id"];
                     $brand_name = $row["brand_title"];
      $sql = "SELECT COUNT(*) AS count_items FROM products WHERE
product_brand=$i";
       $query = mysqli_query($con,$sql);
      $row = mysqli_fetch_array($query);
       $count=$row["count_items"];
      $i++:
                    echo "
           <div type='button' class='btn navbar-btn selectBrand' bid='$bid'>
                                                               <a href='#'>
                                                                      <span ></span>
                                                                      $brand name
                                                                      <small
>($count)</small>
                                                              </a>
                                                       </div>
             echo "</div>":
if(isset($_POST["page"])){
       $sql = "SELECT * FROM products";
       $run_query = mysqli_query($con,$sql);
       $count = mysqli_num_rows($run_query);
      $pageno = ceil($count/9);
      for($i=1;$i<=$pageno;$i++){
             echo "
                     <a href='#product-row' page='$i' id='page' class='active'>$i</a>
```

```
}
if(isset($_POST["getProduct"])){
       $limit = 9;
      if(isset($_POST["setPage"])){
              $pageno = $_POST["pageNumber"];
              $start = ($pageno * $limit) - $limit;
       }else{
              \$start = 0;
       $product_query = "SELECT * FROM products,categories WHERE product_cat=cat_id
LIMIT $start,$limit";
       $run_query = mysqli_query($con,$product_query);
       if(mysqli num rows(\gamma = 0){
              while($row = mysqli_fetch_array($run_query)){
                     $pro_id = $row['product_id'];
                     $pro_cat = $row['product_cat'];
                     $pro_brand = $row['product_brand'];
                     $pro title = $row['product title'];
                     $pro_price = $row['product_price'];
                     $pro_image = $row['product_image'];
       $cat_name = $row["cat_title"];
                     echo "
              <div class='col-md-4 col-xs-6' >
                                                        <a href='product.php?p=$pro_id'><div
class='product'>
                                                               <div class='product-img'>
                                                                      <img
src='product_images/$pro_image' style='max-height: 170px;' alt=">
                                                                      <div class='product-
label'>
                                                                             <span
class='sale'>-30%</span>
                                                                             <span
class='new'>NEW</span>
                                                                      </div>
                                                               </div></a>
                                                               <div class='product-body'>
                                                                      category'>$cat_name
                                                                      <h3 class='product-
name header-cart-item-name'><a href='product.php?p=$pro_id'>$pro_title</a></h3>
                                                                      <h4 class='product-price
header-cart-item-info'>$pro_price<del class='product-old-price'>$990.00</del></h4>
                                                                      <div class='product-
rating'>
```

```
<i class='fa fa-
star'></i>
                                                                                 <i class='fa fa-
star'></i>
                                                                                 <i class='fa fa-
star'></i>
                                                                                 <i class='fa fa-
star'></i>
                                                                                 <i class='fa fa-
star'></i>
                                                                          </div>
                                                                          <div class='product-
btns'>
                                                                                 <button
class='add-to-wishlist'><i class='fa fa-heart-o'></i><span class='tooltipp'>add to
wishlist</span></button>
                                                                                 <button
class='add-to-compare'><i class='fa fa-exchange'></i><span class='tooltipp'>add to
compare</span></button>
                                                                                 <button
class='quick-view'><i class='fa fa-eye'></i><span class='tooltipp'>quick view</span></button>
                                                                          </div>
                                                                  </div>
                                                                  <div class='add-to-cart'>
                                                                          <button pid='$pro_id'
id='product' class='add-to-cart-btn block2-btn-towishlist' href='#'><i class='fa fa-shopping-
cart'></i> add to cart</button>
                                                                  </div>
                                                           </div>
                                                   </div>
              }
       }
}
if(isset($_POST["get_seleted_Category"]) || isset($_POST["selectBrand"]) ||
isset($_POST["search"])){
       if(isset($_POST["get_seleted_Category"])){
              $id = $ POST["cat id"];
              $sql = "SELECT * FROM products, categories WHERE product_cat = '$id' AND
product_cat=cat_id";
       }else if(isset($_POST["selectBrand"])){
              $id = $_POST["brand_id"];
              $sql = "SELECT * FROM products, categories WHERE product_brand = '$id' AND
product_cat=cat_id";
       }else {
```

```
$keyword = $_POST["keyword"];
    header('Location:store.php');
              $sql = "SELECT * FROM products, categories WHERE product_cat=cat_id AND
product_keywords LIKE '%$keyword%'";
       }
       $run_query = mysqli_query($con,$sql);
       while($row=mysqli_fetch_array($run_query)){
                     $pro_id = $row['product_id'];
                     $pro_cat = $row['product_cat'];
                     $pro_brand = $row['product_brand'];
                     $pro_title = $row['product_title'];
                     $pro price = $row['product price'];
                     $pro_image = $row['product_image'];
       $cat_name = $row["cat_title"];
                     echo "
              <div class='col-md-4 col-xs-6'>
                                                        <a href='product.php?p=$pro_id'><div
class='product'>
                                                               <div class='product-img'>
                                                                      <img
src='product_images/$pro_image' style='max-height: 170px;' alt=">
                                                                      <div class='product-
label'>
                                                                              <span
class='sale'>-30%</span>
                                                                              <span
class='new'>NEW</span>
                                                                      </div>
                                                               </div></a>
                                                               <div class='product-body'>
                                                                      category'>$cat_name
                                                                      <h3 class='product-
name header-cart-item-name'><a href='product.php?p=$pro_id'>$pro_title</a></h3>
                                                                      <h4 class='product-price
header-cart-item-info'>$pro_price<del class='product-old-price'>$990.00</del></h4>
                                                                      <div class='product-
rating'>
                                                                              <i class='fa fa-
star'></i>
                                                                              <i class='fa fa-
star'></i>
                                                                              <i class='fa fa-
star'></i>
                                                                              <i class='fa fa-
star'></i>
```

```
<i class='fa fa-
star'></i>
                                                                         </div>
                                                                         <div class='product-
btns'>
                                                                                 <button
class='add-to-wishlist' tabindex='0'><i class='fa fa-heart-o'></i><span class='tooltipp'>add to
wishlist</span></button>
                                                                                 <button
class='add-to-compare'><i class='fa fa-exchange'></i><span class='tooltipp'>add to
compare</span></button>
                                                                                 <button
class='quick-view' ><i class='fa fa-eye'></i><span class='tooltipp'>quick view</span></button>
                                                                  </div>
                                                                  <div class='add-to-cart'>
                                                                         <button pid='$pro_id'
id='product' href='#' tabindex='0' class='add-to-cart-btn'><i class='fa fa-shopping-cart'></i> add to
cart</button>
                                                                  </div>
                                                          </div>
                                                   </div>
              }
       }
       if(isset(\$\_POST["addToCart"]))\{
              $p_id = $_POST["proId"];
              if(isset($_SESSION["uid"])){
              $user_id = $_SESSION["uid"];
              $sql = "SELECT * FROM cart WHERE p_id = '$p_id' AND user_id = '$user_id'";
              $run_query = mysqli_query($con,$sql);
              $count = mysqli_num_rows($run_query);
              if(\$count > 0){
                      echo "
                             <div class='alert alert-warning'>
                                            <a href='#' class='close' data-dismiss='alert' aria-
label='close'>×</a>
                                            <br/>b>Product is already added into the cart Continue
Shopping..!</b>
                             </div>
                      ";//not in video
```

```
} else {
                      $sql = "INSERT INTO `cart`
                      (`p_id`, `ip_add`, `user_id`, `qty`)
                      VALUES ('$p_id', '$ip_add', '$user_id', '1')";
                      if(mysqli_query($con,$sql)){
                              echo "
                                     <div class='alert alert-success'>
                                             <a href='#' class='close' data-dismiss='alert' aria-
label='close'>×</a>
                                             <br/>b>Product is Added..!</b>
                                     </div>
                      }
               }else{
                      $sql = "SELECT id FROM cart WHERE ip_add = '$ip_add' AND p_id =
'$p_id' AND user_id = -1";
                      $query = mysqli_query($con,$sql);
                      if (mysqli_num_rows($query) > 0) {
                              echo "
                                     <div class='alert alert-warning'>
                                                    <a href='#' class='close' data-dismiss='alert'
aria-label='close'>×</a>
                                                    <br/>b>Product is already added into the cart
Continue Shopping..!</b>
                                     </div>";
                                     exit();
                      $sql = "INSERT INTO `cart`
                      (`p_id`, `ip_add`, `user_id`, `qty`)
                      VALUES ('$p_id','$ip_add','-1','1')";
                      if (mysqli_query($con,$sql)) {
                              echo "
                                     <div class='alert alert-success'>
                                             <a href='#' class='close' data-dismiss='alert' aria-
label='close'>×</a>
                                             <br/>
<br/>
b>Your product is Added Successfully..!</b>
                                     </div>
                              exit();
                      }
               }
       }
```

//Count User cart item

```
if (isset($_POST["count_item"])) {
      //When user is logged in then we will count number of item in cart by using user session id
       if (isset($ SESSION["uid"])) {
              $sql = "SELECT COUNT(*) AS count_item FROM cart WHERE user_id =
$ SESSION[uid]";
       }else{
              //When user is not logged in then we will count number of item in cart by using
users unique ip address
              $sql = "SELECT COUNT(*) AS count_item FROM cart WHERE ip_add =
'$ip add' AND user id < 0";
       $query = mysqli_query($con,$sql);
       $row = mysqli fetch array($query);
       echo $row["count item"];
      exit();
//Count User cart item
//Get Cart Item From Database to Dropdown menu
if (isset($_POST["Common"])) {
      if (isset($_SESSION["uid"])) {
              //When user is logged in this query will execute
              $sql = "SELECT
a.product_id,a.product_title,a.product_price,a.product_image,b.id,b.qty FROM products a,cart b
WHERE a.product id=b.p id AND b.user id='$ SESSION[uid]'";
       }else{
              //When user is not logged in this query will execute
              $sql = "SELECT
a.product id,a.product title,a.product price,a.product image,b.id,b.qty FROM products a,cart b
WHERE a.product_id=b.p_id AND b.ip_add='$ip_add' AND b.user_id < 0";
       $query = mysqli_query($con,$sql);
       if (isset($_POST["getCartItem"])) {
              //display cart item in dropdown menu
              if (mysqli num rows(query) > 0) {
                     $n=0:
                     $total price=0;
                     while ($row=mysqli_fetch_array($query)) {
                            $product_id = $row["product_id"];
                            $product_title = $row["product_title"];
                            $product_price = $row["product_price"];
                            $product_image = $row["product_image"];
                            $cart_item_id = $row["id"];
                            qty = row["qty"];
                            $total price=$total price+$product price;
                            echo '
```

```
<div class="product-widget">
                                                                          <div
class="product-img">
      <img src="product images/'.$product image."" alt="">
                                                                          </div>
                                                                          <div
class="product-body">
      <h3 class="product-name"><a href="#">'.$product_title.'</a></h3>
      <h4 class="product-price"><span class="qty">'.$n.'</span>$'.$product_price.'</h4>
                                                                          </div>
                                                                   </div>'
                  }
      echo '<div class="cart-summary">
                          <small class="qty">'.$n.' Item(s) selected</small>
                          <h5>$'.$total_price.'</h5>
                        </div>'
      ?>
                  <?php
                  exit();
            }
      }
 if (isset($_POST["checkOutDetails"])) {
            if (mysqli_num_rows($query) > 0) {
                  //display user cart item with "Ready to checkout" button if user is not login
                  echo '<div class="main ">
                  <div class="table-responsive">
                  <form method="post" action="login_form.php">
             <thead>
                                     Product
                                           Price
```

```
Quantity
                                            <th style="width:7%" class="text-
center">Subtotal
                                           </thead>
                               n=0;
                         while ($row=mysqli_fetch_array($query)) {
                               $n++;
                               $product_id = $row["product_id"];
                               $product_title = $row["product_title"];
                               $product_price = $row["product_price"];
                               $product_image = $row["product_image"];
                               $cart_item_id = $row["id"];
                               $qty = $row["qty"];
                               echo
                                     <div class="row">
                                                        <div class="col-sm-4"><img
src="product_images/'.$product_image." style="height: 70px;width:75px;"/>
                                                        <h4 class="nomargin product-
name header-cart-item-name"><a
href="product.php?p='.$product_id.'">'.$product_title.'</a></h4>
                                                        </div>
                                                        <div class="col-sm-6">
                                                              <div style="max-
width=50px;">
                                                              Lorem ipsum dolor
sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna
aliqua. Ut enim ad minim veniam,
                                                              </div>
                                                        </div>
                                                  </div>
                                           <input type="hidden" name="product_id[]" value="'.$product_id."'/>
                               <input type="hidden" name="" value="'.$cart_item_id."'/>
                                            <input type="text"
class="form-control price" value="'.$product_price." readonly="readonly">
                                           <input type="text" class="form-control</pre>
qty" value="'.$qty.'" >
```

```
<td data-th="Subtotal" class="text-
center"><input type="text" class="form-control total" value="'.$product_price."
readonly="readonly">
                                          <div class="btn-group">
                                                <a href="#" class="btn btn-info btn-sm
update" update_id="'.$product_id."'><i class="fa fa-refresh"></i></a>
                                                <a href="#" class="btn btn-danger btn-
sm remove" remove_id="'.$product_id."'><i class="fa fa-trash-o"></i></a>
                                          </div>
                                          echo '
                        <tfoot>
                              <a href="store.php" class="btn btn-warning"><i
class="fa fa-angle-left"></i> Continue Shopping</a>
                                    <b
class="net total" ></b>
                                    <div id="issessionset"></div>
            if (!isset($_SESSION["uid"])) {
                              echo '
                                          <a href="" data-toggle="modal" data-
target="#Modal_register" class="btn btn-success">Ready to Checkout</a>
                                                </tfoot>
                                          </div></div>';
        }else if(isset($_SESSION["uid"])){
                              //Paypal checkout form
                              echo '
                              </form>
                                    <form action="checkout.php" method="post">
                                          <input type="hidden" name="cmd"
value="_cart">
```

```
<input type="hidden" name="business"
value="shoppingcart@puneeth.com">
                                                 <input type="hidden" name="upload"</pre>
value="1">';
                                                 x=0;
                                                 $sql = "SELECT
a.product_id,a.product_title,a.product_price,a.product_image,b.id,b.qty FROM products a,cart b
WHERE a.product_id=b.p_id AND b.user_id='$_SESSION[uid]'";
                                                 $query = mysqli query($con,$sql);
                                                 while($row=mysqli_fetch_array($query)){
                                                        x++;
                                                        echo
                                                                '<input type="hidden"
name="total_count" value="'.$x."'>
                                                                <input type="hidden"</pre>
name="item_name_'.$x." value="'.$row["product_title"]."'>
                                                                <input type="hidden"
name="item number '.$x." value="'.$x."'>
                                                            <input type="hidden"
name="amount_'.\$x." value="'.\$row["product_price"]."'>
                                                            <input type="hidden"
name="quantity_'.\$x."" value="'.\$row["qty"]."'>';
                                                         }
                                                 echo
                                                         '<input type="hidden" name="return"
value="http://localhost/myfiles/public_html/payment_success.php"/>
                                             <input type="hidden" name="notify_url"</pre>
value="http://localhost/myfiles/public_html/payment_success.php">
                                                                <input type="hidden"</pre>
name="cancel_return" value="http://localhost/myfiles/public_html/cancel.php"/>
                                                                <input type="hidden"
name="currency_code" value="USD"/>
                                                                <input type="hidden"</pre>
name="custom" value="'.$ SESSION["uid"]."'/>
                                                                <input type="submit"
id="submit" name="login_user_with_product" name="submit" class="btn btn-success"
value="Ready to Checkout">
                                                                </form>
                                                                </tfoot>
                                                  </div></div>
                            }
                     }
```

```
}
}
//Remove Item From cart
if (isset($ POST["removeItemFromCart"])) {
       $remove_id = $_POST["rid"];
       if (isset($_SESSION["uid"])) {
              $sql = "DELETE FROM cart WHERE p id = '$remove id' AND user id =
'$_SESSION[uid]'";
       }else{
              $sql = "DELETE FROM cart WHERE p_id = '$remove_id' AND ip_add =
'$ip_add'";
       if(mysqli_query($con,$sql)){
              echo "<div class='alert alert-danger'>
                                          <a href='#' class='close' data-dismiss='alert' aria-
label='close'>×</a>
                                          <br/>b>Product is removed from cart</b>
                            </div>";
              exit();
       }
}
//Update Item From cart
if (isset($_POST["updateCartItem"])) {
       $update_id = $_POST["update_id"];
       qty = POST["qty"];
       if (isset($_SESSION["uid"])) {
              $sql = "UPDATE cart SET qty='$qty' WHERE p_id = '$update_id' AND user_id =
'$_SESSION[uid]'";
       }else{
              $sql = "UPDATE cart SET qty='$qty' WHERE p_id = '$update_id' AND ip_add =
'$ip_add''';
       if(mysqli_query($con,$sql)){
              echo "<div class='alert alert-info'>
                                           <a href='#' class='close' data-dismiss='alert' aria-
label='close'>&times:</a>
                                          <br/>b>Product is updated</b>
                            </div>";
              exit();
       }
}
```

Cart.php

Checkout.php

```
<?php
include "db.php";
include "header.php";
?>
<style>
.row-checkout {
 display: -ms-flexbox; /* IE10 */
 display: flex;
 -ms-flex-wrap: wrap; /* IE10 */
 flex-wrap: wrap;
 margin: 0 -16px;
}
.col-25 {
 -ms-flex: 25%; /* IE10 */
 flex: 25%;
}
.col-50 {
 -ms-flex: 50%; /* IE10 */
 flex: 50%;
```

```
}
.col-75 {
 -ms-flex: 75%; /* IE10 */
 flex: 75%;
.col-25,
.col-50,
.col-75 {
 padding: 0 16px;
.container-checkout {
 background-color: #f2f2f2;
 padding: 5px 20px 15px 20px;
 border: 1px solid lightgrey;
 border-radius: 3px;
input[type=text] {
 width: 100%;
 margin-bottom: 20px;
 padding: 12px;
 border: 1px solid #ccc;
 border-radius: 3px;
}
label {
 margin-bottom: 10px;
 display: block;
.icon-container {
 margin-bottom: 20px;
 padding: 7px 0;
 font-size: 24px;
.checkout-btn {
 background-color: #4CAF50;
 color: white;
 padding: 12px;
 margin: 10px 0;
 border: none;
 width: 100%;
 border-radius: 3px;
 cursor: pointer;
 font-size: 17px;
```

```
.checkout-btn:hover {
 background-color: #45a049;
hr {
 border: 1px solid lightgrey;
span.price {
 float: right;
 color: grey;
}
/* Responsive layout - when the screen is less than 800px wide, make the two columns stack on top
of each other instead of next to each other (also change the direction - make the "cart" column go
on top) */
@media (max-width: 800px) {
 .row-checkout {
  flex-direction: column-reverse;
 }
 .col-25 {
  margin-bottom: 20px;
 }
</style>
<section class="section">
       <div class="container-fluid">
              <div class="row-checkout">
              <?php
              if(isset($_SESSION["uid"])){
                     $sql = "SELECT * FROM user_info WHERE user_id='$_SESSION[uid]'";
                     $query = mysqli_query($con,$sql);
                     $row=mysqli_fetch_array($query);
              echo'
                     <div class="col-75">
                             <div class="container-checkout">
                             <form id="checkout_form" action="checkout_process.php"</pre>
method="POST" class="was-validated">
                                    <div class="row-checkout">
                                    <div class="col-50">
                                           <h3>Billing Address</h3>
```

```
<label for="fname"><i class="fa fa-user"></i> Full
Name</label>
                                            <input type="text" id="fname" class="form-control"</pre>
name="firstname" pattern="^[a-zA-Z]+$" value="'.$row["first_name"].''.$row["last_name"]."'>
                                            <label for="email"><i class="fa fa-envelope"></i>
Email</label>
                                            <input type="text" id="email" name="email"</pre>
class="form-control" pattern="^[a-z0-9-]+(\.[a-z0-9-]+)*@[a-z0-9]+(\.[a-z]{2,4})"
value="'.$row["email"]."" required>
                                            <label for="adr"><i class="fa fa-address-card-o"></i>
Address</label>
                                            <input type="text" id="adr" name="address"</pre>
class="form-control" value="".$row["address1"]."" required>
                                            <label for="city"><i class="fa fa-institution"></i>
City</label>
                                            <input type="text" id="city" name="city"</pre>
class="form-control" value="'.$row["address2"]."" pattern="^[a-zA-Z]+$" required>
                                            <div class="row">
                                            <div class="col-50">
                                                   <label for="state">State</label>
                                                   <input type="text" id="state" name="state"</pre>
class="form-control" pattern="^[a-zA-Z]+$" required>
                                            </div>
                                            <div class="col-50">
                                                   <label for="zip">Zip</label>
                                                   <input type="text" id="zip" name="zip"</pre>
class="form-control" pattern="^[0-9]{6}(?:-[0-9]{4})?$" required>
                                            </div>
                                            </div>
                                     </div>
                                    <div class="col-50">
                                            <h3>Payment</h3>
                                            <label for="fname">Accepted Cards</label>
                                            <div class="icon-container">
                                            <i class="fa fa-cc-visa" style="color:navy;"></i>
                                            <i class="fa fa-cc-amex" style="color:blue;"></i>
                                            <i class="fa fa-cc-mastercard" style="color:red;"></i>
                                            <i class="fa fa-cc-discover"
style="color:orange;"></i>
                                            </div>
                                            <label for="cname">Name on Card</label>
                                            <input type="text" id="cname" name="cardname"</pre>
class="form-control" pattern="^[a-zA-Z]+$" required>
                                            <div class="form-group" id="card-number-field">
```

```
<label for="cardNumber">Card Number</label>
              <input type="text" class="form-control" id="cardNumber" name="cardNumber"</pre>
required>
            </div>
                                           <label for="expdate">Exp Date</label>
                                           <input type="text" id="expdate" name="expdate"</pre>
class="form-control" pattern="((0[1-9])|(1[0-2]))\/(\d{2})$" placeholder="12/22"required>
                                           <div class="row">
                                           <div class="col-50">
                                                  <div class="form-group CVV">
                                                          <label for="cvv">CVV</label>
                                                          <input type="text" class="form-</pre>
control" name="cvv" id="cvv" required>
                                           </div>
                                           </div>
                                    </div>
                                    </div>
                                    </div>
                                    <label><input type="CHECKBOX" name="q"
class="roomselect" value="conform" required> Shipping address same as billing
                                    </label>';
                                    i=1;
                                    $total=0;
                                    $total_count=$_POST['total_count'];
                                    while($i<=$total_count){</pre>
                                           $item_name_ = $_POST['item_name_'.$i];
                                           $amount_ = $_POST['amount_'.$i];
                                           $quantity_ = $_POST['quantity_'.$i];
                                           $total=$total+$amount_;
                                           $sql = "SELECT product_id FROM products"
WHERE product_title='$item_name_'";
                                           $query = mysqli_query($con,$sql);
                                           $row=mysqli_fetch_array($query);
                                           $product_id=$row["product_id"];
                                           echo "
                                           <input type='hidden' name='prod_id_$i'</pre>
value='$product_id'>
                                           <input type='hidden' name='prod price $i'</pre>
value='$amount_'>
                                           <input type='hidden' name='prod_qty_$i'
value='$quantity_'>
                                           $i++;
                                    }
                             echo'
                             <input type="hidden" name="total_count" value="'.$total_count."'>
```

```
<input type="hidden" name="total_price" value="'.$total."'>
                                <input type="submit" id="submit" value="Continue to
checkout" class="checkout-btn">
                          </form>
                          </div>
                   </div>
             }else{
                   echo"<script>window.location.href = 'cart.php'</script>";
             ?>
                   <div class="col-25">
                          <div class="container-checkout">
                          <?php
                          if (isset($_POST["cmd"])) {
                                $user_id = $_POST['custom'];
                                i=1;
                                echo
                                <h4>Cart
                                <span class='price' style='color:black'>
                                <i class='fa fa-shopping-cart'></i>
                                <b>$total count</b>
                                </span>
                          </h4>
                                <thead>
                                >no
                                product title
                                \langle th \rangle qty
                                              amount
                                </thead>
                                ";
                                $total=0;
                                while($i<=$total_count){</pre>
                                       $item_name_ = $_POST['item_name_'.$i];
                                       $item_number_ = $_POST['item_number_'.$i];
                                       $amount_ = $_POST['amount_'.$i];
                                       $quantity_ = $_POST['quantity_'.$i];
```

```
$total=$total+$amount_;
                                    $sql = "SELECT product_id FROM products
WHERE product_title='$item_name_'";
                                    $query = mysqli_query($con,$sql);
                                    $row=mysqli_fetch_array($query);
                                    $product_id=$row["product_id"];
                                    echo "
      $item_number_$item_name_<td
>$quantity_$amount_";
                                    $i++:
                              }
                        echo"
                        <hr>
                        <h3>total<span class='price'
style='color:black'><b>$$total</b></span></h3>";
                        ?>
                        </div>
                  </div>
            </div>
      </div>
</section>
            <div id="newsletter" class="section">
                  <!-- container -->
                  <div class="container">
                        <!-- row -->
                        <div class="row">
                              <div class="col-md-12">
                                    <div class="newsletter">
                                          Sign Up for the
<strong>NEWSLETTER</strong>
                                          <form >
                                                <input class="input" type="email"</pre>
placeholder="Enter Your Email">
                                                <button class="newsletter-btn"><i
class="fa fa-envelope"></i> Subscribe</button>
                                          </form>
                                          >
```

```
<a href="#"><i class="fa fa-
facebook"></i></a>
                                                        <
                                                               <a href="#"><i class="fa fa-
twitter"></i></a>
                                                        <
                                                               <a href="#"><i class="fa fa-
instagram"></i></a>
                                                        \langle li \rangle
                                                               <a href="#"><i class="fa fa-
pinterest"></i></a>
                                                        </div>
                                   </div>
                            </div>
                            <!-- /row -->
                     </div>
                     <!-- /container -->
              </div>
<?php
include "footer.php";
checkout process.php
<?php
session_start();
include "db.php";
if (isset($_SESSION["uid"])) {
       $f_name = $_POST["firstname"];
      $email = $_POST['email'];
       $address = $_POST['address'];
  $city = $_POST['city'];
  $state = $_POST['state'];
  $zip= $ POST['zip'];
  $cardname= $_POST['cardname'];
  $cardnumber= $_POST['cardNumber'];
  $expdate= $_POST['expdate'];
  $cvv= $_POST['cvv'];
  $user_id=$_SESSION["uid"];
  $cardnumberstr=(string)$cardnumber;
  $total_count=$_POST['total_count'];
  $prod_total = $_POST['total_price'];
```

```
$sql0="SELECT order_id from `orders_info`";
  $runquery=mysqli_query($con,$sql0);
 if (mysqli_num_rows($runquery) == 0) {
    echo( mysqli_error($con));
    $order_id=1;
  else if (mysgli num rows(\$runguery) > 0) {
    $sql2="SELECT MAX(order_id) AS max_val from `orders_info`";
    $runquery1=mysqli_query($con,$sql2);
    $row = mysqli fetch array($runquery1);
    $order_id= $row["max_val"];
    $order id=$order id+1;
    echo( mysqli_error($con));
  }
       $sql = "INSERT INTO `orders_info`
      (`order_id`,`user_id`,`f_name`, `email`,`address`,
       `city`, `state`, `zip`, `cardname`,`cardnumber`,`expdate`,`prod_count`,`total_amt`,`cvv`)
       VALUES ($order id, '$user id', '$f name', '$email',
  '$address', '$city', '$state',
'$zip','$cardname','$cardnumberstr','$expdate','$total_count','$prod_total','$cvv')";
 if(mysqli_query($con,$sql)){
    i=1;
    $prod_id_=0;
    $prod_price_=0;
    $prod_qty_=0;
    while($i<=$total count){</pre>
      $str=(string)$i;
       prod id + str = POST[prod id '.si];
       $prod_id=$prod_id_+$str;
       $prod_price_+$str = $_POST['prod_price_'.$i];
       $prod_price=$prod_price_+$str;
      $prod_qty_+$str = $_POST['prod_qty_'.$i];
      $prod_qty=$prod_qty_+$str;
      $sub_total=(int)$prod_price*(int)$prod_qty;
      $sql1="INSERT INTO `order_products`
      (`order_pro_id`,`order_id`,`product_id`,`qty`,`amt`)
       VALUES (NULL, '$order_id', '$prod_id', '$prod_qty', '$sub_total')";
      if(mysqli query($con,$sql1)){
         $del_sql="DELETE from cart where user_id=$user_id";
         if(mysqli_query($con,$del_sql)){
           echo"<script>window.location.href='store.php'</script>";
           echo(mysqli_error($con));
         }
       }else{
         echo(mysqli_error($con));
```

```
$i++;
    }
  }else{
    echo(mysqli_error($con));
  }
}else{
  echo"<script>window.location.href='index.php'</script>";
?>
Error.php
<?php if (count($errors) > 0) : ?>
 <div class="error">
       <?php foreach ($errors as $error) : ?>
        <?php echo $error ?>
       <?php endforeach ?>
 </div>
<?php endif ?>
Login.php
<?php
include "db.php";
session_start();
#Login script is begin here
#If user given credential matches successfully with the data available in database then we will echo
string login_success
#login_success string will go back to called Anonymous funtion $("#login").click()
if(isset($_POST["email"]) && isset($_POST["password"])){
       $email = mysqli_real_escape_string($con,$_POST["email"]);
       $password = $_POST["password"];
```

```
$sql = "SELECT * FROM user_info WHERE email = '$email' AND password =
'$password'";
       $run_query = mysqli_query($con,$sql);
       $count = mysqli_num_rows($run_query);
  $row = mysqli_fetch_array($run_query);
              $_SESSION["uid"] = $row["user_id"];
              $ SESSION["name"] = $row["first name"];
              $ip_add = getenv("REMOTE_ADDR");
              //we have created a cookie in login_form.php page so if that cookie is available
means user is not login
       //if user record is available in database then $count will be equal to 1
       if(scount == 1)
                     if (isset($_COOKIE["product_list"])) {
                             $p_list = stripcslashes($_COOKIE["product_list"]);
                             //here we are decoding stored json product list cookie to normal array
                             $product list = ison decode($p list,true);
                             for (\$i=0; \$i < count(\$product \ list); \$i++) 
                                    //After getting user id from database here we are checking
user cart item if there is already product is listed or not
                                    $verify cart = "SELECT id FROM cart WHERE user id =
$_SESSION[uid] AND p_id = ".$product_list[$i];
                                    $result = mysqli_query($con,$verify_cart);
                                    if(mysqli_num_rows($result) < 1){
                                           //if user is adding first time product into cart we will
update user id into database table with valid id
                                           $update_cart = "UPDATE cart SET user_id =
'$_SESSION[uid]' WHERE ip_add = '$ip_add' AND user_id = -1";
                                           mysqli_query($con,$update_cart);
                                    }else{
                                           //if already that product is available into database table
we will delete that record
                                           $delete_existing_product = "DELETE FROM cart
WHERE user_id = -1 AND ip_add = '$ip_add' AND p_id = ".$product_list[$i];
                                           mysqli_query($con,$delete_existing_product);
                             //here we are destroying user cookie
                             setcookie("product_list","",strtotime("-1 day"),"/");
                             //if user is logging from after cart page we will send cart login
                             echo "cart_login";
                             exit();
                     //if user is login from page we will send login_success
                     echo "login success";
                     $BackToMyPage = $_SERVER['HTTP_REFERER'];
```

```
if(!isset($BackToMyPage)) {
                                    header('Location: '.$BackToMyPage);
                                    echo" < script type='text/javascript'>
                                    </script>";
                            } else {
                                    header('Location: index.php'); // default page
       exit;
              }else{
         $email = mysqli_real_escape_string($con,$_POST["email"]);
         $password =md5($_POST["password"]);
         $sql = "SELECT * FROM admin_info WHERE admin_email = '$email' AND
admin_password = '$password'";
         $run_query = mysqli_query($con,$sql);
         $count = mysqli_num_rows($run_query);
       //if user record is available in database then $count will be equal to 1
       if(\$count == 1)
         $row = mysqli_fetch_array($run_query);
         $_SESSION["uid"] = $row["admin_id"];
         $_SESSION["name"] = $row["admin_name"];
         $ip_add = getenv("REMOTE_ADDR");
         //we have created a cookie in login form.php page so if that cookie is available means
user is not login
           //if user is login from page we will send login_success
            echo "login_success";
            echo "<script> location.href='admin/addproduct.php'; </script>";
           exit;
         }else{
            echo "<span style='color:red;'>Please register before login..!</span>";
            exit();
         }
}
}
```

Logout.php

```
<?php
session_start();
unset($_SESSION["uid"]);
unset($_SESSION["name"]);
$BackToMyPage = $_SERVER['HTTP_REFERER'];
if(isset($BackToMyPage)) {
    header('Location: '.$BackToMyPage);
} else {
    header('Location: index.php'); // default page
}
?>
```

Offersmail.php

```
<?php
session_start();
include "db.php";
if (isset($_POST["email"])) {
  $email = $_POST['email'];
  \mbox{\$emailValidation} = ''/^[a-z0-9-]+(\.[a-z0-9-]+)*@[a-z0-9]+(\.[a-z]{2,4})$/";
  if(empty($email)){
    echo "
                     <div class='alert alert-warning'>
                             <a href='#' class='close' data-dismiss='alert' aria-
label='close'>×</a><b>PLease Fill this field..!</b>
                      </div>
              exit();
  }else{
    if(!preg_match($emailValidation,$email)){
              echo "
                     <div class='alert alert-warning'>
                             <a href='#' class='close' data-dismiss='alert' aria-
label='close'>×</a>
                             <b>this $email is not valid..!</b>
                      </div>
              exit();
    $sql = "SELECT email_id FROM email_info WHERE email = '$email' LIMIT 1";
    $check_query = mysqli_query($con,$sql);
    $count_email = mysqli_num_rows($check_query);
    if(scount_email > 0)
```

```
echo "
       <div class='alert alert-danger'>
          <a href='#' class='close' data-dismiss='alert' aria-label='close'>&times;</a>
         <b>Email Address is already available</b>
    exit();
  }else{
    $sql = "INSERT INTO `email_info`
    (`email_id`, `email`)
     VALUES (NULL, '$email')";
    $run_query = mysqli_query($con,$sql);
       echo "<div class='alert alert-success'>
         <a href='#' class='close' data-dismiss='alert' aria-label='close'>&times;</a>
         <b>Thanks for subscribing</b>
       </div>";
     }
}
```

payment_success.php

```
$sql = "SELECT p_id,qty FROM cart WHERE user_id = '$cm_user_id'";
              $query = mysqli_query($con,$sql);
             if (mysqli_num_rows($query) > 0) {
                    # code...
                    while ($row=mysqli_fetch_array($query)) {
                    $product_id[] = $row["p_id"];
                    $qty[] = $row["qty"];
                    for (\$i=0; \$i < count(\$product id); \$i++) 
                           $sql = "INSERT INTO orders
(user_id,product_id,qty,trx_id,p_status) VALUES
('$cm_user_id','".$product_id[$i]."','".$qty[$i]."','$trx_id','$p_st')";
                           mysqli_query($con,$sql);
                    }
                    $sql = "DELETE FROM cart WHERE user_id = '$cm_user_id'";
                    if (mysqli_query($con,$sql)) {
                           ?>
                                  <!DOCTYPE html>
                                  <html>
                                         <head>
                                                <meta charset="UTF-8">
                                                <title>Khan Store</title>
                                                <link rel="stylesheet"</pre>
href="css/bootstrap.min.css"/>
                                                <script src="js/jquery2.js"></script>
                                                <script src="js/bootstrap.min.js"></script>
                                                <script src="main.js"></script>
                                                <style>
                                                       table tr td {padding:10px;}
                                                </style>
                                         </head>
                                  <body>
                                         <div class="navbar navbar-inverse navbar-fixed-top">
                                                <div class="container-fluid">
                                                       <div class="navbar-header">
                                                              <a href="#" class="navbar-
brand">Khan Store</a>
                                                       </div>
                                                       <a href="index.php"><span</li>
class="glyphicon glyphicon-home"></span>Home</a>
                                                              <a
href="profile.php"><span class="glyphicon glyphicon-modal-window"></span>Product</a>
                                                       </div>
                                         </div>
                                         <br/>
                                         <br/>
```

```
<br/>
                                         <div class="container-fluid">
                                                <div class="row">
                                                       <div class="col-md-2"></div>
                                                       <div class="col-md-8">
                                                              <div class="panel panel-
default">
                                                                     <div class="panel-
heading"></div>
                                                                     <div class="panel-
body">
                                                                            <h1>Thankyou
</h1>
                                                                            <hr/>
                                                                            Hello <?php
echo "<b>".$_SESSION["name"]."</b>"; ?>,Your payment process is
                                                                            successfully
completed and your Transaction id is <b><?php echo $trx_id; ?></b><br/>
                                                                            you can continue
your Shopping <br/> 
                                                                            <a
href="index.php" class="btn btn-success btn-lg">Continue Shopping</a>
                                                                     </div>
                                                                     <div class="panel-
footer"></div>
                                                              </div>
                                                       </div>
                                                       <div class="col-md-2"></div>
                                                </div>
                                         </div>
                                  </body>
                                  </html>
                           <?php
                    }
              }else{
                    header("location:index.php");
              }
       }
}
?>
```

Product.php

<?php

```
include "header.php";
?>
               <!--/BREADCRUMB -->
               <script type="text/javascript">
                      ¡Query(document).ready(function($) {
                              $(".scroll").click(function(event){
                                     event.preventDefault();
       $('html,body').animate({scrollTop:$(this.hash).offset().top},900);
                              });
                      });
</script>
               <script>
  (function (global) {
       if(typeof (global) === "undefined")
               throw new Error("window is undefined");
  var _hash = "!";
  var noBackPlease = function () {
     global.location.href += "#";
              // making sure we have the fruit available for juice....
              // 50 milliseconds for just once do not cost much (^__^)
     global.setTimeout(function () {
       global.location.href += "!";
     }, 50);
  };
       // Earlier we had setInerval here....
  global.onhashchange = function () {
    if (global.location.hash !== hash) {
       global.location.hash = _hash;
     }
  };
  global.onload = function () {
               noBackPlease();
              // disables backspace on page except on input fields and textarea..
               document.body.onkeydown = function (e) {
       var elm = e.target.nodeName.toLowerCase();
       if (e.which === 8 && (elm !== 'input' && elm !== 'textarea')) {
          e.preventDefault();
       // stopping event bubbling up the DOM tree..
       e.stopPropagation();
     };
  };
})(window);
</script>
               <!-- SECTION -->
```

```
<div class="section main main-raised">
                     <!-- container -->
                     <div class="container">
                            <!-- row -->
                            <div class="row">
                                   <!-- Product main img -->
                                   <?php
                                                         include 'db.php';
                                                         $product_id = $_GET['p'];
                                                         $sql = " SELECT * FROM products ";
                                                         $sql = " SELECT * FROM products
WHERE product_id = $product_id";
                                                         if (!$con) {
                                                                die("Connection failed: ".
mysqli_connect_error());
                                                         $result = mysqli query($con, $sql);
                                                         if (mysqli_num_rows($result) > 0)
                                                                while($row =
mysqli_fetch_assoc($result))
                                                                echo '
                   <div class="col-md-5 col-md-push-2">
                   <div id="product-main-img">
                     <div class="product-preview">
                        <img src="product_images/'.$row['product_image']."' alt="">
                     </div>
                     <div class="product-preview">
                        <img src="product_images/'.$row['product_image']."' alt="">
                     </div>
                     <div class="product-preview">
                        <img src="product_images/'.$row['product_image']."' alt="">
                     </div>
                     <div class="product-preview">
                        <img src="product_images/'.$row['product_image']."' alt="">
                     </div>
                   </div>
                </div>
                   <div class="col-md-2 col-md-pull-5">
                   <div id="product-imgs">
```

```
<img src="product_images/'.$row['product_image']."' alt="">
                      </div>
                      <div class="product-preview">
                        <img src="product_images/'.$row['product_image']."" alt="">
                      </div>
                      <div class="product-preview">
                        <img src="product_images/'.$row['product_image'].'g" alt="">
                      </div>
                      <div class="product-preview">
                        <img src="product_images/'.$row['product_image']."' alt="">
                      </div>
                   </div>
                 </div>
                                                                 <!-- FlexSlider -->
                                                                 <?php
                                                                 echo '
            <div class="col-md-5">
                                           <div class="product-details">
                                                   <h2 class="product-
name">'.$row['product_title'].'</h2>
                                                   <div>
                                                          <div class="product-rating">
                                                                 <i class="fa fa-star"></i>
                                                                 <i class="fa fa-star"></i>
                                                                 <i class="fa fa-star"></i>
                                                                 <i class="fa fa-star"></i>
                                                                 <i class="fa fa-star-o"></i>
                                                          </div>
                                                          <a class="review-link" href="#review-
form">10 Review(s) | Add your review</a>
                                                   </div>
                                                   <div>
                                                          <h3 class="product-
price">$'.$row['product_price'].'<del class="product-old-price">$990.00</del></h3>
                                                          <span class="product-available">In
Stock</span>
                                                   </div>
```

<div class="product-preview">

```
purely Hand Made Product with high
quality material. Made In Mangloure, India. Seller is (HB ® Traders) by Hasan Brother
                                              <div class="product-options">
                                                     <label>
                                                           Size
                                                           <select class="input-select">
                                                                  <option
value="0">X</option>
                                                           </select>
                                                    </label>
                                                    <label>
                                                           Color
                                                           <select class="input-select">
                                                                  <option
value="0">Red</option>
                                                           </select>
                                                    </label>
                                              </div>
                                              <div class="add-to-cart">
                                                     <div class="qty-label">
                                                           Qty
                                                           <div class="input-number">
                                                                  <span class="qty-</pre>
up">+</span>
                                                                  <span class="qty-</pre>
down">-</span>
                                                           </div>
                                                     </div>
                                                    <div class="btn-group" style="margin-
left: 25px; margin-top: 15px">
                                                    <button class="add-to-cart-btn"
pid="'.$row['product_id']." id="product" ><i class="fa fa-shopping-cart"></i> add to
cart</button>
                 </div>
                                              </div>
                                              <a href="#"><i class="fa fa-heart-
o"></i> add to wishlist</a>
                                                    <a href="#"><i class="fa fa-
exchange"></i> add to compare</a>
                                              Category:
```

```
<a href="#">HB ® Traders</a>
Product</a>
                                                <a href="#">Accessories</a>
                                          Share:
                                                <a href="#"><i class="fa fa-
facebook"></i></a>
                                                <a href="#"><i class="fa fa-
twitter"></i></a>
                                                 <a href="#"><i class="fa fa-
google-plus"></i></a>
                                                <a href="#"><i class="fa fa-
envelope"></i></a>
                                          </div>
                              </div>
                              <!--/Product main img -->
                              <!-- Product thumb imgs -->
                              <!--/Product thumb imgs -->
                              <!-- Product details -->
                              <!--/Product details -->
                              <!-- Product tab -->
                              <div class="col-md-12">
                                    <div id="product-tab">
                                          <!-- product tab nav -->
                                          cli class="active"><a data-
toggle="tab" href="#tab1">Description</a>
                                                <a data-toggle="tab"
href="#tab2">Details</a>
                                                <a data-toggle="tab"
href="#tab3">Reviews (3)</a>
                                          <!--/product tab nav -->
                                          <!-- product tab content -->
                                          <div class="tab-content">
                                                 <!-- tab1 -->
```

```
<div id="tab1" class="tab-pane fade in</pre>
active">
                                                                   <div class="row">
                                                                          <div class="col-md-
12">
                                                                                  Seller is (HB)
® Traders ) by Hasan Brother. We sell our product allover the world (Dubai, Saudi, Pakistan,
australia, afganistan, Oman, Iraq, Iran, tajikistan. All product are covered under policy Of HB ®
Traders. 
                                                                          </div>
                                                                   </div>
                                                           </div>
                                                           <!-- /tab1 -->
                                                           <!-- tab2 -->
                                                           <div id="tab2" class="tab-pane fade</pre>
in">
                                                                   <div class="row">
                                                                          <div class="col-md-
12">
                                                                                  Seller is (HB)
® Traders ) by Hasan Brother. We sell our product allover the world (Dubai, Saudi, Pakistan,
australia, afganistan, Oman, Iraq, Iran, tajikistan. All product are covered under policy Of HB ®
Traders.
                           </div>
                                                                   </div>
                                                           </div>
                                                           <!-- /tab2 -->
                                                           <!-- tab3 -->
                                                           <div id="tab3" class="tab-pane fade</pre>
in">
                                                                   <div class="row">
                                                                          <!-- Rating -->
                                                                          <div class="col-md-3">
                                                                                  <div
id="rating">
                                                                                         <div
class="rating-avg">
       <span>4.5</span>
       <div class="rating-stars">
       <i class="fa fa-star"></i>
       <i class="fa fa-star"></i>
       <i class="fa fa-star"></i>
```

```
<i class="fa fa-star"></i>
       <i class="fa fa-star-o"></i>
       </div>
                                                                                        </div>
                                                                                        ul
class="rating">
       >
       <div class="rating-stars">
              <i class="fa fa-star"></i>
              <i class="fa fa-star"></i>
              <i class="fa fa-star"></i>
              <i class="fa fa-star"></i>
              <i class="fa fa-star"></i>
       </div>
       <div class="rating-progress">
              <div style="width: 80%;"></div>
       </div>
       <span class="sum">3</span>
       <1i>>
       <div class="rating-stars">
              <i class="fa fa-star"></i>
              <i class="fa fa-star"></i>
              <i class="fa fa-star"></i>
              <i class="fa fa-star"></i>
              <i class="fa fa-star-o"></i>
```

```
</div>
<div class="rating-progress">
       <div style="width: 60%;"></div>
</div>
<span class="sum">2</span>
<
<div class="rating-stars">
       <i class="fa fa-star"></i>
       <i class="fa fa-star"></i>
       <i class="fa fa-star"></i>
       <i class="fa fa-star-o"></i>
       <i class="fa fa-star-o"></i>
</div>
<div class="rating-progress">
       <div></div>
</div>
<span class="sum">0</span>
<
<div class="rating-stars">
       <i class="fa fa-star"></i>
       <i class="fa fa-star"></i>
       <i class="fa fa-star-o"></i>
       <i class="fa fa-star-o"></i>
```

```
<i class="fa fa-star-o"></i>
      </div>
      <div class="rating-progress">
              <div></div>
      </div>
      <span class="sum">0</span>
      <
      <div class="rating-stars">
              <i class="fa fa-star"></i>
              <i class="fa fa-star-o"></i>
              <i class="fa fa-star-o"></i>
             <i class="fa fa-star-o"></i>
             <i class="fa fa-star-o"></i>
      </div>
      <div class="rating-progress">
              <div></div>
      </div>
      <span class="sum">0</span>
      </div>
                                                                      </div>
                                                                     <!-- /Rating -->
                                                                      <!-- Reviews -->
                                                                      <div class="col-md-6">
                                                                            <div
id="reviews">
```

```
class="reviews">
      <
      <div class="review-heading">
             <h5 class="name">John</h5>
             27 DEC 2018, 8:0 PM
             <div class="review-rating">
                   <i class="fa fa-star"></i>
                   <i class="fa fa-star"></i>
                   <i class="fa fa-star"></i>
                   <i class="fa fa-star"></i>
                   <i class="fa fa-star-o empty"></i>
             </div>
      </div>
      <div class="review-body">
             Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor
incididunt ut labore et dolore magna aliqua
      </div>
      >
      <div class="review-heading">
             <h5 class="name">John</h5>
             27 DEC 2018, 8:0 PM
             <div class="review-rating">
                   <i class="fa fa-star"></i>
                   <i class="fa fa-star"></i>
```

```
<i class="fa fa-star"></i>
                    <i class="fa fa-star"></i>
                    <i class="fa fa-star-o empty"></i>
             </div>
      </div>
      <div class="review-body">
             Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor
incididunt ut labore et dolore magna aliqua
      </div>
      <
      <div class="review-heading">
             <h5 class="name">John</h5>
             27 DEC 2018, 8:0 PM
             <div class="review-rating">
                    <i class="fa fa-star"></i>
                    <i class="fa fa-star"></i>
                    <i class="fa fa-star"></i>
                    <i class="fa fa-star"></i>
                    <i class="fa fa-star-o empty"></i>
             </div>
      </div>
      <div class="review-body">
             Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor
incididunt ut labore et dolore magna aliqua
       </div>
```

```
ul
class="reviews-pagination">
      1
      <a href="#">2</a>
      <a href="#">3</a>
      <a href="#">4</a>
      <a href="#"><i class="fa fa-angle-right"></i></a>
                                                                               </div>
                                                                  </div>
                                                                  <!-- /Reviews -->
                                                                  <!-- Review Form -->
                                                                  <div class="col-md-3"
mainn">
                                                                         <div id="review-
form">
                                                                               <form
class="review-form">
      <input class="input" type="text" placeholder="Your Name">
      <input class="input" type="email" placeholder="Your Email">
      <textarea class="input" placeholder="Your Review"></textarea>
      <div class="input-rating">
      <span>Your Rating: </span>
      <div class="stars">
             <input id="star5" name="rating" value="5" type="radio"><label</pre>
for="star5"></label>
             <input id="star4" name="rating" value="4" type="radio"><label</pre>
for="star4"></label>
             <input id="star3" name="rating" value="3" type="radio"><label</pre>
for="star3"></label>
```

```
<input id="star2" name="rating" value="2" type="radio"><label</pre>
for="star2"></label>
              <input id="star1" name="rating" value="1" type="radio"><label</pre>
for="star1"></label>
       </div>
       </div>
       <button class="primary-btn">Submit</button>
                                                                                         </form>
                                                                                 </div>
                                                                          </div>
                                                                          <!-- /Review Form -->
                                                                  </div>
                                                           </div>
                                                           <!-- /tab3 -->
                                                   </div>
                                                   <!--/product tab content -->
                                            </div>
                                     </div>
                                     <!-- /product tab -->
                             </div>
                             <!-- /row -->
                      </div>
                      <!-- /container -->
               </div>
              <!-- /SECTION -->
              <!-- Section -->
              <div class="section main main-raised">
                      <!-- container -->
                      <div class="container">
                             <!-- row -->
                             <div class="row">
                                     <div class="col-md-12">
                                            <div class="section-title text-center">
                                                   <h3 class="title">Related Products</h3>
                                            </div>
                                     </div>
                                                                  $_SESSION['product_id'] =
$row['product_id'];
                                                                  }
                                                           ?>
```

```
<?php
           include 'db.php';
                                                       product_id = GET[p];
                                  $product_query = "SELECT * FROM products,categories
WHERE product_cat=cat_id AND product_id BETWEEN $product_id AND $product_id+3";
         $run query = mysqli query($con,$product query);
         if(mysqli_num_rows($run_query) > 0){
           while($row = mysqli_fetch_array($run_query)){
              $pro_id = $row['product_id'];
              $pro_cat = $row['product_cat'];
              $pro_brand = $row['product_brand'];
              $pro title = $row['product title'];
              $pro price = $row['product price'];
              $pro_image = $row['product_image'];
             $cat_name = $row["cat_title"];
             echo "
                  <div class='col-md-3 col-xs-6'>
                                                       <a href='product.php?p=$pro_id'><div
class='product'>
                                                               <div class='product-img'>
                                                                      <img
src='product_images/$pro_image' style='max-height: 170px;' alt=">
                                                                      <div class='product-
label'>
                                                                             <span
class='sale'>-30%</span>
                                                                             <span
class='new'>NEW</span>
                                                                      </div>
                                                               </div></a>
                                                               <div class='product-body'>
                                                                      category'>$cat_name
                                                                      <h3 class='product-
name header-cart-item-name'><a href='product.php?p=$pro_id'>$pro_title</a></h3>
                                                                      <h4 class='product-price
header-cart-item-info'>$pro_price<del class='product-old-price'>$990.00</del></h4>
                                                                      <div class='product-
rating'>
                                                                             <i class='fa fa-
star'></i>
                                                                             <i class='fa fa-
star'></i>
```

```
<i class='fa fa-
star'></i>
                                                                                  <i class='fa fa-
star'></i>
                                                                                  <i class='fa fa-
star'></i>
                                                                           </div>
                                                                           <div class='product-
btns'>
                                                                                  <button
class='add-to-wishlist'><i class='fa fa-heart-o'></i><span class='tooltipp'>add to
wishlist</span></button>
                                                                                  <button
class='add-to-compare'><i class='fa fa-exchange'></i><span class='tooltipp'>add to
compare</span></button>
class='quick-view'><i class='fa fa-eye'></i><span class='tooltipp'>quick view</span></button>
                                                                           </div>
                                                                   </div>
                                                                   <div class='add-to-cart'>
                                                                           <button pid='$pro_id'
id='product' class='add-to-cart-btn block2-btn-towishlist' href='#'><i class='fa fa-shopping-
cart'></i> add to cart</button>
                                                                   </div>
                                                            </div>
                    </div>
               }
                                     <!-- product -->
                                     <!-- /product -->
                              </div>
                              <!-- /row -->
                      </div>
                      <!-- /container -->
               </div>
               <!-- /Section -->
               <!-- NEWSLETTER -->
```

<!--/NEWSLETTER -->

```
<!-- FOOTER -->
<!php
include "newslettter.php";
include "footer.php";

?>
```

README file

```
# online-shopping-with-advanced-admin-page
Updated version
```

online shopping system with both admin and user layouts.

admin login details Email=admin@gmail.com and Password=123456789

store.php

```
<?php
include 'header.php';
?>
   <script id="jsbin-javascript">
(function (global) {
       if(typeof (global) === "undefined")
               throw new Error("window is undefined");
  var _hash = "!";
  var noBackPlease = function () {
     global.location.href += "#";
              // making sure we have the fruit available for juice....
              // 50 milliseconds for just once do not cost much (^__^)
     global.setTimeout(function () {
       global.location.href += "!";
     }, 50);
  };
       // Earlier we had setInerval here....
  global.onhashchange = function () {
    if (global.location.hash !== hash) {
       global.location.hash = _hash;
     }
  };
  global.onload = function () {
               noBackPlease();
              // disables backspace on page except on input fields and textarea..
               document.body.onkeydown = function (e) {
       var elm = e.target.nodeName.toLowerCase();
       if (e.which === 8 && (elm !== 'input' && elm !== 'textarea')) {
```

```
e.preventDefault();
       // stopping event bubbling up the DOM tree..
       e.stopPropagation();
     };
  };
})(window);
</script>
   <div class="main main-raised">
              <div class="section">
                      <!-- container -->
                      <div class="container">
                             <!-- row -->
                             <div class="row">
                                    <!-- ASIDE -->
                                    <div id="aside" class="col-md-3">
                                           <!-- aside Widget -->
                                           <div id="get_category">
                                  </div>
                                           <!-- /aside Widget -->
                                           <!-- aside Widget -->
                                           <div class="aside">
                                                   <h3 class="aside-title">Price</h3>
                                                   <div class="price-filter">
                                                          <div id="price-slider" class="noUi-
target noUi-ltr noUi-horizontal"><div class="noUi-base"><div class="noUi-origin" style="left:
0%;"><div class="noUi-handle noUi-handle-lower" data-handle="0" tabindex="0" role="slider"
aria-orientation="horizontal" aria-valuemin="0.0" aria-valuemax="100.0" aria-valuenow="0.0"
aria-valuetext="1.00" style="z-index: 5;"></div></div></div><div class="noUi-connect" style="left: 0%;
right: 0%;"></div><div class="noUi-origin" style="left: 100%;"><div class="noUi-handle noUi-
handle-upper" data-handle="1" tabindex="0" role="slider" aria-orientation="horizontal" aria-
valuemin="0.0" aria-valuemax="100.0" aria-valuenow="100.0" aria-valuetext="999.00" style="z-
index: 4;"></div></div></div>
                                                          <div class="input-number price-min">
                                                                 <input id="price-min"
type="number">
                                                                 <span class="qty-</pre>
up">+</span>
                                                                 <span class="qty-down">-
</span>
                                                          </div>
                                                          <span>-</span>
                                                          <div class="input-number price-max">
                                                                 <input id="price-max"</pre>
type="number">
                                                                 <span class="qty-
up">+</span>
```

```
<span class="qty-down">-
</span>
                                                          </div>
                                                   </div>
                                            </div>
                                            <!-- /aside Widget -->
                                            <!-- aside Widget -->
                                            <div id="get_brand">
                                  </div>
                                            <!-- /aside Widget -->
                                            <!-- aside Widget -->
                                            <div class="aside">
                                                   <h3 class="aside-title">Top selling</h3>
                                                   <div id="get_product_home">
                                                          <!-- product widget -->
                                                           <!-- product widget -->
                                                   </div>
                                            </div>
                                            <!-- /aside Widget -->
                                    </div>
                                    <!-- /ASIDE -->
                                    <!-- STORE -->
                                    <div id="store" class="col-md-9">
                                            <!-- store top filter -->
                                            <div class="store-filter clearfix">
                                                   <div class="store-sort">
                                                           <label>
                                                                  Sort By:
                                                                  <select class="input-select">
                                                                         <option
value="0">Popular</option>
                                                                         <option
value="1">Position</option>
                                                                  </select>
                                                           </label>
                                                          <label>
                                                                  <select class="input-select">
                                                                         <option
value="0">20</option>
                                                                         <option
value="1">50</option>
                                                                  </select>
                                                          </label>
                                                   </div>
```

```
cli class="active"><i class="fa fa-
th"></i>
                                                    <a href="#"><i class="fa fa-th-
list"></i></a>
                                             </div>
                                       <!--/store top filter -->
                                       <!-- store products -->
                                       <div class="row" id="product-row">
                                       <div class="col-md-12 col-xs-12" id="product_msg">
                                </div>
                                             <!-- product -->
                                             <div id="get_product">
                                             <!--Here we get product jquery Ajax Request--
>
                                       </div>
                                             <!-- /product -->
                                       </div>
                                       <!--/store products -->
                                       <!-- store bottom filter -->
                                       <div class="store-filter clearfix">
                                             <span class="store-qty">Showing 20-100
products</span>
                                             <a class="active"</li>
href="#aside">1</a>
                                                    <a href="#"><i class="fa fa-angle-
right"></i></a>
                                             </div>
                                       <!--/store bottom filter -->
                                </div>
                                <!-- /STORE -->
                          </div>
                          <!-- /row -->
                   </div>
                   <!-- /container -->
             </div>
</div>
<?php
include "newslettter.php";
include "footer.php";
?>
```

index.php

```
<?php
session start();
include("../db.php");
include "sidenay.php";
include "topheader.php";
?>
  <!-- End Navbar -->
   <div class="content">
   <div class="container-fluid">
    <div class="panel-body">
           <a>
     <?php //success message
     if(isset($ POST['success'])) {
     $success = $_POST["success"];
     echo "<h1 style='color:#0C0'>Your Product was added successfully &nbsp;&nbsp; <span
class='glyphicon glyphicon-ok'></h1></span>";
     }
     ?></a>
       </div>
       <div class="col-md-14">
     <div class="card">
      <div class="card-header card-header-primary">
       <h4 class="card-title"> Users List</h4>
      </div>
      <div class="card-body">
       <div class="table-responsive ps">
        <thead class=" text-primary">
IDFirstNameLastNameEmailPassword
ContactAddressCity
         </thead>
         <?php
           $result=mysqli_query($con,"select * from user_info")or die ("query 1
incorrect....");
while(list($user_id,$first_name,$last_name,$email,$password,$phone,$address1,$address2)=mysql
i_fetch_array($result))
           {
           echo
"$user_id$first_name$last_name$email$passwor
d$phone$address1$address2
```

```
";
            ?>
          <div class="ps rail-x" style="left: 0px; bottom: 0px;"><div class="ps thumb-x"</pre>
tabindex="0" style="left: 0px; width: 0px;"></div></div></div><div class="ps_rail-y" style="top: 0px;
right: 0px;"><div class="ps__thumb-y" tabindex="0" style="top: 0px; height:
0px;"></div></div>
       </div>
      </div>
     </div>
     <div class="row">
      <div class="col-md-6">
      <div class="card">
       <div class="card-header card-header-primary">
        <h4 class="card-title"> Categories List</h4>
       </div>
       <div class="card-body">
        <div class="table-responsive ps">
         <thead class=" text-primary">
            IDCategoriesCount
          </thead>
          <?php
            $result=mysqli_query($con,"select * from categories")or die ("query 1
incorrect....");
            i=1;
            while(list($cat_id,$cat_title)=mysqli_fetch_array($result))
              $sql = "SELECT COUNT(*) AS count_items FROM products WHERE
product cat=$i";
              $query = mysqli_query($con,$sql);
              $row = mysqli_fetch_array($query);
              $count=$row["count_items"];
              $i++;
            echo "$cat_id$cat_title$count
            ":
            ?>
          <div class="ps__rail-x" style="left: 0px; bottom: 0px;"><div class="ps__thumb-x"</pre>
tabindex="0" style="left: 0px; width: 0px;"></div></div></div><div class="ps_rail-y" style="top: 0px;
right: 0px;"><div class="ps_thumb-y" tabindex="0" style="top: 0px; height:
0px;"></div></div>
       </div>
```

```
</div>
     </div>
     <div class="col-md-6">
      <div class="card">
       <div class="card-header card-header-primary">
        <h4 class="card-title">Brands List</h4>
       </div>
       <div class="card-body">
        <div class="table-responsive ps">
         <thead class=" text-primary">
            IDBrandsCount
          </thead>
          <?php
            $result=mysqli_query($con,"select * from brands")or die ("query 1 incorrect....");
            while(list($brand_id,$brand_title)=mysqli_fetch_array($result))
              $sql = "SELECT COUNT(*) AS count_items FROM products WHERE
product brand=$i";
              $query = mysqli_query($con,$sql);
              $row = mysqli_fetch_array($query);
              $count=$row["count_items"];
            echo "$brand id$brand title$count
            ";
            }
            ?>
          <div class="ps__rail-x" style="left: 0px; bottom: 0px;"><div class="ps__thumb-x"</pre>
tabindex="0" style="left: 0px; width: 0px;"></div></div></div><div class="ps_rail-y" style="top: 0px;
right: 0px;"><div class="ps__thumb-y" tabindex="0" style="top: 0px; height:
0px;"></div></div>
       </div>
      </div>
     </div>
     </div>
     <div class="col-md-5">
      <div class="card">
       <div class="card-header card-header-primary">
        <h4 class="card-title">Subscribers</h4>
       </div>
       <div class="card-body">
        <div class="table-responsive ps">
         <thead class=" text-primary">
```

```
IDemail
          </thead>
          <?php
            $result=mysqli_query($con,"select * from email_info")or die ("query 1
incorrect....");
            while(list($brand_id,$brand_title)=mysqli_fetch_array($result))
            echo "$brand id$brand title
            ":
             ?>
          <div class="ps__rail-x" style="left: 0px; bottom: 0px;"><div class="ps__thumb-x"</pre>
tabindex="0" style="left: 0px; width: 0px;"></div></div></div><div class="ps_rail-y" style="top: 0px;
right: 0px;"><div class="ps thumb-y" tabindex="0" style="top: 0px; height:
0px;"></div></div>
       </div>
      </div>
     </div>
    </div>
   </div>
   <?php
include "footer.php";
?>
topheader.php
```

```
<div class="collapse navbar-collapse justify-content-end">
      cli class="nav-item dropdown">
         <a class="nav-link" href="javscript:void(0)" id="navbarDropdownMenuLink" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false">
          <i class="material-icons">person</i>
          Some Actions
          </a>
       <!-- your navbar here -->
      </div>
    </div>
   </nav>
footer.php
<footer class="footer">
    <div class="container-fluid">
     <nav class="float-left">
      ul>
       <
         <a href="">
          Mustafa Hasan
         </a>
       </nav>
     <div class="copyright float-right">
      ©
      <script>
       document.write(new Date().getFullYear())
      </script>, made with <i class="material-icons">favorite</i> by
      <a href="" target="_blank">Hasan Brothers</a> for a better web.
     <!-- your footer here -->
    </div>
   </footer>
 <!-- Core JS Files -->
 <script src="./assets/js/core/jquery.min.js"></script>
 <script src="./assets/js/core/popper.min.js"></script>
 <script src="./assets/js/core/bootstrap-material-design.min.js"></script>
 <script src=""></script>
 <script src="./assets/js/plugins/perfect-scrollbar.jquery.min.js"></script>
 <!-- Place this tag in your head or just before your close body tag. -->
 <script async defer src=""></script>
```

```
<!-- Google Maps Plugin -->
 <script src=""></script>
 <!-- Chartist JS -->
 <script src="./assets/js/plugins/chartist.min.js"></script>
 <!-- Notifications Plugin -->
 <script src="./assets/js/plugins/bootstrap-notify.js"></script>
 <!-- Control Center for Material Dashboard: parallax effects, scripts for the example pages etc -->
 <script src="./assets/js/material-dashboard.js?v=2.1.0"></script>
 <!-- Material Dashboard DEMO methods, don't include it in your project! -->
 <script src="./assets/demo/demo.js"></script>
 <script>
  $(document).ready(function() {
   $().ready(function() {
     $sidebar = $('.sidebar');
     $sidebar_img_container = $sidebar.find('.sidebar-background');
     $full_page = $('.full-page');
     $sidebar_responsive = $('body > .navbar-collapse');
     window width = $(window).width();
     $('.fixed-plugin a').click(function(event) {
      // Alex if we click on switch, stop propagation of the event, so the dropdown will not be hide,
otherwise we set the section active
      if ($(this).hasClass('switch-trigger')) {
       if (event.stopPropagation) {
        event.stopPropagation();
       } else if (window.event) {
        window.event.cancelBubble = true;
     });
     $('.fixed-plugin .active-color span').click(function() {
      $full page background = $('.full-page-background');
      $(this).siblings().removeClass('active');
      $(this).addClass('active');
      var new_color = $(this).data('color');
      if ($sidebar.length != 0) {
       $sidebar.attr('data-color', new_color);
      if ($full_page.length != 0) {
       $full_page.attr('filter-color', new_color);
```

```
if ($sidebar_responsive.length != 0) {
       $sidebar responsive.attr('data-color', new color);
     });
    $('.fixed-plugin .background-color .badge').click(function() {
      $(this).siblings().removeClass('active');
      $(this).addClass('active');
      var new_color = $(this).data('background-color');
      if (\$sidebar.length != 0) {
       $sidebar.attr('data-background-color', new_color);
     });
    $('.fixed-plugin .img-holder').click(function() {
      $full page background = $('.full-page-background');
      $(this).parent('li').siblings().removeClass('active');
      $(this).parent('li').addClass('active');
      var new_image = $(this).find("img").attr('src');
      if ($sidebar img container.length!= 0 && $('.switch-sidebar-image input:checked').length
!=0) {
       $sidebar img container.fadeOut('fast', function() {
        $sidebar_img_container.css('background-image', 'url("' + new_image + "')');
        $sidebar img container.fadeIn('fast');
       });
      }
      if ($full_page_background.length != 0 && $('.switch-sidebar-image input:checked').length
!=0) {
       var new image full page = $('.fixed-plugin li.active .img-holder').find('img').data('src');
       $full_page_background.fadeOut('fast', function() {
        $full_page_background.css('background-image', 'url("' + new_image_full_page + '")');
        $full page background.fadeIn('fast');
       });
      }
      if ($('.switch-sidebar-image input:checked').length == 0) {
       var new image = $('.fixed-plugin li.active .img-holder').find("img").attr('src');
       var new_image_full_page = $('.fixed-plugin li.active .img-holder').find('img').data('src');
       $sidebar_img_container.css('background-image', 'url(''' + new_image + ''')');
       $full_page_background.css('background-image', 'url("' + new_image_full_page + "")');
```

```
}
 if ($sidebar_responsive.length != 0) {
  $sidebar_responsive.css('background-image', 'url("' + new_image + "')');
});
$('.switch-sidebar-image input').change(function() {
 $full_page_background = $('.full-page-background');
 \text{sinput} = \text{s(this)};
 if ($input.is(':checked')) {
  if ($sidebar img container.length!= 0) {
   $sidebar img container.fadeIn('fast');
   $sidebar.attr('data-image', '#');
  if ($full page background.length!= 0) {
   $full_page_background.fadeIn('fast');
   $full_page.attr('data-image', '#');
  background_image = true;
 } else {
  if ($sidebar_img_container.length != 0) {
   $sidebar.removeAttr('data-image');
   $sidebar_img_container.fadeOut('fast');
  if ($full page background.length != 0) {
   $full_page.removeAttr('data-image', '#');
   $full_page_background.fadeOut('fast');
  background_image = false;
});
$('.switch-sidebar-mini input').change(function() {
 body = (body');
 sinput = (this);
 if (md.misc.sidebar_mini_active == true) {
  $('body').removeClass('sidebar-mini');
  md.misc.sidebar_mini_active = false;
  $('.sidebar .sidebar-wrapper, .main-panel').perfectScrollbar();
```

```
} else {
       $('.sidebar .sidebar-wrapper, .main-panel').perfectScrollbar('destroy');
       setTimeout(function() {
        $('body').addClass('sidebar-mini');
        md.misc.sidebar_mini_active = true;
       }, 300);
     // we simulate the window Resize so the charts will get updated in realtime.
      var simulateWindowResize = setInterval(function() {
       window.dispatchEvent(new Event('resize'));
      }, 180);
     // we stop the simulation of Window Resize after the animations are completed
      setTimeout(function() {
       clearInterval(simulateWindowResize);
      }, 1000);
    });
   });
  });
 </script>
sidenav.php
<!doctype html>
<html lang="en">
<head>
 <title>Admin Panel</title>
 <!-- Required meta tags -->
 <meta charset="utf-8">
 <meta content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-scalable=0"</pre>
name="viewport" />
 <meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1" />
       Fonts and icons -->
 link rel="stylesheet" type="text/css" href="assets/css/Material+Icons.css" />
 k rel="stylesheet" href="assets/css/font-awesome.min.css">
 <!-- Material Kit CSS -->
 link href="assets/css/material-dashboard.css?v=2.1.0" rel="stylesheet" />
 link href="assets/css/black-dashboard.css" rel="stylesheet" />
</head>
<body class="dark-edition">
 <div class="wrapper ">
```

```
<div class="sidebar" data-color="purple" data-background-color="black" data-
image="./assets/img/sidebar-2.jpg">
   Tip 1: You can change the color of the sidebar using: data-color="purple | azure | green | orange
| danger"
   Tip 2: you can also add an image using data-image tag
   <div class="logo">
    <a href="" class="simple-text logo-normal">
     Admin Controls
    </a>
   </div>
   <div class="sidebar-wrapper ps-container ps-theme-default" data-ps-id="3a8db1f4-24d8-4dbf-</p>
85c9-4f5215c1b29a">
    <a class="nav-link" href="index.php">
       <i class="material-icons">dashboard</i>
       Dashboard
      </a>
     <a class="nav-link" href="adduser.php">
       <i class="material-icons">person</i>
       Add User
      </a>
     <a class="nav-link" href="productlist.php">
       <i class="material-icons">list</i>
       Product List
      </a>
     cli class="nav-item">
      <a class="nav-link" href="orders.php">
       <i class="material-icons">library_books</i>
       Orders
      </a>
     cli class="nav-item">
      <a class="nav-link" href="addproduct.php">
       <i class="material-icons">add</i>
       Add Products
      </a>
     cli class="nav-item">
      <a class="nav-link" href="manageuser.php">
```

```
<i class="material-icons">edit_user</i>
    Manage User
   </a>
  <a class="nav-link" href="index.php">
    <i class="material-icons">logout</i>
    Logout
   </a>
  <!-- <li>class="nav-item active-pro">
     <a class="nav-link" href="./upgrade.html">
       <i class="material-icons">unarchive</i>
       Upgrade to PRO
     </a>
   </div>
</div>
```

addproduct.php

```
<?php
session_start();
include("../db.php");
if(isset($ POST['btn save']))
$product name=$ POST['product name'];
$details=$_POST['details'];
$price=$_POST['price'];
$c_price=$_POST['c_price'];
$product_type=$_POST['product_type'];
$brand=$_POST['brand'];
$tags=$_POST['tags'];
//picture coding
$picture_name=$_FILES['picture']['name'];
$picture_type=$_FILES['picture']['type'];
$picture_tmp_name=$_FILES['picture']['tmp_name'];
$picture_size=$_FILES['picture']['size'];
if($picture_type=="image/jpg" || $picture_type=="image/jpg" || $picture_type=="image/png" ||
$picture_type=="image/gif")
       if(\$picture_size <= 50000000)
              $pic_name=time()."_".$picture_name;
```

```
move_uploaded_file($picture_tmp_name,"../product_images/".$pic_name);
mysqli_query($con,"insert into products (product_cat, product_brand,product_title,product_price,
product_desc, product_image,product_keywords) values
('$product_type', '$brand', '$product_name', '$price', '$details', '$pic_name', '$tags')") or die ("query
incorrect");
header("location: sumit_form.php?success=1");
mysqli_close($con);
include "sidenay.php";
include "topheader.php";
?>
   <!-- End Navbar -->
   <div class="content">
    <div class="container-fluid">
      <form action="" method="post" type="form" name="form" enctype="multipart/form-data">
      <div class="row">
     <div class="col-md-7">
       <div class="card">
        <div class="card-header card-header-primary">
         <h5 class="title">Add Product</h5>
        </div>
        <div class="card-body">
          <div class="row">
            <div class="col-md-12">
             <div class="form-group">
              <label>Product Title</label>
              <input type="text" id="product_name" required name="product_name"</pre>
class="form-control">
             </div>
            </div>
            <div class="col-md-4">
             <div class="">
              <label for="">Add Image</label>
              <input type="file" name="picture" required class="btn btn-fill btn-success"</pre>
id="picture" >
             </div>
            </div>
```

<textarea rows="4" cols="80" id="details" required name="details" class="form-

<div class="col-md-12">
 <div class="form-group">
 <label>Description</label>

control"></textarea>

```
</div>
            </div>
           <div class="col-md-12">
             <div class="form-group">
              <label>Pricing</label>
              <input type="text" id="price" name="price" required class="form-control" >
             </div>
           </div>
          </div>
        </div>
      </div>
     </div>
     <div class="col-md-5">
       <div class="card">
        <div class="card-header card-header-primary">
         <h5 class="title">Categories</h5>
        </div>
        <div class="card-body">
          <div class="row">
            <div class="col-md-12">
             <div class="form-group">
              <label>Product Category</label>
              <input type="number" id="product_type" name="product_type" required="[1-6]"</pre>
class="form-control">
             </div>
           </div>
           <div class="col-md-12">
             <div class="form-group">
              <label for="">Product Brand</label>
              <input type="number" id="brand" name="brand" required class="form-control">
             </div>
            </div>
           <div class="col-md-12">
             <div class="form-group">
              <label>Product Keywords</label>
              <input type="text" id="tags" name="tags" required class="form-control" >
             </div>
           </div>
          </div>
        </div>
```

```
<div class="card-footer">
           <button type="submit" id="btn_save" name="btn_save" required class="btn btn-fill btn-
primary">Update Product</button>
        </div>
       </div>
      </div>
    </div>
     </form>
    </div>
   </div>
   <?php
include "footer.php";
?>
adduser.php
<?php
session_start();
include("../db.php");
include "sidenay.php";
include "topheader.php";
if(isset($_POST['btn_save']))
$first_name=$_POST['first_name'];
$last_name=$_POST['last_name'];
$email=$_POST['email'];
$user password=$ POST['password'];
$mobile=$_POST['phone'];
$address1=$_POST['city'];
$address2=$_POST['country'];
mysqli_query($con,"insert into user_info(first_name,
last_name,email,password,mobile,address1,address2) values
('$first_name', '$last_name', '$email', '$user_password', '$mobile', '$address1', '$address2')")
                     or die ("Query 1 is inncorrect.....");
header("location: manage_users.php");
mysqli_close($con);
}
?>
   <!-- End Navbar -->
   <div class="content">
    <div class="container-fluid">
      <!-- your content here -->
      <div class="col-md-12">
        <div class="card">
         <div class="card-header card-header-primary">
```

Page 164

```
<h4 class="card-title">Add Users</h4>
          Complete User profile
         </div>
         <div class="card-body">
          <form action="" method="post" name="form" enctype="multipart/form-data">
           <div class="row">
            <div class="col-md-3">
              <div class="form-group bmd-form-group">
               <label class="bmd-label-floating">First Name</label>
               <input type="text" id="first_name" name="first_name" class="form-control"</pre>
required>
              </div>
            </div>
             <div class="col-md-4">
              <div class="form-group bmd-form-group">
               <label class="bmd-label-floating">Last Name</label>
               <input type="text" name="last_name" id="last_name" class="form-control"</pre>
required>
              </div>
            </div>
           </div>
           <div class="row">
            <div class="col-md-6">
              <div class="form-group bmd-form-group">
               <label class="bmd-label-floating">Email</label>
               <input type="email" name="email" id="email" class="form-control" required>
              </div>
            </div>
            <div class="col-md-6">
              <div class="form-group bmd-form-group">
               <label class="bmd-label-floating">Password</label>
               <input type="password" id="password" name="password" class="form-control"</pre>
required>
              </div>
            </div>
           </div>
           <div class="row">
            <div class="col-md-12">
              <div class="form-group bmd-form-group">
               <label class="bmd-label-floating">phone number</label>
               <input type="text" id="phone" name="phone" class="form-control" required>
              </div>
            </div>
           </div>
           <div class="row">
            <div class="col-md-4">
              <div class="form-group bmd-form-group">
               <label class="bmd-label-floating">City</label>
               <input type="text" name="city" id="city" class="form-control" required>
```


```
</div>
             </div>
             <div class="col-md-4">
              <div class="form-group bmd-form-group">
               <label class="bmd-label-floating">Address</label>
               <input type="text" name="country" id="country" class="form-control" required>
              </div>
             </div>
           </div>
           <button type="submit" name="btn_save" id="btn_save" class="btn btn-primary pull-
right">Update User</button>
           <div class="clearfix"></div>
          </form>
         </div>
        </div>
       </div>
    </div>
   </div>
   <?php
include "footer.php";
?>
```


edituser.php


```
<?php
session start();
include("../db.php");
$user_id=$_REQUEST['user_id'];
$result=mysqli_query($con,"select user_id,first_name,last_name, email, password from user_info
where user_id='$user_id'")or die ("query 1 incorrect......");
list($user_id,$first_name,$last_name,$email,$user_password)=mysqli_fetch_array($result);
if(isset($_POST['btn_save']))
$first name=$ POST['first name'];
$last_name=$_POST['last_name'];
$email=$_POST['email'];
$user_password=$_POST['password'];
mysqli_query($con,"update user_info set first_name='$first_name', last_name='$last_name',
email='$email', password='$user_password' where user_id='$user_id''')or die("Query 2 is
inncorrect....");
header("location: manageuser.php");
```

```
mysqli_close($con);
include "sidenay.php";
include "topheader.php";
?>
   <!-- End Navbar -->
   <div class="content">
    <div class="container-fluid">
    <div class="col-md-5 mx-auto">
       <div class="card">
        <div class="card-header card-header-primary">
         <h5 class="title">Edit User</h5>
        <form action="edituser.php" name="form" method="post" enctype="multipart/form-
data">
        <div class="card-body">
          <input type="hidden" name="user_id" id="user_id" value="<?php echo $user_id;?>" />
            <div class="col-md-12">
             <div class="form-group">
              <label>First name</label>
              <input type="text" id="first_name" name="first_name" class="form-control"</pre>
value="<?php echo $first_name; ?>">
             </div>
            </div>
            <div class="col-md-12">
             <div class="form-group">
              <label>Last name</label>
              <input type="text" id="last_name" name="last_name" class="form-control"</pre>
value="<?php echo $last_name; ?>" >
             </div>
            </div>
            <div class="col-md-12">
             <div class="form-group">
              <label for="exampleInputEmail1">Email address</label>
              <input type="email" id="email" name="email" class="form-control" value="<?php</pre>
echo $email: ?>">
             </div>
            </div>
            <div class="col-md-12">
             <div class="form-group">
              <label > Password < / label >
              <input type="text" name="password" id="password" class="form-control"</pre>
value="<?php echo $user_password; ?>">
             </div>
            </div>
```


SCREEN SHORTS OF PROJECT











HB ® Traders
Page 171














Admin control







HB ® Traders
Page 176

BIBLOGRAPHY

This document contains provisions which, through reference in this text, constitute provisions of the present document.

- 1) Google Search Engine for various searching
- 2) Web-Technologies Black Book
- 3) Keeves PHP- MYSQL
- 4) Wrox Press Beginning PHP5
- 5) Online at www.w3schools.org
- 6) Murach's-PHP/MYSQL

HB ® Traders
Page 177