

EXE

DRI

SEG

DET

Age

13-19

Gender

All

Platform

All Platforms

Sleep quality

All

Risk band

All

1200

Total Teens

16.6

Avg Risk Score

0-30 score

12.6%

At Risk Share

Digital wellbeing flag

2.6%

Depression Flag

4.5

Avg Social Hours

per day

6.4

Avg Sleep Hours

per night

Risk band mix

Most records sit in moderate/elevated bands



- Low (<=10) 12.8% (154)
- Moderate (11-17) 42.8% (513)
- Elevated (18-23) 35.3% (424)
- High (24+) 9.1% (109)


Average risk by platform

Differences are narrow



Top risk-score drivers

Correlation with mental health risk score




Dashboard readout

- The sample is mostly moderate risk, with a meaningful elevated/high tail.
- Average platform risk scores cluster tightly, so platform ranking does not drive action alone.
- Driver page focus attention on stress, anxiety, and addiction scale monitoring.

# Risk scoring is driven by stress, anxiety, and addiction scales

Correlations to the mental health risk score show the behavioral score components dominate raw digital exposure measures.

Correlation to risk score



## Interpretation

**0.59** **Anxiety level**  
strongest observed relationship

**0.59** **Stress level**  
strongest observed relationship

**0.58** **Addiction level**  
strongest observed relationship

## Avg. 4.5 daily social hours

but correlation with risk is only 0.02, so we treat usage volume as a slicer/context field rather than the main driver.


## High-risk records are a small group, but carry the highest depression-flag rate

Distribution by risk band



| Band             | Count | Share | Dep. rate |
|------------------|-------|-------|-----------|
| Low (<=10)       | 154   | 12.8% | 0.0%      |
| Moderate (11-17) | 513   | 42.8% | 0.2%      |
| Elevated (18-23) | 424   | 35.3% | 5.0%      |
| High (24+)       | 109   | 9.1%  | 8.3%      |

Depression rate rises with risk band



Pinned high-risk band and depression-rate visuals together; a standalone count chart that hides severity.

EXE

DRI

SEG

DET

Platform  
All selectedWellbeing flag  
AllRisk band  
All

## Platform rankings.

### Average risk score by platform

0-30 risk score



### At-risk share and usage context

Digital wellbeing flag and social media hours

**Facebook**  
**4.7 hrs**  
avg daily social**All Platforms**  
**4.5 hrs**  
avg daily social**YouTube**  
**4.6 hrs**  
avg daily social

Facebook and YouTube sit slightly higher on average risk, but the gap between highest and lowest platform averages is less than half a risk-score point.

# Sleep quality changes habits clearly, while risk scores move only modestly

Monitor both habit exposure and mental health risk outcomes instead of treating sleep quality as a stand-alone diagnosis.

Average sleep hours by quality



The **Good** performing group averages 8.5 sleep hours, while **Poor** averages 4.9 sleep hours. That gap is visually obvious and useful for intervention tracking.

Risk outcome by sleep quality

Average risk and bedtime screen time

| Sleep quality | Count | Avg risk | Bedtime screen |
|---------------|-------|----------|----------------|
| Good          | 238   | 16.4     | 1.8h           |
| Fair          | 482   | 16.6     | 1.7h           |
| Poor          | 480   | 16.8     | 1.7h           |



Poor sleep has the highest average risk (16.8), but the gap versus Good sleep is only 0.4 points.

# Demographic cuts are useful monitoring views, but they do not explain risk as strongly as the self-reported scales

## Age view

Average risk score



Age 19 is the highest average risk segment, but most age averages are tightly clustered.

## Gender view

Count, risk, and depression flag

| Gender | Count | Risk | Dep. rate |
|--------|-------|------|-----------|
| female | 585   | 16.6 | 2.9%      |
| male   | 615   | 16.7 | 2.3%      |

Counts are balanced enough for side-by-side filtering. Risk averages differ by only 0.1 point.

## Social interaction view

Average risk by reported interaction level



| Level  | Count | Dep. |
|--------|-------|------|
| high   | 369   | 2.7% |
| medium | 416   | 2.9% |
| low    | 415   | 2.2% |

# Reusable measures and disciplined cross-filtering in Power Bi.

This slide can be used as the implementation brief for moving the analysis into Power BI Desktop.

## Report pages

Recommended navigation

01

### Executive

KPI rail, risk bands, top drivers

02

### Drivers

Correlation bars and detail scatter/table

03

### Segments

Age, gender, sleep, interaction views

04

### Detail

Row-level table with slicers

## Core DAX measures

Editable starting point

```
Total Teens = COUNTROWS(Teen_Mental_Health)
```

```
Avg Risk = AVERAGE([mental_health_risk_score])
```

```
At Risk Share = DIVIDE(CALCULATE([Total Teens],  
[flag]="At Risk"), [Total Teens])
```

```
Depression Rate = AVERAGE([depression_label])
```

```
Avg Social Hrs =  
AVERAGE([daily_social_media_hours])
```

```
Avg Sleep Hrs = AVERAGE([sleep_hours])
```

## Interaction model

Recommended dashboard behavior

### Slicers

age, gender, platform, sleep quality, wellbeing flag

### Cross-filter

platform and risk-band charts filter all outcome visuals

### Tooltips

show count, avg risk, depression rate, avg social hours

### Conditional color

red for high risk and depression-rate emphasis

### Detail table

keep raw rows available for audit and follow-up analysis