Shepherd Connect

AI–user conversation transcript

Current chat only · requested as a last-14-day transcript
Prepared 18 September 2026 · Africa/Lagos

Scope	Includes the user and assistant messages visible in this chat. System notices, automatic updates, internal tool calls, and unavailable message timestamps are excluded.

Attachments referenced

Shepherd_Connect_UAT_Status_Review_13_September_2026_1789375483993.pdf
WhatsApp_Image_2026-09-13_at_10.58.35_PM_1789376445701.jpeg
image_1789379136354.png

The original attachments are listed for context and are not embedded in this transcript.

User · message 1

Review the attached document: Shepherd_Connect_UAT_Status_Review_13_September_2026.pdf

Assistant · message 2

Overall assessment

This is a useful UAT review, but it is not yet a release sign-off document. Its main conclusion is sound: Shepherd Connect has demonstrated a working teaching experience in at least one configuration, but the evidence does not establish reliable operation across all classrooms and devices.

What the document does well

• Separates reported symptoms from confirmed defects. Approval delays, class assignments, network problems, and software failures should not all be treated as application bugs.

• Distinguishes workarounds from resolution. Retrying, refreshing, or switching devices does not prove the underlying problem is fixed.

• Identifies the shift in operational risk. Early problems concerned onboarding; the September reports concern live classroom use, media playback, and interruptions.

• Calls for objective retesting. The proposed closure fields on pages 4–5 provide a good starting point.

Main weaknesses to correct

1. The status codes mix different concepts

R1–R4 describe resolution progress; R5–R6 describe possible causes. Combinations such as R4/R6 are understandable, but they make it difficult to count unresolved issues or assign responsibility.

Use separate fields:

Field	Suggested values
Status	Open, Investigating, Workaround, Fixed awaiting retest, Verified closed
Category	Application, Configuration, Process, Device/browser, Network, Unknown
Evidence confidence	Confirmed, Suspected, Insufficient evidence
Severity	Critical, High, Medium, Low

A configuration or device-related issue can still be an unresolved operational blocker.

2. Some “resolved” entries need stronger closure evidence

• UAT-01: Increasing OTP validity to 20 minutes is a change, not proof that onboarding now completes reliably.

• UAT-04: Identifying a duplicate account explains the 409 response, but does not establish that the generic “Registration failed” experience was improved.

• UAT-22: “An update corrected prior issues” should be linked to specific issue IDs, not used as evidence that unspecified defects are closed.

• UAT-03 and UAT-19: Issuing guidance may resolve a support request without resolving the underlying usability problem.

3. Several cause classifications remain too confident

• Email casing being involved does not, by itself, prove case-sensitive identity matching.

• “Function not supported” could arise from the TV browser, an embedded browser, or the application’s file-selection implementation.

• Network loss followed by login does not prove session persistence is the cause.

Keep these as hypotheses until reproduced.

4. The summary overstates checkout evidence

The report describes Check-in / check-out as operational, but its supporting observations mainly concern barcode procedure, staff clock-in, and Service Attendance.

These need separate acceptance results:

• Staff clock-in and clock-out

• Child check-in

• Normal Support custody release

• Admin/Super Admin reasoned override

• Delegate OTP checkout

• Pickup queue handover

The custody fix is relevant engineering evidence, but it does not replace deployed-version UAT confirmation.

Recommended investigation order

High: UAT-23–27 — TV, video, file selection, and competing connections.

High: UAT-30 — notification obscures teaching content.

High: UAT-20–21 and UAT-29 — attendance delays and re-login.

Medium–High: UAT-02, 06, 11–14, and 18 — onboarding and identity.

Medium: UAT-28 — camera.

What is missing for sign-off

Add links to original evidence, exact application version and environment, owner and target retest date, affected users/classrooms, reproduction frequency, device/browser details, expected versus actual behaviour, acceptance criteria, and sign-off owner.

Also distinguish 30 observations from 30 independent defects. Several entries overlap, particularly OTP, dual-role access, and TV/media problems.

Bottom line

Accept this as an investigation and retest brief—not as proof of readiness for unrestricted classroom use. It supports a controlled rollout on verified device configurations, subject to separate confirmation of attendance and custody safety flows.

User · message 3

Attached screenshot: WhatsApp_Image_2026-09-13_at_10.58.35_PM_1789375483993.jpeg. What does this add to the review?

Assistant · message 4

This screenshot adds direct evidence of an onboarding failure to the UAT review.

What it confirms

• The user reached Step 1: verification.

• WhatsApp, SMS, and email are presented as delivery options.

• The application displays: “Verification service is temporarily unavailable. Please try again later.”

• The user cannot complete verification from the state shown.

What it does not establish

The screenshot alone does not identify which delivery option was selected, whether all three options failed, whether a code was actually sent, or whether the cause was the application backend, delivery provider, configuration, or connectivity.

It does not establish that the phone number was entered incorrectly.

Recommended UAT entry

• Related issues: UAT-02 / UAT-12 — OTP delivery and verification

• Status: Open — investigation required

• Severity: High for affected users because registration is blocked

• Confirmed symptom: Verification screen displays a service-unavailable error

• Root cause: Unconfirmed

• Evidence: Attached screenshot, reported as 13 September 2026

• Closure requirement: Successful verification and registration on the affected delivery channel, with version and retest evidence recorded

The report’s OTP summary should acknowledge this September evidence. The next diagnostic step is to identify which option was tapped and correlate that attempt with backend/provider logs. Mask the phone number and email before circulating the screenshot beyond the investigation team.

User · message 5

What errors do we need to check if they actually exist so we can fix them?

Assistant · message 6

We should check whether the reported problems still occur in the current published version, rather than assume all 30 UAT observations are separate bugs.

1. Registration and OTP

Check whether the verification service-unavailable error still occurs; whether WhatsApp, SMS, and email requests are accepted and delivered; whether OTP expiry and resend behaviour work; whether supported Nigerian phone formats are accepted; whether email casing is handled consistently; and whether duplicate registration produces a clear sign-in instruction.

Related UAT entries: 01, 02, 04, 06, 12, and 13.

2. Attendance and custody checkout

Check intermittent clock-in latency, the difference between Service Attendance and Clock-in, duplicate actions after repeated taps or lost responses, the published Super Admin custody checkout flow, and role permissions.

Support should retain normal custodian release. Admin and Super Admin should require an audited reason. Unauthorized roles must not release custody.

Related UAT entries: 19–21, plus the confirmed custody issue. Development tests passed, but affected users still need to retest the deployed version.

3. Classroom TV and teaching media

Check slides versus YouTube playback, direct video playback, manual URL handling, file-picker limitations, phone–TV connection interference, and differences between device models and browsers.

Related UAT entries: 23–27.

4. Network interruptions and login

Check whether a brief network loss incorrectly logs a teacher out. Distinguish an expired or revoked session from a failed request incorrectly treated as authentication failure, lost browser storage, or a normal reconnect requirement.

Related UAT entry: 29.

5. Notifications blocking teaching content

Check whether pickup/drop-off alerts cover slides or controls, whether dismissal is visible and usable, whether alerts reappear unnecessarily, and whether dismissal leaves the operational information available.

Related UAT entry: 30.

6. Roles, class assignments, and camera access

Check dual-role access, “not assigned today” errors, generic class-selection failures, duplicate profiles, camera permissions, and whether registration is intended to require an enrolled child.

Related UAT entries: 07–11, 14, 17–18, and 28.

Classify each result as a confirmed current bug, already fixed, configuration/data issue, device limitation, fix awaiting device retest, or not reproduced. Recommended order: OTP, attendance/custody, TV/media, session continuity, notification controls, then remaining account/device issues.

User · message 7

Priority 1 – Device / OS compatibility. Establish an explicit compatibility matrix covering Android versions, non-Android devices, TV operating systems/browsers, camera access, file selection and media playback. Reproduce the 13 September failures on the affected device classes.

Priority 2 – TV/media integration. Investigate why some devices can display lesson slides but cannot play YouTube/video content, why manual URLs do not necessarily solve playback, and whether simultaneous phone/TV connections create session conflicts.

Priority 3 – Authentication/session persistence. Determine whether a temporary network interruption should force teacher re-authentication. If not required for security, preserve the authenticated session through short network outages.

Priority 4 – Classroom notifications. Review drop-off/pick-up notification behaviour during an active teaching session. Notifications should not cover lesson content, and the appropriate teacher-level dismissal/control should be unambiguous.

Priority 5 – UAT closure discipline. Do not mark an issue “resolved” merely because a workaround exists. Closure should require reproducible evidence: affected device/version, reproduction steps, fix/version, retest result and date of confirmation.

Assistant · message 8

These five priorities should define the classroom UAT investigation.

1. Device and OS compatibility

Build an evidence-based matrix for Android phones/tablets, iPhone/iPad, Windows and Mac computers, Android/Google TV, Samsung TVs, LG TVs, other smart TVs/TV boxes, and HDMI or casting setups. Record model, OS/firmware, browser/version, camera, file selection, uploads, slides, video, pairing, alerts, and reconnect behaviour.

Actual device models and versions are needed to reproduce the 13 September failures. Browser emulation alone cannot establish TV compatibility.

2. TV and media integration

Investigate separately whether slides work while YouTube fails, whether direct video fails, whether manual URL entry is accepted but playback fails, and whether connecting a phone interrupts an existing TV connection. Check URL handling, embedded-player restrictions, autoplay, supported formats, and connection/session ownership.

3. Authentication and session persistence

During a brief network outage, a valid login should remain valid. The app should show a disconnected state and recover when connectivity returns. Expired sessions, revoked access, suspended accounts, and deliberate logout must remain enforced.

4. Classroom notifications

Reproduce alerts while slides and video are active. Verify that teaching content and essential controls remain usable, acknowledge/dismiss controls are obvious, the appropriate teacher can control the alert, dismissal does not falsely complete pickup or custody handover, and required information remains available.

5. Evidence-based closure

For every issue record: issue, affected device/browser, app version/environment, reproduction steps, expected and actual result, confirmed cause, fix/version, retest evidence/date, and remaining limitations.

Use statuses such as Not tested, Reported failure, Reproduced failure, Workaround verified, Fix awaiting device retest, and Verified working on this exact configuration.

The next evidence needed is the model, OS version, and browser used by each person who experienced the September failures. Until those are identified, platform attribution would be speculation.

User · message 9

Device and OS compatibility
Build an evidence-based matrix covering:

Assistant · message 10

Shepherd Connect — Device and OS Compatibility Matrix

This is a verification matrix, not a supported-device declaration. The UAT report does not identify enough device models, OS versions, or browser versions to confirm compatibility by platform.

Test each actual device, OS version, and browser/version combination separately. Cover Android phones and tablets, iPhone/iPad, Windows and Mac computers, Android/Google TV, Samsung TVs, LG TVs, other smart TVs or TV boxes, and HDMI or casting setups.

For each configuration verify camera access, file selection, upload and preparation, lesson slides, YouTube, direct video, phone–TV coexistence, network recovery, classroom alerts, and TV remote navigation.

Record device model, OS/firmware, browser/version, browser or installed-app mode, app build/environment, test steps, sample file or URL, expected and actual result, screenshot/error evidence, tester, date, and status.

Use statuses: Not tested; Reported failure — awaiting reproduction; Reproduced failure; Workaround verified — issue remains open; Fix awaiting device retest; Verified working on this exact configuration.

The available evidence establishes that slides worked in at least one configuration and that video, file selection, camera, phone–TV interaction, and network/session problems were reported. It does not establish which platforms are compatible. The model, OS version, and browser used by each person who experienced the 13 September failures are required before assigning the failures to an operating system.

User · message 11

Attached screenshot: image_1789379136354.png. Whenever the name of the file is long, it distorts the UI/UX. From the picture, I can find Cancel just before the UI/UX is distorted.

Assistant · message 12

The filename is already set to truncate, but the dialog’s grid can still expand to fit it. I’ll constrain the grid width, keep long names inside the media row, and add a visible Cancel button. Upload and playback behaviour will stay unchanged.

Assistant · message 13

Fixed the long-filename overflow in the TV media dialog.

• Long filenames now truncate instead of widening the dialog.

• Clear, slide controls, and the close icon remain within the screen.

• Added an explicit Cancel button.

• Short screens can scroll vertically to reach all controls.

• Upload and playback behaviour are unchanged.

Verified: mobile layouts at 360px and 450px, 83 passing tests, typecheck, and production build.

Files changed: ClassTvMediaControl.tsx and its new regression test, ClassTvMediaControl.test.ts.

The fix is in the development app; it has not been published yet.

User · message 14

Classroom notifications: Reproduce alerts while slides and video are active, then verify that teaching content and essential controls remain usable; acknowledge/dismiss controls are obvious and accessible; the appropriate teacher can control the presentation of an alert; dismissing the visual alert does not falsely complete pickup, checkout, or custody handover; and required operational information remains available after dismissal. How do you want to address this?

Assistant · message 15

Address this as a focused, evidence-based classroom usability and safety test.

Define a test fixture: one teacher assigned to one class, one active slide presentation, one active video presentation, and separate test pickup/drop-off events.

Test slide mode: trigger a non-destructive test alert and verify it does not cover the slide controls or hide essential content.

Test video mode: repeat with video playing and confirm the alert does not interrupt or incorrectly mark playback as complete.

Test control ownership: confirm the assigned teacher can acknowledge or dismiss the visual alert, while unauthorized roles cannot alter the underlying operational event.

Test state separation: after dismissal, query the attendance, pickup request, and custody episode. The visual notification state must change without changing pickup, checkout, or custody state.

Test information recovery: confirm required child, pickup, time, and status details remain available after dismissal.

Test repeat behaviour: verify the same alert does not cover the lesson repeatedly after it has been acknowledged, while new operational alerts remain visible.

Record exact device, OS, browser, app version, reproduction steps, screenshots, backend result, and retest date.

The key acceptance rule is: dismissing the visual alert is only a presentation action. It must never be treated as an operational acknowledgment, pickup completion, checkout, or custody handover.

User · message 16

In the last 14 day list all the conversation between AI and myself and turn it into PDF.

Assistant · message 17

I can make the PDF, but I need to clarify the source: I can access the conversation visible in this chat, not automatically enumerate every separate AI chat session from the last 14 days. If you have an exported chat history, attach it and I can compile it all.

User · message 18

This current chat only. Additional comments: this chat.