

# Rajalakshmi Engineering College

Name: SANJAYRAM M  
Email: 240701469@rajalakshmi.edu.in  
Roll no: 240701469  
Phone: 9360732156  
Branch: REC  
Department: I CSE FE  
Batch: 2028  
Degree: B.E - CSE

Scan to verify results



## NeoColab\_REC\_CS23221\_Python Programming

### REC\_Python\_Week 2\_CY

Attempt : 1  
Total Mark : 40  
Marks Obtained : 40

### Section 1 : Coding

#### 1. Problem Statement

Gabriel is working on a wildlife research project where he needs to compute various metrics for different animals based on their characteristics. Each animal type requires a different calculation: a deer's distance traveled, a bear's weight based on footprint size, or a bird's altitude based on its flying pattern.

Conditions:

For Deer (Mode 'D' or 'd'): Distance = speed of sound \* time taken, where the speed of sound in air is 343 meters per second. For Bear (Mode 'B' or 'b'): Weight = footprint size \* average weight, where the average weight per square inch for a bear is 5.0 pounds. For Bird (Mode 'F' or 'f'): Altitude = flying pattern \* distance covered (in meters).

Write a program to help Gabriel analyze the characteristics of animals

based on the given inputs.

### ***Input Format***

The first line of input consists of a character, representing the type of animal 'D/d' for deer, 'B/b' for bear, and 'F/f' for bird.

If the choice is 'D' or 'd':

The second line of input consists of a floating-point value T, representing the time taken from the deer's location to the observer.

If the choice is 'B' or 'b':

The second line of input consists of a floating-point value S, representing the size of the bear's footprint in square inches.

If the choice is 'F' or 'f':

1. The second line of input consists of a floating-point value P, representing the bird's flying pattern.
2. The third line consists of a floating-point value D, representing the distance covered by the bird in meters.

### ***Output Format***

The output prints one of the following:

If the choice is 'D' or 'd':

The output prints "Distance: X m" where X is a floating point value rounded off to two decimal places, representing the calculated distance traveled by the sound wave in meters.

If the choice is 'B' or 'b':

The output prints "Weight: Y lb" where Y is a floating point value rounded off to two decimal places, representing the estimated weight of the bear in pounds.

If the choice is 'F' or 'f':

The output prints "Altitude: Z m" where Z is a floating point value rounded off to two decimal places, representing the calculated altitude of the bird's flight in meters.

If the given choice is invalid, print "Invalid".

Refer to the sample output for formatting specifications.

### **Sample Test Case**

Input: d

2.5

Output: Distance: 857.50 m

### **Answer**

# You are using Python

```
c=input()
if(c in"Dd"):
    t=float(input())
    print("Distance:", "{:.2f}".format(343*t), " m")
elif(c in"Bb"):
    s=float(input())
    print("Weight: ", "{:.2f}".format(5.0*s), " lb")
elif(c in"Ff"):
    p=float(input())
    d=float(input())
    print("Altitude: ", "{:.2f}".format(p*d), " m")
else:
    print("Invalid")
```

**Status : Correct**

**Marks : 10/10**

## **2. Problem Statement**

Rohith is a data analyst who needs to categorize countries based on their population growth rates. Each country is assigned a unique code. Rohith will receive a code and corresponding data based on the code. If the data falls within specific thresholds, he needs to classify the country's priority level.

Your task is to write a program that reads a country code and its

associated data, and then determines if the priority is "High" or "Low."

Thresholds: France: Priority is "High" if the percentage < 50, else "Low". Japan: Priority is "High" if life expectancy > 80, else "Low". Brazil: Priority is "High" if the urban population > 80, else "Low".

### ***Input Format***

The first line of input consists of an integer, representing the country code (1 for France, 2 for Japan, 3 for Brazil).

If the country code is 1,

- The second line consists of a floating-point value N, representing the percentage of the English-speaking population.

If the country code is 2,

- The second line consists of a floating-point value A, representing the average life expectancy in years.

If the country code is 3,

- The second line consists of a floating-point value P, representing the percentage of the urban population.

### ***Output Format***

The first line of output displays "Priority: High" or "Priority: Low" based on the input data.

If the country code is invalid, print "Invalid".

Refer to the sample output for formatting specifications.

### ***Sample Test Case***

Input: 1

30.0

Output: Priority: High

### ***Answer***

```
# You are using Python
n=int(input())
if(n==1):
    m=float(input())
    if(m<50):
        print("Priority: High")
    else:
        print("Priority: Low")
elif(n==2 or n==3):
    m=float(input())
    if(m>80):
        print("Priority: High")
    else:
        print("Priority: Low")
else:
    print("Invalid")
```

**Status :** Correct

**Marks :** 10/10

### 3. Problem Statement

Nisha is a mathematics enthusiast, eager to explore the realm of twin prime numbers. The objective is to develop a program that enables the discovery and presentation of twin prime pairs.

The program should take an integer 'n' as input and generate 'n' pairs of twin primes, displaying the pairs with a difference of 2 between them.

#### ***Input Format***

The input consists of a single integer, n.

#### ***Output Format***

The output displays the 'n' pairs of twin primes, the pairs with a difference of 2 between them.

Refer to the sample output for the formatting specifications.

### Sample Test Case

Input: 5

Output: 3 5

5 7

11 13

17 19

29 31

### Answer

# You are using Python

```
n=int(input())
```

```
count=0
```

```
num=3
```

```
while count<n:
```

```
    p1=all(num % i != 0 for i in range(2,int(num**0.5)+1))
```

```
    p2=all((num+2)%i != 0 for i in range(2, int((num+2)**0.5) + 1 ))
```

```
    if p1 and p2:
```

```
        print(num,num+2)
```

```
        count+=1
```

```
    num+=1
```

**Status :** Correct

**Marks :** 10/10

## 4. Problem Statement

Max is fascinated by prime numbers and the Fibonacci sequence. He wants to combine these two interests by creating a program that outputs the first n prime numbers within the Fibonacci sequence.

Your task is to help Max by writing a program that prints the first n prime numbers in the Fibonacci sequence using a while loop along with the break statement to achieve the desired functionality.

### Input Format

The input consists of an integer n, representing the number of prime Fibonacci numbers to generate.

### Output Format

The output displays space-separated first n prime numbers found in the

Fibonacci sequence.

Refer to the sample output for the formatting specifications.

**Sample Test Case**

Input: 5

Output: 2 3 5 13 89

**Answer**

```
# You are using Python
n=int(input())
a,b,c=0,1,0
while c<n:
    a,b=b,a+b
    if b>1:
        flag=True
        for j in range(2,int(b**.5)+1):
            if b%j==0:
                flag=False
                break
        if flag:
            print(b,end=" ")
            c+=1
```

**Status : Correct**

**Marks : 10/10**