

| _ | | | | | | | |
|---|---|---|---|---|---|---|---|
| C | റ | n | t | Δ | n | t | c |
| · | u | | L | C | | L | 3 |

1 Problems 1

1 Problems

Uppgift 1.1 (System 1). Use Gaussian elimination to solve the system of linear equations

$$x_1 + 5x_2 = 7$$
$$-2x_1 - 7x_2 = -5.$$

Lösning 1.1.1. First step is to check that the coefficient of x_1 of the first equation is non-zero. Next step is to eliminate all x_1 under line 1. We do this by adding an appropriate multiple of line 1 to the line we want to eliminate x_1 from. In this case it means to add the first line times 2 to second line. That yields the following system:

$$x_1 + 5x_2 = 7$$
$$3x_2 = 9.$$

Our system is now overtriangular, which mean we can go into the process of solving each equation by themselves by starting from the bottom and substituting into the equation above relative of the equation in question.

So we start by solving $x_2 = 3$ from the second equation. Next step is to substitute this into the above equation and get the equation

$$x_1 + 15 = 7.$$

And thus we can from this equation solve that $x_1 = -8$.

Uppgift 1.2 (System 2). Use Gaussian elimination to solve the system of linear equation

$$2x_2 + x_3 = -8$$
$$x_1 - 2x_2 - 3x_3 = 0$$
$$-x_1 + x_2 + 2x_3 = 3.$$

Lösning 1.2.1. First step is to see if the first equation has a non-zero coefficient for x_1 , we see that this is not the case. So we swap this line and the closest line below which has a non-zero coefficient for x_1 . In this case it's line 2. So we swap line 1 and 2. We get the following system:

$$x_1 - 2x_2 - 3x_3 = 0$$
$$2x_2 + x_3 = -8$$
$$-x_1 + x_2 + 2x_3 = 3.$$

Next step is to eliminate all x_1 from the equations below by adding an appropriate multiple of line 1 to it. We see that line 2 already is free from x_2 . So we go to the next line which is line number 3. We see that we can add 1 times equation 1 to it,

which yields the following system:

$$x_1 - 2x_2 - 3x_3 = 0$$
$$2x_2 + x_3 = -8$$
$$-x_2 - x_3 = 3.$$

Now we apply Gaussian elimination on this new system of 2 equations and 2 variables under line 1:

$$2x_2 + x_3 = -8$$
$$-x_2 - x_3 = 3.$$

To solve this system we use the same algorithm as in the previous task, but the first variable is now x_2 instead. So we eliminate x_2 from the second equation by adding the first equation times $\frac{1}{2}$. Which yields the following system:

$$2x_2 + x_3 = -8$$
$$-\frac{1}{2}x_3 = 7.$$

Uppgift 1.3 (System 3). Use Gaussian elimination to solve the system of linear equations

$$x_1 - 2x_2 - 6x_3 = 12$$
$$2x_1 + 4x_2 + 12x_3 = -17$$
$$x_1 - 4x_2 - 12x_3 = 22.$$

Lösning 1.3.1. As in the previous system we start by eliminating all x_1 from all the lines below the first line. To eliminate x_1 from the second line we add -2 times the first line to it. That yields the following equation:

$$8x_2 + 24x_3 = -41.$$