

**भारत सरकार**  
स्वास्थ्य एवं परिवार कल्याण मंत्रालय  
(स्वास्थ्य सेवाओं का महानिदेशालय)  
केंद्रीय औषध मानक नियंत्रण संगठन  
**सहाय्यक औषध नियंत्रक (भारत)**  
**का कार्यालय**

मे. जे डब्ल्यू आर लाजिस्टीक प्रा. लि.  
१५-४५, राष्ट्रीय महामार्ग ४ ब,  
पनवेल-जेएनपीटी महामार्ग,  
गौव-पाडेघर, पोस्ट-वहल,  
पनवेल-४१०२०६, महाराष्ट्र  
फ़ोन ०२२-५०५००१६१ फ़ैक्स ०२२-५०५००१६९



**CDSCO**

**GOVERNMENT OF INDIA**  
Ministry of Health and Family Welfare  
(Directorate General of Health Services)  
Central Drugs Standard Control  
Organization  
**OFFICE OF THE ASSISTANT  
DRUGS CONTROLLER (INDIA)**  
M/s. JWR Logistic Pvt. Ltd.,  
15-45, National Highway 4B,  
Panvel-JNPT Highway,  
Village Padeghar, Post-Vahal,  
Panvel-410206, Maharashtra  
Phone no-022-50500161 Fax-022-50500169  
Email : [jnpt.mumbai@cdsco.nic.in](mailto:jnpt.mumbai@cdsco.nic.in)

No. 04/ADC-NS/Notice/2025-26/१६५

Date: 30.10.25

**NOTICE**

**Subject: List of Dual Use items as per CDSCO Guidance Document published  
vide File no- DCGI/MISC/2024-05 dated 12 Sep 2024**

Ref : PTFC Meeting October 2025

With reference to the subject cited above, list of items which requires Dual USE  
NOC for clearance of import consignment at O/o at the O/o Assistant Drugs Controller  
(I), JNPT, Seaport, Panvel is enclosed herewith as Annexure-1

**Note-**

1. Enclosed List is dynamic in nature and any other drug having dual use which may be find suitable to be included in list.
2. The list is enclosed with this guideline is only for reference purpose. The disposal of application is purely dependent on the intended use and its technical examination keeping in view the applicability of the status of drug.

Yours faithfully,

*Rajesh Kumar Verma*  
30/10/25

(Rajesh Kumar Verma)

Asst. Drugs Controller (I),

CDSCO Seaport JNPT Panvel

**Enclosure:**

01. List of Dual use items as per CDSCO Guidance Document published vide File no- DCGI/MISC/2024-05 dated 12 Sep 2024

**Copy to:**

01. The Brihanmumbai Custom Brokers Association – Mumbai
02. Notice Board
03. Dy. Drugs Controller(I), CDSCO, West Zone, Mumbai
- ✓ 04. Commissioner of Customs (Import), JNCH Nhavasheva



## **Annexure 1 – List of Dual Use Items**

### **1. Drugs Meant for Non- Medicinal Use:**

**Table No.: 1**

| <b>S.NO</b> | <b>Drugs Names</b>                                                                                        |
|-------------|-----------------------------------------------------------------------------------------------------------|
| 1.          | Aluminium Hydroxide                                                                                       |
| 2.          | Benzoyl peroxide                                                                                          |
| 3.          | Calcium Carbonate                                                                                         |
| 4.          | Cinchonine                                                                                                |
| 5.          | Citric acid                                                                                               |
| 6.          | Coumarin                                                                                                  |
| 7.          | Cysteamine HCl                                                                                            |
| 8.          | Di calcium phosphate                                                                                      |
| 9.          | Diflorasone Base                                                                                          |
| 10.         | Disodium carbonate                                                                                        |
| 11.         | Disopyramide base                                                                                         |
| 12.         | Empty hard gelatine Capsules with TSE/BSE free certificate and GMP declaration of the manufacturing firm. |
| 13.         | Estrone                                                                                                   |
| 14.         | Glycerine with pharmacopeial grade                                                                        |
| 15.         | Guanidine hydrochloride                                                                                   |
| 16.         | Heavy Magnesium Carbonate                                                                                 |
| 17.         | Hesperidine                                                                                               |
| 18.         | Hydrogen Peroxide Pharmacopeial grade                                                                     |
| 19.         | Isoxepac                                                                                                  |
| 20.         | Magnesium hydroxide                                                                                       |
| 21.         | Magnesium oxide                                                                                           |
| 22.         | Magnesium Sulphate                                                                                        |
| 23.         | Mannitol (non for parenteral use)                                                                         |
| 24.         | Mixed tocopherols 50%                                                                                     |
| 25.         | Monensin Sodium                                                                                           |
| 26.         | Simethicone Emulsion                                                                                      |
| 27.         | Triacetin                                                                                                 |
| 28.         | Zinc Gluconate                                                                                            |
| 29.         | Manganese Sulphate                                                                                        |
| 30.         | Alpha Lipoic Acid                                                                                         |
| 31.         | Zinc Oxide                                                                                                |
| 32.         | Any Other Drug having Dual Use which may find suitable to be included in list.                            |

### **2. Drugs meant for Animal feed supplement, Feed premix**

## **Table No. - 2**

**List of the feed grade items which requires NOC from Port Office (CDSCO) for exclusive use in animal feed industry as an animal feed supplement, feed premix.**

### **I. Amino Acids (granular)**

- i) L-Lysine Mono HCL 99% Feed grade
- ii) L-Lysine Sulphate 65% Feed grade
- iii) L-Lysine Sulphate 80% Feed Grade
- iv) Methionine 90% Feed Grade
- v) DL-Methionine 99% Feed grade
- vi) L-Methionine 99% Feed Grade
- vii) L-methionine 90%, Feed Grade
- viii) L-Valine 98% Feed Grade
- ix) L-Threonine Feed Grade
- x) Methyl Hydroxy Analog 88% Feed Grade
- xi) Methyl Hydroxy Analog Calcium salt 84% Feed Grade
- xii) L-Threonine 98.5% Feed Grade
- xiii) L-Tryptophan 98% Feed Grade
- xiv) Isoleucine 98.5% by titration method or 90% by HPLC method-Feed Grade
- xv) L- Lysine Monohydrochloride 98.5% Feed Grade (If genetically modified strain of bacteria is used to produce L-Lysine, its use shall be prohibited in view of possible presence of viable cells and DNA of the production strain in final product)
- xvi) L- Lysine Sulphate 70% Feed Grade (If genetically modified strains of bacteria are used to produce L- Lysine, its use shall be prohibited in view of possible presence of viable cells and DNA of the production strain in final product)
- xvii) L-arginine 98.5% Feed Grade (The product is also being sold as feed grade in exporting country and certificate to this effect should be accompanied with each consignment)
- xviii) Coated Amino acids for dairy

### **II. Vitamin Premix**

- i. Vitamin AD3 Feed grade 1000:200
- ii. Vitamin A Acetate 1000 Feed Grade
- iii. Vitamin E 50% Feed grade
- iv. Vitamin C coated 35% Feed Grade
- v. Vitamin D3 0.5 miu/gm feed grade
- vi. Vitamin B2 80% feed grade
- vii. Biotin 2% & 10% Feed Grade
- viii. Vitamin mineral Premix feed grade (as per formula)
- ix. Choline chloride 50% & 60% on Corn Cob Feed Grade
- x. Vitamin C 35% Monophosphate Feed Grade
- xi. Vitamin B12 1% & 2% Feed Grade (As vitamin B12 is produced by fermentation by bacteria, it is necessary to ensure that the strain used for fermentation is safe and that there is



no presence of antibiotic resistance genes, the viable cells of the production strain or their DNA in the final product)

- xii. 25 Hydroxy Vitamin D3 1.25% Feed Grade

**III. Vitamins** (May be used as feed additives / premixes in different compositions in animal feed manufacturing. However, the import of Active Pharmaceutical Ingredients (APIs) shall be as per the extant rules under the Drugs and Cosmetics Act, 1940)

- i. Vitamin AD3
- ii. Vitamin D
- iii. Vitamin A
- iv. Vitamin E
- v. Vitamin K (MNB/MSB)
- vi. Vitamin B1
- vii. Vitamin B2
- viii. VitaminB3 –Niacin
- ix. Vitamin B5- Calpan
- x. Vitamin B6
- xi. Vitamin H - Biotin
- xii. Vitamin B9- Folic Acid
- xiii. Vitamin B 12
- xiv. Vitamin C (L-ascorbic acid/ L-ascorbic acid Phosphate)
- xv. Vitamin D 310

**IV Chelate Minerals:-**

| Sr. No | Products                           | Remark                                                                                                                                                                     |
|--------|------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1      | Glycinated Minerals                | Composition varies with Manganese, Iron, Cobalt, Chromium, Selenium, Zinc, Copper, Iodine etc as glycinated blend or single mineral glycinate.                             |
| 2      | Proteinated Minerals               | Composition varies with Manganese, Iron, Cobalt, Chromium, Selenium, Zinc, Copper, Iodine etc as Proteinated blend or single mineral Proteinate                            |
| 3      | Proteinated (Yeast based) Minerals | Composition varies with Manganese, Iron, Cobalt, Chromium, Selenium, Zinc, Copper, Iodine etc as Proteinated blend or single mineral Proteinate                            |
| 4      | Amino acid chelated minerals       | Composition varies with Manganese, Iron, Cobalt, Chromium, Selenium, Zinc, Copper, Iodine etc with methionine or lysine based chelated blend or single amino acid chelate. |

**V Phosphates (Feed Grade)**

- i. Mono Calcium Phosphate (MCP) 22% Feed Grade

- ii. Di Calcium Phosphate (DCP) 18% Feed Grade
- iii. Sodium Hydrogen Phosphate 17% Feed Grade
- iv. Mono Potassium Phosphate 26% Feed Grade
- v. Di Potassium Phosphate 17% Feed Grade
- vi. Cholesterol 95% Feed Grade

#### **VI Enzymes (Feed Grade)**

- i. Phytase 5000 - 65000 FTU per gram Feed Grade  
(The production strain (used to produce phytase) and its recombinant DNA should not be detected in products.)

#### **VII Antibiotic / Antibacterial Feed Additives**

- i. Chlortetracycline (CTC) 15% Feed Grade
- ii. Clopidol 25% Feed Grade
- iii. Dichhlozuril 1% Feed Grade
- iv. Tylosyn Phosphate 10% premix Feed Grade

#### **VIII. Anticoccidiostats**

- i. Maduramycin 1% Feed grade (Use for broiler chicken only and withdrawal period of five-seven days should be given before disposal/slaughter)
- ii. Salinomycin 12%
- iii. Nicarbazine – upto 25% Feed Grade (Up to 25% can be used alone or in combination with Narasin (Feed Grade). However maximum dose of Nicarbazine should not exceed 125mg/kg of feed. Withdrawal period of 24 hours should be followed for use in poultry before slaughter.)
- iv. Monensin Sodium 20% Premix Feed Grade Do not feed to laying chickens. Do not feed to chickens over 16 weeks of age. Do not allow horses, other equines, mature turkeys, or guinea fowl access to feed containing monensin.
- v. Monensin Sodium 40% Feed Grade Do not feed to laying chickens. Do not feed to chickens over 16 weeks of age. Do not allow horses, other equines, mature turkeys, or guinea fowl access to feed containing monensin.
- vi. Losolacid Sodium 15% Premix Feed Grade
- vii. Decoquinate 6% Feed Grade
- viii. Dinitolmide 25% Feed Grade (DOT)
- ix. Clopidol 25% Feed Grade
- x. Ethopabate 33% Feed Grade
- xi. Halofuginone 6 % Feed Grade (Not to be fed to layers. In broilers withdrawal period of five days should be given before slaughter.)
- xii. Narasin 10% (Feed Grade) (As per Codex Alimentarius Maximum residue limit (MRL) should not exceed 50 µg/kg in liver, fat, 15 µg/kg in muscles.)
- xiii. Robenidine 10% Premix (Feed Grade) (MRL (mg/kg wet tissue) should not exceed 0.80 for liver, 0.35 for kidney, 0.20 for muscle and 1.30 for skin/fat)

### IX. Medicated Feed Additive (Feed Grade)

| S. No | Product                                                                       | Remark                                                                                                                                           |
|-------|-------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| 1     | Flavophospholipol 4% & 8% Feed Grade                                          |                                                                                                                                                  |
| 2     | Tiamulin Hydrogen Fumerate – 10% Feed Grade                                   | Withdrawal period of 72 hours should be followed for use in poultry before slaughter.                                                            |
| 3     | Bamberomycin 4% and 8% - Feed Grade                                           | Recommended at low dosages i.e. 1-2g/ton of feed in poultry                                                                                      |
| 4     | Lincomycin 11% - Feed Premix                                                  | As per Codex Alimentarius Maximum Residue Limit (MRL) should not exceed 100 µg/kg fat, 200 µg/kg in muscles, 500 µg/kg in liver and kidney.      |
| 5     | Tiamulin 10% Feed Premix                                                      | Withdrawal period of 72 hours should be followed for use in poultry before slaughter                                                             |
| 6     | Virginiamycin 50% -Feed Grade                                                 | Withdrawal period of 5 days should be followed for use in poultry before slaughter.                                                              |
| 7     | Kitasamycin 8% feed premix                                                    | Withdrawal period of 7 days should be followed for use in poultry before slaughter.                                                              |
| 8     | Avilamycin 10% Feed Grade                                                     | As per Codex Alimentarius, Maximum residue limit (MRL) should not exceed 2000 µg/kg chicken fat/skin, and 300 µg/kg in liver.                    |
| 9     | Spectinomycin 2.2% feed premix                                                | As per Codex Alimentarius Maximum residue limit (MRL) should not exceed 2000 µg/kg in liver, egg, fat, 500 µg/kg in kidney, 500 µg/kg in muscles |
| 10    | Combination of Lincomycin 2.2% (feed premix) and Spectinomycin (feed premix). | As mentioned earlier                                                                                                                             |
| 11    | Kitamycin 15% (Feed Grade)                                                    | Withdrawal period of 7 days should be followed for use in poultry before slaughter                                                               |
| 12    | Enramycin 8% Feed Grade                                                       |                                                                                                                                                  |

### X Probiotics (Feed Grade)

- Bacillus amyoliquefaciens Feed Grade
- Probiotics Bacillus licheniforms feed grade
- Bacillus pumilus
- Dried Lactobacillus acidophilus fermentation product
- Dried Enterococcus faecius fermentation product

- vi. Dried Lactobacillus plantarum fermentation product
- vii. Enterococcus faecium feed grade

### **XI Minerals (Feed Grade)**

- i. Apocarotenoic ester Feed Grade
- ii. Betacarotene 10% Feed Grade

### **XII Antioxidant**

- i. Propyl Gallate

### **XIII Exclusive Livestock Feed**

- i. Bypass Fat (triglyceride)

### **XIV Others (Feed Grade):-**

| S. No. | List of items used in food                                    |  |
|--------|---------------------------------------------------------------|--|
| 1.     | Antioxidant Premix – Mixture of BHA, BHT & Ethoxyquin         |  |
| 2.     | Toxin Binders Feed Grade                                      |  |
| 3.     | Acidifiers Feed Grade – Mixture of organic acids              |  |
| 4.     | Inactivated Dry yeast (37-40% Protein) Feed Grade             |  |
| 5.     | Active Dry Yeast - Feed Grade                                 |  |
| 6.     | Yeast Cell Wall – for use in feed                             |  |
| 7.     | Mannan-Oligosaccharides (MOS) & Fructo-oligosaccharides (FOS) |  |
| 8.     | HSCAS - Hydrogen Sodium Calcium Amino Silicate for feed use.  |  |
| 9.     | Rumen protected/bypass amino acids – feed grade               |  |
| 10.    | Dried distillers grains with soluble (DDGS)                   |  |
| 11.    | Cocktail enzymes – combination of enzymes for use in feed     |  |
| 12.    | Organic mineral mixtures – feed grade                         |  |
| 13.    | Dried Bacillus subtilis fermentation products (Feed Grade)    |  |
| 14.    | Mould inhibitors feed grade Organic selenium feed grade       |  |
| 15.    | Organic trace minerals for feed                               |  |



|     |                                                                                                                                 |                                                       |
|-----|---------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|
| 16. | Dicalcium phosphate (feed grade)<br>Tricalcium Phosphate (feed grade)                                                           |                                                       |
| 17. | Nosiheptide 1% feed grade                                                                                                       |                                                       |
| 18. | Bacteriophage (Lytic & Temperate)                                                                                               |                                                       |
| 19. | Yucca schidigera / Yucca plant extract                                                                                          |                                                       |
| 20. | Pellet Binder                                                                                                                   | To be used in Cattle Feed, Poultry Feed and Aqua Feed |
| 21. | Sodium Diformate                                                                                                                |                                                       |
| 22. | Potassium Diformate                                                                                                             |                                                       |
| 23. | Combination of fibre degrading enzymes (e.g. xylanase, betaglucanase, cellulase, betamannanase, amalyse, lipase, protease etc.) |                                                       |
| 24. | Rumen Buffers                                                                                                                   | To be used in Cattle Feed                             |
| 25. | Salt licks – Mineral supplement for cattle (Calcium, Phosphorus, Cobalt, Copper, Iodine, Manganese, Zinc)                       |                                                       |
| 26. | Calcium salt of fatty acid (Oleic Acid, Palmitoleic Acid, Linolenic Acid)                                                       |                                                       |
| 27. | Co-Enzyme Q 10 (Ubiquinone) 5% & 10% Premix (Feed Grade)                                                                        |                                                       |
| 28. | Calcium Butyrate coated (Feed Grade)                                                                                            |                                                       |
| 29. | Sodium Butyrate Coated 30% (Feed Grade)                                                                                         |                                                       |
| 30. | Bypass fats based on fatty acid FFA > 80%                                                                                       |                                                       |
| 31. | Molasses Dried yeast – for animal feed                                                                                          |                                                       |
| 32. | Selenium yeast Premix (Feed Grade)                                                                                              |                                                       |
| 33. | Bacillus substilis Feed Grade                                                                                                   |                                                       |
| 34. | Algae based complimentary feed for fish (Azolla, Chlorella, Filamentous Algae)                                                  |                                                       |
| 35. | Mixture of essential oil with plant extracts and spices (Thyme, Oregano, Rosemary, Thymol, Cinnamon)                            |                                                       |
| 36. | Fumaric Acid                                                                                                                    |                                                       |
| 37. | Saponine 2-2.5%                                                                                                                 |                                                       |
| 38. | Calcium salts made from palm oil fatty acids, soya oil, sunflower oil and corn oil                                              |                                                       |
| 39. | Betaine HCL 93-98%                                                                                                              |                                                       |
| 40. | Deoiled Lecithin 90% on silicon Dioxide base                                                                                    |                                                       |
| 41. | Betaine Anhydrous 96%                                                                                                           |                                                       |
| 42. | Bypass fat (fatty acid based)                                                                                                   |                                                       |



|     |                                                      |  |
|-----|------------------------------------------------------|--|
| 43. | Conjugated linolenic acid 10% Coated with bypass fat |  |
| 44. | Tributylin 50%                                       |  |

#### XIV Others (Feed Grade):-

- i. Magnesium Sulphate (Anhydrous)

Feed grade Any other product included in the list of poultry/ Animal Feeds shall be included after approval from the Animal Husbandry Department.

**NOTE:-** Due to emergence of antimicrobial resistance in animal and human beings, henceforth, the following animal feed additives / feed supplements are not recommended for import into India:-

| Category of Product                    | Name of the Product                            | Remarks                                                                                                                                                                                                                                                                                                                           |
|----------------------------------------|------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Antibiotic/ Antibacterial (Feed Grade) | Zinc Bacitracin                                | Earlier, these products were not recommended in the list issued on 13th August, 2020. It has been reviewed in the meeting dated 17th May, 2022 of subcommittee to 'assess and provide recommendations on submission of veterinary vaccines/biological/drugs for policy input' under the Expert Committee on Animal Health (ECAH). |
|                                        | BMD – Bacitracin Methyl Disalicylate           |                                                                                                                                                                                                                                                                                                                                   |
| Anticoccidals (Feed Grade)             | Any combination of Maduramycin and Nicarbazine | Reviewed in the meeting dated 17th May, 2022 of subcommittee to 'assess and provide recommendations on submission of veterinary vaccines/biological/drugs for policy input' under the Expert Committee on Animal Health (ECAH)                                                                                                    |
|                                        | Maduramycin>1%                                 |                                                                                                                                                                                                                                                                                                                                   |

The Maximum Residue Limit / Tolerance limit of above recommended animal feed additives and feed supplements in the final article of food, wherever applicable, shall be as per the Food Safety and Standards (Contaminants, toxins and Residues) Second Amendment Regulations, 2018.

### 3. Drugs meant for further processing / conversion to other drug

**Table 3:**

| S. no. | Drugs meant for further processing/<br>conversion to other drugs | S.No | Drugs meant for further<br>processing/ conversion to other<br>drugs |
|--------|------------------------------------------------------------------|------|---------------------------------------------------------------------|
| 1.     | Aloe emodin                                                      | 206. | Alkosel (prebiotics & probiotics)                                   |
| 2.     | Artemisinin                                                      | 207. | Aminovilt Gold(Amino acid premix)                                   |
| 3.     | Betamethasone base                                               | 208. | Ascorbic Acid                                                       |
| 4.     | Cyclocytidine HCL                                                | 209. | Availa Cu (chelated minerals)                                       |
| 5.     | Erythromycin base                                                | 210. | Bectocell aqua (prebiotics & probiotics)                            |
| 6.     | Erythromycin Thiocyanate                                         | 211. | Betaine HCL 93-98%                                                  |
| 7.     | Flumethasone                                                     | 212. | Betaine 96 %                                                        |
| 8.     | Fluorocytosine                                                   | 213. | Biotin 2% & 10%                                                     |
| 9.     | 5- Fluorouracil                                                  | 214. | Btraxim Pro (Zinc & Magnesium)                                      |
| 10.    | Fluticasone                                                      | 215. | Carophyll Red 10%                                                   |
| 11.    | Hydrocortisone Base                                              | 216. | Carophyll yellow 10%                                                |
| 12.    | L-arginine                                                       | 217. | Cholesterol 95%                                                     |
| 13.    | L-phenyl alanine                                                 | 218. | Choline Chloride 50% & 60%                                          |
| 14.    | L-serine                                                         | 219. | Dicalcium Phosphate 18%                                             |
| 15.    | Penicillin G Potassium                                           | 220. | DL-Methionine 99%                                                   |
| 16.    | Piperazine Anhydrous                                             | 221. | Fibosel (prebiotics & probiotics)                                   |
| 17.    | Prednisolone base                                                | 222. | Granulated Enzyme                                                   |
| 18.    | Riboflavin 80%                                                   | 223. | Hydroxy Vitamin D3 0.5 mul/gm                                       |
| 19.    | Salicylic acid                                                   | 224. | Inositol                                                            |

|     |                                    |      |                                                  |
|-----|------------------------------------|------|--------------------------------------------------|
| 20. | Sirolimus                          | 225. | L-Tryptophan 98%                                 |
| 21. | Sulphanillamide                    | 226. | Levucell \$B 20 (prebiotics & probiotics)        |
| 22. | Theophylline Crude                 | 227. | Levucell SB10 ME Titan (prebiotics & probiotics) |
| 23. | 19-Nor-4-androsterone - 3,17-dione | 228. | L-Lysine monohydrochloride 99%                   |
| 24. | 17 alpha hydroxy progesterone      | 229. | L-lysine sulphate 70%                            |
| 25. | Acyclovir                          | 230. | L-Threonine 98.5%                                |

|     |                                |      |                                                                            |
|-----|--------------------------------|------|----------------------------------------------------------------------------|
| 26. | Buprenorphine                  | 231. | Lutavit B2 (Vitamin 82) 80%                                                |
| 27. | Chloramphenicol                | 232. | Lutavit B2 (Vitamin E)50%                                                  |
| 28. | Dexamethasone                  | 233. | Menadione Nicotinamide                                                     |
| 29. | Mibemycin                      | 234. | Methionine Analogue                                                        |
| 30. | Morphine                       | 235. | Monocalcium Phosphate 22%                                                  |
| 31. | Oxytetracycline                | 236. | Phytase                                                                    |
| 32. | Thiamin Hydrochloride          | 237. | Propionic acid 42%                                                         |
| 33. | Thiamine mononitrate           | 238. | Rovimix AD3 Vitamin A/D3 1000.200                                          |
| 34. | Tobramycin                     | 239. | Rovimix 82 (Vitamin B2)                                                    |
| 35. | Vancomycin Base                | 240. | Rovimix Calpan Vitamin B5                                                  |
| 36. | 36 Rovimix E5O (Vitamin E)     | 241. | Vitamin B1                                                                 |
| 37. | Saponine 2-2.5%                | 242. | Vitamin B12                                                                |
| 38. | Tiamulin Hydrogen Fumarate 10% | 243. | Vitamin K3                                                                 |
| 39. | Toxin Binders                  | 244. | Xylanase, Beta-glucanase,cellulase, beta-mannase, amylase, lipase protease |
| 40. | Chlotetracycline 15%           | 245. | Monensin Sodium 20%                                                        |
| 41. | Clopidol 25%                   | 246. | Losolacid Sodium 15%                                                       |
| 42. | Tylosin phophate 10%           | 247. | Nicarbazine 8%                                                             |

|     |                                |      |                       |
|-----|--------------------------------|------|-----------------------|
| 43. | Maduramycin 1%                 | 248. | Furazolidone          |
| 44. | Salinomycin 12%                | 249. | Ferric Oxide          |
| 45. | 17-Alpha-1-methyl Testosterone | 250. | Ferric Pyrophosphate  |
| 46. | 2-Dimethylaminoethanol         | 251. | Ferrous Fumarate      |
| 47. | 8-HydroxyQuinoline Sulphate    | 252. | Flavophospholidal     |
| 48. | Acerola Organic Powder         | 253. | Fructose syp          |
| 49. | Acid Cellulase Liquid          | 254. | Fungal hemi cellulase |

|     |                               |      |                                                                |
|-----|-------------------------------|------|----------------------------------------------------------------|
| 50. | Acotiamide                    | 255. | Ganciclovir                                                    |
| 51. | Activated Carbon              | 256. | Gelatin                                                        |
| 52. | Active Carbon                 | 257. | Genu pectin LM 22CG LM-18CGYA D slow set                       |
| 53. | Alendronic acid               | 258. | Gingko                                                         |
| 54. | Alfacalcidol                  | 259. | Gingko Biloba Extract, Aloe vera extract, Siberian Ganteng P.E |
| 55. | Alfalfa Powder                | 260. | Glutamic acid                                                  |
| 56. | Alginic Acid                  | 261. | Glycerine                                                      |
| 57. | Aloe Vera Gel                 | 262. | Glycerol Formal Stabilized                                     |
| 58. | Alpha Amylase                 | 263. | Glycine                                                        |
| 59. | Alpha Tocopherol Acetate      | 264. | Glycocholic Acid                                               |
| 60. | Alumina Trihydrate            | 265. | Granulated Amigel                                              |
| 61. | Aluminium Chlorohydrate       | 266. | Grindamyl                                                      |
| 62. | Aluminium Hydroxide           | 267. | Gualacol                                                       |
| 63. | Aluminium Magnesium Hydroxide | 268. | Guanidine                                                      |
| 64. | Aluminium Oxide               | 269. | Guanidine Hydrochloride                                        |
| 65. | Aluminium Trihydrate          | 270. | Heme Iron polypeptide                                          |
| 66. | Amantadine                    | 271. | Hide Glue                                                      |



|     |                                |      |                    |
|-----|--------------------------------|------|--------------------|
| 67. | Amino Pyridine                 | 272. | HPMC Capsule       |
| 68. | Aminoguanide Bicarbonate       | 273. | hyacare Filler CL  |
| 69. | Ammonium Sulfate               | 274. | Hyaluronic Acid    |
| 70. | Amylase                        | 275. | Hydrocortisone IP  |
| 71. | Anethole                       | 276. | Hydrogen Fumarate  |
| 72. | Anhydrous Lactose NF           | 277. | Hydrogen Peroxide  |
| 73. | Anti-Irritant-Complex          | 278. | Hydroquinone       |
| 74. | Apple Herbasol Vinegar Extract | 279. | Hydroxychloroquine |

|     |                           |      |                                  |
|-----|---------------------------|------|----------------------------------|
| 75. | Apremilast                | 280. | Hydroxypropyl Methylcellulose    |
| 76. | Arsenic Trioxide          | 281. | Hydroxyquinoline                 |
| 77. | Ascorbic Acid             | 282. | Hypromellose                     |
| 78. | Bakery Enzyme             | 283. | Hyroquinone                      |
| 79. | Barium Sulphate           | 284. | Iodine                           |
| 80. | Beclamethasone            | 285. | ISO Eugenol                      |
| 81. | Benzyl Alcohol            | 286. | Iso Propyl Alcohol               |
| 82. | Beta carotene 20%         | 287. | Isomalt                          |
| 83. | Betain HCL                | 288. | L+Ascorbic Acid                  |
| 84. | Betasitosterol            | 289. | Lactic Acid                      |
| 85. | Blackberry Fruit Herbasol | 290. | Lactobacillus                    |
| 86. | Borax Pentahydrate        | 291. | Lactose monohydrate              |
| 87. | Boric Acid                | 292. | Lactrol                          |
| 88. | Brimonidine               | 293. | L-Alpha-Glycerylphosphorycholine |
| 89. | Caffeine                  | 294. | L-Analine                        |
| 90. | Calcite Minerals          | 295. | L-Arbinose                       |
| 91. | Calcite Powder            | 296. | L-Arginine                       |
| 92. | Calcium Acetate           | 297. | L-Ascorbate                      |

|     |                            |      |                      |
|-----|----------------------------|------|----------------------|
| 93. | Calcium Ascorbate          | 298. | LAVA Cell            |
| 94. | Calcium Carbonate          | 299. | L-Carnitine base     |
| 95. | Calcium D Phosphate        | 300. | L-Carnosine          |
| 96. | Calcium D-Pantothenate     | 301. | L-Citruline          |
| 97. | Calcium Gluconate          | 302. | L-citruline L-malate |
| 98. | Calcium Hydrogen Phosphate | 303. | Lifwinu Bacillus     |
| 99. | Calcium Lactate            | 304. | Lipold               |
| 100 | Calcium Propionate         | 305. | Lipoid PG            |

|     |                              |      |                          |
|-----|------------------------------|------|--------------------------|
| 101 | Calcium Saccharate           | 306. | Lithium Bromide Solution |
| 102 | Calcium Stearate             | 307. | Uthium Carbonate         |
| 103 | Cannabidiol                  | 308. | L-Lysine                 |
| 104 | Carbophyll                   | 309. | L-Ornithine HCl          |
| 105 | Carmustine                   | 310. | Lovastatin               |
| 106 | Carnitine                    | 311. | L-Prolinamide            |
| 107 | Castor Oil                   | 312. | L-Proline                |
| 108 | C-Cysteine                   | 313. | L-Serine                 |
| 109 | Cellulase                    | 314. | Magneisum Hydroxide      |
| 110 | Charcoal Activated           | 315. | Magnesium Ascorbyl       |
| 111 | Chemodeoxycholic acid        | 316. | Magnesium Carbonate      |
| 112 | Chitosan                     | 317. | Magnesium Chloridde      |
| 113 | Chloride Solution            | 318. | Magnesium Oxide          |
| 114 | Chlorobutanol                | 319. | Magnesium Stearate       |
| 115 | Chlorpromazine Hydrochloride | 320. | Magnesium Sulfate        |
| 116 | Chlortetracycline            | 321. | Mannitol                 |
| 117 | Chlorzoxa 20me               | 322. | Mannose                  |

|     |                                   |      |                   |
|-----|-----------------------------------|------|-------------------|
| 118 | Cholesterol                       | 323. | Methyl Salicylate |
| 119 | Choline Bitartrate                | 324. | Meltdextrin       |
| 120 | Choline Chloride                  | 325. | Methoxyphenol     |
| 121 | Chondroitin Sulphate              | 326. | Methyl Butyrate   |
| 122 | Cinchonine                        | 327. | Methyl Cellulose  |
| 123 | Citric acid monohydrate/Anhydrous | 328. | Methyl Cholate    |
| 124 | Climbazole                        | 329. | Methyl Eugenol    |
| 125 | Clove Leaf Oil                    | 330. | Methyl Salicylate |
| 126 | Clove Oil                         | 331. | Methylphenidate   |

|     |                                  |      |                            |
|-----|----------------------------------|------|----------------------------|
| 127 | Clove Rectified                  | 332. | Methylprednisolone         |
| 128 | Coated Calcite Powder            | 333. | Microcrystalline cellulose |
| 129 | Cresol                           | 334. | Mixed Tocopheryl           |
| 130 | Croscarmellose                   | 335. | Mycophenolic acid          |
| 131 | Crospovidone                     | 336. | N-Acetyl-L-Cysteine        |
| 132 | Crude Glycerine                  | 337. | Natuzyme Enriched Enzyme   |
| 133 | Crude Phenol                     | 338. | Nisin                      |
| 134 | Cyanocobalamin                   | 339. | O-phenol                   |
| 135 | Cyclizine Hydrochloride          | 340. | O Cresol                   |
| 136 | Cysteamine HCL                   | 341. | Oleic Acid                 |
| 137 | D Xylose                         | 342. | Opadry 20F180004           |
| 138 | D-Calcium Pantothenate           | 343. | Ortho Chloro Toluene       |
| 139 | D-chiro Inositol                 | 344. | Oxybenzone                 |
| 140 | Dehydroepiandrosterone           | 345. | Paradichlorobenzene        |
| 141 | Descote Ferrous Fumarate         | 346. | Pectinase                  |
| 142 | Developmental Thermostable Alpha | 347. | phenothiazine              |

|     |                      |      |                              |
|-----|----------------------|------|------------------------------|
| 143 | Dexpanthenol         | 348. | Phospholipon                 |
| 144 | Dextran              | 349. | Phosphonyl Methoxy Propyl    |
| 145 | Dextromethorphan     | 350. | Pipperacillin acid           |
| 146 | Dextrose Monohydrate | 351. | Pnemocandin                  |
| 147 | D-Galactose          | 352. | Polyanionic Celts PAC LV     |
| 148 | D Glucuronolactone   | 353. | Polysorbiete                 |
| 149 | Di Calcium Malate    | 354. | Potassium Carbonate          |
| 150 | Dibenzoyl peronde    | 355. | Potassium Chloride           |
| 151 | Di-Calcium Phosphate | 356. | Potassium Hydrogen Carbonate |
| 152 | Diclazuril           | 357. | Potassium thioacetate        |

|     |                               |      |                                            |
|-----|-------------------------------|------|--------------------------------------------|
| 153 | Dihydro Eugenol               | 358. | Povidone iodine                            |
| 154 | Dimethicone                   | 359. | Prednisolone                               |
| 155 | Dimethyl Fumarate             | 360. | Procaine Hydrochloride                     |
| 156 | Diphenhydramine Hydrochloride | 361. | Propanol                                   |
| 157 | Daulfirm                      | 362. | Propionic Acid                             |
| 158 | Disodium Hydrogen Phosphate   | 363. | Protamine Sulphate                         |
| 159 | DL Alpha Tocopherol           | 364. | Protamine Sulphate                         |
| 160 | DE Panthenol                  | 365. | Pro-Taurine                                |
| 161 | DL-Alpha Tocopherol           | 366. | Pyridoxine Hydrochloride                   |
| 162 | D-Mannitol                    | 367. | R-9-2-Phosphanomethoxypropyl Adenine       |
| 163 | Docusate Sodium               | 368. | Rutin                                      |
| 164 | Dompiphen Bromide             | 369. | saccharin buse                             |
| 165 | Dopamine Hydrochloride        | 370. | S-Adenosyl-L-methionine Disulfate Tosylate |
| 166 | D-Panthenol                   | 371. | Shikhimic Acid                             |



|     |                               |      |                      |
|-----|-------------------------------|------|----------------------|
| 167 | D-Panthenetriacetate          | 372. | Simethicone Emulsion |
| 168 | D-Phenylalanine               | 373. | Sodium (L)-Lactate   |
| 169 | D-Serine                      | 374. | Sodium Alginate      |
| 170 | Effersoda                     | 375. | Sodium Ascorbate     |
| 171 | EHG Capsules                  | 376. | Sodium Benzoate      |
| 172 | Emulsified Ferric Phosphate   | 377. | Sodium Bicarbonate   |
| 173 | Encapsulated Benzoyl Peroxide | 378. | Sodium Butyrare      |
| 174 | Enzyme pepsin                 | 379. | Sodium Carbonate     |
| 175 | Estrone                       | 380. | Sodium Chloride      |
| 176 | Ethyl Panthenol               | 381. | Sodium Citrate       |
| 177 | Eugenol                       | 382. | Sodium CMC           |

|     |                           |      |                            |
|-----|---------------------------|------|----------------------------|
| 178 | Sucrose                   | 383. | Sodium Fluoride            |
| 179 | Sulfuric Acid             | 384. | Sodium Gluconate           |
| 180 | Sulphadiazine             | 385. | Sodium Hyaluronate         |
| 181 | Sunflower Lecithin        | 386. | Sodium Lactate             |
| 182 | Superol K Glycerin        | 387. | Sodium L-Lactate           |
| 183 | Taurine                   | 388. | Sodium Monofluorophosphate |
| 184 | Tazobactam acid           | 389. | Sodium Percarbonate        |
| 185 | Thioglycolic Acid         | 390. | Sodium Phenylbutyrate      |
| 186 | Titanium Dioxide          | 391. | Sodium Phosphate           |
| 187 | Triacetin                 | 392. | Sodium Picosulfate         |
| 188 | Trichloroisocyanuric acid | 393. | Sodium Rifamycin           |
| 189 | Triethanolamine           | 394. | Sodium Salicylate          |
| 190 | Tripotassium Citrate      | 395. | Sodium Sulfate             |
| 191 | Tris Buffer               | 396. | Sodium Thiosulfate         |
| 192 | Tri-sodium citrate        | 397. | Sodium Thiosulphate        |

|     |                      |      |                           |
|-----|----------------------|------|---------------------------|
| 193 | Tri-Sodium Dihydrate | 398. | Sodium Valproate          |
| 194 | Tromethamine         | 399. | Sodium-L-Lactate          |
| 195 | Trypsin Chymotrypsin | 400. | Solifenacin Succinate     |
| 196 | Ubidecarenone        | 401. | Sorbitol                  |
| 197 | Vinegar              | 402. | Soya Lecithin             |
| 198 | Vitamin D3 oil       | 403. | Soya Phosphatidyl Choline |
| 199 | White Lotion         | 404. | Soya Phospholipids        |
| 200 | Zinc Carbonate       | 405. | Soyabean Lecithin         |
| 201 | Zinc Oxide           | 406. | Soyabean Oil              |
| 202 | Zinc Pyrithione      | 407. | Stearic Acid              |
| 203 | Zinc Stearate        | 408. | Streptomycin Sulphate     |

|     |              |      |             |
|-----|--------------|------|-------------|
| 204 | Zinc Sulfate | 409. | ZinClear IM |
| 205 | Zinc Citrate |      |             |

