

PreSonus Shopify Theme - Header Hover Navigation Guide

1. Introduction & Overview

The objective was to implement a dynamic multi-menu hover navigation for the Shopify Horizon Header. Crucially, the implementation is fully dynamic, supporting the three menus directly in the theme customizer. No asset JS files (header.js or header-menu.js) were modified. All changes are located cleanly inside Liquid template files using inline event-delegated Vanilla JavaScript.

2. Key Problem Solved: Hydration & Shadow DOM

We resolved two critical challenges during development:

1. Shopify Section Hydration: Lazy hydration replaces nodes after page load, breaking standard event listeners. We solved this by using event delegation on the document level.
2. Shadow DOM Events: Links are rendered inside an `<overflow-list>` Shadow DOM. When hover events bubble across shadow boundaries, they are retargeted. We resolved this by using `event.composedPath()` to traverse shadow roots.

3. Modifications Made in Code

File 1: blocks/_header-menu.liquid (Markup Updates)

We added data-menu-slug to the desktop list items (`<li>`) and links (`<a>`):

```
{% for link in block_settings.menu.links %}
  <li class="menu-list__list-item" data-menu-slug="{{ link.handle }}">
    ...
    <a href="{{ link.url }}" data-menu-slug="{{ link.handle }}" class="menu-list__link">
    ...
  </li>
{% endfor %}
```

File 2: sections/header.liquid (Schema Settings)

We added three text settings to the schema options allowing merchants to enter the hover parent slug in the Shopify Customizer:

```
{
  "type": "text",
  "id": "hover_slug_1",
  "label": "Hover Slug 1",
  "default": "shop"
},
{
  "type": "text",
  "id": "hover_slug_2",
  "label": "Hover Slug 2",
  "default": "support"
},
{
  "type": "text",
  "id": "hover_slug_3",
  "label": "Hover Slug 3",
  "default": "learn"
},
```

PreSonus Shopify Theme - Header Hover Navigation Guide

File 3: sections/header.liquid (Menu Level Wrappers)

We attached the data-menu-slug attributes to the secondary levels:

```
<div class="level_one_menu menu_levels active_menu" data-menu-slug="{{
section.settings.hover_slug_1 }}">
  {{ menu_one }}
</div>
<div class="level_two_menu menu_levels inactive_menu" data-menu-slug="{{
section.settings.hover_slug_2 }}">
  {{ menu_two }}
</div>
<div class="level_three_menu menu_levels inactive_menu" data-menu-slug="{{
section.settings.hover_slug_3 }}">
  {{ menu_three }}
</div>
```

File 4: sections/header.liquid (Inline JavaScript Controller)

We added this script to the bottom of the section to manage hover events dynamically:

```
<script>
document.addEventListener('DOMContentLoaded', function () {
  const blocks = document.querySelectorAll('.menu_levels');
  const headerComponent = document.querySelector('header-component');

  function deactivateAll() {
    blocks.forEach(function(block) {
      block.classList.add('inactive_menu');
      block.classList.remove('active_menu');
    });
    document.querySelectorAll('[data-menu-slug]').forEach(function(trigger) {
      trigger.classList.remove('active');
    });
  }

  document.addEventListener('mouseover', function(event) {
    let trigger = null;
    const path = event.composedPath();
    for (let i = 0; i < path.length; i++) {
      const node = path[i];
      if (node.getAttribute && node.getAttribute('data-menu-slug')) {
        trigger = node;
        break;
      }
    }

    if (trigger) {
      const slug = trigger.getAttribute('data-menu-slug');
      if (slug) {
        const targetBlock = document.querySelector('.menu_levels[data-menu-slug="' + slug +
        '"]');
        if (targetBlock) {
          deactivateAll();
          targetBlock.classList.add('active_menu');
          targetBlock.classList.remove('inactive_menu');
          document.querySelectorAll('[data-menu-slug="' + slug + '"]').forEach(function(el) {
            el.classList.add('active');
          });

          // Close submenus in other blocks
          document.querySelectorAll('header-menu').forEach(function(menu) {
```

PreSonus Shopify Theme - Header Hover Navigation Guide

```
if (menu !== targetBlock.querySelector('header-menu')) {
  menu.setAttribute('aria-expanded', 'false');
  const activeSub = menu.querySelector('[data-active]');
  if (activeSub) {
    delete activeSub.dataset.active;
    activeSub.setAttribute('inert', '');
  }
}
});

// Reset header height properties
if (headerComponent) {
  headerComponent.style.setProperty('--submenu-height', '0px');
  headerComponent.style.setProperty('--full-open-header-height', '0px');
}
}
}
});
...
});
</script>
```

4. Dashboard Guide for Merchants

To customize which menu shows up under which tab:

1. Go to Shopify Online Store -> Themes -> Customize.
2. Open the Header section settings.
3. Under 'Dynamic Hover Menus', locate 'Hover Slug 1', 'Hover Slug 2', and 'Hover Slug 3'.
4. Type in the lowercase handle (slug) of the parent link from your Main Menu (e.g. if parent is 'Shop', handle is 'shop'; if parent is 'Support', handle is 'support').
5. Save settings. Hovering over those menu items will toggle their respective menus and keep the active one visible.