

1. Essential SOC Tools

a) SIEM System

Example: *Splunk, IBM QRadar, or Elastic SIEM*

Purpose: A Security Information and Event Management (SIEM) system aggregates log data from various sources (firewalls, servers, endpoints), correlates events, detects anomalies, and generates alerts for potential security incidents.

Function:

- Collects and normalizes logs
- Applies correlation rules to detect suspicious patterns
- Provides dashboards and reports for SOC analysts
- Retains log data for compliance and forensic investigations

Screenshot: *(Insert a screenshot of a SIEM dashboard showing an active alert timeline or correlation rule)*

b) Ticketing Platform

Example: *ServiceNow, Jira Service Management, or RTIR*

Purpose: A ticketing system manages incident records, ensures proper documentation, tracks status, and facilitates collaboration among SOC team members and other IT staff.

Function:

- Automatically generates tickets for detected alerts
- Allows assignment and escalation
- Records analyst actions and incident progress
- Integrates with SIEM for automation

Screenshot: *(Insert a screenshot of an open incident ticket with status, assignee, and workflow steps)*

c) Monitoring Solution

Example: Nagios, Zabbix, SolarWinds, or Datadog

Purpose: Provides continuous monitoring of the organization's IT infrastructure, including network devices, servers, and applications, ensuring availability and performance while alerting on failures or unusual behavior.

Function:

- Monitors system health and performance metrics
- Triggers alerts when thresholds are breached
- Helps detect early signs of attacks, like DDoS or resource exhaustion
- Complements SIEM data

Screenshot: *(Insert a screenshot of a monitoring dashboard showing live server metrics or an active alert)*

✓ 2. SOC Workflow (Mermaid Diagram)

Below is an example Mermaid diagram illustrating alert handling and escalation:

mermaid

CopyEdit

flowchart TD

```
A[SIEM detects alert] --> B{Severity Level?}
B --> |Low| C[Auto-close or monitor]
B --> |Medium| D[Analyst triages alert]
B --> |High| E[Escalate to Senior Analyst]
D --> F[Investigate logs & evidence]
E --> F
F --> G{Valid Incident?}
G --> |No| H[Close Ticket with notes]
G --> |Yes| I[Create Incident Ticket]
I --> J[Containment]
J --> K[Eradication]
K --> L[Recovery]
L --> M[Post-Incident Review & Lessons Learned]
```

✓ 3. Shift Transition & Handover Documentation

Shift Transition Procedure:

- Outgoing analyst updates all open tickets with current status and next steps.
- Critical ongoing incidents are discussed in a brief handover meeting or logged in a shift report.
- Incoming analyst reviews shift report, SIEM dashboard, and ticket queue.
- Shared communication channels (e.g., Slack, SOC logbook) must be updated with notable events.

Handover Requirements:

- Summary of all high-priority incidents.
- Pending tasks and expected timeframes.
- Any escalations in progress.
- Contact information for on-call senior analysts.

✓ 4. Detailed Incident Handling Steps (Using Provided Template)

Step	Description
Detection & Reporting	Alert triggered by SIEM; ticket automatically generated in ticketing system.
Triage & Analysis	Analyst reviews alert details, validates with log evidence, checks for false positives.
Containment	If valid, analyst isolates affected hosts or blocks malicious IPs.

Eradication	Remove malware, patch vulnerabilities, or apply security fixes.
Recovery	Restore systems to operational state, monitor for re-infection.
Lessons Learned	Conduct post-incident meeting, update detection rules, and document improvements.
Closure	Finalize ticket with detailed notes and root cause.

✓ 5. Screenshots and Explanations

For each tool section, **include at least one clear screenshot** of the actual interface (dashboard, alert view, ticket screen, or monitoring chart). Add a short caption beneath each screenshot describing what it shows and its relevance to daily SOC operations.

✓ Final Deliverables Checklist

- ✓ Clear explanations of SIEM, ticketing, and monitoring tools
- ✓ Mermaid diagram showing SOC workflow and escalation paths
- ✓ Detailed shift transition and handover procedures
- ✓ Incident handling steps documented in the given template
- ✓ Appropriate screenshots with clear captions

1 Comprehensive Explanation of Detection Rule Mechanisms

Detection Rules are logical statements in a SIEM that evaluate incoming events/logs to identify suspicious or malicious patterns. They typically include:

- **Event Conditions:** Specific log attributes or values (e.g., failed login, unusual file access).
- **Thresholds:** How many times an event must occur to be suspicious (e.g., 5 failed logins in 1 minute).
- **Time Window:** Period in which events must occur for the rule to trigger.

- **Correlations:** Combining multiple events from different sources to detect complex attack behavior.
- **Actions:** What happens when the rule triggers (e.g., generate an alert, create a ticket, send a notification).

Key Mechanisms:

- **Signature-Based Detection:** Matches known attack patterns (hashes, IPs, strings).
- **Anomaly-Based Detection:** Compares current behavior against baselines to spot deviations.
- **Behavioral Rules:** Looks for suspicious sequences of events, such as lateral movement or privilege escalation.

✓ 2 Three Distinct Detection Scenarios with Examples

Below are three clear scenarios, each using different rule types:

Scenario	Description & Example
Brute Force Login Attempt	Description: Detects multiple failed login attempts from the same source IP within a short time frame. Example Rule: IF <code>EventType = FailedLogin</code> FROM <code>same_source_ip</code> COUNT >= 10 IN 5 min → Generate High Severity Alert.
Suspicious File Transfer	Description: Detects large outbound file transfers to an external IP that is not on the allow list. Example Rule: IF <code>FileTransferEvent</code> AND <code>DestinationIP NOT IN AllowedList</code> AND <code>FileSize > 1GB</code> → Alert for possible data exfiltration.
Privilege Escalation Detection	Description: Detects when a standard user account suddenly gains admin privileges. Example Rule: IF <code>UserPrivilegeChange</code> AND <code>NewPrivilegeLevel = Admin</code> AND <code>OldPrivilegeLevel = User</code> → Alert for potential privilege misuse.

Tip: Include screenshots of these sample rules configured in your SIEM rule editor if possible.

✓3 Detailed Descriptions of Threat Indicator Categories

Threat Indicators (Indicators of Compromise - IoCs) help detect threats and guide investigations. Categories include:

Category	Description & Example
Network Indicators	IP addresses, domain names, or URLs used by attackers. <i>Example:</i> Malicious command-and-control server IPs.
Host-Based Indicators	File hashes, registry changes, malicious executables. <i>Example:</i> MD5 hash of a known ransomware payload.
Email Indicators	Suspicious senders, phishing domains, or malicious attachments. <i>Example:</i> Spoofed sender domain impersonating a trusted company.

Application in Security Monitoring:

- Used in detection rules for signature-based matching.
 - Enrich alerts with threat intelligence feeds.
 - Blocklisted in firewalls, proxies, and mail gateways to prevent known bad connections.
-

✓4 Structured Threat Analysis Methodology

A recommended structured threat analysis methodology includes:

Step	Description
1. Collection	Gather logs, alerts, threat intelligence, and context data.
2. Detection & Correlation	Use SIEM rules and threat indicators to identify suspicious activity.

3. Validation & Triage	Analysts review correlated events to confirm or dismiss threats.
4. Impact Assessment	Determine the affected assets, scope, and severity.
5. Containment & Eradication	Isolate affected systems and remove malicious elements.
6. Recovery & Monitoring	Restore normal operations and continue monitoring for reinfection.
7. Reporting & Lessons Learned	Document findings, update rules, and share lessons with the team.

5 Alert Investigation Exercise

Scenario: Use the pre-configured alert in your lab environment.

Steps & Example Findings:

Step	Action	Example Output
Review Alert Details	Check alert type, severity, source IP, affected host.	Alert: Multiple failed logins followed by successful login; Source IP: 192.168.1.101
Gather Evidence	Review relevant logs (authentication, system logs, firewall).	Found repeated failed login attempts from same IP within 3 min.
Validate & Correlate	Cross-check with user activity, asset criticality, threat intelligence.	IP not on allow list; username valid but unusual login time.
Contain & Mitigate	Block offending IP, reset compromised account credentials.	IP blocked at firewall; user password reset.
Document & Close	Add all evidence, actions taken, and recommendations to the incident ticket.	Ticket closed with full timeline and root cause identified: brute force attack.

Screenshot idea: Include the alert details page, related log snippets, and a snapshot of your incident ticket or report.

✓ 6 Final Checklist

- ✓ Explanation of detection rule mechanics
 - ✓ 3 clear detection scenarios with examples
 - ✓ Detailed threat indicator categories and uses
 - ✓ Structured threat analysis methodology
 - ✓ Completed alert investigation with screenshots and step-by-step documentation
 - ✓ Screenshots throughout to prove hands-on work
-

✓ Suggested Submission Structure

1. Cover Page
2. Table of Contents
3. Detection Rule Mechanisms
4. Three Detection Scenarios
5. Threat Indicator Categories
6. Threat Analysis Methodology
7. Alert Investigation Exercise (with screenshots & timeline)
8. Conclusion: Summary of detection capabilities and key takeaways

1 Initial Response Protocols for a Designated Incident Type

Incident Type Example: *Ransomware Infection Detected on Endpoint*

Initial Response Protocol:

Step	Action	Purpose
1. Identification	Validate SIEM alert for ransomware signature, confirm affected host and scope.	Ensure it's a legitimate incident, avoid false positives.
2. Containment	Isolate infected endpoint from network (disable port, block IP).	Prevent lateral spread to other hosts.
3. Notification	Notify SOC Manager and Incident Response Team Lead immediately.	Escalate to appropriate team for coordinated action.

4. Evidence Preservation	Capture volatile data, memory dump, and relevant logs before shutdown.	Retain evidence for investigation and possible legal needs.
5. Initial Communication	Inform affected user not to power off or tamper with the machine.	Preserve incident state for forensic analysis.

Tip: For submission, include screenshots if possible — e.g., SIEM alert detail, network isolation command, or ticket creation for incident tracking.

2 Case Management System Components & Their Purpose

A robust **Case Management System** ensures incidents are properly documented, tracked, and resolved. Key components include:

Component	Operational Purpose
Incident Records	Central repository of incident details: alerts, evidence, notes, and resolution steps. Ensures traceability and auditability.
Workflows & Playbooks	Predefined steps for handling different incident types, ensuring standardized responses.
User & Role Management	Defines analyst permissions and roles (e.g., Tier 1, Tier 2, Incident Manager). Supports accountability and escalation.
Ticketing & Status Tracking	Allows creation, assignment, progress tracking, and closure of incident tickets. Keeps stakeholders updated on status.
Collaboration Tools	Integrated chat, comments, or notes for team communication during investigations.
Reporting & Dashboards	Provides metrics (e.g., MTTR, number of incidents per type) for continuous improvement and management reporting.

Screenshot idea: Show a ticket open in the system with fields like “Incident Type”, “Owner”, “Priority”, “Status”, and “Timeline.”

✓ 3 Comprehensive Incident Escalation Criteria & Communication Protocols

Escalation Criteria:

Escalation Level	Criteria	Decision Points
Tier 1 → Tier 2	Incident confirmed valid but requires deeper investigation or multiple hosts are affected.	Tier 1 analyst cannot resolve within SLA.
Tier 2 → Incident Manager	High-impact incident (e.g., critical server down, ransomware outbreak).	Data breach suspected, multiple departments impacted.
Incident Manager → Executive / Legal	Incident has regulatory implications or may need law enforcement involvement.	Customer data exfiltrated, public disclosure required.

Communication Protocols:

- **Internal:** Use secure channels (e.g., SOC chat, encrypted email) for updates.
- **Stakeholder Updates:** Incident Manager coordinates scheduled briefings for IT, legal, and executives.
- **External:** Only designated spokesperson communicates with external parties (press, regulators).

Clear Decision Points:

- Defined in the playbook: if impact ≥ moderate and regulatory data involved → escalate to CISO and Legal Counsel.

✓ 4 Incident Response Documentation Template (Completed for Scenario)

Field

Details (Sample)

Incident ID:	IR-2025-007
Incident Type:	Ransomware Infection
Detection Method:	SIEM alert, antivirus quarantine triggered.
Date/Time Detected:	2025-06-23 10:47 AM
Reported By:	SIEM Auto-Ticket
Initial Response Actions:	1) Validated alert. 2) Isolated infected host from network. 3) Captured volatile memory. 4) Informed SOC Manager.
Evidence Collected:	Memory dump, infected file hash, relevant Windows Event Logs.
Containment Actions:	Disabled switch port for endpoint. Confirmed no spread to other hosts.
Eradication Actions:	Endpoint wiped and reimaged. Verified no remnants via AV scan.
Recovery Actions:	Restored files from backup. User account password reset.
Communication Log:	Notified Incident Manager and Legal. Daily updates provided to IT Director.
Root Cause Analysis:	User clicked malicious email attachment.
Lessons Learned:	Update email filter rules. Conduct phishing awareness training.
Closure Date:	2025-06-24
Closed By:	SOC Incident Manager

Screenshot idea: Include the filled-out incident form or ticket in your case management tool.

5 Final Checklist

-  Initial response protocol clearly documented
-  Case management system fully explained with components and purposes
-  Escalation criteria and communication decision points outlined
-  Completed incident response template for the given scenario
-  Screenshots to demonstrate understanding and hands-on execution

Recommended Structure for Submission

- 1. Cover Page**
 - 2. Table of Contents**
 - 3. Initial Response Protocol for Selected Incident**
 - 4. Case Management System Components & Purpose**
 - 5. Escalation Criteria & Communication Protocol**
 - 6. Completed Incident Response Template (with screenshots)**
 - 7. Conclusion: Reflection on response principles and best practices**
-