

Incident Response Documentation & Reporting Package

1 Incident Response Playbook (Specific Procedures + Commands)

This playbook outlines **detection, containment, eradication, and recovery steps** for common incidents using **Parrot OS tools and commands**.

Incident Type: Malware Infection

Detection:

- Alert from Wazuh SIEM or ClamAV
- Suspicious CPU or memory usage

Commands:

```
# List running processes and look for suspicious names  
ps aux | grep -i <suspicious_process>
```

```
# Check active network connections  
sudo netstat -tulpn
```

```
# Compute file hash for comparison with threat intel  
sha256sum /path/to/file
```

Evidence to Collect:

- Copy malicious file (`cp /path/to/file /mnt/forensics/`)
- System logs (`sudo journalctl --since "2025-09-15" > /mnt/forensics/system_logs.txt`)

- Memory dump (`sudo gcore <pid>` or `volatility -f memdump.mem pslist`)

Response Actions:

- Isolate host from network (`sudo ip link set eth0 down`)
 - Kill malicious process (`sudo kill -9 <pid>`)
 - Submit hash to VirusTotal for validation
 - Reimage host or restore from known-good backup
-

Incident Type: Unauthorized Login / Brute Force

Detection:

- Multiple failed logins in `/var/log/auth.log`
- Alert from Wazuh rule 5502 ("Login session closed")

Commands:

```
# Check recent logins
last -a
```

```
# Filter for failed login attempts
grep "Failed password" /var/log/auth.log | tail -20
```

```
# Show source IPs of login attempts
grep "Failed" /var/log/auth.log | awk '{print $(NF-3)}' | sort | uniq
-c | sort -nr
```

Evidence to Collect:

- Auth logs from `/var/log/auth.log`

- IP address list of failed attempts
- Wazuh alert details from `/var/ossec/logs/alerts/alerts.json`

Response Actions:

- Block IP using UFW:
`sudo ufw deny from <attacker_ip>`
 - Force password reset for compromised accounts
 - Enable 2FA if available
 - Tune Wazuh rules to detect future attempts earlier
-

Incident Type: Suspicious Network Activity

Detection:

- High outbound traffic detected
- IDS alert triggered (Suricata/Snort)

Commands:

```
# Live packet capture for suspicious traffic
sudo tcpdump -i eth0 host <suspicious_ip> -w capture.pcap
```

```
# List established connections
ss -tuna
```

```
# Identify which process owns a connection
sudo lsof -i :<port>
```

Evidence to Collect:

- Save packet capture file (`capture.pcap`)

- Network connection logs
- Process list at time of alert

Response Actions:

- Block destination IP with UFW
- Stop process generating traffic
- Run full malware scan on host

2 Incident Tracking System (Template)

Use this table to document **every incident** you respond to.

Incident ID	Type	Detection Source	Triage Actions	Evidence Collected	Response Actions	Timeline	Status
INC-2025-001	Unauthorized Login	Wazuh Rule 5502	Reviewed auth.log, identified IP	<code>/var/log/auth.log</code> , IP list	Blocked IP with UFW, reset passwords	10:15 detection, 10:30 containment, 11:00 resolution	Closed
INC-2025-002	Malware Infection	ClamAV Alert	Captured process list, hash	Malicious file, logs, memory dump	Isolated host, killed process, reimaged system	14:00 detection, 14:10 containment, 15:00 recovery	Closed

3 Incident Report (Completed Example)

Incident ID: INC-2025-001

Incident Type: Unauthorized Login Attempt

Date/Time Detected: 2025-09-15 10:15 EST

Detected By: Wazuh SIEM (Rule 5502)

Affected System: ParrotOSVM-01

Summary:

Multiple failed SSH login attempts were detected from IP `203.0.113.45` targeting root account. Investigation confirmed this was a brute-force attempt.

Investigation Findings:

- 45 failed login attempts in `/var/log/auth.log`
- No successful login recorded from attacker IP
- Source IP traced to a known malicious host (per AbuseIPDB)

Containment Actions:

- Blocked source IP using `sudo ufw deny from 203.0.113.45`
- Disabled SSH root login by editing `/etc/ssh/sshd_config` (set `PermitRootLogin no`)

Eradication & Recovery:

- Restarted SSH service: `sudo systemctl restart sshd`
- Reset passwords for all privileged users
- Verified system integrity by checking user accounts and running ClamAV scan

Lessons Learned / Recommendations:

- Implement fail2ban to automatically block repeated failed logins
- Require key-based SSH authentication instead of passwords
- Review and tighten firewall policy

4 IR Tools Documentation (Parrot OS)

Tool	Purpose	Example Command
journalctl	View system logs	<code>sudo journalctl -xe</code>
tcpdump	Capture network traffic	<code>sudo tcpdump -i eth0 -w capture.pcap</code>
netstat / ss	Show open ports and connections	<code>ss -tulpn</code>
Volatility	Memory forensics	<code>volatility -f memdump.mem pslist</code>
ClamAV	Malware scanning	<code>clamscan -r /home</code>
ufw	Firewall control	<code>sudo ufw deny from <ip></code>
grep / awk	Log filtering	<code>grep "Failed password" /var/log/auth.log</code>
sha256sum	File hashing	<code>sha256sum suspicious_file.bin</code>
