

PRODUCT SPECIFICATION

ROBINHOOD LIBRARY

An interactive historical archive and live market intelligence platform for the Robinhood / retail-trading / crypto era.

DEVELOPER HANDOFF

Version 1.0 | September 2026

Core idea: preserve the history, connect the artifacts, and make the Library alive with verified data and live market signals.

IMPORTANT PRODUCT POSITION

This is an independent, unofficial project. It must not present itself as Robinhood, GameStop, or an affiliated product. The experience can reference publicly documented history and official sources, but branding, marks, images, and data usage must be handled with appropriate rights and attribution.

Executive Summary

Robinhood Library is not a conventional crypto landing page. It is a digital archive that combines historical storytelling, verified primary sources, real media, searchable records, live market information, and onchain data into one coherent product.

The user first experiences the Library as an immersive archive: Robinhood founding, the zero-commission launch, entry into crypto, the 2021 GameStop event, Robinhood's IPO, Web3 wallet, global crypto expansion, tokenized stock products, and Robinhood Chain. After the historical layer, the experience becomes live: trending assets, market movers, a transparent Impact Score, onchain contracts and activity, and a current-artifact area containing the project's own meme token.

The product should feel like a mixture of an interactive museum, research library, market terminal, and onchain observatory - but with a cleaner, editorial interface rather than a dense trading dashboard.

The central product principle is: historical claims are sourced; live metrics are computed from defined data; every important artifact can be traced to its source; and the project token is presented as an independent current artifact rather than as an official Robinhood asset.

What the developer is building

Layer	Purpose	Core output
Archive	Permanent historical knowledge base	Events, people, products, sources, media, documents, timeline
Discovery	Find and navigate information	Global search, filters, tags, relationships
Market	Show what is happening now	Trending, movers, volume, liquidity, new listings
Impact	Rank meaningful market activity	Transparent Impact Score + explainability
Onchain	Monitor Robinhood Chain ecosystem	Contracts, transactions, tokens, wallets, blocks
Newsroom	Keep the archive current	Official announcements + verified external sources
Current Artifact	Connect the live project to the archive	Independent meme token profile + live metrics

Product Principles

1. History first, token second

The token should not be the reason the Library exists. The Library should stand on its own as an information product. The token becomes one current artifact inside the system. This makes the concept more credible, more memorable, and less dependent on short-term hype.

2. Primary-source culture

Important facts should be traceable to a source. The UI should include a visible VERIFY action beside major claims. The backend should store source URL, publisher, date, source type, retrieval date, and verification status.

3. Real media, not generic stock art

Historical chapters should use authentic event imagery, screenshots, official announcement images, filings, charts, or appropriately licensed archival material. Every image should have provenance and usage rights metadata.

4. Live layer must be genuinely live

Trending and Impact must not be hard-coded lists. They should be generated from a data pipeline with timestamps and explicit freshness windows.

5. Explainable rankings

A user should be able to open an Impact-ranked token and see why it ranked highly. Avoid a black-box score that cannot be understood or audited.

6. Separation of facts, estimates, and interpretation

Label	Meaning	Example
VERIFIED	Directly supported by an authoritative source	Robinhood public launch date
ONCHAIN	Observed directly from blockchain data	Contract deployment, transaction count
CALCULATED	Produced by the Library algorithm	Impact Score 91.3
ESTIMATED	Derived from incomplete/third-party data	Estimated social attention
EDITORIAL	Human-written interpretation	Chapter narrative / commentary

Information Architecture

Top-level navigation should remain simple. The complexity lives inside each section.

Top-level area	Primary pages	Why it exists
Library	Home, Timeline, Events, People, Products, Sources, Media, Documents	Historical and reference layer
Market	Trending, Impact, Movers, Volume, New	Live market discovery
Onchain	Overview, Tokens, Contracts, Transactions, Blocks, Wallets	Robinhood Chain monitoring
Newsroom	Latest, Robinhood, Crypto, Chain, Regulation, Market	Current developments
Search	Global search + advanced filters	Find any artifact quickly
Current Artifact	Project token + live status	Show the project as a contemporary artifact

Recommended navigation behavior

Desktop: compact top navigation with a persistent Library logo, Search, Market, Onchain, Newsroom, and a Current Artifact entry. Mobile: bottom navigation or compact drawer. The historical experience can use full-screen chapter transitions, but users should always have a clear way to exit to the underlying database.

Homepage purpose

The homepage should not be a giant dashboard. It is the entrance to the archive. It should visually introduce the idea, show the historical timeline at a glance, surface one or two live items, and let users enter the Library.

Homepage / Entrance Experience

The opening should be cinematic and minimal, inspired by the interactive storytelling style the team referenced, but original in execution.

Above the fold

ROBINHOOD LIBRARY

THE ARCHIVE OF RETAIL MARKETS, CRYPTO, AND THE ONCHAIN ERA.

CTA: ENTER LIBRARY

Secondary: SEARCH THE ARCHIVE

Below the fold

1. A compact timeline: 2013 -> 2015 -> 2018 -> 2021 -> 2022 -> 2024 -> 2026.
2. Featured Artifact: one historically significant event with image + short explanation + VERIFY.
3. Live window: Trending Now, showing 3-5 live assets with timestamp.
4. Impact window: Most Impactful, showing 3 assets and a short "why" explanation.
5. Latest archive entry: the newest verified article/event in the database.
6. Footer: Independent archive disclaimer + source methodology + privacy/terms.

Design requirement

The homepage needs enough visual restraint that the visitor understands the concept within 5-10 seconds. It should not look like a meme-token presale page, a clone of a brokerage app, or a generic Web3 dashboard.

Historical Archive

This is the permanent knowledge layer. Every historical entry is an "artifact" with structured metadata, not just an article.

Artifact record

Field	Required	Purpose
Artifact ID	Yes	Stable identifier, e.g. RH-2015-001
Title	Yes	Human-readable title
Date / period	Yes	Exact date where known; otherwise month/year or period
Category	Yes	Event, product, person, market event, crypto, chain, regulation, etc.
Summary	Yes	Short neutral description
Narrative	Yes	Long-form editorial content
Primary source	Yes when applicable	Official source / filing / original statement
Secondary sources	Recommended	Independent corroboration
Media	Recommended	Images, screenshots, video, documents
Tags	Yes	Search/filter taxonomy
Related artifacts	Recommended	Graph connections
Verification status	Yes	Verified / pending / disputed / archived
Created/updated	Yes	Internal editorial timestamp

Initial historical timeline

Period	Anchor event	Archive treatment
2013	Robinhood founded	Origin story + source
2014	Waitlist / early growth	Early product story + source
2015	Public launch / zero commissions	Hero artifact
2018	Robinhood Crypto launches	Crypto turning point
2021	GameStop / meme-stock era	Major interactive chapter
2021	Robinhood IPO	Corporate milestone
2022	Web3 wallet era	Self-custody milestone
2023-24	European crypto expansion	Global crypto milestone
2025	Stock Tokens / L2 reveal	Tokenization transition
2026	Robinhood Chain mainnet	Onchain era milestone

Sources, Verification and Media

This product will only work if the archive is demonstrably trustworthy. Build a source registry rather than embedding links ad hoc in page content.

Source object

Field	Example
Source ID	SRC-RH-2015-001
Publisher	Robinhood / SEC / other publisher
Title	Original article/report title
URL	Canonical HTTPS URL
Published date	2015-03-12
Source type	Primary / regulatory / secondary / archive
Accessed date	Date last checked
Verification	Verified / broken / superseded / pending
Related artifacts	Artifact IDs
Notes	Context or limitations

Media object

Store the original source page, the direct media URL where permitted, the media license/usage note, caption, date, photographer/creator where known, and a source artifact reference. Do not treat web search images as automatically licensed for commercial reuse.

Verified links - core starting set

Robinhood - Start Investing. Stop Paying. (2015 public launch)

<https://robinhood.com/us/en/newsroom/start-investing-stop-paying/>

Robinhood - Robinhood Crypto Trading Is Here (2018)

<https://robinhood.com/us/en/newsroom/robinhood-crypto-trading-is-here/>

SEC - Staff Report on Equity and Options Market Structure Conditions in Early 2021

<https://www.sec.gov/newsroom/press-releases/2021-212>

Robinhood - An Update on Market Volatility (Jan. 28, 2021)

<https://robinhood.com/us/en/newsroom/an-update-on-market-volatility/>

Robinhood Chain - About Robinhood Chain

<https://docs.robinhood.com/chain/>

Robinhood Chain - Token Contracts

<https://docs.robinhood.com/chain/contracts/>

Robinhood Chain - Stock Tokens

<https://docs.robinhood.com/chain/stock-tokens/>

ROBINHOOD LIBRARY - DEVELOPER SPECIFICATION

Robinhood Chain - Deploy a Contract

<https://docs.robinhood.com/chain/deploy-smart-contracts/>

Robinhood Chain - Stock Token APIs

<https://docs.robinhood.com/chain/stock-token-apis/>

Robinhood Newsroom - Crypto archive

<https://robinhood.com/us/en/newsroom/category/crypto/>

Robinhood - 2026 Chain Mainnet announcement

<https://robinhood.com/us/en/newsroom/robinhood-accelerates-global-expansion-robinhood-chain-mainnet-stock-tokens-agentic-trading/>

Market Layer: Trending / Movers / Discovery

The Market section makes the Library alive. It is not a replacement for an exchange terminal; it is a curated and computed view of activity relevant to the Robinhood ecosystem and supported onchain environment.

Trending Now

Show assets that are gaining meaningful attention according to a documented ranking model. Every row should display price, 24h percentage, volume, liquidity where available, market cap where available, and the time the metric was last updated.

Biggest Movers

Separate simple price movement from genuine activity. A 300% move on tiny liquidity should not automatically dominate the Trending board.

Recommended sub-tabs

- Price Movers - largest percentage moves in the chosen window.
- Volume Leaders - highest absolute volume.
- Volume Acceleration - largest increase versus baseline.
- Liquidity Changes - largest liquidity increases/decreases.
- New Assets - recently deployed/listed assets with meaningful activity.

Data freshness

Every live card must show a freshness timestamp. Recommended UI labels: LIVE (<60 seconds), 1m ago, 5m ago, 15m ago, or STALE. Never imply real-time accuracy when the upstream source is delayed or cached.

Impact Engine

Impact is the signature data product. It should answer: "Which asset is making the biggest meaningful impact right now?"

Suggested first-version formula

Use a normalized 0-100 score. The exact weights can be tuned after observing false positives, but the structure should remain transparent.

Signal	Weight	Meaning
Volume acceleration	25%	Current volume vs trailing baseline
Unique traders / active wallets	20%	Breadth of participation
Liquidity quality	15%	Rewards liquid, executable activity over illiquid spikes
Price momentum	15%	Magnitude and persistence of movement
Market-cap change	10%	Change in total network valuation
Onchain activity	10%	Transactions / swaps / contract interactions
Social attention	5%	Optional, only where reliable data exists

Explainability panel

When a user opens a token from Impact, display the score components. Example: "Impact 92.4 - Volume acceleration +211%, active wallets +74%, liquidity +28%, market cap +61%." This is essential to make the ranking understandable.

Anti-manipulation rules

- Apply minimum liquidity thresholds.
- Cap the influence of extreme single-block or single-wallet events.
- Detect wash-like patterns where possible.
- Use moving averages/baselines instead of raw one-window changes.
- Do not use social mentions as a dominant signal.
- Label data as estimated when a metric cannot be independently verified.

Token / Asset Profile Pages

Every supported asset should have a standardized profile. This is where Market data, Onchain data, and Library history converge.

Above the fold

Metric	Display
Name / ticker	Large title + ticker
Price	Current price
Market cap	Current / estimated
24h volume	Current window
Liquidity	Where measurable
Holders / active wallets	Onchain value
Impact	Current score
Contract	Full address + copy + explorer link

Below the fold

- Price and volume chart with selectable windows.
- Liquidity and market-cap history where data allows.
- Holder / active-wallet trend.
- Top transactions.
- Contract deployment information.
- Related Library artifacts.
- Related tokens / category.
- Source / data provenance.

Canonical contract protection

For Robinhood Stock Tokens, the Library must rely on Robinhood Chain's official contract registry when identifying canonical contracts. The official docs explicitly warn that a matching ticker/name at another address is not necessarily a Robinhood Stock Token.

Robinhood Chain / Onchain Layer

Robinhood Chain is an Ethereum-compatible Layer 2. Official documentation lists mainnet Chain ID 4663, RPC endpoint <https://rpc.mainnet.chain.robinhood.com>, and the Blockscout explorer at robinhoodchain.blockscout.com. Solidity/Vyper contracts can be deployed using standard EVM tooling.

Onchain Overview

Module	Display
Network health	Latest block, block time, chain status
Latest blocks	Recent block list
Latest transactions	Recent transaction stream
New contracts	Recently deployed contracts
Top contracts	Most active contracts
Top tokens	Most active supported tokens
Large transfers	Largest relevant transfers
Explorer links	Direct Blockscout links

Token indexer

Maintain a token registry keyed by chain ID + contract address. Do not key identity only by symbol or token name. Store deployment block, creator if available, metadata source, logo source, decimals, holders, liquidity pools, and verification state.

Wallet pages

Show public onchain facts without making unjustified claims about identity. A wallet page can contain address, transaction count, first/last activity, top interactions, token balances, and public explorer link. Avoid doxxing, personal attribution, or speculative labeling such as "whale" unless based on a clearly defined metric.

Stock Tokens and Official Robinhood Data Interfaces

The current official Robinhood Chain documentation provides a dedicated Stock Token API layer. This is useful for the developer because some asset metadata and price information can be obtained directly rather than scraped from pages.

Official Stock Token API

Robinhood documents read-only REST endpoints under <https://api.robinhood.com/rhj/> for Stock Token data, including live prices, corporate actions, and asset metadata. The docs state a rate limit of 60 requests/second and explain that the REST price surface and onchain Chainlink price surface differ in how the corporate-action multiplier is applied.

Developer requirements

- Use official API endpoints where they are contractually and technically appropriate.
- Respect rate limits and documented cache windows.
- Store raw response timestamp and normalized value separately.
- Do not silently mix raw underlying prices with multiplier-adjusted onchain prices.
- Keep a data-source field on every stock-token metric.

What is NOT assumed

Do not assume there is a public Robinhood API that simply returns "top trending crypto tokens." The Market/Trending feature should be implemented from verified available data sources and/or onchain data, subject to the terms and technical access of those sources. The developer should validate the permitted data feeds during implementation rather than hard-code an assumption about a private/internal Robinhood endpoint.

Newsroom and Live Archive Updates

Newsroom keeps the historical database current. At launch, the safest approach is to ingest official Robinhood newsroom entries and manually curate high-value third-party reports.

Ingestion model

7. Fetch candidate articles from allowed public sources.
8. Normalize title, publisher, date, canonical URL, category, image, and excerpt.
9. Deduplicate by canonical URL + content fingerprint.
10. Assign tentative tags/entities.
11. Send to editorial verification queue.
12. Publish only after verification rules pass.

Categories

- Robinhood corporate
- Crypto
- Robinhood Chain
- Market structure / regulation
- GameStop / meme-stock history
- Onchain ecosystem

Latest entry behavior

Every article or event should be timestamped as Published, Updated, and Retrieved where applicable. Never present a newly retrieved article as a newly published event if the original publication date is older.

Global Search and Knowledge Graph

Search

Search must cover artifact title, full text, ticker, contract address, person, product, date, publisher, source title, and tags. Exact contract-address matching should be supported.

Filters

Filter	Examples
Type	Event / person / product / token / source / document / image
Date	Before / after / between
Category	Crypto / GameStop / Chain / corporate
Source type	Primary / regulatory / secondary
Chain	Robinhood Chain / Ethereum / other supported chain
Status	Verified / pending / archived

Knowledge graph

Every artifact can have relationships. Example: GME -> January 2021 event -> Robinhood restriction -> SEC report -> meme-stock era -> crypto culture -> Robinhood Chain. The graph should be stored as explicit relationships in the database, not inferred only at render time.

Relationship	Example
EVENT_INVOLVES	January 2021 involves GameStop
PRODUCT_LAUNCHED	Robinhood Crypto launched in 2018
SOURCE_SUPPORTS	SEC report supports event record
MEDIA_DEPICTS	Image depicts launch announcement
TOKEN_ON_CHAIN	Token deployed on Robinhood Chain
RELATED_TO	GME related to meme-stock archive
PRECEDES	2018 Crypto precedes 2021 meme-stock event

The Project Token as a Current Artifact

The project token should not appear as if it is Robinhood-issued, GME-backed, or officially endorsed. It should be presented as a new independent artifact that the Library happens to document in real time.

Current Artifact page

Title: [PROJECT TOKEN]

Classification: MEME / CURRENT ARTIFACT / 2026

Chain: Robinhood Chain

Contract: [CA]

Live metrics: price, market cap, liquidity, volume, holders, Impact score, deployment block.

Narrative copy direction

"The market created the stories. The internet created the memes. Crypto put the culture onchain. This is an independent meme project inspired by the history of retail markets, meme stocks and the transition to onchain infrastructure."

GME relationship

If the project uses a GME Stock Token as a reference asset or trading pair, the UI must distinguish the two assets clearly. The project token is not GME equity and does not grant ownership, voting, dividends, or other shareholder rights. Use canonical contract references for any Robinhood Stock Token used in the interface.

Admin CMS and Data Operations

A serious Library needs an internal control panel. The admin system is as important as the public site because historical and live information must be maintained.

Admin modules

Module	Functions
Artifacts	Create/edit/archive events, people, products, token records
Sources	Add URLs, verify status, track source changes
Media	Upload/attach media, licensing notes, captions
Tags	Create controlled taxonomy
Relationships	Connect artifacts
News	Review ingested articles
Tokens	Approve supported assets, metadata, contract verification
Impact	Adjust weights, thresholds, exclusions, publish formula version
System health	Data feed status, last update, error logs

Audit trail

Every editorial change should retain who changed it, what changed, and when. For high-risk fields such as contract addresses or verified-source URLs, require a second confirmation or immutable change log.

Recommended Database Model

PostgreSQL is a good default for the core relational data. A search index such as OpenSearch/Elasticsearch or Postgres full-text can be added based on scale. Redis is useful for short-lived live metrics and rate-limited feeds.

Table	Purpose	Key fields
artifacts	Historical and current records	id, type, title, date, summary, body, status
sources	Verified sources	id, url, publisher, published_at, accessed_at, status
media	Images/video/documents	id, url, type, rights_note, caption, source_id
entities	People/products/assets	id, entity_type, name, aliases
relationships	Knowledge graph	from_id, to_id, relation_type
tokens	Supported crypto assets	chain_id, address, symbol, metadata
market_snapshots	Time-series market data	token_id, price, volume, liquidity, market_cap, ts, source
impact_snapshots	Impact score history	token_id, score, components, formula_version, ts
onchain_events	Indexed chain events	chain_id, block, tx_hash, event_type, address, ts
news_items	Newsroom records	id, title, canonical_url, publisher, published_at
tags	Controlled taxonomy	id, name, type
artifact_tags	Many-to-many tags	artifact_id, tag_id

Identity rule

For blockchain assets, the primary identity must be chain ID + contract address. Symbol/ticker is metadata, never the primary key.

Backend API Requirements

Public API surface

Endpoint family	Example response
GET /api/artifacts	Paginated artifact list
GET /api/artifacts/:id	Full artifact + sources/media/relationships
GET /api/search?q=	Search results
GET /api/market/trending	Ranked live assets
GET /api/market/impact	Impact leaderboard
GET /api/tokens/:address	Token profile
GET /api/chain/overview	Latest block / chain stats
GET /api/chain/tokens	Indexed token list
GET /api/news/latest	Latest verified items

Caching

Static archive content can use aggressive CDN caching. Live market data should use short TTLs. Onchain event streams can be near-real-time if the indexer is healthy. Include source timestamps in API payloads so the frontend can show freshness.

Failure behavior

When an upstream feed fails, show the last known value with a stale indicator rather than blanking the dashboard or fabricating zero. The API should return source status and last successful update time.

Frontend Experience and Design System

Visual direction

Editorial, archival, cinematic, restrained, slightly experimental. Strong typography, large dates, generous white space or dark archival surfaces, image-led chapters, subtle motion, and clear source affordances. Avoid excessive gradients, generic crypto rocket graphics, cluttered neon dashboards, and overly aggressive CTAs.

Interaction language

Component	Behavior
Chapter	Scroll/step through historical narrative
Artifact card	Open full record
VERIFY	Open source drawer / source page
Timeline	Jump to event
Search	Instant results + filters
Impact	Open score breakdown
Token	Open detailed market/onchain page
Explorer link	Open canonical Blockscout/official destination
Live badge	Show freshness state

Accessibility

- Keyboard navigation for all interactive elements.
- Images need alt text and source captions.
- Do not rely on animation alone to communicate facts.
- Respect reduced-motion settings.
- Readable contrast and type sizes on mobile.

MVP Scope vs Later Phases

MVP - Build this first

Feature	MVP requirement
Landing / intro	Yes
Historical timeline	Yes
Artifact pages	Yes
Verified sources	Yes
Real media with provenance	Yes
Global search	Yes
Basic Newsroom	Yes
Trending	Yes - limited sources/assets
Impact	Yes - v1 transparent formula
Token profile	Yes
Robinhood Chain overview	Yes
Canonical contract links	Yes
Admin CMS	Yes

Phase 2

- Full onchain explorer layer
- Advanced relationship graph
- Community-submitted archive
- More robust market ranking
- Automated source monitoring
- Daily "This Day" archive feature

Phase 3

- Natural-language research search
- Public API for third-party builders
- Advanced wallet analytics
- Personalized Library feeds
- Automated historical event detection

Suggested Technical Architecture

The exact stack can change based on the developer's strengths. The architecture matters more than the framework choice.

Layer	Suggested approach
Frontend	Next.js / React with server rendering where useful
Styling	Tailwind or equivalent tokenized design system
Backend	TypeScript/Node or Python service layer
Database	PostgreSQL
Cache / queues	Redis + queue worker
Search	Postgres FTS initially; OpenSearch later if needed
Onchain indexing	EVM RPC/WebSocket + indexed event pipeline
Chain explorer links	Blockscout canonical URLs
Market data	Licensed/reliable market data APIs + onchain data
Official Stock Token data	Robinhood documented Stock Token API where applicable
Storage	Object storage/CDN for approved media
Monitoring	Error tracking + uptime + data freshness monitoring

Core services

13. Archive Service - artifacts, people, products, sources, relationships.
14. Market Service - ingest, normalize, rank, cache market data.
15. Impact Engine - compute score, store components, expose formula version.
16. Chain Indexer - blocks, transactions, token contracts, transfers, supported events.
17. News Ingestor - discover and normalize candidate news.
18. Editorial/Admin - review, verification, publishing workflow.

Security, Data Integrity and Legal Guardrails

Contract safety

Never infer that a token is official from its name or ticker. For Robinhood Stock Tokens, cross-check against the official contract registry. Display a "Canonical / Unverified" status.

No false affiliation

The Library should include a persistent but unobtrusive independent-project notice. Do not use Robinhood brand assets in a way that implies endorsement. Do not describe the project token as being issued by Robinhood.

Data integrity

- Timestamp all live metrics.
- Store source attribution for every external metric.
- Version the Impact Score formula.
- Keep raw upstream data when legally permissible for audit/debugging.
- Log feed failures and stale periods.

Media rights

Use official images only where the usage rights permit the intended deployment, or replace them with appropriately licensed/public-domain material. Source attribution does not automatically grant a commercial reuse license.

Trading-risk language

The product is an information interface, not a guarantee engine. Avoid claims such as "safe," "guaranteed," "backed by GME," or "official Robinhood token."

Acceptance Criteria

The developer should not consider V1 complete until the following are true.

Area	Acceptance test
Archive	At least the initial historical timeline is populated with structured artifacts.
Verification	Major factual claims have visible source links and source records.
Media	Historical imagery is attributed and has a documented rights/provenance note.
Search	Users can find events, people, products, tokens, and contract addresses.
Trending	Rankings are generated from data and show freshness timestamps.
Impact	Score is transparent, versioned, and displays component contributions.
Onchain	Contract addresses resolve correctly to the official explorer or source.
Token profile	Project token has live metrics and contract verification state.
Failure state	Upstream feed failure produces stale indicators, not fake values.
Mobile	Core archive and live features work cleanly on phone widths.
Performance	Images are optimized; archive pages load quickly; live widgets do not block initial page render.
Legal UX	Independent-project disclaimer is easy to find and not misleading.

Recommended Build Order

19. Create the visual shell and navigation.
20. Create PostgreSQL schema for artifacts, sources, media, entities, relationships, tokens, and market snapshots.
21. Build Admin CMS so historical content can be entered and maintained.
22. Build timeline + artifact pages + VERIFY source drawer.
23. Build search and filters.
24. Build market data ingestion and token registry.
25. Build Trending and Movers.
26. Build Impact Engine with versioned formula.
27. Build Robinhood Chain indexer / chain overview.
28. Build token profile and canonical contract verification.
29. Add Newsroom ingestion + editorial moderation.
30. Populate historical content and real media.
31. QA data accuracy, responsiveness, source links, and failure states.
32. Launch the independent project token as the first/current artifact only after the Library itself is coherent.

Final Product Map

The developer should leave this document with one simple mental model: the Library is the core, the live systems keep it alive, and the token is one artifact within it.

Layer	Contains
LIBRARY	Timeline, events, people, products, documents, media, sources
SEARCH	Global discovery across every Library record
MARKET	Trending, movers, volume, liquidity, new assets
IMPACT	Transparent market-impact ranking with explanations
ONCHAIN	Robinhood Chain data, tokens, contracts, transactions, wallets
NEWSROOM	Fresh verified announcements and market context
KNOWLEDGE GRAPH	Relationships among events, people, assets, products, sources
CURRENT ARTIFACT	Independent project token documented in real time
ADMIN	Editorial, source verification, media, metrics, data health

THE PRODUCT IN ONE SENTENCE

Robinhood Library is a living, searchable archive that documents the evolution of Robinhood, retail markets, meme-stock culture, crypto, and onchain finance - while providing a transparent live view of what is happening in the connected market today.

THE EXPERIENCE IN ONE LINE

History -> Evidence -> Discovery -> Live Market -> Onchain Data -> New Artifacts.

Official References Used for This Specification

The following official pages were checked while drafting this handoff. These are the starting references for implementation and content verification, not a promise that every current data endpoint or product remains unchanged forever.

Robinhood - Start Investing. Stop Paying. (2015 public launch)

<https://robinhood.com/us/en/newsroom/start-investing-stop-paying/>

Robinhood - Robinhood Crypto Trading Is Here (2018)

<https://robinhood.com/us/en/newsroom/robinhood-crypto-trading-is-here/>

SEC - Staff Report on Equity and Options Market Structure Conditions in Early 2021

<https://www.sec.gov/newsroom/press-releases/2021-212>

Robinhood - An Update on Market Volatility (Jan. 28, 2021)

<https://robinhood.com/us/en/newsroom/an-update-on-market-volatility/>

Robinhood Chain - About Robinhood Chain

<https://docs.robinhood.com/chain/>

Robinhood Chain - Token Contracts

<https://docs.robinhood.com/chain/contracts/>

Robinhood Chain - Stock Tokens

<https://docs.robinhood.com/chain/stock-tokens/>

Robinhood Chain - Deploy a Contract

<https://docs.robinhood.com/chain/deploy-smart-contracts/>

Robinhood Chain - Stock Token APIs

<https://docs.robinhood.com/chain/stock-token-apis/>

Robinhood Newsroom - Crypto archive

<https://robinhood.com/us/en/newsroom/category/crypto/>

Robinhood - 2026 Chain Mainnet announcement

<https://robinhood.com/us/en/newsroom/robinhood-accelerates-global-expansion-robinhood-chain-mainnet-stock-tokens-agentic-trading/>

Additional implementation note: current Robinhood Chain documentation states that the mainnet is Ethereum-compatible, gives Chain ID 4663 and the mainnet RPC, and documents standard Solidity/Vyper deployment via EVM tooling. It also states that the Stock Token contract registry is generated from the onchain asset registry. These should be re-checked during implementation because live APIs, documentation, products, jurisdictions, and supported assets can change.