LIFE OS

Decision Register & Open Questions

Design governance and epistemic state - Checkpoint v0.1

Purpose Preservare cosa e stato deciso, cosa e ancora Working, cosa e stato deliberatamente rinviato e quali domande devono restare aperte prima dell Ontologia Minimum v0.1.

Status	Governance / canonical design log
Reading mode	Evolution, decision recovery, uncertainty tracking
Canonical sources	Master Extraction v0.1 §§101-105 plus Coverage Review
Boundary	Pre-Ontology Minimum v0.1

0. Governance rules

Il registro impedisce due errori opposti: dimenticare decisioni gia motivate e trasformare ipotesi esplorative in fatti retroattivamente consolidati.

- Established - decisione usata come base corrente.
- Working - modello corrente promettente, ancora da stressare.
- Exploratory - possibilita considerata ma non adottata.
- Open - problema riconosciuto senza soluzione.
- Deferred - deliberatamente rinviato; non significa sbagliato.
- Rejected - valutato e non adottato.

Evolution rule Il Checkpoint v0.1 deve restare una fotografia fedele dello stato pre-ontologia. Le versioni future possono cambiare status, ma non devono riscrivere il passato come se le decisioni successive fossero gia inevitabili.

0.1 Decision summary

ID	Title	Status
D001	System as Mirror	Established
D002	Rails over rigid scheduling	Established
D003	Planned vs Actual is a reality check	Established
D004	Progressive Structuring	Established
D005	Derive rather than duplicate	Established
D006	Phase is distinct from Temporal Period	Established
D007	Inspiration is not first-class	Established
D008	User controls Idea -> Project promotion	Established
D009	Project deserves Entity-level identity	Established
D010	Generic knowledge vs contextual state	Established
D011	Operationality is capability-driven	Established
D012	Self-model remains revisable	Established
D013	Session samples lived experience	Working
D014	Metric is structured measurement	Working
D015	Observation is optional and emergent	Working
D016	Concept as Knowledge Entity	Working
D017	Value as Concept / Interest as relation	Working
D018	Ceremony as maintenance session-like construct	Working
D019	Passion not modeled now	Deferred
D020	Hypothesis/Evidence not universal types	Deferred

Part A - Decision Register

D001 - System as Mirror

Status	Established
Decision	The system may observe, organize, compare, surface patterns and suggest interpretations, but it must not make value-laden life decisions on behalf of the person.
Context	The user wants awareness and guidance without surrendering autonomy to an optimizer.
Rationale	Recurring across prioritization, Idea promotion, inactivity, value alignment and ceremony design.
Consequences	Signals must be explainable and suggestions must preserve explicit choice.
Revisit when	If future automation needs to act autonomously in low-stakes operational domains.
Related	DP01, SR02, SR11, SR16; Views & System Intelligence.

D002 - Rails over rigid scheduling

Status	Established
Decision	Planning should define directional rails, allocations and compatible actions rather than a minute-by-minute schedule by default.
Context	Free time varies by duration, place, resources and physical/mental energy; local choice matters.
Rationale	Weekly planning can prepare compatible options while monthly/bi-monthly ceremonies choose higher-level commitments.
Consequences	Scheduling is a tool, not the core ontology of intentional action.
Revisit when	If a domain genuinely benefits from exact scheduling or external deadlines require it.
Related	DP02; SR03, SR08, SR14; Planning & Ceremonies.

D003 - Planned vs Actual is a reality check

Status	Established
Decision	Compare declared intention with observed behavior to learn, not to label deviation as failure.
Context	The system must help recalibrate estimates, priorities and self-understanding without turning plans into moral obligations.
Rationale	Retrospective is a learning loop between intention, reality and subjective experience.
Consequences	Analytics and ceremony language must avoid punitive interpretation.
Revisit when	If some domain requires compliance-style tracking rather than reflective planning.
Related	DP03; SR13; Planning & Ceremonies, Self Model.

D004 - Progressive Structuring

Status	Established
Decision	Information should be allowed to grow from loose text to property/value, structured value, Entity and

	relational network as complexity and utility increase.
Context	GDPR/App Mobile, F2L, crochet ideas and Goal all showed that useful structure often emerges after initial capture.
Rationale	Upfront rigid schemas create boilerplate and force premature ontology decisions.
Consequences	Promotion and schema growth become central mechanisms; simple things stay simple.
Revisit when	If an implementation cannot support promotion without destructive migration.
Related	DP04, DP05, DP18; Information & Knowledge; R01.

D005 - Derive rather than duplicate

Status	Established
Decision	Do not store information as independent truth when it can be derived reliably from existing structure.
Context	Examples include F2L progress from algorithms, project completion from current vision, and inherited relevance through generic concepts.
Rationale	Reduces inconsistency, maintenance and semantic drift.
Consequences	Derived values need explainable provenance and recomputation rules.
Revisit when	When derivation is too expensive, unstable or context-dependent to reproduce reliably.
Related	DP06; Information & Knowledge; R11.

D006 - Phase is distinct from Temporal Period

Status	Established
Decision	Phase describes configuration, focus or development stage; Temporal Period describes when. They may overlap but are not equivalent.
Context	Monthly/bimonthly planning windows and project phases do not necessarily start/end together.
Rationale	Separating them preserves semantic correctness and allows project phases to cross planning windows.
Consequences	Future ontology must relate rather than merge the two constructs.
Revisit when	If later evidence shows Phase is merely a relation/state and not an Entity; distinction in meaning should still remain.
Related	Time & Experience; Intentionality & Progress; R06.

D007 - Inspiration is not first-class

Status	Established
Decision	Do not introduce Inspiration as a dedicated Entity type in the current model.
Context	Crochet/Pinterest showed inspiration can be an image/resource or simply a connection between things.
Rationale	No distinct lifecycle or operation currently justifies a dedicated type.
Consequences	Use Resource/Entity plus semantic relation such as inspires when useful.

Revisit when	If repeated workflows require independent lifecycle, status or queries for inspiration objects.
Related	Crochet case; Deferred concepts.

D008 - User controls Idea -> Project promotion

Status	Established
Decision	The system can mirror that an Idea behaves like a Project, but meaningful promotion remains an explicit user choice.
Context	Signals such as repeated edits, references, research, task creation and time investment may indicate maturation.
Rationale	Preserves autonomy and avoids turning system inference into commitment.
Consequences	Promotion UI should be suggestive, not automatic; historical context should be preserved.
Revisit when	If user explicitly opts into auto-promotion for a narrow domain.
Related	DP01, DP13; SR04; Intentionality & Progress.

D009 - Project deserves Entity-level identity

Status	Established
Decision	Project is treated as something with identity, intention, evolution, operational memory and reusable structure.
Context	Solducci, LaGenteStrana, Agrivoltaico and HistoryExplorer all require resumption, decomposition and state beyond a simple property.
Rationale	Removing Project identity loses continuity, lifecycle and navigability.
Consequences	Project may still be compositional rather than a rigid storage class.
Revisit when	If ontology later expresses Project entirely through capabilities without a semantic type; identity requirement remains.
Related	SR03, SR06; Intentionality & Progress; R04.

D010 - Generic knowledge is separate from contextual state

Status	Established
Decision	Generic Knowledge stays context-independent; relevance, blocker status, addressed state and project-specific decisions belong to the contextual application/relation.
Context	App Mobile requires regulations generically; GDPR is not globally a Solducci blocker, but the Solducci-GDPR relation can be.
Rationale	Avoids duplicating generic concepts and contaminating them with project-specific truth.
Consequences	Relations or contextual objects must be able to carry metadata/state.
Revisit when	If some contextual state proves intrinsic to a specialized Concept rather than relation metadata.
Related	DP15; Information & Knowledge; R03.

D011 - Operationality is capability-driven

Status	Established
Decision	Do not require an Entity to adopt a complete Operational schema. Properties/relations should enable the operations that depend on them.
Context	A Task-like thing may need status for transitions, duration for slot matching or schedule for calendar placement, without needing every possible field.
Rationale	Supports compositional behavior and progressive complexity.
Consequences	Ontology must explore schema -> capability -> operation and avoid all-or-nothing inheritance.
Revisit when	If capability discovery becomes too implicit or ambiguous for implementation.
Related	DP04, DP05, DP08; Capability System; R10.

D012 - Self-model remains revisable

Status	Established
Decision	Values, interests and interpretations of identity are current models, not immutable truths or mandatory bootstrap taxonomy.
Context	Reflections on autonomy, creativity, understanding, growth, connection and impact showed values can emerge through lived examples.
Rationale	A system intended to increase awareness should not make current convictions into controlling axioms.
Consequences	Ceremonies can surface discrepancies between declared model, behavior and subjective experience.
Revisit when	If user explicitly chooses stable commitments/values that should be treated as constraints for a period.
Related	DP10, DP20; SR16; Self, Values & Resonance.

Part A.2 - Working decisions / current interpretations

D013 - Session samples lived experience

Status	Working
Decision	Session currently means a bounded moment/activity of life that the system samples rather than exhaustively logs.
Context	Speedcubing required retaining activity, metrics and observations without copying every solve from cstimer.
Rationale	Generalizes to development, crochet and ceremonies.
Consequences	Need to formalize relation to Temporal Period, Activity and Ceremony.
Revisit when	After Time ontology stress test.
Related	Time & Experience; Speedcubing; R05.

D014 - Metric is structured measurement

Status	Working
Decision	Metric is a structured datum that samples a measurable aspect of reality, often attached to a Session.
Context	Single, Ao5 and Ao12 are useful session-level measures distinct from qualitative observations.
Rationale	Allows quantitative analysis without making Session itself purely metric.
Consequences	Need to define measurement schema, units and aggregation only when required.
Revisit when	When multiple metric domains are modeled.
Related	Time & Experience; Speedcubing.

D015 - Observation is optional and emergent

Status	Working
Decision	Observation is reflective content about something noticed; it should not be a mandatory property on all relevant entities.
Context	Users may add observations only when meaningful; repeated use may justify schema suggestions or queries.
Rationale	Supports emergent schema and low-friction capture.
Consequences	Need to determine whether Observation is a semantic property, Entity, note role or relation pattern.
Revisit when	During ontology tests for raw content and Entity promotion.
Related	DP18; Time & Experience.

D016 - Concept as Knowledge Entity

Status	Working
Decision	Concept is the leading candidate Entity type for structured Knowledge: something known, being

	understood or independently deepen-able.
Context	F2L, GDPR, App Mobile and Values all behave like referencable reusable concepts.
Rationale	Knowledge may be a network/family of Concepts rather than a separate duplicated container.
Consequences	Need to test identity threshold, composition and literal/raw content.
Revisit when	Information ontology formalization.
Related	Information & Knowledge; R02.

D017 - Value as Concept; Interest as relation

Status	Working
Decision	Personal Values may be Concepts related to Self; Interests may be relations between Self and Concepts/Entities rather than rigid types.
Context	Music is not intrinsically an Interest; it is something the person is interested in. Autonomy can be a Concept that resonates with projects.
Rationale	Keeps identity model compositional and dynamic.
Consequences	Need to define Self and temporal/intensity metadata.
Revisit when	Self ontology test.
Related	Self, Values & Resonance; R09.

D018 - Ceremony as maintenance session-like construct

Status	Working
Decision	Ceremony is currently understood as a structured maintenance session for self/system, with context presentation, reflection and decision steps.
Context	Daily/weekly/monthly/annual ceremonies all have temporal placement and experiential sampling, but also elaborate workflow and planning outputs.
Rationale	This interpretation unifies experience and maintenance while preserving ceremony-specific behavior.
Consequences	Need to avoid equating Ceremony with the Planning Period it governs.
Revisit when	Time/Ceremony formalization.
Related	Planning & Ceremonies; Time & Experience.

Part B - Deferred / deliberately not modeled now

Deferred does not mean rejected These concepts may become useful later. The current decision is that they do not yet justify dedicated ontology or workflow cost.

D019 - Passion as dedicated type

Why deferred: Passion appears derivable from interest, resonance, investment over time, motivation and identity; no unique operation currently requires a type.

Revisit when: If passion-specific lifecycle, ceremony behavior or queries become necessary.

D020 - Hypothesis / Evidence as universal types

Why deferred: Hypotheses may be useful in entrepreneurial exploration but feel unnecessary in low-commitment hobbies; Evidence has not shown distinct universal value.

Revisit when: If formal exploration/scientific decision workflows become recurrent.

Individual speedcube solve tracking

Why deferred: cstimer already owns detailed solve data; Life OS needs session summaries and observations, not duplication.

Revisit when: If a dedicated statistical study requires solve-level integration.

Exhaustive content snapshots

Why deferred: Historical value lies primarily in structural evolution; full snapshots create overhead and duplication.

Revisit when: If auditability or legal/history requirements appear.

Rigid self taxonomy

Why deferred: Values and interests should emerge and remain revisable.

Revisit when: If a later stable classification produces concrete operation benefits.

Mandatory complete Operational schema

Why deferred: Capabilities should emerge from properties actually needed.

Revisit when: If implementation requires explicit profiles for validation/performance.

Automatic Idea -> Project promotion

Why deferred: System should mirror and suggest, not declare commitment.

Revisit when: Only under explicit opt-in for a narrow workflow.

Part C - Working Hypotheses

These are useful starting points for Ontology Minimum v0.1, not decisions to preserve at all costs.

ID	Hypothesis	Current formulation
H001	**Primitive core**	Entity, Relation, Property/Literal and Time may be sufficient as a minimal primitive base.
H002	**Compositional semantic profiles**	Task, Session and possibly Project may combine semantic identity with capability/property profiles rather than rigid class inheritance.
H003	**Relation metadata**	Relations may carry contextual state such as relevance, blocker, coverage or target.
H004	**Goal promotion**	Goal may begin as a property/simple statement and become structured/Entity only when independent identity becomes useful.
H005	**Commitment relation**	Commitment may be represented as a relation between Entity and Temporal Period with target/allocation metadata.
H006	**Decision as act/event**	Decision may be better understood as the act that creates/changes intentional relations, while its statement may be preserved for retrospective.
H007	**Knowledge as graph/family**	Knowledge may be an organized network of Concepts/content/relations, not necessarily a separate container object.
H008	**Trajectory as derived structure**	Trajectory may emerge from Goal + Milestones + Phases + Tasks rather than requiring first-class identity.
H009	**Self as graph root or special Entity**	The model needs an explicit representation of Me/Self, but it is not yet clear whether this is a normal Entity or system root/context.
H010	**Emergent schema learning**	Repeated properties/relations in similar contexts may be observed by the system and proposed as reusable schema/capabilities.

Part D - Open Questions Register

The following questions are intentionally unresolved. Ontology work should answer them only through concrete tests against the requirements and case-study corpus.

OQ-A - Primitive Ontology

OQ-A01 What qualifies as an Entity strongly enough to justify independent identity?
OQ-A02 Is Property a primitive, or syntactic sugar over Relation + Literal?
OQ-A03 How should raw/unstructured text and literals be represented?
OQ-A04 How rich can Relation become before it should itself be promotable to Entity?
OQ-A05 Can Relations have identity/history independently of their endpoints?
OQ-A06 What are the formal rules and user experience of Entity promotion?

OQ-B - Capability System

OQ-B01 How are properties/relations mapped to capabilities?
OQ-B02 Are capabilities declared, derived or both?
OQ-B03 Where do operations live: ontology, schema/profile, application layer or view?
OQ-B04 Can an Entity adopt multiple behavior profiles without conflicting semantics?
OQ-B05 How should required vs optional properties be expressed without recreating rigid classes?

OQ-C - Knowledge

OQ-C01 What exactly distinguishes Concept from Knowledge?
OQ-C02 Does Knowledge itself need Entity identity or is it a family/network role?
OQ-C03 How are nested/composed Concepts represented without imposing a taxonomy?
OQ-C04 How is mastery/progress derived from subparts and current scope?
OQ-C05 How is generic Knowledge applied to concrete entities while keeping contextual state separate?
OQ-C06 When does an Observation or project lesson become reusable Knowledge?

OQ-D - Time & Experience

OQ-D01 What is the minimal formal structure of Session?
OQ-D02 What is the exact role of Temporal Period?
OQ-D03 What is Phase ontologically: Entity, relation/state, structured property or something else?
OQ-D04 How do Phases overlap Temporal Periods and Sessions?
OQ-D05 How should recurrence/cadence be represented for maintenance and ceremonies?
OQ-D06 Should subjective experience remain mostly raw content, or does some recurring schema earn a place?

OQ-E - Intentionality

OQ-E01 When is Goal a simple property and when an Entity?
OQ-E02 How is Goal completion represented and derived?
OQ-E03 Is Scenario an Entity, structured Goal, graph fragment or view?
OQ-E04 What exactly makes a Milestone different from a smaller Goal?
OQ-E05 How should Task semantic identity interact with capability-driven operationality?
OQ-E06 Is Commitment best modeled as relation, allocation object or temporal edge?
OQ-E07 Does Decision need persistent Entity identity or only preserved statement/provenance?
OQ-E08 Can Trajectory remain fully derived?

OQ-F - Self

OQ-F01 What is Me/Self in the graph?
OQ-F02 How much personal identity should be explicit before maintenance becomes intrusive?
OQ-F03 How are Values revised over time without turning revision into administrative work?
OQ-F04 How should resonance be represented and contextualized?
OQ-F05 How should Interest intensity/recency evolve temporally?

OQ-F06 How should the system present discrepancies between declared values and behavior without over-interpreting them?

OQ-G - Views & Intelligence

OQ-G01 How is the preferred lens selected: context, phase, mode, inactivity, ceremony or user choice?
OQ-G02 Which signals are sufficiently reliable to derive automatically?
OQ-G03 How should importance weight inactivity without producing noisy reminders?
OQ-G04 How can imbalance be estimated without over-measuring life?
OQ-G05 How can suggestions remain explainable and non-annoying?
OQ-G06 How are synergies surfaced without generating an overwhelming graph of weak connections?

OQ-H - Under-tested domains

OQ-H01 Does the model fit Health without turning care into a Project by default?
OQ-H02 Can Relationships be represented without scoring or bureaucratizing people?
OQ-H03 How do Bureaucracy and recurring obligations fit Task/Period/recurrence models?
OQ-H04 Is Travel better represented as temporary Project, Experience structure, or a composition?
OQ-H05 How should recurring maintenance debt and cadence work?
OQ-H06 Do collaborative projects require ownership/permission concepts in the personal model?

OQ-I - Implementation (intentionally deferred)

OQ-I01 What storage architecture best supports progressive promotion and relational queries?
OQ-I02 What parts belong in notes/files versus structured database?
OQ-I03 What UI best supports progressive disclosure and multiple views?
OQ-I04 What should AI derive automatically versus only suggest?
OQ-I05 How should external tools such as calendar, trackers or source apps integrate without duplication?

Part E - Current design frontier

Frontier The next cycle is Ontology Minimum v0.1. It should not try to answer every open question. It should identify the smallest primitive/compositional model that survives the strongest case studies and preserves the foundation principles.

Recommended investigation order

1. Define Entity precisely enough to be operational.
2. Test Property vs Relation and introduce Literal/raw content.
3. Define Relation and contextual metadata.
4. Define Entity promotion.
5. Formalize schema -> capability -> operation.
6. Introduce Time.
7. Stress-test Session.
8. Stress-test Task.
9. Stress-test Concept/Knowledge.
10. Stress-test Project.
11. Test Goal/Milestone/Scenario/Trajectory.
12. Test Temporal Period/Phase/Commitment/Decision.
13. Run all six primary case studies.
14. Run secondary life-maintenance tests.
15. Remove any primitive or type that is not earning its cost.

Success criteria

- Represent strong cases naturally, not merely technically.
- Keep simple entities lightweight.
- Support progressive depth without destructive migration.
- Avoid redundant state when derivation is reliable.
- Represent contextual truth correctly.
- Enable resume after inactivity.
- Preserve user autonomy in promotion, prioritization and self-interpretation.
- Keep maintenance cost proportional to value.
- Leave unresolved questions visibly unresolved when evidence is insufficient.