IMMUNIZATION RECORD

Name of the Child.....

Date of Birth:..... Time.....

Type of Delivery.....

Birth Weight..... Length.....

Neonatal Status.....

Obstetrician/Gynaecologist.....

Name of the Mother .....Blood Group.....

Name of the Father .....Blood Group.....

Details of Siblings.....

ಕ್ಲಿನಿಕ್:83103 75323
63601 01690

ಡಾ॥ ಸಿದ್ಧಾರ್ಥ್ ಇ.ಎಸ್.
ಎಂ.ಡಿ. (ಪೀಡಿಯಾಟ್ರಿಕ್ಸ್)
ನವಜಾತ ಶಿಶು ಮತ್ತು ಮಕ್ಕಳ ತಜ್ಞರು

ಶಿವ ಮೆಟರ್ನಿಟಿ & ಚೈಲ್ಡ್ ಹೆಲ್ತ್ ಕ್ಲಿನಿಕ್

2ನೇ ಮೇನ್, 3ನೇ ಕ್ರಾಸ್, ಮಾಮಾಸ್ ಜಾಯಿಂಟ್ ರೋಡ್,
ಪೀಟರ್ ಇಂಗ್ಲೆಂಡ್ ಶೋರೂಂ ಕ್ರಾಸ್, ಎಂ.ಸಿ.ಸಿ. 'ಬಿ' ಬ್ಲಾಕ್, ದಾವಣಗೆರೆ–4.

ಸಮಯ : ಬೆ.10 ರಿಂದ 3.00, ಸಂ. 6 ರಿಂದ 9, ಭಾನುವಾರ : ಬೆ. 11 ರಿಂದ ಮ. 2

IMMUNIZATION RECORD

S.No.	Age	Vaccines	Due Date	Given Date	Vaccine Stickers/Comments
1.	Birth	BCG			
		OPV			
		Hep B-1			
2.	6 weeks	DTwP/DTaP -1			
		HepB2			
		Hib-1			
		IPV-1[a]			
		Rotavirus-1			
		PCV-1			
3.	10 weeks	DTwP/DTaP -2			
		HepB-3			
		Hib-2			
		IPV-2[a]			
		Rotavirus-2			
		PCV-2			
4.	14 weeks	DTwP/DTaP -3			
		HepB-4[b]			
		Hib-3			
		IPV-3[a]			
		Rotavirus-3[c]			
		PCV-3			
5.	6 months	TCV[i]			
		Influenza (IIV)-1[d]			
6.	7 months	Influenza (IIV)-2[d]			Re-vaccination with 1 dose every year
7.	9 months	MMR-1			
		MCV-1[e]			
8.	12 months	Hep A-1			
		JE-1[f]			
		MCV-2[e]			
9.	13 months	JE-2[f]			
10.	15 months	MMR-2			
		Varicella-1			
		PCV booster			
11.	16 - 18 months	DTwP/DTaP-B1			
		Hib-B1			
		IPV-B1[a]			
12.	18 - 19 months	Hep A-2[g]			
		Varicella-2			
13.	4 - 6 years	DTwP/DTaP-B[2]			
		IPV-B2			
		MMR3			
14.	10 - 12 years	Tdap/Td			
		HPV[h] 1&2 (0 & 6 months)			
15.	Other vaccines				

Adopted from the IAP Immunization Schedule 2021

Refer to important points in next page.

Seeing your Baby grow healthy, your happiness shall multiply

2 MONTHS



- Begins to smile at people
  Tries to look at parent
- Can briefly calm himself
  (may bring hands to mouth and suck on hand)

6 MONTHS



- Knows familiar faces and strangers.
- Begins to say consonant sounds
  (jabbering with "m", "b")
- Shows curiosity
- Rolls over in both directions
  (front to back, back to front)

12 MONTHS



- Is shy or nervous with strangers
- Explores things in different ways,
  like shaking, throwing
- May take a few steps without holding on
- Looks at the right pictures or thing when It's named

2 YEARS



- Kicks a ball, Begins to run
- Gets excited when with other children
- Shows more and more independence
- Says sentences with 2 to 4 words
- Copies others, especially adults and older children

4 MONTHS



- Likes to play with people and
  might cry when playing stop
- Smiles spontaneously.
  Begins to babble.
- Copies some movements and
  facial expressions, like smiling or frowning

9 MONTHS



- Makes sound like "mamamama"
  and "babababababa"
- Understands "no", Uses fingers
- to point at things
- Copies sounds and gestures of others
  Stands, Holding on sits without support, Crawls

18 MONTHS



- Likes to hand things to others as play
- May have temper tantrums
- Points to show others something
- May walk up steps, run & Walks alone
- Says several single words Says and shakes head "no"

3 YEARS



- Dresses and undresses self
- Follows instructions with 2 or 3 steps
- Can name most familiar things
- Climbs well, Runs easily
- Shows affection for friends without prompting

POWER TO PROTECT



Important Points/References

a. IPV: If IPV / IPV combination vaccines are not affordable or available the child should be sent to Govt centre to complete IPV as per UIP schedule.

b. Hepatitis-B: Birth dose within 24 HRS. 4thDose is permissible for combination vaccines.

c. Rotavirus: Third dose not required for Rv1.

d. Influenza: Inactivated influenza vaccine-6 months onwards- 2 doses, 1 month apart; followed by one dose annually till 5 years of age.
Uniform 0.5ml for DCGI approved brands (for all age groups)

e. Meningococcal vaccine (MCV): 2 doses with a gap of 3 months starting from 9 months of age or single dose 2 years and above depending on approved Brands.

f. Japanese Encephalitis (JE): Two doses 28 days apart for children up to 18 years of age.

g. HEP-A Vaccine : Two doses for Inactivated Vaccine & Single dose for live attenuated vaccine

h. HPV (For Girls): 2 doses at 6 months interval for 9-14 years age; 3 doses (at 0, 1-2 & 6 months) 15 years or older and immunocompromised.

I. TCV: Routine vaccination between 6 to 9 months of age & Catch up till 18 years.
TCV can be given along with MMR at 9 Months.

Age (month)	Energy needed per day in addition to breast milk (from WHO document) (Calories)	Texture		Average amount of each meal
6-8	200	Start with thick porridge, well mashed food	2-3 meal per day plus frequent Breast-feeding. Depending on appetite offer 1-2 snacks	Start with 2-3 table spoonfuls Increasing to 1/2 of a 250 ml cup
9-11	300	Finely chopped or mashed foods, and foods that baby can pick up	3-4 meals plus breast-feed. Depending on appetite offer 1-2 snacks	1/2 of a 250ml cup/bowl
12-33	500	Family foods, chopped or mashed If necessary	3-4 meals plus breast-feed. Depending on appetite offer 1-2 snacks	3/4 to one 250ml cup/bowl

Ref: Infant and Young Child Feeding Guidelines, 2016. Indian Pediatrics. 2016 Aug 8; 53(8): 703-13.
From The Infant and Young Child Feeding (IYCF) chapter of Indian Academy of Pediatrics.

BE
Biological E. Limited
Vaccines