Postman API Documentation

FIELD	DETAILS
API Name	Postman
Version	12.8.4
Base URL	`https://api.getpostman.com`
Author	Gokul S Anand
Last Updated	May 6, 2026

Overview

Postman is a tool designed for testing and interacting with APIs. It enables users to send requests and view responses, supporting REST, GraphQL, WebSocket, and gRPC methods. This guide outlines the API endpoints for developers creating Postman integrations, specifically targeting those who are familiar with REST APIs but new to Postman.

Base URL

`https://api.getpostman.com`

All endpoints are relative to this base URL.

Authentication

To get an API Key:

1. Log in to `postman.com`
2. Go to **Settings** → **API Keys**
3. Click **Generate API Key**

> 📝 **Note:** Copy and store it securely; it won't be shown again.

Format of the API Key: `PMAK-xxxxxx`

Authorization: `X-API-Key` `PMAK-xxxxx`

> ⚠️ **Warning:** Never share your API key publicly. Keep it secure at all times.

Rate Limiting

Postman's API has rate limits for each user during specific time periods. When you use a key, you're limited to 300 requests per minute. Every API response includes headers showing your usage.

Headers

METHOD	HEADERS
GET	`X-Api-Key`
POST	`X-Api-Key`, `Content-Type: application/json`
PUT	`X-Api-Key`, `Content-Type: application/json`
DELETE	`X-Api-Key`

Response Format

All responses return JSON:


```
{
    "workspaces": [
        {
            "id": "34ea80af-261d-4655-a9af-e56406de04e4",
            "name": "Personal Workspace",
            "type": "team",
            "visibility": "public",
            "createdBy": "53663724",
            "about": "This is your personal, private workspace to play
around in.",
            "createdAt": "2026-04-01T05:26:12.000Z",
            "updatedAt": "2026-05-01T17:58:46.000Z"
        },
        {
            "id": "c13d343c-fbd2-4562-83d7-4c0c06240cca",
            "name": "Gokul S Ananad's Workspace",
            "type": "team",
            "visibility": "team",
            "createdBy": "53663724",
```

```
            "about": "",
            "createdAt": "2026-04-06T18:00:26.000Z",
            "updatedAt": "2026-04-07T10:02:55.000Z"
        },
        {
            "id": "c7cbd19a-7d42-4ede-a6db-d3007616590b",
            "name": "Notion Api Testing",
            "type": "team",
            "visibility": "team",
            "createdBy": "53663724",
            "about": "This workspace helps our team maintain a high
quality bar for our APIs.",
            "createdAt": "2026-04-11T09:23:43.000Z",
            "updatedAt": "2026-04-11T09:23:45.000Z"
        }
    ]
}
```

Endpoints

1. Fetch User Info

Returns details about the user info your API key is linked with.

Endpoint:

`GET /me`

Headers:

HEADER	VALUE
Authorization	`X-Api-Key` `PMAK-XXXX`

Response:


```
{
    "user": {
        "id": 53663724,
        "sub": "03fe0ae0-4b59-4239-9889-329ecdcc9057",
        "username": "gokul-s-anand",
        "email": "twrgokul02@gmail.com",
        "fullName": "Gokul S Ananad",
```

```
        "avatar":
"https://res.cloudinary.com/postman/image/upload/t_user_profile_300/v177
5021368359/user/2df13d22e41cc6c44b2a565493fd9d37",
        "isPublic": true,
        "emailVerified": true,
        "teamId": 14837945,
        "teamName": "Gokul S Ananad's Team",
        "teamDomain": "gold-trinity-1068502",
        "roles": [
            "admin",
            "billing",
            "user"
        ]
    },
    "operations": [
        {
            "name": "file_storage_limit",
            "limit": 100,
            "usage": 0,
            "overage": 0
        },
        {
            "name": "flow_count",
            "limit": 99999999,
            "usage": 0,
            "overage": 0
        },
        {
            "name": "internal_specifications",
            "limit": 99999999,
            "usage": 0,
            "overage": 0
        },
        {
            "name": "performance_test_limit",
            "limit": 99999999,
            "usage": 0,
            "overage": 0
        },
        {
            "name": "test_data_retrieval",
            "limit": 99999999,
            "usage": 0,
            "overage": 0
        },
        {
            "name": "test_data_storage",
            "limit": 8.88,
            "usage": 0,
            "overage": 0
        },
```

```
            {
                "name": "ai_millicredits",
                "limit": 50,
                "usage": 23,
                "overage": 0
            },
            {
                "name": "collection_run_limit",
                "limit": 99999999,
                "usage": 0,
                "overage": 0
            },
            {
                "name": "mock_usage",
                "limit": 99999999,
                "usage": 0,
                "overage": 0
            },
            {
                "name": "monitor_request_runs",
                "limit": 1000,
                "usage": 3,
                "overage": 0
            },
            {
                "name": "api_usage",
                "limit": 10000,
                "usage": 50,
                "overage": 0
            },
            {
                "name": "flow_requests",
                "limit": 25,
                "usage": 0,
                "overage": 0
            },
            {
                "name": "flows_local_runs",
                "limit": 99999999,
                "usage": 0,
                "overage": 0
            }
        ]
    }
```


Response Fields:

FIELD	TYPE	DESCRIPTION
`user`	object	User details
`id`	integer	Unique identifier of the user
`sub`	string	Unique subject identifier of the user
`username`	string	Username of the user
`email`	string	Email address of the user
`fullName`	string	Full name of the user
`avatar`	string	URL of the user's profile image
`isPublic`	boolean	Indicates whether the user profile is public
`emailVerified`	boolean	Indicates whether the email is verified
`teamId`	integer	Identifier of the user's team
`teamName`	string	Name of the user's team
`teamDomain`	string	Domain of the user's team
`roles`	array	List of roles assigned to the user
`roles[]`	string	Individual role assigned to the user
`operations`	array	List of operational limits and usage
`operations[]`	object	Individual operation object
`name`	string	Name of the operation
`limit`	number	Maximum allowed limit for the operation
`usage`	number	Current usage of the operation
`overage`	number	Amount exceeded beyond the limit

Status Codes:

CODE	MEANING
`200`	User info fetched successfully
`400`	Bad request — missing or invalid fields
`401`	Unauthorized — invalid or missing token
`404`	Not found - The requested resource does not exist
`500`	Internal server error

---

2. Get all Workspaces

Returns back all the workspaces that are linked to your API key.

Endpoint:

`GET /workspaces`

Headers:

HEADER	VALUE
Authorization	`X-Api-Key` `PMAK-XXXX`

Response:


```
{
    "workspaces": [
        {
            "id": "34ea80af-261d-4655-a9af-e56406de04e4",
            "name": "Personal Workspace",
            "type": "team",
            "visibility": "team",
            "createdBy": "53663724",
            "about": "This is your personal, private workspace to play
around in.",
            "createdAt": "2026-04-01T05:26:12.000Z",
            "updatedAt": "2026-05-02T12:15:23.000Z"
        },
        {
            "id": "c13d343c-fbd2-4562-83d7-4c0c06240cca",
            "name": "Gokul S Ananad's Workspace",
            "type": "team",
            "visibility": "team",
            "createdBy": "53663724",
            "about": "",
            "createdAt": "2026-04-06T18:00:26.000Z",
            "updatedAt": "2026-04-07T10:02:55.000Z"
        },
        {
            "id": "c7cbd19a-7d42-4ede-a6db-d3007616590b",
            "name": "Notion Api Testing",
            "type": "team",
            "visibility": "team",
            "createdBy": "53663724",
            "about": "This workspace helps our team maintain a high
quality bar for our APIs.",
```

```
            "createdAt": "2026-04-11T09:23:43.000Z",
            "updatedAt": "2026-04-11T09:23:45.000Z"
        },
        {
            "id": "67e2ac91-8342-4703-8d06-2b0eb0d34332",
            "name": "New Personal Workspace",
            "type": "team",
            "visibility": "personal",
            "createdBy": "53663724",
            "about": "",
            "createdAt": "2026-05-02T05:44:40.000Z",
            "updatedAt": "2026-05-02T05:44:40.000Z"
        },
        {
            "id": "2fb9a1bc-4b71-4d85-a8d2-2fb878507819",
            "name": "3esxfdvg",
            "type": "team",
            "visibility": "team",
            "createdBy": "53663724",
            "about": "This workspace helps our team maintain a high
quality bar for our APIs.",
            "createdAt": "2026-05-02T06:12:23.000Z",
            "updatedAt": "2026-05-02T06:12:26.000Z"
        },
        {
            "id": "0bff42e2-a3b3-4531-bbca-64e03d42449e",
            "name": "user guide",
            "type": "team",
            "visibility": "public",
            "createdBy": "53663724",
            "about": "Public workspace.",
            "createdAt": "2026-05-02T12:06:13.000Z",
            "updatedAt": "2026-05-02T12:06:13.000Z"
        },
        {
            "id": "64fd966e-c700-4e3c-9d8f-a93edb7abfd6",
            "name": "po api",
            "type": "team",
            "visibility": "public",
            "createdBy": "53663724",
            "about": "Public workspace.",
            "createdAt": "2026-05-05T13:55:07.000Z",
            "updatedAt": "2026-05-05T13:55:07.000Z"
        }
    ]
}
```


Response Fields:

FIELD	TYPE	DESCRIPTION
`workspaces`	array	List of workspace objects
`workspaces[]`	object	Individual workspace object
`id`	string	Unique identifier of the workspace
`name`	string	Name of the workspace
`type`	string	Type of the workspace (e.g., team)
`visibility`	string	Visibility level of the workspace (e.g., team, personal, public)
`createdBy`	string	Identifier of the user who created the workspace
`about`	string	Description of the workspace
`createdAt`	string	Timestamp when the workspace was created (ISO 8601)
`updatedAt`	string	Timestamp of the last update (ISO 8601)

Status Codes:

CODE	MEANING
`200`	Collected all workspaces successfully
`400`	Bad request — missing or invalid fields
`401`	Unauthorized — invalid or missing token
`404`	Not found - The requested resource does not exist
`500`	Internal server error

---

3. Fetch a Specific Workspace

Returns details of a particular workspace.

Endpoint:

`GET /workspaces/{workspaceId}`

Path parameters:

PARAMETER	TYPE	REQUIRED	DESCRIPTION
`workspaceID`	string	Yes	Unique ID of the workspace

Headers:

HEADER	VALUE
Authorization	`X-Api-Key` `PMAK-XXXX`

Response:


```
{
    "workspace": {
        "id": "34ea80af-261d-4655-a9af-e56406de04e4",
        "name": "Personal Workspace",
        "type": "team",
        "description": null,
        "visibility": "team",
        "createdBy": "53663724",
        "updatedBy": "53663724",
        "createdAt": "2026-04-01T05:26:12.000Z",
        "updatedAt": "2026-05-02T12:15:23.000Z",
        "about": "This is your personal, private workspace to play
around in.",
        "collections": [
            {
                "id": "db289dc7-d0f9-45f7-94ae-5c366c69f095",
                "name": "POSTMAN",
                "uid": "53663724-db289dc7-d0f9-45f7-94ae-5c366c69f095"
            },
            {
                "id": "15e3671f-9f6f-485c-89d6-9a32536f4d22",
                "name": "ANTHROPIC",
                "uid": "53663724-15e3671f-9f6f-485c-89d6-9a32536f4d22"
            },
            {
                "id": "c18dd000-f7ce-482a-847e-7e26a19fb71b",
                "name": "NOTION",
                "uid": "53663724-c18dd000-f7ce-482a-847e-7e26a19fb71b"
            },
            {
                "id": "e7ecb82e-f372-4353-805d-a0db8166176b",
                "name": "postman api doc",
                "uid": "53663724-e7ecb82e-f372-4353-805d-a0db8166176b"
            }
        ],
        "environments": [
            {
                "id": "9396fef2-ffc4-4f94-9ae1-04a1cf77bc18",
                "name": "GOKUL",
                "uid": "53663724-9396fef2-ffc4-4f94-9ae1-04a1cf77bc18"
            }
        ],
```

```
            "monitors": [
                {
                    "id": "1f146c43-5f8a-4ce0-abe0-49ae56173d06",
                    "name": "ANTHROPIC",
                    "uid": "53663724-1f146c43-5f8a-4ce0-abe0-49ae56173d06",
                    "deactivated": false
                }
            ]
        }
    }
```

Response Fields:

FIELD	TYPE	DESCRIPTION
`workspace`	object	Workspace details
`id`	string	Unique identifier of the workspace
`name`	string	Name of the workspace
`type`	string	Type of the workspace (e.g., team)
`description`	null/string	Description of the workspace (null if not set)
`visibility`	string	Visibility level of the workspace
`createdBy`	string	Identifier of the user who created the workspace
`updatedBy`	string	Identifier of the user who last updated the workspace
`createdAt`	string	Timestamp when the workspace was created (ISO 8601)
`updatedAt`	string	Timestamp of the last update (ISO 8601)
`about`	string	Additional information about the
workspace		
`collections`	array	List of collection objects
`collections[]`	object	Individual collection object
`id`	string	Unique identifier of the collection
`name`	string	Name of the collection
`uid`	string	Unique user-specific identifier of the collection
`environments`	array	List of environment objects
`environments[]`	object	Individual environment object

FIELD	TYPE	DESCRIPTION
`id`	string	Unique identifier of the environment
`name`	string	Name of the environment
`uid`	string	Unique user-specific identifier of the environment
`monitors`	array	List of monitor objects
`monitors[]`	object	Individual monitor object
`id`	string	Unique identifier of the monitor
`name`	string	Name of the monitor
`uid`	string	Unique user-specific identifier of the monitor
`deactivated`	boolean	Indicates whether the monitor is deactivated

Status Codes:

CODE	MEANING
`200`	Specific workspace fetched successfully
`400`	Bad request — missing or invalid fields
`401`	Unauthorized — invalid or missing token
`404`	Not found - The requested resource does not exist
`500`	Internal server error

---

4. Create a Workspace

Creates a new workspace.

Endpoint:

`POST /workspaces`

Headers:

HEADER	VALUE
Authorization	`X-Api-Key` `PMAK-XXXX`
Content-Type	`application/json`

Request:

```
{
    "workspace": {
        "name": "user guide",
        "type": "public",
        "description": "This is a public workspace.",
        "about": "Public workspace."
    }
}
```

Request Fields

FIELD	TYPE	DESCRIPTION
`workspace`	object	Contains workspace creation details
`name`	string	Name of the workspace
`type`	string	Type/visibility of the workspace (e.g., public, team, private)
`description`	string	Short description of the workspace
`about`	string	Additional details or purpose of the workspace

Response:

```
{
    "workspace": {
        "id": "76de7912-a4ff-48d7-9d85-bdfa3de594e8",
        "name": "techTWR"
    }
}
```

Response Fields:

FIELD	TYPE	DESCRIPTION
`workspace`	object	Workspace details
`id`	string	Unique identifier of the workspace
`name`	string	Name of the workspace

Status Codes:

CODE	MEANING
`200`	Create new workspace successfully
`400`	Bad request — missing or invalid fields
`401`	Unauthorized — invalid or missing token
`404`	Not found - The requested resource does not exist
`500`	Internal server error

---

5. Get all Collections

Returns back all the collections linked to your API key.

Endpoint:

`GET /collections`

Headers:

HEADER	VALUE
Authorization	`X-Api-Key` `PMAK-XXXX`

Response:


```
{
    "collections": [
        {
            "id": "15e3671f-9f6f-485c-89d6-9a32536f4d22",
            "name": "ANTHROPIC",
            "owner": "53663724",
            "createdAt": "2026-04-29T13:48:15.000Z",
            "updatedAt": "2026-04-29T13:50:17.000Z",
            "uid": "53663724-15e3671f-9f6f-485c-89d6-9a32536f4d22",
            "isPublic": false
        },
        {
            "id": "5409d1ac-77cf-4872-90ee-71e2afe4879a",
            "name": "API Portfolio",
            "owner": "53663724",
            "createdAt": "2026-05-02T06:05:27.000Z",
            "updatedAt": "2026-05-02T06:05:28.000Z",
```

```
            "uid": "53663724-5409d1ac-77cf-4872-90ee-71e2afe4879a",
            "isPublic": false
        },
        {
            "id": "7de2c98e-79ba-46fb-b4b3-d6db57b1982b",
            "name": "Contract Testing",
            "owner": "53663724",
            "createdAt": "2026-05-02T06:12:26.000Z",
            "updatedAt": "2026-05-02T06:12:27.000Z",
            "uid": "53663724-7de2c98e-79ba-46fb-b4b3-d6db57b1982b",
            "isPublic": false
        },
        {
            "id": "cdf10ded-f909-4ebc-bc29-1d04c42ba35c",
            "name": "Integration Testing",
            "owner": "53663724",
            "createdAt": "2026-04-11T09:23:46.000Z",
            "updatedAt": "2026-04-11T09:23:47.000Z",
            "uid": "53663724-cdf10ded-f909-4ebc-bc29-1d04c42ba35c",
            "isPublic": false
        },
        {
            "id": "d66d5052-2423-491d-aaf4-949ba7dbc0ae",
            "name": "Integration Testing",
            "owner": "53663724",
            "createdAt": "2026-05-02T06:12:28.000Z",
            "updatedAt": "2026-05-02T06:12:29.000Z",
            "uid": "53663724-d66d5052-2423-491d-aaf4-949ba7dbc0ae",
            "isPublic": false
        },
        {
            "id": "67452ee7-f1ce-4d26-b54b-97b90080db30",
            "name": "Intro to Writing Tests",
            "owner": "53663724",
            "createdAt": "2026-04-11T09:23:46.000Z",
            "updatedAt": "2026-04-11T09:23:47.000Z",
            "uid": "53663724-67452ee7-f1ce-4d26-b54b-97b90080db30",
            "isPublic": false
        },
        {
            "id": "86ba07af-1747-47b2-99b2-6e2c4d723182",
            "name": "Intro to Writing Tests",
            "owner": "53663724",
            "createdAt": "2026-05-02T06:12:28.000Z",
            "updatedAt": "2026-05-02T06:12:29.000Z",
            "uid": "53663724-86ba07af-1747-47b2-99b2-6e2c4d723182",
            "isPublic": false
        },
        {
            "id": "77c175aa-e8f6-48b0-aef5-db096157dec1",
            "name": "Mock Data Generation",
```

```
            "owner": "53663724",
            "createdAt": "2026-05-02T06:12:28.000Z",
            "updatedAt": "2026-05-02T06:12:28.000Z",
            "uid": "53663724-77c175aa-e8f6-48b0-aef5-db096157dec1",
            "isPublic": false
        },
        {
            "id": "d76fdcb5-d0d4-4868-9ca0-94f7c6421f0e",
            "name": "Mock Data Generation",
            "owner": "53663724",
            "createdAt": "2026-04-11T09:23:46.000Z",
            "updatedAt": "2026-04-11T09:23:46.000Z",
            "uid": "53663724-d76fdcb5-d0d4-4868-9ca0-94f7c6421f0e",
            "isPublic": false
        },
        {
            "id": "c18dd000-f7ce-482a-847e-7e26a19fb71b",
            "name": "NOTION",
            "owner": "53663724",
            "createdAt": "2026-04-11T09:26:26.000Z",
            "updatedAt": "2026-05-01T11:04:17.000Z",
            "uid": "53663724-c18dd000-f7ce-482a-847e-7e26a19fb71b",
            "isPublic": false
        },
        {
            "id": "db289dc7-d0f9-45f7-94ae-5c366c69f095",
            "name": "POSTMAN",
            "owner": "53663724",
            "createdAt": "2026-05-01T18:28:10.000Z",
            "updatedAt": "2026-05-05T14:14:35.000Z",
            "uid": "53663724-db289dc7-d0f9-45f7-94ae-5c366c69f095",
            "isPublic": false
        },
        {
            "id": "6b5e29e5-920b-4423-be7c-b004fd2dab0c",
            "name": "Performance Testing",
            "owner": "53663724",
            "createdAt": "2026-05-02T06:12:27.000Z",
            "updatedAt": "2026-05-02T06:12:28.000Z",
            "uid": "53663724-6b5e29e5-920b-4423-be7c-b004fd2dab0c",
            "isPublic": false
        },
        {
            "id": "248de445-d718-4004-ae0c-36d605d40472",
            "name": "Performance Testing",
            "owner": "53663724",
            "createdAt": "2026-04-11T09:23:46.000Z",
            "updatedAt": "2026-04-11T09:23:46.000Z",
            "uid": "53663724-248de445-d718-4004-ae0c-36d605d40472",
            "isPublic": false
        },
```

```
            {
                "id": "bc713bf6-d29d-48f3-b019-544085035094",
                "name": "Postman Portfolio",
                "owner": "53663724",
                "createdAt": "2026-05-05T14:12:05.000Z",
                "updatedAt": "2026-05-05T14:12:06.000Z",
                "uid": "53663724-bc713bf6-d29d-48f3-b019-544085035094",
                "isPublic": false
            },
            {
                "id": "0b19365d-9b6b-4891-8499-8198e11b9ba6",
                "name": "Postman Portfolio",
                "owner": "53663724",
                "createdAt": "2026-05-02T05:44:41.000Z",
                "updatedAt": "2026-05-02T05:44:41.000Z",
                "uid": "53663724-0b19365d-9b6b-4891-8499-8198e11b9ba6",
                "isPublic": false
            },
            {
                "id": "1d57910a-ced2-4320-9119-aae8a19c4522",
                "name": "Regression Testing",
                "owner": "53663724",
                "createdAt": "2026-04-11T09:23:45.000Z",
                "updatedAt": "2026-04-11T09:23:46.000Z",
                "uid": "53663724-1d57910a-ced2-4320-9119-aae8a19c4522",
                "isPublic": false
            },
            {
                "id": "3b9d9173-d0e8-4db2-919f-cf236565b1c2",
                "name": "Regression Testing",
                "owner": "53663724",
                "createdAt": "2026-05-02T06:12:27.000Z",
                "updatedAt": "2026-05-02T06:12:27.000Z",
                "uid": "53663724-3b9d9173-d0e8-4db2-919f-cf236565b1c2",
                "isPublic": false
            },
            {
                "id": "e7ecb82e-f372-4353-805d-a0db8166176b",
                "name": "postman api doc",
                "owner": "53663724",
                "createdAt": "2026-04-07T10:06:46.000Z",
                "updatedAt": "2026-05-05T14:10:15.000Z",
                "uid": "53663724-e7ecb82e-f372-4353-805d-a0db8166176b",
                "isPublic": false
            }
        ]
    }
```

Response Fields:

FIELD	TYPE	DESCRIPTION
`collections`	array	List of collection objects
`collections[]`	object	Individual collection object
`id`	string	Unique identifier of the collection
`name`	string	Name of the collection
`owner`	string	Identifier of the collection owner
`createdAt`	string	Timestamp when the collection was created (ISO 8601)
`updatedAt`	string	Timestamp of the last update (ISO 8601)
`uid`	string	Unique user-specific identifier of the collection
`isPublic`	boolean	Indicates whether the collection is
public		

Status Codes:

CODE	MEANING
`200`	All collections fetched successfully
`400`	Bad request — missing or invalid fields
`401`	Unauthorized — invalid or missing token
`404`	Not found - The requested resource does not exist
`500`	Internal server error

---

6. Fetch a Specific Collection

Returns details of a specific collection.

Endpoint:

`GET /collections/{collectionId}`

Path Parameters:

PARAMETER	TYPE	REQUIRED	DESCRIPTION
`collectionID`	string	Yes	Unique ID of the collection

Headers:

HEADER	VALUE
Authorization	`X-Api-Key` `PMAK-XXXX`

Response:


```
{
    "collection": {
        "info": {
            "_postman_id": "c18dd000-f7ce-482a-847e-7e26a19fb71b",
            "name": "NOTION",
            "schema":
"https://schema.getpostman.com/json/collection/v2.1.0/collection.json",
            "createdAt": "2026-04-11T09:26:26.000Z",
            "updatedAt": "2026-05-01T11:04:16.000Z",
            "lastUpdatedBy": "53663724",
            "uid": "53663724-c18dd000-f7ce-482a-847e-7e26a19fb71b"
        },
        "item": [
            {
                "name": "create a new page",
                "id": "9dd184e1-f275-4f63-b3a7-8880a4ea76a8",
                "protocolProfileBehavior": {
                    "disableBodyPruning": true
                },
                "request": {
                    "auth": {
                        "type": "bearer",
                        "bearer": [
                            {
                                "key": "token",
                                "value": "{{vault:authorization-
secret}}",
                                "type": "string"
                            }
                        ]
                    },
                    "method": "POST",
                    "header": [
                        {
                            "key": "Content-Type",
                            "value": "application/json"
                        },
                        {
                            "key": "Notion-Version",
```

```
                            "value": "2022-06-28",
                            "type": "text"
                        },
                        {
                            "key": "Authorization",
                            "value":
"Bearer_ntn_218336376358nHTIC0hAPiQMmZkKxFf17rCr8GcSdiGdwT",
                            "type": "text"
                        }
                    ],
                    "body": {
                        "mode": "raw",
                        "raw": "{\n  \"parent\": {\n    \"page_id\":
\"34051562df03806ab9d7cd40439aef35\"\n  },\n  \"properties\": {\n
\"title\": {\n      \"title\": [{ \"text\": { \"content\": \"new
notion\" } }]\n    }\n  }\n}"
                    },
                    "url": {
                        "raw": "https://api.notion.com/v1/pages",
                        "protocol": "https",
                        "host": [
                            "api",
                            "notion",
                            "com"
                        ],
                        "path": [
                            "v1",
                            "pages"
                        ]
                    }
                },
                "response": [
                    {
                        "id": "783ff102-c5bf-46e1-a137-979a3ac64720",
                        "name": "create a new page",
                        "originalRequest": {
                            "method": "POST",
                            "header": [
                                {
                                    "key": "Content-Type",
                                    "value": "application/json"
                                },
                                {
                                    "key": "Notion-Version",
                                    "value": "2022-06-28",
                                    "type": "text"
                                },
                                {
                                    "key": "Authorization",
                                    "value":
"Bearer_ntn_218336376358nHTIC0hAPiQMmZkKxFf17rCr8GcSdiGdwT",
```

```
                                    "type": "text"
                                }
                            ],
                            "body": {
                                "mode": "raw",
                                "raw": "{\n  \"parent\": {\n
\"page_id\": \"34051562df03806ab9d7cd40439aef35\"\n  },\n
\"properties\": {\n    \"title\": {\n      \"title\": [{ \"text\": {
\"content\": \"new notion\" } }]\n    }\n  }\n}"
                            },
                            "url": {
                                "raw":
"https://api.notion.com/v1/pages",
                                "protocol": "https",
                                "host": [
                                    "api",
                                    "notion",
                                    "com"
                                ],
                                "path": [
                                    "v1",
                                    "pages"
                                ]
                            }
                        },
                        "status": "OK",
                        "code": 200,
                        "_postman_previewlanguage": "Text",
                        "header": [
                            {
                                "key": ":status",
                                "value": 200
                            },
                            {
                                "key": "date",
                                "value": "Mon, 13 Apr 2026 08:28:16 GMT"
                            },
                            {
                                "key": "content-type",
                                "value": "application/json; charset=utf-
8"
                            },
                            {
                                "key": "cf-ray",
                                "value": "9eb918a71bf57f5f-MAA"
                            },
                            {
                                "key": "cf-cache-status",
                                "value": "DYNAMIC"
                            },
                            {
```

```
                                "key": "etag",
                                "value": "W/\"3d3-
H9CaqJ36zbTMPM+agtvy/vH0IpY\""
                            },
                            {
                                "key": "server",
                                "value": "cloudflare"
                            },
                            {
                                "key": "strict-transport-security",
                                "value": "max-age=31536000;
includeSubDomains; preload"
                            },
                            {
                                "key": "vary",
                                "value": "Accept-Encoding"
                            },
                            {
                                "key": "content-security-policy",
                                "value": "default-src 'none'"
                            },
                            {
                                "key": "referrer-policy",
                                "value": "strict-origin-when-cross-
origin"
                            },
                            {
                                "key": "x-content-type-options",
                                "value": "nosniff"
                            },
                            {
                                "key": "x-dns-prefetch-control",
                                "value": "off"
                            },
                            {
                                "key": "x-download-options",
                                "value": "noopen"
                            },
                            {
                                "key": "x-frame-options",
                                "value": "SAMEORIGIN"
                            },
                            {
                                "key": "x-notion-request-id",
                                "value": "6648a0a9-e6fd-4443-8dc1-
5f1886147ec1"
                            },
                            {
                                "key": "x-permitted-cross-domain-
policies",
                                "value": "none"
```

```
                                },
                                {
                                    "key": "x-xss-protection",
                                    "value": "0"
                                },
                                {
                                    "key": "content-encoding",
                                    "value": "gzip"
                                },
                                {
                                    "key": "alt-svc",
                                    "value": "h3=\":443\"; ma=86400"
                                }
                            ],
                            "cookie": [],
                            "responseTime": null,
                            "body": "{\n    \"object\": \"page\",\n
\"id\": \"34151562-df03-81a6-a2c3-c82b3003edd8\",\n    \"created_time\":
\"2026-04-13T08:28:00.000Z\",\n    \"last_edited_time\": \"2026-04-
13T08:28:00.000Z\",\n    \"created_by\": {\n        \"object\":
\"user\",\n        \"id\": \"33f51562-df03-81b1-bc3a-0027d86fa2da\"\n
},\n    \"last_edited_by\": {\n        \"object\": \"user\",\n
\"id\": \"33f51562-df03-81b1-bc3a-0027d86fa2da\"\n    },\n    \"cover\":
null,\n    \"icon\": null,\n    \"parent\": {\n        \"type\":
\"page_id\",\n        \"page_id\": \"34051562-df03-806a-b9d7-
cd40439aef35\"\n    },\n    \"in_trash\": false,\n    \"is_archived\":
false,\n    \"is_locked\": false,\n    \"properties\": {\n
\"title\": {\n            \"id\": \"title\",\n            \"type\":
\"title\",\n            \"title\": [\n                {\n
\"type\": \"text\",\n                    \"text\": {\n
\"content\": \"new notion\",\n                        \"link\": null\n
},\n                    \"annotations\": {\n
\"bold\": false,\n                        \"italic\": false,\n
\"strikethrough\": false,\n                        \"underline\":
false,\n                        \"code\": false,\n
\"color\": \"default\"\n                    },\n
\"plain_text\": \"new notion\",\n                    \"href\": null\n
}\n            ]\n        }\n    },\n    \"url\":
\"https://www.notion.so/new-notion-34151562df0381a6a2c3c82b3003edd8\",\n
\"public_url\": null,\n    \"archived\": false,\n
\"developer_survey\": \"https://notionup.typeform.com/to/bllBsoI4?
utm_source=postman\",\n    \"request_id\": \"6648a0a9-e6fd-4443-8dc1-
5f1886147ec1\"\n}",
                            "createdAt": "2026-04-13T09:47:51.000Z",
                            "updatedAt": "2026-04-13T09:47:51.000Z",
                            "uid": "53663724-783ff102-c5bf-46e1-a137-
979a3ac64720"
                        }
                    ],
                    "createdAt": "2026-04-11T09:27:37.000Z",
                    "updatedAt": "2026-04-13T11:12:31.000Z",
```

```
                "uid": "53663724-9dd184e1-f275-4f63-b3a7-8880a4ea76a8"
            },
            {
                "name": "fetch a page by id",
                "id": "9ebaa941-cbfc-4f9c-b047-c284283cd124",
                "protocolProfileBehavior": {
                    "disableBodyPruning": true
                },
                "request": {
                    "auth": {
                        "type": "bearer",
                        "bearer": [
                            {
                                "key": "token",
                                "value": "{{vault:authorization-
secret}}",
                                "type": "string"
                            }
                        ]
                    },
                    "method": "GET",
                    "header": [
                        {
                            "key": "Content-Type",
                            "value": "application/json",
                            "type": "text"
                        },
                        {
                            "key": "Notion-Version",
                            "value": "2022-06-28",
                            "type": "text"
                        }
                    ],
                    "url": {
                        "raw":
"https://api.notion.com/v1/pages/34051562df03806ab9d7cd40439aef35",
                        "protocol": "https",
                        "host": [
                            "api",
                            "notion",
                            "com"
                        ],
                        "path": [
                            "v1",
                            "pages",
                            "34051562df03806ab9d7cd40439aef35"
                        ]
                    }
                },
                "response": [
                    {
```

```
                            "id": "02478d6c-0193-4327-89d1-e0c86d06c2f4",
                            "name": "fetch a page by id",
                            "originalRequest": {
                                "method": "GET",
                                "header": [
                                    {
                                        "key": "Content-Type",
                                        "value": "application/json",
                                        "type": "text"
                                    },
                                    {
                                        "key": "Notion-Version",
                                        "value": "2022-06-28",
                                        "type": "text"
                                    },
                                    {
                                        "key": "Authorization",
                                        "value": "{{vault:bearer-token}}",
                                        "type": "text"
                                    }
                                ],
                                "url": {
                                    "raw":
"https://api.notion.com/v1/pages/34051562df03806ab9d7cd40439aef35",
                                    "protocol": "https",
                                    "host": [
                                        "api",
                                        "notion",
                                        "com"
                                    ],
                                    "path": [
                                        "v1",
                                        "pages",
                                        "34051562df03806ab9d7cd40439aef35"
                                    ]
                                }
                            },
                            "status": "OK",
                            "code": 200,
                            "_postman_previewlanguage": "Text",
                            "header": [
                                {
                                    "key": ":status",
                                    "value": 200
                                },
                                {
                                    "key": "date",
                                    "value": "Mon, 13 Apr 2026 08:27:32 GMT"
                                },
                                {
                                    "key": "content-type",
```

```
                                "value": "application/json; charset=utf-
8"
                            },
                            {
                                "key": "cf-ray",
                                "value": "9eb9178ecfc17f5f-MAA"
                            },
                            {
                                "key": "cf-cache-status",
                                "value": "DYNAMIC"
                            },
                            {
                                "key": "content-encoding",
                                "value": "gzip"
                            },
                            {
                                "key": "etag",
                                "value": "W/\"42d-
PtfoTrA7xVIcGAVgpDnDPjyjazE\""
                            },
                            {
                                "key": "server",
                                "value": "cloudflare"
                            },
                            {
                                "key": "strict-transport-security",
                                "value": "max-age=31536000;
includeSubDomains; preload"
                            },
                            {
                                "key": "vary",
                                "value": "Accept-Encoding"
                            },
                            {
                                "key": "content-security-policy",
                                "value": "default-src 'none'"
                            },
                            {
                                "key": "referrer-policy",
                                "value": "strict-origin-when-cross-
origin"
                            },
                            {
                                "key": "x-content-type-options",
                                "value": "nosniff"
                            },
                            {
                                "key": "x-dns-prefetch-control",
                                "value": "off"
                            },
                            {
```

```
                                "key": "x-download-options",
                                "value": "noopen"
                            },
                            {
                                "key": "x-frame-options",
                                "value": "SAMEORIGIN"
                            },
                            {
                                "key": "x-notion-request-id",
                                "value": "f2a7d57a-09bd-465b-8bbd-
732b8ef9ed1a"
                            },
                            {
                                "key": "x-permitted-cross-domain-
policies",
                                "value": "none"
                            },
                            {
                                "key": "x-xss-protection",
                                "value": "0"
                            },
                            {
                                "key": "alt-svc",
                                "value": "h3=\":443\"; ma=86400"
                            }
                        ],
                        "cookie": [],
                        "responseTime": null,
                        "body": "{\n    \"object\": \"page\",\n
\"id\": \"34051562-df03-806a-b9d7-cd40439aef35\",\n    \"created_time\":
\"2026-04-12T11:55:00.000Z\",\n    \"last_edited_time\": \"2026-04-
13T07:16:00.000Z\",\n    \"created_by\": {\n        \"object\":
\"user\",\n        \"id\": \"33ed872b-594c-81ef-a03c-00026e2d4efd\"\n
},\n    \"last_edited_by\": {\n        \"object\": \"user\",\n
\"id\": \"33f51562-df03-81b1-bc3a-0027d86fa2da\"\n    },\n    \"cover\":
{\n        \"type\": \"external\",\n        \"external\": {\n
\"url\": \"https://www.notion.so/images/page-
cover/nationalMuseumOfAsianArt_landscapeWithGibbonsAndCranes.jpg\"\n
}\n    },\n    \"icon\": null,\n    \"parent\": {\n        \"type\":
\"workspace\",\n        \"workspace\": true\n    },\n    \"in_trash\":
false,\n    \"is_archived\": false,\n    \"is_locked\": false,\n
\"properties\": {\n        \"title\": {\n            \"id\":
\"title\",\n            \"type\": \"title\",\n            \"title\": [\n
{\n                    \"type\": \"text\",\n
\"text\": {\n                        \"content\": \"gokul\",\n
\"link\": null\n                    },\n
\"annotations\": {\n                        \"bold\": false,\n
\"italic\": false,\n                        \"strikethrough\": false,\n
\"underline\": false,\n                        \"code\": false,\n
\"color\": \"default\"\n                    },\n
\"plain_text\": \"gokul\",\n                    \"href\": null\n
```

```
}\n            ]\n        }\n    },\n    \"url\":
\"https://www.notion.so/gokul-34051562df03806ab9d7cd40439aef35\",\n
\"public_url\": null,\n    \"archived\": false,\n
\"developer_survey\": \"https://notionup.typeform.com/to/bllBsoI4?
utm_source=postman\",\n    \"request_id\": \"f2a7d57a-09bd-465b-8bbd-
732b8ef9ed1a\"\n}",
                        "createdAt": "2026-04-13T09:47:59.000Z",
                        "updatedAt": "2026-04-13T09:47:59.000Z",
                        "uid": "53663724-02478d6c-0193-4327-89d1-
e0c86d06c2f4"
                    }
                ],
                "createdAt": "2026-04-13T06:07:21.000Z",
                "updatedAt": "2026-04-13T09:47:59.000Z",
                "uid": "53663724-9ebaa941-cbfc-4f9c-b047-c284283cd124"
            },
            {
                "name": "update page",
                "id": "5e23b692-3cd0-4607-8e42-e7adc8789dfd",
                "protocolProfileBehavior": {
                    "disableBodyPruning": true
                },
                "request": {
                    "auth": {
                        "type": "bearer",
                        "bearer": [
                            {
                                "key": "token",
                                "value": "{{vault:authorization-
secret}}",
                                "type": "string"
                            }
                        ]
                    },
                    "method": "PATCH",
                    "header": [
                        {
                            "key": "Content-Type",
                            "value": "application/json",
                            "type": "text"
                        },
                        {
                            "key": "Notion-Version",
                            "value": "2022-06-28",
                            "type": "text"
                        }
                    ],
                    "body": {
                        "mode": "raw",
                        "raw": "{\r\n  \"properties\": {\r\n
\"title\": {\r\n      \"title\": [{ \"text\": { \"content\": \"gokul\" }
```

```
}]\r\n    }\r\n  }\r\n}",
                        "options": {
                            "raw": {
                                "language": "json"
                            }
                        }
                    },
                    "url": {
                        "raw":
"https://api.notion.com/v1/pages/34051562df03806ab9d7cd40439aef35",
                        "protocol": "https",
                        "host": [
                            "api",
                            "notion",
                            "com"
                        ],
                        "path": [
                            "v1",
                            "pages",
                            "34051562df03806ab9d7cd40439aef35"
                        ]
                    }
                },
                "response": [],
                "createdAt": "2026-04-13T07:23:58.000Z",
                "updatedAt": "2026-04-13T07:23:58.000Z",
                "uid": "53663724-5e23b692-3cd0-4607-8e42-e7adc8789dfd"
            },
            {
                "name": "retreive base schema",
                "id": "9f3dfaa8-cf15-436c-9faf-e5647d46f27f",
                "protocolProfileBehavior": {
                    "disableBodyPruning": true
                },
                "request": {
                    "auth": {
                        "type": "bearer",
                        "bearer": [
                            {
                                "key": "token",
                                "value": "{{vault:authorization-
secret}}",
                                "type": "string"
                            }
                        ]
                    },
                    "method": "GET",
                    "header": [
                        {
                            "key": "Content-Type",
                            "value": "application/json",
```

```
                            "type": "text"
                        },
                        {
                            "key": "Notion-Version",
                            "value": "2022-06-28",
                            "type": "text"
                        }
                    ],
                    "url": {
                        "raw":
"https://api.notion.com/v1/databases/34151562df0380c3a20bfed75ebccced",
                        "protocol": "https",
                        "host": [
                            "api",
                            "notion",
                            "com"
                        ],
                        "path": [
                            "v1",
                            "databases",
                            "34151562df0380c3a20bfed75ebccced"
                        ]
                    }
                },
                "response": [],
                "createdAt": "2026-04-13T18:20:09.000Z",
                "updatedAt": "2026-04-13T18:20:09.000Z",
                "uid": "53663724-9f3dfaa8-cf15-436c-9faf-e5647d46f27f"
            },
            {
                "name": "retreive child blocks",
                "id": "d4984a2f-98fa-438e-9399-2318387fc419",
                "protocolProfileBehavior": {
                    "disableBodyPruning": true
                },
                "request": {
                    "auth": {
                        "type": "bearer",
                        "bearer": [
                            {
                                "key": "token",
                                "value": "{{vault:authorization-
secret}}",
                                "type": "string"
                            }
                        ]
                    },
                    "method": "GET",
                    "header": [
                        {
                            "key": "Content-Type",
```

```
                            "value": "application/json",
                            "type": "text"
                        },
                        {
                            "key": "Notion-Version",
                            "value": "2022-06-28",
                            "type": "text"
                        }
                    ],
                    "url": {
                        "raw":
"https://api.notion.com/v1/blocks/34051562df03806ab9d7cd40439aef35/child
ren",
                        "protocol": "https",
                        "host": [
                            "api",
                            "notion",
                            "com"
                        ],
                        "path": [
                            "v1",
                            "blocks",
                            "34051562df03806ab9d7cd40439aef35",
                            "children"
                        ]
                    }
                },
                "response": [
                    {
                        "id": "4730c0e7-2f42-447b-9909-16da0f19162a",
                        "name": "retreive child blocks",
                        "originalRequest": {
                            "method": "GET",
                            "header": [
                                {
                                    "key": "Content-Type",
                                    "value": "application/json",
                                    "type": "text"
                                },
                                {
                                    "key": "Notion-Version",
                                    "value": "2022-06-28",
                                    "type": "text"
                                }
                            ],
                            "url": {
                                "raw":
"https://api.notion.com/v1/blocks/34051562df03806ab9d7cd40439aef35/child
ren",
                                "protocol": "https",
                                "host": [
```

```
                                    "api",
                                    "notion",
                                    "com"
                                ],
                                "path": [
                                    "v1",
                                    "blocks",
                                    "34051562df03806ab9d7cd40439aef35",
                                    "children"
                                ]
                            }
                        },
                        "status": "OK",
                        "code": 200,
                        "_postman_previewlanguage": "Text",
                        "header": [
                            {
                                "key": ":status",
                                "value": 200
                            },
                            {
                                "key": "date",
                                "value": "Mon, 13 Apr 2026 18:24:47 GMT"
                            },
                            {
                                "key": "content-type",
                                "value": "application/json; charset=utf-
8"
                            },
                            {
                                "key": "cf-ray",
                                "value": "9ebc8272fbd92c07-MAA"
                            },
                            {
                                "key": "cf-cache-status",
                                "value": "DYNAMIC"
                            },
                            {
                                "key": "content-encoding",
                                "value": "gzip"
                            },
                            {
                                "key": "etag",
                                "value": "W/\"1277-
D5cH6dWWdEsiV6J/wPnOdVgUHHA\""
                            },
                            {
                                "key": "server",
                                "value": "cloudflare"
                            },
                            {
```

```
                                "key": "strict-transport-security",
                                "value": "max-age=31536000;
includeSubDomains; preload"
                            },
                            {
                                "key": "vary",
                                "value": "Accept-Encoding"
                            },
                            {
                                "key": "content-security-policy",
                                "value": "default-src 'none'"
                            },
                            {
                                "key": "referrer-policy",
                                "value": "strict-origin-when-cross-
origin"
                            },
                            {
                                "key": "x-content-type-options",
                                "value": "nosniff"
                            },
                            {
                                "key": "x-dns-prefetch-control",
                                "value": "off"
                            },
                            {
                                "key": "x-download-options",
                                "value": "noopen"
                            },
                            {
                                "key": "x-frame-options",
                                "value": "SAMEORIGIN"
                            },
                            {
                                "key": "x-notion-request-id",
                                "value": "7e27e82d-c1dc-4ff2-9ed3-
522e363bc650"
                            },
                            {
                                "key": "x-permitted-cross-domain-
policies",
                                "value": "none"
                            },
                            {
                                "key": "x-xss-protection",
                                "value": "0"
                            },
                            {
                                "key": "alt-svc",
                                "value": "h3=\":443\"; ma=86400"
                            }
```

```
                        ],
                        "cookie": [],
                        "responseTime": null,
                        "body": "{\n    \"object\": \"list\",\n
\"results\": [\n        {\n            \"object\": \"block\",\n
\"id\": \"34051562-df03-80c0-bc43-fce363bee5bf\",\n
\"parent\": {\n                \"type\": \"page_id\",\n
\"page_id\": \"34051562-df03-806a-b9d7-cd40439aef35\"\n            },\n
\"created_time\": \"2026-04-12T11:56:00.000Z\",\n
\"last_edited_time\": \"2026-04-12T11:59:00.000Z\",\n
\"created_by\": {\n                \"object\": \"user\",\n
\"id\": \"33ed872b-594c-81ef-a03c-00026e2d4efd\"\n            },\n
\"last_edited_by\": {\n                \"object\": \"user\",\n
\"id\": \"33ed872b-594c-81ef-a03c-00026e2d4efd\"\n            },\n
\"has_children\": false,\n            \"in_trash\": false,\n
\"type\": \"paragraph\",\n            \"paragraph\": {\n
\"rich_text\": [\n                    {\n
\"type\": \"text\",\n                        \"text\": {\n
\"content\": \"Notion is used by 30 million people globally for
documentation, project management, and knowledge bases. We expose a
public API allowing developers to build integrations — automating page
creation, database queries, and content updates. Our current API docs
are written by engineers and lack clarity for developers new to our
platform. We need a Technical Writer to rebuild the core API
reference.\",\n                            \"link\": null\n
},\n                        \"annotations\": {\n
\"bold\": false,\n                            \"italic\": false,\n
\"strikethrough\": false,\n                            \"underline\":
false,\n                            \"code\": false,\n
\"color\": \"default\"\n                        },\n
\"plain_text\": \"Notion is used by 30 million people globally for
documentation, project management, and knowledge bases. We expose a
public API allowing developers to build integrations — automating page
creation, database queries, and content updates. Our current API docs
are written by engineers and lack clarity for developers new to our
platform. We need a Technical Writer to rebuild the core API
reference.\",\n                        \"href\": null\n
}\n                ],\n                \"icon\": null,\n
\"color\": \"default\"\n            },\n            \"archived\":
false\n        },\n        {\n            \"object\": \"block\",\n
\"id\": \"34051562-df03-81d0-b27f-e1622a0bf74f\",\n
\"parent\": {\n                \"type\": \"page_id\",\n
\"page_id\": \"34051562-df03-806a-b9d7-cd40439aef35\"\n            },\n
\"created_time\": \"2026-04-12T12:36:00.000Z\",\n
\"last_edited_time\": \"2026-04-13T18:19:00.000Z\",\n
\"created_by\": {\n                \"object\": \"user\",\n
\"id\": \"33f51562-df03-81b1-bc3a-0027d86fa2da\"\n            },\n
\"last_edited_by\": {\n                \"object\": \"user\",\n
\"id\": \"33ed872b-594c-81ef-a03c-00026e2d4efd\"\n            },\n
\"has_children\": false,\n            \"in_trash\": false,\n
\"type\": \"child_page\",\n            \"child_page\": {\n
```

\"title\": \"Brand\"\n },\n \"archived\": false\n
},\n {\n \"object\": \"block\",\n \"id\":
\"34151562-df03-80f6-a134-d0225736708b\",\n \"parent\": {\n
\"type\": \"page_id\",\n \"page_id\": \"34051562-df03-
806a-b9d7-cd40439aef35\"\n },\n \"created_time\":
\"2026-04-13T10:55:00.000Z\",\n \"last_edited_time\": \"2026-
04-13T10:55:00.000Z\",\n \"created_by\": {\n
\"object\": \"user\",\n \"id\": \"33ed872b-594c-81ef-
a03c-00026e2d4efd\"\n },\n \"last_edited_by\": {\n
\"object\": \"user\",\n \"id\": \"33ed872b-594c-81ef-
a03c-00026e2d4efd\"\n },\n \"has_children\":
false,\n \"in_trash\": false,\n \"type\":
\"paragraph\",\n \"paragraph\": {\n
\"rich_text\": [],\n \"icon\": null,\n
\"color\": \"default\"\n },\n \"archived\":
false\n },\n {\n \"object\": \"block\",\n
\"id\": \"34151562-df03-8146-92d4-cf446fbd43a5\",\n
\"parent\": {\n \"type\": \"page_id\",\n
\"page_id\": \"34051562-df03-806a-b9d7-cd40439aef35\"\n },\n
\"created_time\": \"2026-04-13T06:05:00.000Z\",\n
\"last_edited_time\": \"2026-04-13T06:05:00.000Z\",\n
\"created_by\": {\n \"object\": \"user\",\n
\"id\": \"33f51562-df03-81b1-bc3a-0027d86fa2da\"\n },\n
\"last_edited_by\": {\n \"object\": \"user\",\n
\"id\": \"33f51562-df03-81b1-bc3a-0027d86fa2da\"\n },\n
\"has_children\": false,\n \"in_trash\": false,\n
\"type\": \"child_page\",\n \"child_page\": {\n
\"title\": \"new notion\"\n },\n \"archived\":
false\n },\n {\n \"object\": \"block\",\n
\"id\": \"34151562-df03-8157-ac8f-dd6065bdb7a6\",\n
\"parent\": {\n \"type\": \"page_id\",\n
\"page_id\": \"34051562-df03-806a-b9d7-cd40439aef35\"\n },\n
\"created_time\": \"2026-04-13T08:28:00.000Z\",\n
\"last_edited_time\": \"2026-04-13T08:28:00.000Z\",\n
\"created_by\": {\n \"object\": \"user\",\n
\"id\": \"33f51562-df03-81b1-bc3a-0027d86fa2da\"\n },\n
\"last_edited_by\": {\n \"object\": \"user\",\n
\"id\": \"33f51562-df03-81b1-bc3a-0027d86fa2da\"\n },\n
\"has_children\": false,\n \"in_trash\": false,\n
\"type\": \"child_page\",\n \"child_page\": {\n
\"title\": \"new notion\"\n },\n \"archived\":
false\n },\n {\n \"object\": \"block\",\n
\"id\": \"34151562-df03-81a6-a2c3-c82b3003edd8\",\n
\"parent\": {\n \"type\": \"page_id\",\n
\"page_id\": \"34051562-df03-806a-b9d7-cd40439aef35\"\n },\n
\"created_time\": \"2026-04-13T08:28:00.000Z\",\n
\"last_edited_time\": \"2026-04-13T08:28:00.000Z\",\n
\"created_by\": {\n \"object\": \"user\",\n
\"id\": \"33f51562-df03-81b1-bc3a-0027d86fa2da\"\n },\n
\"last_edited_by\": {\n \"object\": \"user\",\n
\"id\": \"33f51562-df03-81b1-bc3a-0027d86fa2da\"\n },\n

```
\"has_children\": false,\n            \"in_trash\": false,\n
\"type\": \"child_page\",\n            \"child_page\": {\n
\"title\": \"new notion\"\n            },\n            \"archived\":
false\n        },\n        {\n            \"object\": \"block\",\n
\"id\": \"34151562-df03-8006-bebe-e7407547a187\",\n
\"parent\": {\n                \"type\": \"page_id\",\n
\"page_id\": \"34051562-df03-806a-b9d7-cd40439aef35\"\n            },\n
\"created_time\": \"2026-04-13T10:56:00.000Z\",\n
\"last_edited_time\": \"2026-04-13T10:56:00.000Z\",\n
\"created_by\": {\n                \"object\": \"user\",\n
\"id\": \"33ed872b-594c-81ef-a03c-00026e2d4efd\"\n            },\n
\"last_edited_by\": {\n                \"object\": \"user\",\n
\"id\": \"33ed872b-594c-81ef-a03c-00026e2d4efd\"\n            },\n
\"has_children\": false,\n            \"in_trash\": false,\n
\"type\": \"paragraph\",\n            \"paragraph\": {\n
\"rich_text\": [],\n                \"icon\": null,\n
\"color\": \"default\"\n            },\n            \"archived\":
false\n        }\n    ],\n    \"next_cursor\": null,\n    \"has_more\":
false,\n    \"type\": \"block\",\n    \"block\": {},\n
\"developer_survey\": \"https://notionup.typeform.com/to/bllBsoI4?
utm_source=postman\",\n    \"request_id\": \"7e27e82d-c1dc-4ff2-9ed3-
522e363bc650\"\n}",
                        "createdAt": "2026-04-13T18:29:47.000Z",
                        "updatedAt": "2026-04-13T18:29:47.000Z",
                        "uid": "53663724-4730c0e7-2f42-447b-9909-
16da0f19162a"
                    }
                ],
                "createdAt": "2026-04-13T18:29:42.000Z",
                "updatedAt": "2026-04-13T18:29:47.000Z",
                "uid": "53663724-d4984a2f-98fa-438e-9399-2318387fc419"
            },
            {
                "name": "update block",
                "id": "b5b41fc1-4a5f-45bb-8745-ca3bb5b2ba47",
                "protocolProfileBehavior": {
                    "disableBodyPruning": true
                },
                "request": {
                    "auth": {
                        "type": "bearer",
                        "bearer": [
                            {
                                "key": "token",
                                "value": "{{vault:authorization-
secret}}",
                                "type": "string"
                            }
                        ]
                    },
                    "method": "PATCH",
```

```
                    "header": [
                        {
                            "key": "Content-Type",
                            "value": "application/json",
                            "type": "text"
                        },
                        {
                            "key": "Notion-Version",
                            "value": "2022-06-28",
                            "type": "text"
                        }
                    ],
                    "body": {
                        "mode": "raw",
                        "raw": "{\r\n  \"paragraph\": {\r\n
\"rich_text\": [{ \"text\": { \"content\": \"make the title full bold\"
} }]\r\n  }\r\n}",
                        "options": {
                            "raw": {
                                "language": "json"
                            }
                        }
                    },
                    "url": {
                        "raw":
"https://api.notion.com/v1/blocks/34051562-df03-80c0-bc43-fce363bee5bf",
                        "protocol": "https",
                        "host": [
                            "api",
                            "notion",
                            "com"
                        ],
                        "path": [
                            "v1",
                            "blocks",
                            "34051562-df03-80c0-bc43-fce363bee5bf"
                        ]
                    }
                },
                "response": [
                    {
                        "id": "a1933e93-459c-461f-a1c6-74a15421af77",
                        "name": "update block",
                        "originalRequest": {
                            "method": "PATCH",
                            "header": [
                                {
                                    "key": "Content-Type",
                                    "value": "application/json",
                                    "type": "text"
                                },
```

```
                                {
                                    "key": "Notion-Version",
                                    "value": "2022-06-28",
                                    "type": "text"
                                }
                            ],
                            "body": {
                                "mode": "raw",
                                "raw": "{\r\n  \"paragraph\": {\r\n
\"rich_text\": [{ \"text\": { \"content\": \"make the title full bold\"
} }]\r\n  }\r\n}",
                                "options": {
                                    "raw": {
                                        "language": "json"
                                    }
                                }
                            },
                            "url": {
                                "raw":
"https://api.notion.com/v1/blocks/34051562-df03-80c0-bc43-fce363bee5bf",
                                "protocol": "https",
                                "host": [
                                    "api",
                                    "notion",
                                    "com"
                                ],
                                "path": [
                                    "v1",
                                    "blocks",
                                    "34051562-df03-80c0-bc43-
fce363bee5bf"
                                ]
                            }
                        },
                        "status": "OK",
                        "code": 200,
                        "_postman_previewlanguage": "Text",
                        "header": [
                            {
                                "key": ":status",
                                "value": 200
                            },
                            {
                                "key": "date",
                                "value": "Mon, 13 Apr 2026 18:56:13 GMT"
                            },
                            {
                                "key": "content-type",
                                "value": "application/json; charset=utf-
8"
                            },
```

```
                                {
                                    "key": "cf-ray",
                                    "value": "9ebcb0839bb1c784-MAA"
                                },
                                {
                                    "key": "cf-cache-status",
                                    "value": "DYNAMIC"
                                },
                                {
                                    "key": "etag",
                                    "value": "W/\"378-
iNWVvNmsyfdViAsNxh6pZzrbzws\""
                                },
                                {
                                    "key": "server",
                                    "value": "cloudflare"
                                },
                                {
                                    "key": "strict-transport-security",
                                    "value": "max-age=31536000;
includeSubDomains; preload"
                                },
                                {
                                    "key": "vary",
                                    "value": "Accept-Encoding"
                                },
                                {
                                    "key": "content-security-policy",
                                    "value": "default-src 'none'"
                                },
                                {
                                    "key": "referrer-policy",
                                    "value": "strict-origin-when-cross-
origin"
                                },
                                {
                                    "key": "x-content-type-options",
                                    "value": "nosniff"
                                },
                                {
                                    "key": "x-dns-prefetch-control",
                                    "value": "off"
                                },
                                {
                                    "key": "x-download-options",
                                    "value": "noopen"
                                },
                                {
                                    "key": "x-frame-options",
                                    "value": "SAMEORIGIN"
                                },
```

```
                            {
                                "key": "x-notion-request-id",
                                "value": "d3d94088-d43e-414d-8a19-
9e6dd1622b3b"
                            },
                            {
                                "key": "x-permitted-cross-domain-
policies",
                                "value": "none"
                            },
                            {
                                "key": "x-xss-protection",
                                "value": "0"
                            },
                            {
                                "key": "content-encoding",
                                "value": "gzip"
                            },
                            {
                                "key": "alt-svc",
                                "value": "h3=\":443\"; ma=86400"
                            }
                        ],
                        "cookie": [],
                        "responseTime": null,
                        "body": "{\n    \"object\": \"block\",\n
\"id\": \"34051562-df03-80c0-bc43-fce363bee5bf\",\n    \"parent\": {\n
\"type\": \"page_id\",\n        \"page_id\": \"34051562-df03-806a-b9d7-
cd40439aef35\"\n    },\n    \"created_time\": \"2026-04-
12T11:56:00.000Z\",\n    \"last_edited_time\": \"2026-04-
13T18:56:00.000Z\",\n    \"created_by\": {\n        \"object\":
\"user\",\n        \"id\": \"33ed872b-594c-81ef-a03c-00026e2d4efd\"\n
},\n    \"last_edited_by\": {\n        \"object\": \"user\",\n
\"id\": \"33f51562-df03-81b1-bc3a-0027d86fa2da\"\n    },\n
\"has_children\": false,\n    \"in_trash\": false,\n    \"type\":
\"paragraph\",\n    \"paragraph\": {\n        \"rich_text\": [\n
{\n                \"type\": \"text\",\n                \"text\": {\n
\"content\": \"make the title full bold\",\n
\"link\": null\n                },\n                \"annotations\": {\n
\"bold\": false,\n                    \"italic\": false,\n
\"strikethrough\": false,\n                    \"underline\": false,\n
\"code\": false,\n                    \"color\": \"default\"\n
},\n                \"plain_text\": \"make the title full bold\",\n
\"href\": null\n            }\n        ],\n        \"icon\": null,\n
\"color\": \"default\"\n    },\n    \"archived\": false,\n
\"developer_survey\": \"https://notionup.typeform.com/to/bllBsoI4?
utm_source=postman\",\n    \"request_id\": \"d3d94088-d43e-414d-8a19-
9e6dd1622b3b\"\n}",
                        "createdAt": "2026-04-13T18:57:10.000Z",
                        "updatedAt": "2026-04-13T18:57:10.000Z",
                        "uid": "53663724-a1933e93-459c-461f-a1c6-
```

```
74a15421af77"
                    }
                ],
                "createdAt": "2026-04-13T18:57:03.000Z",
                "updatedAt": "2026-04-13T18:57:10.000Z",
                "uid": "53663724-b5b41fc1-4a5f-45bb-8745-ca3bb5b2ba47"
            },
            {
                "name": "delete a block",
                "id": "834d41f3-5881-4cfe-b784-d16fa60da804",
                "protocolProfileBehavior": {
                    "disableBodyPruning": true
                },
                "request": {
                    "auth": {
                        "type": "bearer",
                        "bearer": [
                            {
                                "key": "token",
                                "value": "{{vault:authorization-
secret}}",
                                "type": "string"
                            }
                        ]
                    },
                    "method": "DELETE",
                    "header": [
                        {
                            "key": "Content-Type",
                            "value": "application/json",
                            "type": "text"
                        },
                        {
                            "key": "Notion-Version",
                            "value": "2022-06-28",
                            "type": "text"
                        }
                    ],
                    "url": {
                        "raw":
"https://api.notion.com/v1/blocks/34051562-df03-80c0-bc43-fce363bee5bf",
                        "protocol": "https",
                        "host": [
                            "api",
                            "notion",
                            "com"
                        ],
                        "path": [
                            "v1",
                            "blocks",
                            "34051562-df03-80c0-bc43-fce363bee5bf"
```

```
                        ]
                    }
                },
                "response": [
                    {
                        "id": "aef43eb3-5d52-4ab6-818a-1ac7fed26595",
                        "name": "delete a block",
                        "originalRequest": {
                            "method": "DELETE",
                            "header": [
                                {
                                    "key": "Content-Type",
                                    "value": "application/json",
                                    "type": "text"
                                },
                                {
                                    "key": "Notion-Version",
                                    "value": "2022-06-28",
                                    "type": "text"
                                }
                            ],
                            "url": {
                                "raw":
"https://api.notion.com/v1/blocks/34051562-df03-80c0-bc43-fce363bee5bf",
                                "protocol": "https",
                                "host": [
                                    "api",
                                    "notion",
                                    "com"
                                ],
                                "path": [
                                    "v1",
                                    "blocks",
                                    "34051562-df03-80c0-bc43-
fce363bee5bf"
                                ]
                            }
                        },
                        "status": "OK",
                        "code": 200,
                        "_postman_previewlanguage": "Text",
                        "header": [
                            {
                                "key": ":status",
                                "value": 200
                            },
                            {
                                "key": "date",
                                "value": "Tue, 14 Apr 2026 06:32:23 GMT"
                            },
                            {
```

```
                                "key": "content-type",
                                "value": "application/json; charset=utf-
8"
                            },
                            {
                                "key": "cf-ray",
                                "value": "9ec0ac401957c87a-MAA"
                            },
                            {
                                "key": "cf-cache-status",
                                "value": "DYNAMIC"
                            },
                            {
                                "key": "etag",
                                "value": "W/\"376-
rmK7mcirsliEclRQTeR4EPr7asY\""
                            },
                            {
                                "key": "server",
                                "value": "cloudflare"
                            },
                            {
                                "key": "strict-transport-security",
                                "value": "max-age=31536000;
includeSubDomains; preload"
                            },
                            {
                                "key": "vary",
                                "value": "Accept-Encoding"
                            },
                            {
                                "key": "content-security-policy",
                                "value": "default-src 'none'"
                            },
                            {
                                "key": "referrer-policy",
                                "value": "strict-origin-when-cross-
origin"
                            },
                            {
                                "key": "x-content-type-options",
                                "value": "nosniff"
                            },
                            {
                                "key": "x-dns-prefetch-control",
                                "value": "off"
                            },
                            {
                                "key": "x-download-options",
                                "value": "noopen"
                            },
```

```
                                {
                                    "key": "x-frame-options",
                                    "value": "SAMEORIGIN"
                                },
                                {
                                    "key": "x-notion-request-id",
                                    "value": "6e691175-31ac-47f3-92bf-
860f415b5b54"
                                },
                                {
                                    "key": "x-permitted-cross-domain-
policies",
                                    "value": "none"
                                },
                                {
                                    "key": "x-xss-protection",
                                    "value": "0"
                                },
                                {
                                    "key": "set-cookie",
                                    "value":
"__cf_bm=yXhovuB9QPPQ5OGpYSCclc9Ivk8ucGpp08XdEFoE21o-1776148341.7732544-
1.0.1.1-
Cs08uYMJXuXaiArbHSdiiX9ZEucAiX4Iq0Y8ysZSOGRrRfxkHegizooPozDWIi3fr6iOpTYH
5SijQsYENEF.iWWzPmfG.OspXFoxFsyLKLe_ml4bFQy84xsuHC.NQmcL; HttpOnly;
Secure; Path=/; Domain=notion.com; Expires=Tue, 14 Apr 2026 07:02:23
GMT"
                                },
                                {
                                    "key": "content-encoding",
                                    "value": "gzip"
                                },
                                {
                                    "key": "alt-svc",
                                    "value": "h3=\":443\"; ma=86400"
                                }
                            ],
                            "cookie": [],
                            "responseTime": null,
                            "body": "{\n    \"object\": \"block\",\n
\"id\": \"34051562-df03-80c0-bc43-fce363bee5bf\",\n    \"parent\": {\n
\"type\": \"page_id\",\n        \"page_id\": \"34051562-df03-806a-b9d7-
cd40439aef35\"\n    },\n    \"created_time\": \"2026-04-
12T11:56:00.000Z\",\n    \"last_edited_time\": \"2026-04-
14T06:32:00.000Z\",\n    \"created_by\": {\n        \"object\":
\"user\",\n        \"id\": \"33ed872b-594c-81ef-a03c-00026e2d4efd\"\n
},\n    \"last_edited_by\": {\n        \"object\": \"user\",\n
\"id\": \"33f51562-df03-81b1-bc3a-0027d86fa2da\"\n    },\n
\"has_children\": false,\n    \"in_trash\": true,\n    \"type\":
\"paragraph\",\n    \"paragraph\": {\n        \"rich_text\": [\n
{\n                \"type\": \"text\",\n                \"text\": {\n
```

```
\"content\": \"make the title full bold\",\n
\"link\": null\n                },\n                \"annotations\": {\n
\"bold\": false,\n                    \"italic\": false,\n
\"strikethrough\": false,\n                    \"underline\": false,\n
\"code\": false,\n                    \"color\": \"default\"\n
},\n                \"plain_text\": \"make the title full bold\",\n
\"href\": null\n            }\n        ],\n        \"icon\": null,\n
\"color\": \"default\"\n    },\n    \"archived\": true,\n
\"developer_survey\": \"https://notionup.typeform.com/to/bllBsoI4?
utm_source=postman\",\n    \"request_id\": \"6e691175-31ac-47f3-92bf-
860f415b5b54\"\n}",
                        "createdAt": "2026-04-14T06:36:10.000Z",
                        "updatedAt": "2026-04-14T06:36:10.000Z",
                        "uid": "53663724-aef43eb3-5d52-4ab6-818a-
1ac7fed26595"
                    }
                ],
                "createdAt": "2026-04-14T06:36:04.000Z",
                "updatedAt": "2026-04-14T06:36:10.000Z",
                "uid": "53663724-834d41f3-5881-4cfe-b784-d16fa60da804"
            }
        ]
    }
}
```


Response Fields:

FIELD	TYPE	DESCRIPTION
`object`	string	Type of object returned (e.g., page, block, list)
`id`	string	Unique identifier of the resource
`created_time`	string	Timestamp when the resource was created (ISO 8601)
`last_edited_time`	string	Timestamp of the last update (ISO 8601)
`created_by`	object	Details of the user who created the resource
`object`	string	Type of user object
`id`	string	Unique identifier of the user
`last_edited_by`	object	Details of the user who last edited the resource
`object`	string	Type of user object
`id`	string	Unique identifier of the user
`parent`	object	Parent reference of the resource

FIELD	TYPE	DESCRIPTION
`type`	string	Type of parent reference
`page_id`	string	Identifier of the parent page (if applicable)
`workspace`	boolean	Indicates if the parent is a workspace
`has_children`	boolean	Indicates whether the block has child elements
`in_trash`	boolean	Indicates whether the resource is in trash
`archived`	boolean	Indicates whether the resource is archived
`type`	string	Type of block (e.g., paragraph, child_page)
`paragraph`	object	Paragraph block content
`rich_text`	array	List of rich text objects
`rich_text[]`	object	Individual rich text object
`type`	string	Type of rich text content
`text`	object	Text content details
`content`	string	Actual text content
`link`	null/object	Link associated with the text
`annotations`	object	Text styling information
`bold`	boolean	Indicates bold formatting
`italic`	boolean	Indicates italic formatting
`strikethrough`	boolean	Indicates strikethrough formatting
`underline`	boolean	Indicates underline formatting
`code`	boolean	Indicates code formatting
`color`	string	Text color
`plain_text`	string	Plain text version of content
`href`	null/string	URL reference if available
`child_page`	object	Child page details
`title`	string	Title of the child page
`results`	array	List of block objects (for list responses)
`results[]`	object	Individual block object
`next_cursor`	null/string	Cursor for pagination

FIELD	TYPE	DESCRIPTION
`has_more`	boolean	Indicates if more results are available
`url`	string	URL of the page
`public_url`	null/string	Public shareable URL
`developer_survey`	string	Developer feedback URL
`request_id`	string	Unique request identifier

Status Codes:

CODE	MEANING
`200`	Fetched specific collection successfully
`400`	Bad request — missing or invalid fields
`401`	Unauthorized — invalid or missing token
`404`	Not found - The requested resource does not exist
`500`	Internal server error

---

7. Create a collection

Creates a new collection.

Endpoint:

`POST /collections`

Headers:

HEADER	VALUE
Authorization	`X-Api-Key` `PMAK-XXXX`
Content-Type	`application/json`

Request:

```
{
    "collection": {
        "info": {
            "name": "Postman Portfolio",
```

```
            "description": "This is a test.",
            "schema":
"https://schema.getpostman.com/json/collection/v2.1.0/collection.json"
        },
        "variable": [
            {
                "key": "userId",
                "value": 12345678,
                "disabled": true,
                "description": "The user's ID."
            }
        ],
        "auth": {
            "type": "apikey",
            "apikey": [
                {
                    "key": "value",
                    "value": "{{apiKey}}"
                },
                {
                    "key": "key",
                    "value": "api-key"
                },
                {
                    "key": "in",
                    "value": "header"
                }
            ]
        },
        "item": [
            {
                "name": "Users",
                "item": [
                    {
                        "name": "Update User",
                        "item": [
                            {
                                "name": "Update user",
                                "protocolProfileBehavior": {
                                    "disableBodyPruning": true
                                },
                                "request": {
                                    "method": "PATCH",
                                    "header": [],
                                    "body": {
                                        "mode": "raw",
                                        "raw": "{\n    \"name\": \"
{{name}}\",\n    \"email\": \"{{emailAddress}}\",\n    \"roles\": [\n
\"{{role}}\"\n    ]\n}",
                                        "options": {
                                            "raw": {
```

```
                                                "language": "json"
                                            }
                                        }
                                    },
                                    "url": {
                                        "raw": "https://postman-
echo.com/users/:userId",
                                        "protocol": "https",
                                        "host": [
                                            "postman-echo",
                                            "com"
                                        ],
                                        "path": [
                                            "users",
                                            ":userId"
                                        ],
                                        "variable": [
                                            {
                                                "key": "userId",
                                                "value": "{{userId}}",
                                                "description": "The
user's ID."
                                            }
                                        ]
                                    },
                                    "description": "This is an example
GET request."
                                },
                                "response": [
                                    {
                                        "name": "Successful Response",
                                        "originalRequest": {
                                            "method": "GET",
                                            "header": [
                                                {
                                                    "key": "Content-
Type",
                                                    "value":
"application/json",
                                                    "type": "text"
                                                }
                                            ],
                                            "body": {
                                                "mode": "raw",
                                                "raw": "{\n    \"name\":
\"Taylor Lee\",\n    \"email\": \"taylor.lee@example.com\",\n
\"roles\": [\n        \"user\",\n        \"admin\"\n    ]\n}",
                                                "options": {
                                                    "raw": {
                                                        "language":
"json"
```

```
                                                    }
                                                }
                                            },
                                            "url": {
                                                "raw": "https://postman-
echo.com/users/:userId",
                                                "protocol": "https",
                                                "host": [
                                                    "postman-echo",
                                                    "com"
                                                ],
                                                "path": [
                                                    "users",
                                                    ":userId"
                                                ],
                                                "variable": [
                                                    {
                                                        "key": "userId",
                                                        "value":
"12345678"
                                                    }
                                                ]
                                            }
                                        },
                                        "status": "OK",
                                        "code": 200,
                                        "_postman_previewlanguage":
"json",
                                        "header": [
                                            {
                                                "key": "Content-Type",
                                                "value":
"application/json",
                                                "description": "",
                                                "type": "text",
                                                "enabled": true
                                            }
                                        ],
                                        "cookie": [],
                                        "responseTime": null,
                                        "body": "{\n    \"id\":
\"12345678\",\n    \"name\": \"Taylor Lee\",\n    \"username\":
\"taylor-lee\",\n    \"email\": \"taylor.lee@example.com\",\n
\"roles\": [\n        \"user\",\n        \"admin\"\n    ]\n}"
                                    }
                                ]
                            }
                        ],
                        "event": [
                            {
                                "listen": "prerequest",
```

```
                                "script": {
                                    "type": "text/javascript",
                                    "exec": [
"pm.sendRequest(\"https://postman-echo.com/get\", function (err,
response) {",
                                        "
console.log(response.json());",
                                        "});"
                                    ]
                                }
                            },
                            {
                                "listen": "test",
                                "script": {
                                    "type": "text/javascript",
                                    "exec": [
                                        "pm.test(\"Status code is 200\",
function () {",
                                        "
pm.response.to.have.status(200);",
                                        "});"
                                    ]
                                }
                            }
                        ]
                    },
                    {
                        "name": "Get user",
                        "event": [
                            {
                                "listen": "prerequest",
                                "script": {
                                    "exec": [
"pm.sendRequest(\"https://postman-echo.com/get\", function (err,
response) {",
                                        "
console.log(response.json());",
                                        "});"
                                    ],
                                    "type": "text/javascript",
                                    "packages": {}
                                }
                            },
                            {
                                "listen": "test",
                                "script": {
                                    "exec": [
                                        "pm.test(\"Status code is 200\",
function () {",
```

```
                                        "
pm.response.to.have.status(200);",
                                        "});"
                                    ],
                                    "type": "text/javascript",
                                    "packages": {}
                                }
                            }
                        ],
                        "protocolProfileBehavior": {
                            "disableBodyPruning": true
                        },
                        "request": {
                            "method": "GET",
                            "header": [],
                            "url": {
                                "raw": "https://postman-echo.com/users?
id={{userId}}",
                                "protocol": "https",
                                "host": [
                                    "postman-echo",
                                    "com"
                                ],
                                "path": [
                                    "users"
                                ],
                                "query": [
                                    {
                                        "key": "id",
                                        "value": "{{userId}}",
                                        "description": "The user's ID."
                                    }
                                ]
                            },
                            "description": "This is an example GET
request."
                        },
                        "response": [
                            {
                                "name": "Successful Response",
                                "originalRequest": {
                                    "method": "GET",
                                    "header": [
                                        {
                                            "key": "Content-Type",
                                            "value": "application/json",
                                            "type": "text"
                                        }
                                    ],
                                    "url": {
                                        "raw": "https://postman-
```

```
echo.com/get?id=12345678",
                                        "protocol": "https",
                                        "host": [
                                            "postman-echo",
                                            "com"
                                        ],
                                        "path": [
                                            "get"
                                        ],
                                        "query": [
                                            {
                                                "key": "id",
                                                "value": "12345678"
                                            }
                                        ]
                                    }
                                },
                                "status": "OK",
                                "code": 200,
                                "_postman_previewlanguage": "json",
                                "header": [
                                    {
                                        "key": "Content-Type",
                                        "value": "application/json",
                                        "description": "",
                                        "type": "text",
                                        "enabled": true
                                    }
                                ],
                                "cookie": [],
                                "responseTime": null,
                                "body": "{\n    \"id\": \"12345678\",\n
\"name\": \"Taylor Lee\",\n    \"username\": \"taylor-lee\",\n
\"email\": \"taylor.lee@example.com\",\n    \"roles\": [\n
\"user\",\n        \"admin\"\n    ],\n    \"joinedAt\": \"2022-11-
23T14:38:25.000Z\"\n}"
                            }
                        ]
                    },
                    {
                        "name": "Get all users",
                        "event": [
                            {
                                "listen": "test",
                                "script": {
                                    "exec": [
                                        "pm.test(\"Status code is 200\",
function () {",
                                        "
pm.response.to.have.status(200);",
                                        "});"
```

```
                                    ],
                                    "type": "text/javascript",
                                    "packages": {}
                                }
                            },
                            {
                                "listen": "prerequest",
                                "script": {
                                    "exec": [

"pm.sendRequest(\"https://postman-echo.com/get\", function (err,
response) {",
                                        "
console.log(response.json());",
                                        "});"
                                    ],
                                    "type": "text/javascript",
                                    "packages": {}
                                }
                            }
                        ],
                        "protocolProfileBehavior": {
                            "disableBodyPruning": true
                        },
                        "request": {
                            "method": "GET",
                            "header": [],
                            "body": {
                                "mode": "raw",
                                "raw": "",
                                "options": {
                                    "raw": {
                                        "language": "json"
                                    }
                                }
                            },
                            "url": {
                                "raw": "https://postman-echo.com/users",
                                "protocol": "https",
                                "host": [
                                    "postman-echo",
                                    "com"
                                ],
                                "path": [
                                    "users"
                                ],
                                "query": [
                                    {
                                        "key": "groupId",
                                        "value": "{{groupId}}",
                                        "description": "The user group's
```

```
ID.",
                                        "disabled": true
                                    }
                                ]
                            },
                            "description": "This is a test API."
                        },
                        "response": [
                            {
                                "name": "Successful Response",
                                "originalRequest": {
                                    "method": "POST",
                                    "header": [
                                        {
                                            "key": "Host",
                                            "value": "postman-echo.com"
                                        },
                                        {
                                            "key": "user-agent",
                                            "value": "curl/7.88.1"
                                        },
                                        {
                                            "key": "accept",
                                            "value": "*/*"
                                        },
                                        {
                                            "key": "content-type",
                                            "value": "application/json"
                                        },
                                        {
                                            "key": "content-length",
                                            "value": "22"
                                        }
                                    ],
                                    "body": {
                                        "mode": "raw",
                                        "raw": "{\n  \"field\":
\"Value\"\n}",
                                        "options": {
                                            "raw": {
                                                "language": "json"
                                            }
                                        }
                                    },
                                    "url": {
                                        "raw": "https://postman-
echo.com/post",
                                        "protocol": "https",
                                        "host": [
                                            "postman-echo",
                                            "com"
```

```
                                        ],
                                        "path": [
                                            "post"
                                        ]
                                    }
                                },
                                "status": "OK",
                                "code": 200,
                                "_postman_previewlanguage": "json",
                                "header": [
                                    {
                                        "key": "date",
                                        "value": "Thu, 07 Sep 2023
12:41:59 GMT",
                                        "enabled": true
                                    },
                                    {
                                        "key": "content-type",
                                        "value": "application/json;
charset=utf-8",
                                        "enabled": true
                                    },
                                    {
                                        "key": "content-length",
                                        "value": "468",
                                        "enabled": true
                                    },
                                    {
                                        "key": "etag",
                                        "value": "W/\"1d4-
JuAIw8ssoFCtGzk/UwITxaiSbrc\"",
                                        "enabled": true
                                    },
                                    {
                                        "key": "set-cookie",
                                        "value":
"sails.sid=s%3A6p_NXpI3OZeGE35bI6i5Uq3XgHHxcsdJ.dQVpBE%2BJ9wHWainkqe6F6d
kdv7UKoshSZY7sdZ5sbzo; Path=/ HttpOnly",
                                        "enabled": true
                                    }
                                ],
                                "cookie": [],
                                "responseTime": null,
                                "body": "{\n    \"data\": [\n        {\n
\"id\": \"12345678\",\n            \"name\": \"Taylor Lee\",\n
\"username\": \"taylor-lee\",\n            \"email\":
\"taylor.lee@example.com\",\n            \"roles\": [\n
\"admin\",\n                \"user\"\n            ],\n
\"joinedAt\": \"2022-11-23T14:38:25.000Z\"\n        },\n        {\n
\"id\": \"87654321\",\n            \"name\": \"Alex Cruz\",\n
\"username\": \"alex-cruz\",\n            \"email\":
```

```
\"alex.cruz@example.com\",\n            \"roles\": [\n
\"user\"\n            ],\n            \"joinedAt\": \"2022-11-
24T10:18:11.000Z\"\n        }\n    ]\n}"
                            },
                            {
                                "name": "No Group Found",
                                "originalRequest": {
                                    "method": "GET",
                                    "header": [
                                        {
                                            "key": "Accept",
                                            "value":
"application/vnd.example.v1+json",
                                            "type": "text"
                                        }
                                    ],
                                    "body": {
                                        "mode": "raw",
                                        "raw": "",
                                        "options": {
                                            "raw": {
                                                "language": "json"
                                            }
                                        }
                                    },
                                    "url": {
                                        "raw":
"http://api.getpostman.com/v1/request?groupId=123",
                                        "protocol": "http",
                                        "host": [
                                            "api",
                                            "getpostman",
                                            "com"
                                        ],
                                        "path": [
                                            "v1",
                                            "request"
                                        ],
                                        "query": [
                                            {
                                                "key": "groupId",
                                                "value": "123"
                                            }
                                        ]
                                    }
                                },
                                "status": "OK",
                                "code": 200,
                                "_postman_previewlanguage": "json",
                                "header": [
                                    {
```

```
                                        "key": "Content-Type",
                                        "value": "application/json",
                                        "description": "",
                                        "type": "text",
                                        "enabled": true
                                    }
                                ],
                                "cookie": [],
                                "responseTime": null,
                                "body": "{\n    \"data\": []\n}"
                            }
                        ]
                    }
                ],
                "description": "This is a test folder.",
                "event": [
                    {
                        "listen": "prerequest",
                        "script": {
                            "type": "text/javascript",
                            "exec": [
                                "pm.variables.get(\"variable_key\");"
                            ]
                        }
                    },
                    {
                        "listen": "test",
                        "script": {
                            "type": "text/javascript",
                            "exec": [
                                "pm.test(\"Status code is 200\",
function () {",
                                "    pm.response.to.have.status(200);",
                                "});"
                            ]
                        }
                    }
                ]
            }
        ]
    }
}
```


Request Field

FIELD	TYPE	DESCRIPTION
`data`	array	List of user objects

FIELD	TYPE	DESCRIPTION
`data[]`	object	Individual user object
`id`	string	Unique identifier of the user
`name`	string	Full name of the user
`username`	string	Username of the user
`email`	string	Email address of the user
`roles`	array	List of roles assigned to the user
`roles[]`	string	Individual role assigned to the user
`joinedAt`	string	Timestamp when the user joined the system (ISO 8601)

Response:

```
{
    "collection": {
        "id": "e7ecb82e-f372-4353-805d-a0db8166176b",
        "name": "postman api doc",
        "uid": "53663724-e7ecb82e-f372-4353-805d-a0db8166176b"
    }
}
```

Response Fields:

FIELD	TYPE	DESCRIPTION
`collection`	object	Collection details
`id`	string	Unique identifier of the collection
`name`	string	Name of the collection
`uid`	string	Unique user-specific identifier of the collection

Status Codes:

CODE	MEANING
`200`	New collection created successfully
`400`	Bad request — missing or invalid fields

CODE	MEANING
`401`	Unauthorized — invalid or missing token
`404`	Not found - The requested resource does not exist
`500`	Internal server error

---

8. Update a collection

Updates a specific collection.

Endpoint:

`PUT /collections/{collectionId}`

Path Parameters:

PARAMETER	TYPE	REQUIRED	DESCRIPTION
`collectionId`	string	Yes	Unique ID of the collection

Headers:

HEADER	VALUE
Authorization	`X-Api-Key` `PMAK-XXXX`
Content-Type	`application/json`

Request:

```
{
    "collection": {
        "info": {
            "name": "Postman Portfolio",
            "description": "This is a test.",
            "schema":
"https://schema.getpostman.com/json/collection/v2.1.0/collection.json"
        },
        "variable": [
            {
                "key": "userId",
                "value": 12345678,
                "disabled": true,
                "description": "The user's ID."
```

```
            }
        ],
        "auth": {
            "type": "apikey",
            "apikey": [
                {
                    "key": "value",
                    "value": "{{apiKey}}"
                },
                {
                    "key": "key",
                    "value": "api-key"
                },
                {
                    "key": "in",
                    "value": "header"
                }
            ]
        },
        "item": [
            {
                "name": "Users",
                "item": [
                    {
                        "name": "Update User",
                        "item": [
                            {
                                "name": "Update user",
                                "protocolProfileBehavior": {
                                    "disableBodyPruning": true
                                },
                                "request": {
                                    "method": "PATCH",
                                    "header": [],
                                    "body": {
                                        "mode": "raw",
                                        "raw": "{\n    \"name\": \"
{{name}}\",\n    \"email\": \"{{emailAddress}}\",\n    \"roles\": [\n
\"{{role}}\"\n    ]\n}",
                                        "options": {
                                            "raw": {
                                                "language": "json"
                                            }
                                        }
                                    },
                                    "url": {
                                        "raw": "https://postman-
echo.com/users/:userId",
                                        "protocol": "https",
                                        "host": [
                                            "postman-echo",
```

```
                                        "com"
                                    ],
                                    "path": [
                                        "users",
                                        ":userId"
                                    ],
                                    "variable": [
                                        {
                                            "key": "userId",
                                            "value": "{{userId}}",
                                            "description": "The
user's ID."
                                        }
                                    ]
                                },
                                "description": "This is an example
GET request."
                            },
                            "response": [
                                {
                                    "name": "Successful Response",
                                    "originalRequest": {
                                        "method": "GET",
                                        "header": [
                                            {
                                                "key": "Content-
Type",
                                                "value":
"application/json",
                                                "type": "text"
                                            }
                                        ],
                                        "body": {
                                            "mode": "raw",
                                            "raw": "{\n    \"name\":
\"Taylor Lee\",\n    \"email\": \"taylor.lee@example.com\",\n
\"roles\": [\n        \"user\",\n        \"admin\"\n    ]\n}",
                                            "options": {
                                                "raw": {
                                                    "language":
"json"
                                                }
                                            }
                                        },
                                        "url": {
                                            "raw": "https://postman-
echo.com/users/:userId",
                                            "protocol": "https",
                                            "host": [
                                                "postman-echo",
                                                "com"
```

```
                                                ],
                                                "path": [
                                                    "users",
                                                    ":userId"
                                                ],
                                                "variable": [
                                                    {
                                                        "key": "userId",
                                                        "value":
"12345678"
                                                    }
                                                ]
                                            }
                                        },
                                        "status": "OK",
                                        "code": 200,
                                        "_postman_previewlanguage":
"json",
                                        "header": [
                                            {
                                                "key": "Content-Type",
                                                "value":
"application/json",
                                                "description": "",
                                                "type": "text",
                                                "enabled": true
                                            }
                                        ],
                                        "cookie": [],
                                        "responseTime": null,
                                        "body": "{\n    \"id\":
\"12345678\",\n    \"name\": \"Taylor Lee\",\n    \"username\":
\"taylor-lee\",\n    \"email\": \"taylor.lee@example.com\",\n
\"roles\": [\n        \"user\",\n        \"admin\"\n    ]\n}"
                                    }
                                ]
                            }
                        ],
                        "event": [
                            {
                                "listen": "prerequest",
                                "script": {
                                    "type": "text/javascript",
                                    "exec": [

"pm.sendRequest(\"https://postman-echo.com/get\", function (err,
response) {",
                                        "
console.log(response.json());",
                                        "});"
                                    ]
```

```
                                }
                            },
                            {
                                "listen": "test",
                                "script": {
                                    "type": "text/javascript",
                                    "exec": [
                                        "pm.test(\"Status code is 200\",
function () {",
                                        "
pm.response.to.have.status(200);",
                                        "});"
                                    ]
                                }
                            }
                        ]
                    },
                    {
                        "name": "Get user",
                        "event": [
                            {
                                "listen": "prerequest",
                                "script": {
                                    "exec": [
"pm.sendRequest(\"https://postman-echo.com/get\", function (err,
response) {",
                                        "
console.log(response.json());",
                                        "});"
                                    ],
                                    "type": "text/javascript",
                                    "packages": {}
                                }
                            },
                            {
                                "listen": "test",
                                "script": {
                                    "exec": [
                                        "pm.test(\"Status code is 200\",
function () {",
                                        "
pm.response.to.have.status(200);",
                                        "});"
                                    ],
                                    "type": "text/javascript",
                                    "packages": {}
                                }
                            }
                        ],
                        "protocolProfileBehavior": {
```

```
                    "disableBodyPruning": true
                },
                "request": {
                    "method": "GET",
                    "header": [],
                    "url": {
                        "raw": "https://postman-echo.com/users?
id={{userId}}",
                        "protocol": "https",
                        "host": [
                            "postman-echo",
                            "com"
                        ],
                        "path": [
                            "users"
                        ],
                        "query": [
                            {
                                "key": "id",
                                "value": "{{userId}}",
                                "description": "The user's ID."
                            }
                        ]
                    },
                    "description": "This is an example GET
request."
                },
                "response": [
                    {
                        "name": "Successful Response",
                        "originalRequest": {
                            "method": "GET",
                            "header": [
                                {
                                    "key": "Content-Type",
                                    "value": "application/json",
                                    "type": "text"
                                }
                            ],
                            "url": {
                                "raw": "https://postman-
echo.com/get?id=12345678",
                                "protocol": "https",
                                "host": [
                                    "postman-echo",
                                    "com"
                                ],
                                "path": [
                                    "get"
                                ],
                                "query": [
```

```
                                        {
                                            "key": "id",
                                            "value": "12345678"
                                        }
                                    ]
                                }
                            },
                            "status": "OK",
                            "code": 200,
                            "_postman_previewlanguage": "json",
                            "header": [
                                {
                                    "key": "Content-Type",
                                    "value": "application/json",
                                    "description": "",
                                    "type": "text",
                                    "enabled": true
                                }
                            ],
                            "cookie": [],
                            "responseTime": null,
                            "body": "{\n    \"id\": \"12345678\",\n
\"name\": \"Taylor Lee\",\n    \"username\": \"taylor-lee\",\n
\"email\": \"taylor.lee@example.com\",\n    \"roles\": [\n
\"user\",\n        \"admin\"\n    ],\n    \"joinedAt\": \"2022-11-
23T14:38:25.000Z\"\n}"
                        }
                    ]
                },
                {
                    "name": "Get all users",
                    "event": [
                        {
                            "listen": "test",
                            "script": {
                                "exec": [
                                    "pm.test(\"Status code is 200\",
function () {",
                                    "
pm.response.to.have.status(200);",
                                    "});"
                                ],
                                "type": "text/javascript",
                                "packages": {}
                            }
                        },
                        {
                            "listen": "prerequest",
                            "script": {
                                "exec": [
```

```
"pm.sendRequest(\"https://postman-echo.com/get\", function (err,
response) {",
                                        "
console.log(response.json());",
                                        "});"
                                    ],
                                    "type": "text/javascript",
                                    "packages": {}
                                }
                            }
                        ],
                        "protocolProfileBehavior": {
                            "disableBodyPruning": true
                        },
                        "request": {
                            "method": "GET",
                            "header": [],
                            "body": {
                                "mode": "raw",
                                "raw": "",
                                "options": {
                                    "raw": {
                                        "language": "json"
                                    }
                                }
                            },
                            "url": {
                                "raw": "https://postman-echo.com/users",
                                "protocol": "https",
                                "host": [
                                    "postman-echo",
                                    "com"
                                ],
                                "path": [
                                    "users"
                                ],
                                "query": [
                                    {
                                        "key": "groupId",
                                        "value": "{{groupId}}",
                                        "description": "The user group's
ID.",
                                        "disabled": true
                                    }
                                ]
                            },
                            "description": "This is a test API."
                        },
                        "response": [
                            {
                                "name": "Successful Response",
```

```
                                "originalRequest": {
                                    "method": "POST",
                                    "header": [
                                        {
                                            "key": "Host",
                                            "value": "postman-echo.com"
                                        },
                                        {
                                            "key": "user-agent",
                                            "value": "curl/7.88.1"
                                        },
                                        {
                                            "key": "accept",
                                            "value": "*/*"
                                        },
                                        {
                                            "key": "content-type",
                                            "value": "application/json"
                                        },
                                        {
                                            "key": "content-length",
                                            "value": "22"
                                        }
                                    ],
                                    "body": {
                                        "mode": "raw",
                                        "raw": "{\n  \"field\":
\"Value\"\n}",
                                        "options": {
                                            "raw": {
                                                "language": "json"
                                            }
                                        }
                                    },
                                    "url": {
                                        "raw": "https://postman-
echo.com/post",
                                        "protocol": "https",
                                        "host": [
                                            "postman-echo",
                                            "com"
                                        ],
                                        "path": [
                                            "post"
                                        ]
                                    }
                                },
                                "status": "OK",
                                "code": 200,
                                "_postman_previewlanguage": "json",
                                "header": [
```

```
                                    {
                                        "key": "date",
                                        "value": "Thu, 07 Sep 2023
12:41:59 GMT",
                                        "enabled": true
                                    },
                                    {
                                        "key": "content-type",
                                        "value": "application/json;
charset=utf-8",
                                        "enabled": true
                                    },
                                    {
                                        "key": "content-length",
                                        "value": "468",
                                        "enabled": true
                                    },
                                    {
                                        "key": "etag",
                                        "value": "W/\"1d4-
JuAIw8ssoFCtGzk/UwITxaiSbrc\"",
                                        "enabled": true
                                    },
                                    {
                                        "key": "set-cookie",
                                        "value":
"sails.sid=s%3A6p_NXpI3OZeGE35bI6i5Uq3XgHHxcsdJ.dQVpBE%2BJ9wHWainkqe6F6d
kdv7UKoshSZY7sdZ5sbzo; Path=/ HttpOnly",
                                        "enabled": true
                                    }
                                ],
                                "cookie": [],
                                "responseTime": null,
                                "body": "{\n    \"data\": [\n        {\n
\"id\": \"12345678\",\n            \"name\": \"Taylor Lee\",\n
\"username\": \"taylor-lee\",\n            \"email\":
\"taylor.lee@example.com\",\n            \"roles\": [\n
\"admin\",\n                \"user\"\n            ],\n
\"joinedAt\": \"2022-11-23T14:38:25.000Z\"\n        },\n        {\n
\"id\": \"87654321\",\n            \"name\": \"Alex Cruz\",\n
\"username\": \"alex-cruz\",\n            \"email\":
\"alex.cruz@example.com\",\n            \"roles\": [\n
\"user\"\n            ],\n            \"joinedAt\": \"2022-11-
24T10:18:11.000Z\"\n        }\n    ]\n}"
                            },
                            {
                                "name": "No Group Found",
                                "originalRequest": {
                                    "method": "GET",
                                    "header": [
                                        {
```

```
                                        "key": "Accept",
                                        "value":
"application/vnd.example.v1+json",
                                        "type": "text"
                                    }
                                ],
                                "body": {
                                    "mode": "raw",
                                    "raw": "",
                                    "options": {
                                        "raw": {
                                            "language": "json"
                                        }
                                    }
                                },
                                "url": {
                                    "raw":
"http://api.getpostman.com/v1/request?groupId=123",
                                    "protocol": "http",
                                    "host": [
                                        "api",
                                        "getpostman",
                                        "com"
                                    ],
                                    "path": [
                                        "v1",
                                        "request"
                                    ],
                                    "query": [
                                        {
                                            "key": "groupId",
                                            "value": "123"
                                        }
                                    ]
                                }
                            },
                            "status": "OK",
                            "code": 200,
                            "_postman_previewlanguage": "json",
                            "header": [
                                {
                                    "key": "Content-Type",
                                    "value": "application/json",
                                    "description": "",
                                    "type": "text",
                                    "enabled": true
                                }
                            ],
                            "cookie": [],
                            "responseTime": null,
                            "body": "{\n    \"data\": []\n}"
```

```
                            }
                        ]
                    }
                ],
                "description": "This is a test folder.",
                "event": [
                    {
                        "listen": "prerequest",
                        "script": {
                            "type": "text/javascript",
                            "exec": [
                                "pm.variables.get(\"variable_key\");"
                            ]
                        }
                    },
                    {
                        "listen": "test",
                        "script": {
                            "type": "text/javascript",
                            "exec": [
                                "pm.test(\"Status code is 200\",
function () {",
                                "    pm.response.to.have.status(200);",
                                "});"
                            ]
                        }
                    }
                ]
            }
        ]
    }
}
```

Request Fields

Field	Type	Required	Description
`user`	object	Yes	Contains the authenticated user's details
`user.id`	integer	Yes	Unique numeric identifier of the
user			
`user.sub`	string	Yes	Universally unique identifier (UUID) of the user
`user.username`	string	Yes	Postman username of the account

Field	Type	Required	Description
`user.email`	string	Yes	Email address associated with the account
`user.fullName`	string	Yes	Full name of the account holder
`user.avatar`	string	No	URL of the user's profile avatar image
`user.isPublic`	boolean	Yes	Whether the user profile is publicly visible
`user.emailVerified`	boolean	Yes	Whether the email address is verified
`user.teamId`	integer	Yes	Unique identifier of the user's team
`user.teamName`	string	Yes	Name of the user's team
`user.teamDomain`	string	Yes	Unique domain identifier of the team
`user.roles`	array	Yes	List of roles assigned to the user
`operations`	array	Yes	List of feature usage and limits for the account
`operations[].name`	string	Yes	Name of the operation or feature
`operations[].limit`	number	Yes	Maximum allowed usage for the operation
`operations[].usage`	number	Yes	Current usage count for the operation
`operations[].overage`	number	Yes	Usage exceeding the allowed limit

Response:

```
{
    "collection": {
        "id": "e7ecb82e-f372-4353-805d-a0db8166176b",
        "name": "postman api doc",
        "uid": "53663724-e7ecb82e-f372-4353-805d-a0db8166176b"
    }
}
```

Response Fields:

FIELD	TYPE	DESCRIPTION
`collection`	object	Collection details
`id`	string	Unique identifier of the collection
`name`	string	Name of the collection
`uid`	string	Unique user-specific identifier of the collection

Status Codes:

CODE	MEANING
`200`	Specific collection fetched successfully
`400`	Bad request — missing or invalid fields
`401`	Unauthorized — invalid or missing token
`404`	Not found - The requested resource does not exist
`500`	Internal server error

---

9. Delete a Collection

Deletes a specific collection.

Endpoint:

`DELETE /collections/{collectionId}`

Path Parameters:

PARAMETER	TYPE	REQUIRED	DESCRIPTION
`collectionId`	string	Yes	Unique ID of the collection

Headers:

HEADER	VALUE
Authorization	`X-Api-Key` `PMAK-XXXX`

Response:

```
{
```

```
        "collection": {
            "id": "15e3671f-9f6f-485c-89d6-9a32536f4d22",
            "uid": "53663724-15e3671f-9f6f-485c-89d6-9a32536f4d22"
        }
    }
```

Response Fields:

FIELD	TYPE	DESCRIPTION
`collection`	object	Collection details
`id`	string	Unique identifier of the collection
`uid`	string	Unique user-specific identifier of the collection

Status Codes:

CODE	MEANING
`200`	Particular collection deleted successfully
`400`	Bad request — missing or invalid fields
`401`	Unauthorized — invalid or missing token
`404`	Not found - The requested resource does not exist
`500`	Internal server error

---

10. List all Environment

Returns back all the environments linked to your API key.

Endpoint:

`GET /environments`

Headers:

HEADER	VALUE
Authorization	`X-Api-Key` `PMAK-XXXX`

Response:

```
{
    "environments": [
        {
            "id": "59befd1f-06e9-4f2c-af91-9d811bfcf4b0",
            "name": "{{postman api testing}}",
            "createdAt": "2026-05-02T06:28:12.000Z",
            "updatedAt": "2026-05-02T06:28:13.000Z",
            "owner": "53663724",
            "uid": "53663724-59befd1f-06e9-4f2c-af91-9d811bfcf4b0",
            "isPublic": false
        },
        {
            "id": "8a6593fa-dae2-4f71-b166-68db0eb7dfdc",
            "name": "{{postman api testing}}",
            "createdAt": "2026-05-05T14:13:17.000Z",
            "updatedAt": "2026-05-05T14:13:17.000Z",
            "owner": "53663724",
            "uid": "53663724-8a6593fa-dae2-4f71-b166-68db0eb7dfdc",
            "isPublic": false
        },
        {
            "id": "9396fef2-ffc4-4f94-9ae1-04a1cf77bc18",
            "name": "GOKUL",
            "createdAt": "2026-05-02T06:48:01.000Z",
            "updatedAt": "2026-05-05T14:14:23.000Z",
            "owner": "53663724",
            "uid": "53663724-9396fef2-ffc4-4f94-9ae1-04a1cf77bc18",
            "isPublic": false
        }
    ]
}
```


Response Fields:

FIELD	TYPE	DESCRIPTION
`environments`	array	List of environment objects
`environments[]`	object	Individual environment object
`id`	string	Unique identifier of the environment
`name`	string	Name of the environment
`createdAt`	string	Timestamp when the environment was created (ISO 8601)

FIELD	TYPE	DESCRIPTION
`updatedAt`	string	Timestamp of the last update (ISO 8601)
`owner`	string	Identifier of the environment owner
`uid`	string	Unique user-specific identifier of the environment
`isPublic`	boolean	Indicates whether the environment is public

Status Codes:

CODE	MEANING
`200`	All environments collected successfully
`400`	Bad request — missing or invalid fields
`401`	Unauthorized — invalid or missing token
`404`	Not found - The requested resource does not exist
`500`	Internal server error

---

11. Fetch a Specific Environment

Returns details of a specific environment.

Endpoint:

`GET /environments/{environmentId}`

Path Parameters:

PARAMETER	TYPE	REQUIRED	DESCRIPTION
`environmentId`	string	Yes	Unique ID of the environment

Headers:

HEADER	VALUE
Authorization	`X-Api-Key` `PMAK-XXXX`

Response:

```
{
```

```
    "environment": {
        "id": "9396fef2-ffc4-4f94-9ae1-04a1cf77bc18",
        "name": "GOKUL",
        "owner": "53663724",
        "createdAt": "2026-05-02T06:48:01.000Z",
        "updatedAt": "2026-05-05T14:14:23.000Z",
        "values": [
            {
                "key": "collectionId",
                "value": "12345678-12ece9e1-2abf-4edc-8e34-
de66e74114d2",
                "type": "default",
                "enabled": true,
                "description": "The collection's ID."
            }
        ],
        "uid": "53663724-9396fef2-ffc4-4f94-9ae1-04a1cf77bc18",
        "isPublic": false
    }
}
```


Response Fields

FIELD	TYPE	DESCRIPTION
`environment`	object	Environment details
`id`	string	Unique identifier of the environment
`name`	string	Name of the environment
`owner`	string	Identifier of the environment owner
`createdAt`	string	Timestamp when the environment was created (ISO 8601)
`updatedAt`	string	Timestamp of the last update (ISO 8601)
`values`	array	List of environment variables
`values[]`	object	Individual environment variable
`key`	string	Name of the variable
`value`	string	Value assigned to the variable
`type`	string	Type of the variable
`enabled`	boolean	Indicates whether the variable is
enabled		

FIELD	TYPE	DESCRIPTION
`description`	string	Description of the variable
`uid`	string	Unique user-specific identifier of the environment
`isPublic`	boolean	Indicates whether the environment is public

Status Codes:

CODE	MEANING
`200`	Specific environment fetched successfully
`400`	Bad request — missing or invalid fields
`401`	Unauthorized — invalid or missing token
`404`	Not found - The requested resource does not exist
`500`	Internal server error

---

12. Create Environments

CreateS a new environment on the workspace.

Endpoint:

`POST /environments`

Headers:

HEADER	VALUE
Authorization	`X-Api-Key` `PMAK-XXXX`
Content-Type	`application/json`

Request:

```
{
    "environment": {
        "name": "{{postman api testing}}",
        "values": [
            {
                "key": "{{environmentVariableName}}",
                "value": "{{environmentVariableValue}}",
```

```
                    "enabled": true,
                    "type": "{{environmentVariableType}}",
                    "description": "{{environmentVariableDescription}}"
                }
            ]
        }
    }
```

Request Fields:

FIELD	TYPE	DESCRIPTION
`environment`	object	Environment details
`name`	string	Name of the environment
`values`	array	List of environment variables
`values[]`	object	Individual environment variable
`key`	string	Name of the variable
`value`	string	Value assigned to the variable
`enabled`	boolean	Indicates whether the variable is
enabled		
`type`	string	Type of the variable
`description`	string	Description of the variable

Response:

```
{
    "environment": {
        "id": "8a6593fa-dae2-4f71-b166-68db0eb7dfdc",
        "name": "{{postman api testing}}",
        "uid": "53663724-8a6593fa-dae2-4f71-b166-68db0eb7dfdc"
    }
}
```

Response Fields:

FIELD	TYPE	DESCRIPTION
`environment`	object	Contains the details of the created environment
`id`	string	Unique identifier of the created environment
`name`	string	Name of the created environment
`uid`	string	Unique identifier combining user ID and environment ID

Status Codes:

CODE	MEANING
`200`	New environment created successfully
`400`	Bad request — missing or invalid fields
`401`	Unauthorized — invalid or missing token
`404`	Not found - The requested resource does not exist
`500`	Internal server error

13. Update an environment

Updates an environment.

Endpoint:

`PUT /environments/{environmentId}`

Path Parameters:

PARAMETER	TYPE	REQUIRED	DESCRIPTION
`environmentId`	string	Yes	Unique ID of the environment

Headers:

HEADER	VALUE
Authorization	`X-Api-Key` `PMAK-XXXX`
Content-Type	`application/json`

Request:

```
{
    "environment": {
        "name": "GOKUL",
        "values": [
            {
                "key": "collectionId",
                "value": "12345678-12ece9e1-2abf-4edc-8e34-
de66e74114d2",
                "type": "default",
                "enabled": true,
                "description": "The collection's ID."
            }
        ]
    }
}
```

Request Fields:

FIELD	TYPE	DESCRIPTION
`environment`	object	Environment details
`name`	string	Name of the environment
`values`	array	List of environment variables
`values[]`	object	Individual environment variable
`key`	string	Name of the variable
`value`	string	Value assigned to the variable
`type`	string	Type of the variable
`enabled`	boolean	Indicates whether the variable is
enabled		
`description`	string	Description of the variable

Response:

```
{
    "environment": {
        "id": "9396fef2-ffc4-4f94-9ae1-04a1cf77bc18",
```

```
            "name": "GOKUL",
            "uid": "53663724-9396fef2-ffc4-4f94-9ae1-04a1cf77bc18"
        }
    }
```

Response Fields:

FIELD	TYPE	DESCRIPTION
`environment`	object	Environment details
`id`	string	Unique identifier of the environment
`name`	string	Name of the environment
`uid`	string	Unique user-specific identifier of the environment

Status Codes:

CODE	MEANING
`200`	Environment updated successfully
`400`	Bad request — missing or invalid fields
`401`	Unauthorized — invalid or missing token
`404`	Not found - The requested resource does not exist
`500`	Internal server error

---

14. Get all Monitors

Returns details of all monitors

Endpoint:

`GET /monitors`

Headers:

HEADER	VALUE
Authorization	`X-Api-Key` `PMAK-XXXX`

Response:

```
{
    "monitors": [
        {
            "id": "1f148ace-d8b4-4c20-aa19-11b9135fd5a7",
            "name": "NOTION",
            "active": true,
            "uid": "53663724-1f148ace-d8b4-4c20-aa19-11b9135fd5a7",
            "owner": 53663724,
            "collectionUid": "53663724-c18dd000-f7ce-482a-847e-
7e26a19fb71b",
            "environmentUid": ""
        },
        {
            "id": "1f148ace-8719-4a50-a883-cde6f9e0b019",
            "name": "NOTION",
            "active": true,
            "uid": "53663724-1f148ace-8719-4a50-a883-cde6f9e0b019",
            "owner": 53663724,
            "collectionUid": "53663724-c18dd000-f7ce-482a-847e-
7e26a19fb71b",
            "environmentUid": ""
        }
    ],
    "meta": {
        "nextCursor": "",
        "limit": 25
    }
}
```


Response Fields:

FIELD	TYPE	DESCRIPTION
`monitors`	array	List of monitor objects
`monitors[]`	object	Individual monitor object
`id`	string	Unique identifier of the monitor
`name`	string	Name of the monitor
`active`	boolean	Indicates whether the monitor is active
`uid`	string	Unique user-specific identifier of the monitor
`owner`	integer	Identifier of the monitor owner

FIELD	TYPE	DESCRIPTION
`collectionUid`	string	Identifier of the associated collection
`environmentUid`	string	Identifier of the associated environment (empty if not set)
`meta`	object	Pagination metadata
`nextCursor`	string	Cursor for retrieving the next page of results
`limit`	integer	Maximum number of monitors returned per page

Status Codes:

CODE	MEANING
`200`	Fetched all monitors successfully
`400`	Bad request — missing or invalid fields
`401`	Unauthorized — invalid or missing token
`404`	Not found - The requested resource does not exist
`500`	Internal server error

---

15. Get Specific Monitor

Returns details of a specific monitor.

Endpoint:

`GET /monitors/{monitorId}`

Path Parameters:

PARAMETER	TYPE	REQUIRED	DESCRIPTION
`monitorID`	string	Yes	Unique ID of the monitor

Headers:

HEADER	VALUE
Authorization	`X-Api-Key` `PMAK-XXXX`

Response:

```
{
    "monitor": {
        "id": "1f148ace-d8b4-4c20-aa19-11b9135fd5a7",
        "name": "NOTION",
        "uid": "53663724-1f148ace-d8b4-4c20-aa19-11b9135fd5a7",
        "owner": 53663724,
        "active": true,
        "notificationLimit": 3,
        "collectionUid": "53663724-c18dd000-f7ce-482a-847e-
7e26a19fb71b",
        "options": {
            "strictSSL": true,
            "followRedirects": true,
            "requestTimeout": null,
            "requestDelay": 0
        },
        "notifications": {
            "onError": [
                {
                    "email": "twrgokul02@gmail.com"
                }
            ],
            "onFailure": [
                {
                    "email": "twrgokul02@gmail.com"
                }
            ]
        },
        "distribution": [],
        "schedule": {
            "cron": "0 0 0 * * *",
            "timezone": "Asia/Calcutta",
            "nextRun": "2026-05-05T18:30:00.000Z"
        },
        "lastRun": {
            "status": "success",
            "startedAt": "2026-05-05T18:05:08.379Z",
            "finishedAt": "2026-05-05T18:06:11.185Z",
            "jobId": "1f148acf-366c-4750-9741-357bb2e0f49f",
            "stats": {
                "assertions": {
                    "total": 0,
                    "failed": 0
                },
                "requests": {
                    "total": 7
                },
                "runCount": 1,
```

```
                    "errorCount": 0,
                    "abortedCount": 0,
                    "responseLatency": 51500,
                    "responseSize": 973
                }
            }
        }
    }
```

Response Fields:

FIELD	TYPE	DESCRIPTION
`monitor`	object	Monitor details
`id`	string	Unique identifier of the monitor
`name`	string	Name of the monitor
`uid`	string	Unique user-specific identifier of the monitor
`owner`	integer	Identifier of the monitor owner
`active`	boolean	Indicates whether the monitor is active
`notificationLimit`	integer	Maximum number of notifications allowed
`collectionUid`	string	Identifier of the associated collection
`options`	object	Configuration options for the monitor
`strictSSL`	boolean	Indicates whether SSL verification is enforced
`followRedirects`	boolean	Indicates whether redirects are followed
`requestTimeout`	null/integer	Timeout for requests (null if not set)
`requestDelay`	integer	Delay between requests in milliseconds
`notifications`	object	Notification settings
`onError`	array	Notifications triggered on error
`onError[]`	object	Individual error notification
`email`	string	Email address for notifications
`onFailure`	array	Notifications triggered on failure
`onFailure[]`	object	Individual failure notification
`distribution`	array	Distribution list for monitor (empty if not set)

FIELD	TYPE	DESCRIPTION
`schedule`	object	Scheduling details for the monitor
`cron`	string	Cron expression defining execution schedule
`timezone`	string	Timezone for the schedule
`nextRun`	string	Timestamp of the next scheduled run (ISO 8601)
`lastRun`	object	Details of the last execution
`status`	string	Status of the last run
`startedAt`	string	Timestamp when the run started (ISO 8601)
`finishedAt`	string	Timestamp when the run finished (ISO 8601)
`jobId`	string	Identifier of the execution job
`stats`	object	Execution statistics
`assertions`	object	Assertion results
`total`	integer	Total number of assertions
`failed`	integer	Number of failed assertions
`requests`	object	Request execution details
`total`	integer	Total number of requests executed
`runCount`	integer	Number of times the monitor has run
`errorCount`	integer	Number of errors encountered
`abortedCount`	integer	Number of aborted executions
`responseLatency`	integer	Total response time in milliseconds
`responseSize`	integer	Total size of responses in bytes

Status Codes:

CODE	MEANING
`200`	Specific monitor fetched successfully
`400`	Bad request — missing or invalid fields
`401`	Unauthorized — invalid or missing token
`404`	Not found - The requested resource does not exist
`500`	Internal server error

Error Reference

CODE	ERROR	CAUSE
`400`	Bad Request	Malformed JSON or missing required
fields		
`401`	Unauthorized	API key missing or invalid
`403`	Forbidden	Valid key but no permission for this resource
`404`	Not Found	Collection/environment ID doesn't exist
`409`	Conflict	Duplicate name or resource already exists
`429`	Too Many Requests	Rate limit of 60 req/min exceeded
`500`	Internal Server Error	Postman server-side issue

Code Examples Appendix

1. GET /me - Fetch User Info

JavaScript:

```
const myHeaders = new Headers();
myHeaders.append("X-Api-Key", "YOUR_API_KEY");

const requestOptions = {
  method: "GET",
  headers: myHeaders,
  redirect: "follow"
};

fetch("https://api.getpostman.com/me", requestOptions)
  .then((response) => response.text())
  .then((result) => console.log(result))
  .catch((error) => console.error(error));
```

Python:

```
import requests
```

```
url = "https://api.getpostman.com/me"
headers = {
  'X-Api-Key': 'YOUR_API_KEY'
}

response = requests.request("GET", url, headers=headers)
print(response.text)
```

2. GET /workspaces — Get all Workspaces

JavaScript:

```
const myHeaders = new Headers();
myHeaders.append("X-Api-Key", "YOUR_API_KEY");

const requestOptions = {
  method: "GET",
  headers: myHeaders,
  redirect: "follow"
};

fetch("https://api.getpostman.com/workspaces", requestOptions)
  .then((response) => response.text())
  .then((result) => console.log(result))
  .catch((error) => console.error(error));
```

Python:

```
import requests

url = "https://api.getpostman.com/workspaces"
headers = {
  'X-Api-Key': 'YOUR_API_KEY'
}

response = requests.request("GET", url, headers=headers)
print(response.text)
```

3. GET /workspaces/{workspaceId} - Fetch a Specific Workspace

JavaScript:

```
const myHeaders = new Headers();
myHeaders.append("X-Api-Key", "YOUR_API_KEY");

const requestOptions = {
  method: "GET",
  headers: myHeaders,
  redirect: "follow"
};

fetch("https://api.getpostman.com/workspaces/{workspaceId}",
requestOptions)
  .then((response) => response.text())
  .then((result) => console.log(result))
  .catch((error) => console.error(error));
```

Python:

```
import requests

url = "https://api.getpostman.com/workspaces/{workspaceId}"
headers = {
  'X-Api-Key': 'YOUR_API_KEY'
}

response = requests.request("GET", url, headers=headers)
print(response.text)
```

4. POST /workspaces — Create a Workspace

JavaScript:

```
const myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
myHeaders.append("X-Api-Key", "YOUR_API_KEY");
```

```
const raw = JSON.stringify({
  "workspace": {
    "name": "My Workspace",
    "type": "personal",
    "description": "A new workspace"
  }
});

const requestOptions = {
  method: "POST",
  headers: myHeaders,
  body: raw,
  redirect: "follow"
};

fetch("https://api.getpostman.com/workspaces", requestOptions)
  .then((response) => response.text())
  .then((result) => console.log(result))
  .catch((error) => console.error(error));
```

Python:

```
import requests
import json

url = "https://api.getpostman.com/workspaces"
headers = {
  'Content-Type': 'application/json',
  'X-Api-Key': 'YOUR_API_KEY'
}
payload = json.dumps({
  "workspace": {
    "name": "My Workspace",
    "type": "personal",
    "description": "A new workspace"
  }
})

response = requests.request("POST", url, headers=headers, data=payload)
print(response.text)
```

5. GET /collections — Get all Collections

JavaScript:

```
const myHeaders = new Headers();
myHeaders.append("X-Api-Key", "YOUR_API_KEY");

const requestOptions = {
  method: "GET",
  headers: myHeaders,
  redirect: "follow"
};

fetch("https://api.getpostman.com/collections", requestOptions)
  .then((response) => response.text())
  .then((result) => console.log(result))
  .catch((error) => console.error(error));
```

Python:

```
import requests

url = "https://api.getpostman.com/collections"
headers = {
  'X-Api-Key': 'YOUR_API_KEY'
}

response = requests.request("GET", url, headers=headers)
print(response.text)
```

6. GET /collections/{collectionId} — Fetch a Specific Collection

JavaScript:

```
const myHeaders = new Headers();
myHeaders.append("X-Api-Key", "YOUR_API_KEY");

const requestOptions = {
  method: "GET",
```

```
  headers: myHeaders,
  redirect: "follow"
};

fetch("https://api.getpostman.com/collections/{collectionId}",
requestOptions)
  .then((response) => response.text())
  .then((result) => console.log(result))
  .catch((error) => console.error(error));
```

Python:

```
import requests

url = "https://api.getpostman.com/collections/{collectionId}"
headers = {
  'X-Api-Key': 'YOUR_API_KEY'
}

response = requests.request("GET", url, headers=headers)
print(response.text)
```

7. POST /collections — Create a collection

JavaScript:

```
const myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
myHeaders.append("X-Api-Key", "YOUR_API_KEY");

const raw = JSON.stringify({
  "collection": {
    "info": {
      "name": "My Collection",
      "schema":
"https://schema.getpostman.com/json/collection/v2.1.0/collection.json"
    },
    "item": []
  }
});
```

```javascript
const requestOptions = {
  method: "POST",
  headers: myHeaders,
  body: raw,
  redirect: "follow"
};

fetch("https://api.getpostman.com/collections", requestOptions)
  .then((response) => response.text())
  .then((result) => console.log(result))
  .catch((error) => console.error(error));
```

Python:

```python
import requests
import json

url = "https://api.getpostman.com/collections"
headers = {
  'Content-Type': 'application/json',
  'X-Api-Key': 'YOUR_API_KEY'
}
payload = json.dumps({
  "collection": {
    "info": {
      "name": "My Collection",
      "schema":
"https://schema.getpostman.com/json/collection/v2.1.0/collection.json"
    },
    "item": []
  }
})

response = requests.request("POST", url, headers=headers, data=payload)
print(response.text)
```

8. PUT /collections/{collectionId} — Update a collection

JavaScript:

```javascript
const myHeaders = new Headers();
```

```
myHeaders.append("Content-Type", "application/json");
myHeaders.append("X-Api-Key", "YOUR_API_KEY");

const raw = JSON.stringify({
  "collection": {
    "info": {
      "name": "Updated Collection Name",
      "schema":
"https://schema.getpostman.com/json/collection/v2.1.0/collection.json"
    },
    "item": []
  }
});

const requestOptions = {
  method: "PUT",
  headers: myHeaders,
  body: raw,
  redirect: "follow"
};

fetch("https://api.getpostman.com/collections/{collectionId}",
requestOptions)
  .then((response) => response.text())
  .then((result) => console.log(result))
  .catch((error) => console.error(error));
```

Python:

```
import requests
import json

url = "https://api.getpostman.com/collections/{collectionId}"
headers = {
  'Content-Type': 'application/json',
  'X-Api-Key': 'YOUR_API_KEY'
}
payload = json.dumps({
  "collection": {
    "info": {
      "name": "Updated Collection Name",
      "schema":
"https://schema.getpostman.com/json/collection/v2.1.0/collection.json"
    },
    "item": []
  }
```

```
})

response = requests.request("PUT", url, headers=headers, data=payload)
print(response.text)
```

9. DELETE /collections/{collectionId} - Delete a Collection

JavaScript:

```
const myHeaders = new Headers();
myHeaders.append("X-Api-Key", "YOUR_API_KEY");

const requestOptions = {
  method: "DELETE",
  headers: myHeaders,
  redirect: "follow"
};

fetch("https://api.getpostman.com/collections/{collectionId}",
requestOptions)
  .then((response) => response.text())
  .then((result) => console.log(result))
  .catch((error) => console.error(error));
```

Python:

```
import requests

url = "https://api.getpostman.com/collections/{collectionId}"
headers = {
  'X-Api-Key': 'YOUR_API_KEY'
}

response = requests.request("DELETE", url, headers=headers)
print(response.text)
```

10. GET /environments - List all Environment

JavaScript:

```javascript
const myHeaders = new Headers();
myHeaders.append("X-Api-Key", "YOUR_API_KEY");

const requestOptions = {
  method: "GET",
  headers: myHeaders,
  redirect: "follow"
};

fetch("https://api.getpostman.com/environments", requestOptions)
  .then((response) => response.text())
  .then((result) => console.log(result))
  .catch((error) => console.error(error));
```

Python:

```python
import requests

url = "https://api.getpostman.com/environments"
headers = {
  'X-Api-Key': 'YOUR_API_KEY'
}

response = requests.request("GET", url, headers=headers)
print(response.text)
```

11. GET /environments/{environmentId} - Fetch a Specific Environment

JavaScript:

```javascript
const myHeaders = new Headers();
myHeaders.append("X-Api-Key", "YOUR_API_KEY");

const requestOptions = {
  method: "GET",
  headers: myHeaders,
  redirect: "follow"
};
```

```
fetch("https://api.getpostman.com/environments/{environmentId}",
requestOptions)
  .then((response) => response.text())
  .then((result) => console.log(result))
  .catch((error) => console.error(error));
```

Python:

```
import requests

url = "https://api.getpostman.com/environments/{environmentId}"
headers = {
  'X-Api-Key': 'YOUR_API_KEY'
}

response = requests.request("GET", url, headers=headers)
print(response.text)
```

12. POST /environments - Create Environments

JavaScript:

```
const myHeaders = new Headers();
myHeaders.append("Content-Type", "application/json");
myHeaders.append("X-Api-Key", "YOUR_API_KEY");

const raw = JSON.stringify({
  "environment": {
    "name": "My Environment",
    "values": [
      {
        "key": "baseUrl",
        "value": "https://api.example.com",
        "type": "default",
        "enabled": true
      }
    ]
  }
});

const requestOptions = {
```

```
  method: "POST",
  headers: myHeaders,
  body: raw,
  redirect: "follow"
};

fetch("https://api.getpostman.com/environments", requestOptions)
  .then((response) => response.text())
  .then((result) => console.log(result))
  .catch((error) => console.error(error));
```

Python:

```
import requests
import json

url = "https://api.getpostman.com/environments"
headers = {
  'Content-Type': 'application/json',
  'X-Api-Key': 'YOUR_API_KEY'
}
payload = json.dumps({
  "environment": {
    "name": "My Environment",
    "values": [
      {
        "key": "baseUrl",
        "value": "https://api.example.com",
        "type": "default",
        "enabled": True
      }
    ]
  }
})

response = requests.request("POST", url, headers=headers, data=payload)
print(response.text)
```

13. PUT /environments/{environmentId} - Update Environments

JavaScript:

```
const myHeaders = new Headers();
myHeaders.append("Authorization", "YOUR_API_KEY");
myHeaders.append("Content-Type", "application/json");

const raw = JSON.stringify({
  "environment": {
    "name": "GOKUL",
    "values": [
      {
        "key": "collectionId",
        "value": "12345678-12ece9e1-2abf-4edc-8e34-de66e74114d2",
        "type": "default",
        "enabled": true,
        "description": "The collection's ID."
      }
    ]
  }
});

const requestOptions = {
  method: "PUT",
  headers: myHeaders,
  body: raw,
  redirect: "follow"
};

fetch("https://api.getpostman.com/environments/53663724-9396fef2-ffc4-
4f94-9ae1-04a1cf77bc18", requestOptions)
  .then((response) => response.text())
  .then((result) => console.log(result))
  .catch((error) => console.error(error));
```

Python:

```
import requests
import json

url = "https://api.getpostman.com/environments/53663724-9396fef2-ffc4-
4f94-9ae1-04a1cf77bc18"

payload = json.dumps({
  "environment": {
    "name": "GOKUL",
```

```
      "values": [
        {
          "key": "collectionId",
          "value": "12345678-12ece9e1-2abf-4edc-8e34-de66e74114d2",
          "type": "default",
          "enabled": True,
          "description": "The collection's ID."
        }
      ]
    }
  })
  headers = {
    'Authorization': 'YOUR_API_KEY',
    'Content-Type': 'application/json'
  }

  response = requests.request("PUT", url, headers=headers, data=payload)

  print(response.text)
```

14. GET /monitors - Get all monitors

JavaScript:

```
const myHeaders = new Headers();
myHeaders.append("X-Api-Key", "YOUR_API_KEY");

const requestOptions = {
  method: "GET",
  headers: myHeaders,
  redirect: "follow"
};

fetch("https://api.getpostman.com/monitors", requestOptions)
  .then((response) => response.text())
  .then((result) => console.log(result))
  .catch((error) => console.error(error));
```

Python:

```
import requests
```

```
url = "https://api.getpostman.com/monitors"
headers = {
  'X-Api-Key': 'YOUR_API_KEY'
}

response = requests.request("GET", url, headers=headers)
print(response.text)
```

15. GET/monitors/{monitorId} - Get a specific monitor

JavaScript:

```
const myHeaders = new Headers();
myHeaders.append("X-Api-Key", "YOUR_API_KEY");

const requestOptions = {
  method: "GET",
  headers: myHeaders,
  redirect: "follow"
};

fetch("https://api.getpostman.com/monitors/{monitorId}", requestOptions)
  .then((response) => response.text())
  .then((result) => console.log(result))
  .catch((error) => console.error(error));
```

Python:

```
import requests

url = "https://api.getpostman.com/monitors/{monitorId}"
headers = {
  'X-Api-Key': 'YOUR_API_KEY'
}

response = requests.request("GET", url, headers=headers)
print(response.text)
```

Change log

VERSION	DATE	CHANGES
1.0	May 6, 2026	Initial release

Support & Contact

CHANNEL	DETAILS
Official Docs	https://learning.postman.com/docs/introduction/overview
Community	https://community.postman.com/
Status Page	https://status.postman.com/

License & Compliance

Postman is proprietary software owned by Postman, Inc., governed by its Terms of Service and Privacy Policy. The free plan requires no license; paid plans (Basic, Professional, Enterprise) require a license agreement. Postman complies with SOC 2 Type II, GDPR, and CCPA standards. It uses open-source libraries listed in its attribution documentation. Exported collections and schemas remain the intellectual property of the respective API owner. Enterprise users should verify data residency options before handling sensitive data.

Document Version: 1.0 | Last Reviewed: May 6, 2026