TATA CONSULTANCY SERVICES
Experience certainty.

CERSAI 2.0 – API Specifications Document- SI Modification

TATA Consultancy Services Ltd.
Shalabh Chaudhary

Copyright

The data, designs, flowcharts and ideas contained herein will not be disclosed, duplicated, or used in whole or in part for any purpose other than to evaluate the proposal, provided that if a contract is awarded to this offer as a result of, or in connection with, the submission of these data, the propose will have the right to duplicate, use or disclose the data to the extent provided in the agreement.

All trademarks that appear in the document have been used for identification purposes only and belong to their respective companies.

Tata Code of Conduct

Tata Consultancy Services Limited (TCS), in its dealings, is self-regulated by a Code of Conduct as enshrined in the "Tata Code of Conduct". TCS requests that any violation or potential violation of the Code by any person be promptly brought to the notice of the Local Ethics Counsellor or the Principal Ethics Counsellor or the MD of TCS. All communication received in this regard will be treated and kept as confidential.

Document Revision History

Version No.	Date	Revision/Changes	Author	Reviewer
1.0	November 11, 2022	API SpecificationsDocument for CERSAI 2.0 – draft version.	Shalabh Chaudhary	Uminder Khatri

Contents

Copyright....1

Tata Code of Conduct 1

Document Revision History 2

List of Abbreviation 5

1. Introduction 6

2. Pre-requisites 7

3. Process Flow....8

Consuming the APIs 9

4. Modification of Security Interest API....10

URL 10

API Request (Encrypted) 10

API Request (Un-encrypted) 11

API Request Attributes....12

API Response (Encrypted)....14

API Response (Un-encrypted)....15

API Response Attributes 16

API Server Side Validation Error Response (Encrypted) 17

API API Server Side Validation Error Response (Un-encrypted)....17

API Response Attributes 18

Annexure I: Sample Requests and Responses....19

Annexure II: Server-Side Validations – Security Interest Modification of Security Interest – 26

List of Tables

Table 1: List of Abbreviations 5

Table 2: Registration of Security Interest / Attachment Order API Request Attributes 12

Table 3: Registration of Security Interest / Attachment Order API Response Attributes 16

Table 4: Server Side Validation Error API Response Attributes 18

Table 5: Field Validation for Security Interest 26

Table 6: Field Validation for Attachment Order 28

Table 7: Field Validation for Charge Holder 30

List of Abbreviation

This section provides the details of the abbreviations used in the document.

Table 1: List of Abbreviations

Abbreviation	Expanded Form
CERSAI	Central Registry of Securitisation Asset Reconstruction and Security Interest of India
API	Application Programming Interface
TCS	Tata Consultancy Services Limited
MD	Managing Director
SARFAESI	Securitisation and Reconstruction of Financial Assets and Enforcement of Security Interest Act, 2002
PUA	Primary User Administrator
RSA	Rivest-Shamir-Adleman Assymetric encryption algorithm
REST	Reprtesentational State Transfer
JSON	Javascript Object Notation
AES	Advanced Encryption Standard symmetric encryption algorithm
URL	Universal Resource Locator

1. Introduction

Central Registry of Securitisation Asset Reconstruction and Security Interest of India (CERSAI) is a Government of India company licensed under section 8 of the Companies Act, 2013 with Govt. of India having a shareholding of 51% by the Central Government and select Public Sector Banks and the National Housing Bank also being shareholders of the Company. The objective of the company is to maintain and operate a Registration System for the purpose of registration of transactions of securitization, asset reconstruction of financial assets and creation of security interest over property, as contemplated under Chapter IV of the Securitization and Reconstruction of Financial Assets and Enforcement of Security Interest (SARFAESI) Act, 2002.

To provide this mechanism, a web-based system was developed for registration of transaction by financial institutions. It enables lenders and other stake holders to get real time current information regarding the collateral being mortgaged by borrower which helps in preventing fraudulent transactions arising out of same asset being mortgaged with multiple lenders. It also provides potential buyers of assets with information about any encumbrances on the assets.

The functionalities and the end users of the Central Registry have increased steadily over a period of time since the Central Registry was operationalised on 31st Mar 2011. CERSAI has developed certain APIs to cater to the increased load on the Central Registry Portal as well as to provide a better end-user experience. This document provides the specifications for the Security Interest registration API.

2. Pre-requisites

In order to consume the APIs exposed by CERSAI, the following pre-requisites must be fulfilled:

1. Consumer entity must be a registered entity in the Central Registry portal.
2. Consumer Entity must have successfully registered the Security Interest and must have Security Interest Id registered in the Central Registry.
3. Consumer entity must have a valid class III digital signature.
4. Consumer entity will have to fill and submit the API Requisition Form. Only upon approval on the API Requisition Form by CERSAI, the consumers will be able to consume the API.
5. Consumer entity must incorporate all the relevant master data required for consuming the APIs. The master data can be downloaded from the 'Downloads' section of the CERSAI portal.

3. Process Flow

The process flow for consuming CERSAI 2.0 APIs is mentioned below:

1. Any entity that wants to consume the CERSAI APIs, will have to first fill an API registration form through the portal. The PUA users of the entity will have the authorisation for filling this form.
2. A valid class III digital signature is required for performing this step. This digital signature will be required for signing all the API requests and hence, need to be plugged in / present on the consuming server all the time.
3. After filling in the necessary details and selecting the digital signature, the PUA will submit the form. Upon submission, the request will come to CERSAI admin users for approval.
4. After CERSAI admin user has successfully approved the request, the system will generate:
    - 4.1. A new channel key. This channel key will be required to be passed in all API requests.
    - 4.2. A new user Id and password, to be used exclusively for consuming the APIs.
    - 4.3. A new RSA key pair. The public key will be shared with the institution while the private key will be maintained in the system.

NOTE: Entities who have already performed API Registrationfor Modification, can skip the registration steps and can start with the consuming the API.

Consuming the APIs

1. For consuming API, the consumer entity will have to first test the API in the non-production environment of CERSAI. Only after successfully testing the API in the non-production environment, the production environment will be enabled for the consumer entity.
2. All the APIs exposed by CERSAI will be REST APIs. The request and response payloads will be in JSON format.
3. Each API payload will be having two sections – 'header' and 'body'.
4. The header section will contain the attributes related to authentication and authorisation of the API request.
5. The body section will further contain three main attributes – 'additional info', 'session key' and 'request payload'.
6. For consuming the APIs, the consuming system will have to digitally sign the SIModificationDetails object using the digital signature that was registered on the CERSAI portal while filling the API registration form and then pass the signed value to RequestHash attribute of RequestPayload.
7. After SIModificationDetails is successfully digitally signed and RequestHash is created,a new unique AES256 session key and 16-byte IV paramater will have to be generated. Then, the RequestPayload (containing SIModificationDetails & RequestHash) will then have to be encrypted using this session key and IV parameter.
8. The session key, IV parameter and the passwordwill have to be then encrypted using the public key shared with the entity during the API registration process.
9. Encode the encrypted data to base-64 and invoke the API.
10. The response from CERSAI will only be encrypted using session key received in the API Request and encoded to base-64.

4. Modification of Security Interest API

This section describes the API for Modification of Security Interest / Attachment Order transactions.

URL

The URL for the API will be shared separately with the approved entities.

API Request (Encrypted)


```
{
        "header": {
          "authinfo": {
          "LoginParams": [
                "APILOGIN",
                      "<<API User Id>>",
                      "<<API User Password, create hash using SHA256, encrypt using pre-shared RSA public key, base-64 encoded>>"
          ],
          "UserType": "APIUSER",
          "AuthenticationType": "AUTH_API"
          }
      },
      "body": {
          "AdditionalInfo": {
                "EntityCode": "<<Consumer entity code, plain text>>",
                "IV": "<<Create 16-byte IV parameter, Convert to String, encrypt using pre-shared RSA public key, base-64 encoded>>"

          },
          "SessionKey": "<<Unique AES256 key, encryptusing pre-shared RSA public key, base-64 encoded >>",
          "RequestPayload": "<<encrypt using AES256 session key and 16-byte IV parameter, base-64 encoded>>"
      }
}
```

API Request (Un-encrypted)


```
{
    "header": {
        "authinfo": {
            "LoginParams": [
                "APILOGIN",
                "<<API User Id>>",
                "<<API User Password, create hash using SHA256, encrypt
               using pre-shared RSA public key, base-64 encoded>>"
            ],
            "UserType": "APIUSER",
            "AuthenticationType": "AUTH_API"
        }
    },
    "body": {
        "AdditionalInfo": {
            "EntityCode": "<<Consumer entity code, plain text>>",
            "IV": "<<Create 16-byte IV parameter, Convert to String, encrypt
           using pre-shared RSA public key, base-64 encoded>>"
        },
        "SessionKey": "<<Unique AES256 key, encrypt using pre-shared
       RSA public key, base-64 encoded >>",
        "RequestPayload": {
            "SIModificationDetails": {
                "securityInterest": {
                    "securityInterestId": 401XXXXXXXX5,
                    "securityInterestSubTypeId": 17,
                    "totalSecuredAmount": "87654321",
                    "typeOfCharge": "Second Charge",
                    "financingTypeId": 1,
                    "userIdentificationNumber": "ENT10012"
                },
                "modificationType": "Others",
                "transaction": {
                    "processId": 2,
                    "transactionDate": "2022-01-02",
                    "transactionMode": "A"
                }
            }
        }
    }
}
```

API Request Attributes

Table 2: Registration of Security Interest / Attachment Order API Request Attributes

Sr. No.	Attribute Name	Data Type	Is Mandatory?	Remarks
	header			
	authinfo			
1	LoginParams			
1(a)	APILOGIN	Constant	Yes	Constant value: “APILOGIN”
1(b)	API User Id	String	Yes	API User Id
1(c)	API User Password	String	Yes	API Password
2	UserType	Constant	Yes	Constant value: “APIUSER”
3	AuthenticationType	Constant	Yes	Constant value: “AUTH_API”
	body			
4	**AdditionalInfo**			
4(a)	EntityCode	String	Yes	CERSAI entity code
4(b)	IV	String	Yes	16-byte IV parameter
5	SessionKey	String	Yes	Unique AES256 key
6	**RequestPayload**			
7	**SIModificationDetails**			
7(a)	**securityInterest**			
7(b)	userIdentificationNumber	String	Yes	Entity Identification Number
7(c)	totalSecuredAmount	Number	Yes	Total secured amount of the security interest
7(d)	miscNarration	String	No	Narration
7(e)	typeOfCharge	String	Yes	Type of charge the entity holds
7(f)	financingTypeId ^	Number	Yes	Type of financing – Sole, Consortium or Multiple
7(g)	securityInterestCreationDate	Date	Yes	The security interest creation date within the bank
7(h)	securityInterestSubTypeId ^	Number	Yes	Type of security interest
8	modificationType	String	Yes	Type of Modification (TOC, Others, AO)
9	**siHolder**			
9(a)	officeName Branch Name	String	Yes	Branch Name
9(b)	countryCode ^	String	Yes	Security Interest holder branch country code
9(c)	stateCode ^	Number	Yes	Security Interest holder branch state code
9(d)	districtCode ^	Number	Yes	Security Interest holder branch district code
9(e)	district	String	No	Not Applicable
9(f)	cityTownVillageCode ^	Number	Yes	Security Interest holder branch sub district code
9(g)	cityTownVillage	String	No	Not Applicable
9(h)	Pincode ^	Number	Yes	Security Interest holder branch pin code
9(i)	pincodeValue	Number	No	Not Applicable
9(j)	addressLine1	String	Yes	Security Interest holder branch address line 1

Sr. No.	Attribute Name	Data Type	Is Mandatory?	Remarks
9(k)	addressLine2	String	No	Security Interest holder branch address line 2
9(l)	addressLine3	String	No	Security Interest holder branch address line 3
10	**transaction**			
10(a)	processId	Constant	Yes	Constant value: “1”
10(b)	transactionDate	Date	Yes	Modification Document Execution Date
10(c)	transactionMode	String	Yes	Constant Value: “A”
^: Values must be picked from the respective CERSAI masters.				

API Response (Encrypted)


```
{
    "header": {
        "referenceNo": "NA",
        "transactionId": "91pfj01XXXXXXXXXXXX010",
        "status": "success"
    },
    "body": "<<encrypted using the AES256 session key and base-64 encoded>>"
}
```


Note:

If users receive response in html encoded format for eg.

{"header":{"errorMessage":"Server Side Validation Error inSIModification","errorCode":"21001","transactionid":"vbXXXXXXXXXXXXXXXXXX33","status":"error"}}

User needs to perform html decoding, if decrypted 'APIResponse' is received in above format.

Kindly include following line, in case user is using java:

StringEscapeUtils.*unescapeHtml*("<Decrypted response in HTML encoded format>");

API Response (Un-encrypted)


```
{
    "header": {
        "referenceNo": "NA",
        "transactionId": "91pfj01XXXXXXXXXXXX010",
        "status": "success"
    },
    "body": {
        "APIResponse": {
            "processName": "Modification of Security Interest",
            "processId": 2,
            "responseTimestamp": "2022-10-02 22:21:13.83",
            "transationStatus": "C",
            "transactionSubTypeId": 17,
            "responseMessage": "Modification of Security Interest Successful",
            "transactionId": 200XXXXXXXX01,
            "responseCode": "SUCCESS"
        }
    }
}
```

API Response Attributes

Table 3: Registration of Security Interest / Attachment Order API Response Attributes

Sr. No.	Attribute Name	Data Type	Is Mandatory?	Remarks
	header			
1	referenceNo	String	No	Not applicable
2	transactionId	String	Yes	CERSAI Request transaction Id
3	Status	String	Yes	Status of the API request
	body			
4	transationStatus	String	Yes	Status of the Security Interest transaction
5	transactionId	Number	Yes	Security Interest registration transaction Id
6	transactionSubType	String	No	Not Applicable
7	processId	Number	No	Not Applicable
8	processName	String	No	Not Applicable
9	responseTimestamp	Timestamp	No	Transaction response timestamp
10	transactionSubTypeId	Number	No	Not Applicable
11	responseMessage	String	Yes	SI Registration response message

API Server Side Validation Error Response (Encrypted)


```
{
    "header": {
        "errorMessage": "Server Side Validation Error in SI Modification",
        "errorCode": "21013",
        "transactionid": "qzjr901668420597211133",
        "status": "error",
        "errorDetails": "{\"Failure\":\"{\\\"APIResponse\\\":\\\"MXsa12ibIQmViirBshXd
8z2OtdTTwG7pPJR2JPlpM96n05C2VApK1jtUOI5BhKGX4XW49kF8Z0Fkc8USHU72Ak4JhazkYbvB5ANh95xGv
+fVXa69OKMrX7DTY5BQ6ULifmDh0rZR+Jtxxjh+eRNP+OG658SIEGz88KZT9DPJAqi75UCij0NvGWI0yuRo4p
rVmZ9SWIWjKyyGGQ2Kgi3IXxMOTnsSdOWb2T84vxftOBuwSmKrLxK3/MVFSr8NW63g+muN3HAMMgLAQiMVRLA
xLPPLLc1Xb8cn33MTv5BV7YijuF4JxtVCPGbIYLmxQUyDjCIU0DVXXzIms/fe+ozRHVTiWcCMchDQHVq+Vqss
YqHJOBjTxp/TS5uaPYCH+sloLwQ4boFh96YlziH9g4LAsL4bif0SGqyZTOHggLurr0yw9wZBYn9HRN04A39St
eQ18fFOBAi+IJ0DJrRomfcDow==\\\"}\"}"
    }
}
```


API API Server Side Validation Error Response (Un-encrypted)


```
{
    "header": {
        "errorMessage": "Server Side Validation Error in SI Modification",
        "errorCode": "21013",
        "transactionid": "qzjr901668420597211133",
        "status": "error",
        "errorDetails": "{\"Failure\":\"{\\\"APIResponse\\\":\\\{"securityInterest":
        {"typeOfCharge": "Only Alphabets with Whitespace is allowed","userIdentificat
        ionNumber": "Only alpha numeric characters with Hyphen / Forward Slash / Whit
        espace are allowed|Consecutive special characters / spaces not allowed","fina
        ncingTypeId": "Security Interest with Finance Type Consortium can't be modify
        ed through API Mode"}}\\\"}\"}"
    }
}
```

API Response Attributes

Table 4: Server Side Validation Error API Response Attributes

Sr. No.	Attribute Name	Data Type	Is Mandatory?	Remarks
	header			
1	errorMessage	String	Yes	CERSAI API Error Message
2	errorCode	String	Yes	Status of the API request (21001 For Server Side Validation Error in Security Interest Registration API)
3	transactionid	String	Yes	CERSAI Request transaction Id
4	Status	String	Yes	Status of the API request
5	errorDetails	String	Yes	Detailed Error Message.

Annexure I: Sample Requests and Responses

There are Two Types of Modification option is available to user:

(1) Transfer of Charge (TOC): Entity can modify Primary Charge Holder Details for which ”siHolder“ Object needs to be passed. Also, Entity Code need to be passed in”ownerEntity“attribute of securityInterest object to which Charge will transferred to.

(2) Other:

a. Total Secured Amount/Total Recovery Amount

b. Type of Financing

c. Details of Charge

d. Agreement to Create Mortgage (UUC) to Registered Mortgage/ Equitable Mortgage

- If Finance Type is Sole or Multiple -

  Entity can modify following attributes:

  1. Type of Finance i.e., financingTypeId can be Sole (1)/ Multiple (3).
  2. Total Secured Amount i.e., totalSecuredAmount.
  3. Details of Charge i.e., typeOfCharge.
  4. Entity Identification Number i.e., userIdentificationNumber.

- If Finance Type is Consortium - **Entities will not be able to perform Modification of Security Interest through API mode.** Entity has to use Online Mode.

This section provides the sample request (unencrypted) and their corresponding response (unencrypted) for each type.

- **Modification Type: Transfer of Charge (TOC)**

Request:


```
{
    "header": {
        "authinfo": {
            "LoginParams": [
                "APILOGIN",
                "<<API User Id>>",
                "<<API User Password, create hash using SHA256, encrypt using
               pre-shared RSA public key, base-64 encoded>>"
            ],
            "UserType": "APIUSER",
            "AuthenticationType": "AUTH_API"
        }
    },
    "body": {
        "AdditionalInfo": {
            "EntityCode": "<<Consumer entity code, plain text>>",
            "IV": "<<Create 16-byte IV parameter, Convert to String, encrypt using
           pre-shared RSA public key, base-64 encoded>>"
        },
        "SessionKey": "<<Unique AES256 key, encrypt using
       pre-shared RSA public key, base-64 encoded >>",
        "RequestPayload": {
            "SIModificationDetails": {
                "securityInterest": {
                    "securityInterestId": 401XXXXXXXX5,
                    "securityInterestSubTypeId": 17,
                    "totalSecuredAmount": 87654321,
                    "ownerEntity": "M0037",
                    "financingTypeId": 1
                },
                "modificationType": "TOC",
                "siHolder": {
                    "officeName": "Office Branch Name",
                    "siHolderAddress": {
                        "addressLine1": "Address Line 1",
                        "addressLine2": "Address Line 2",
                        "addressLine3": "Address Line 3",
                        "cityTownVillageCode": 1311718,
                        "districtCode": 682,
                        "stateCode": 10,
                        "district": "",
                        "pincode": 110001,
```

```
                        "pincodeValue": "",
                        "cityTownVillage": "",
                        "countryCode": "IND",
                        "country": "India"
                    }
                },
                "transaction": {
                    "processId": 2,
                    "transactionDate": "<<Modification Document Execution Date in
                    dd/mm/yyyy format>>",
                    "transactionMode": "A"
                }
            },
            "RequestHash": "MIIGbwYJKoZIhvcNAQcCoIIGYDCCBlwCAQExCzAJBg /…/
QlmUoW9+f/+JVQkw=="
        }
    }
}
```


Response:


```
{
    "header": {
        "transactionid": "jzg6q01664881854803160",
        "status": "success"
    },
    "body": {
        "APIResponse": {
            "processName": "Modification of Security Interest",
            "responseTimestamp": "2022-10-04 16:40:58.075",
            "transationStatus": "C",
            "transactionSubTypeId": 17,
            "responseMessage": "Modification of Security Interest Successful",
            "processId": 2,
            "transactionId": 200XXXXXXXX3,
            "responseCode": "SUCCESS"
        }
    }
}
```

- **For Modification Type = Others**
  - Entity can only modify from Security Interest Subtype of Agreement to Create Mortgage (UUC) (19) to Equitable Mortgage (17) or Registered Mortgage (18).

Request:


```
{
    "header": {
        "authinfo": {
            "LoginParams": [
                "APILOGIN",
                "<<API User Id>>",
                "<<API User Password, create hash using SHA256, encrypt
               using pre-shared RSA public key, base-64 encoded>>"
            ],
            "UserType": "APIUSER",
            "AuthenticationType": "AUTH_API"
        }
    },
    "body": {
        "AdditionalInfo": {
            "EntityCode": "<<Consumer entity code, plain text>>",
            "IV": "<<Create 16-byte IV parameter, Convert to String, encrypt
           using pre-shared RSA public key, base-64 encoded>>"
        },
        "SessionKey": "<<Unique AES256 key, encrypt using pre-shared RSA
       public key, base-64 encoded >>",
        "RequestPayload": {
            "SIModificationDetails": {
                "securityInterest": {
                    "securityInterestId": 401XXXXXXXX5,
                    "securityInterestSubTypeId": 17,
                    "totalSecuredAmount": 87654321,
                    "typeOfCharge": "Second Charge",
                    "financingTypeId": 1,
                    "userIdentificationNumber": "ENT10012"
                },
                "modificationType": "Others",
                "transaction": {
                    "processId": 2,
                    "transactionDate": ""<<Modification Document Execution Date in
                   dd/mm/yyyy format>>",
                    "transactionMode": "A"
                }
            },
            "RequestHash": "MIIGbwYJKoZIhvcNAQcCoExCzAJBg /…/ QlmUoW9+f/+JVQkw=="
        }
    }
}
```

Response:


```
{
    "header": {
        "transactionid": "cv4cd01664813560422030",
        "status": "success"
    },
    "body": {
        "APIResponse": {
            "processId": 2,
            "processName": "Modification of Security Interest",
            "responseTimestamp": "2022-10-03 13:11:45.868",
            "transactionSubTypeId": 17,
            "transationStatus": "C",
            "responseMessage": "Modification of Security Interest Successful",
            "transactionId": 200XXXXXXXX5,
            "responseCode": "SUCCESS"
        }
    }
}
```

For Modification Type: Attachment Order (AO)

- **Entity can modify following attributes:**
  1. Total Recovery Amount i.e., totalSecuredAmount.
  2. Misc Narration i.e., miscNarration
  3. transactionDate is Modification Document Execution Date.

Request:


```
{
    "header": {
        "authinfo": {
            "LoginParams": [
                "APILOGIN",
                "<<API User Id>>",
                "<<API User Password, create hash using SHA256, encrypt using pre-
shared RSA public key, base-64 encoded>>"
            ],
            "UserType": "APIUSER",
            "AuthenticationType": "AUTH_API"
        }
    },
    "body": {
        "AdditionalInfo": {
            "EntityCode": "<<Consumer entity code, plain text>>",
            "IV": "<<Create 16-byte IV parameter, Convert to String, encrypt using
           pre-shared RSA public key, base-64 encoded>>"
        },
        "SessionKey": "<<Unique AES256 key, encrypt using pre-shared
        RSA public key, base-64 encoded >>",
        "RequestPayload": {
            "SIModificationDetails": {
                "securityInterest": {
                    "securityInterestId": 401XXXXXXXX7,
                    "securityInterestSubTypeId": 6,
                    "totalSecuredAmount": "87654321",
                    "miscNarration": "Misc Narration"
                },
                "modificationType": "AO",
                "transaction": {
                    "processId": 2,
                    "transactionDate": ""<<Modification Document Execution Date in
                   dd/mm/yyyy format>>",
                    "transactionMode": "A"
                }
            },
            "RequestHash": "MIIGbwYJKoZIhvNAQIIYDCCAQExCzAJBg /…/ QlmUoW9+f/+JVQkw=="
        }
    }
}
```

Response:


```
{
    "header": {
        "transactionid": "rwl06016649810876681 96",
        "status": "success"
    },
    "body": {
        "APIResponse": {
            "processName": "Modification of Security Interest",
            "processId": 2,
            "responseTimestamp": "2022-10-05 20:14:59.039",
            "transactionSubTypeId": 6,
            "transationStatus": "C",
            "responseMessage": "Modification of Security Interest Successful",
            "transactionId": 200XXXXXXXX8,
            "responseCode": "SUCCESS"
        }
    }
}
```

Annexure II: Server-Side Validations – Security Interest Modification of Security Interest –

Table 5: Field Validation for Security Interest

SR NO	FIELD NAME	DATA TYPE	MANDATORY / OPTIONAL?	FIELD DESCRIPTION	FIELD VALIDATION
1	securityInterestSubTypeId	Number	Yes	The type of security interest such as equitable mortgage, registered mortgage, agreement to create mortgage, etc. Please refer corresponding master available in the "Downloads" section on the CERSAI portal for allowed values.	Only fixed set of values allowed (as per master table / data set)
2	financingTypeId	Number	Yes	The type of financing in this security interest. Please refer to the corresponding master available in the "Downloads" section on the CERSAI portal for allowed values.	Only fixed set of values allowed (as per master table / data set)
3	totalSecuredAmount	Decimal	Yes	This is the total secured amount of the security interest. This must be greater than zero. Values up to two decimal places are allowed.	Numbers only; No Space Allowed; Special Character(s) Allowed: **Dot (Only One)**; Must be greater than zero; Other Field Specific Validations may apply (Example: Credit Upload Amount must not exceed 1 Crore; Credit Upload Amount must be in multiples of 100 / 1000 / etc.);

					Maximum Amount: -9999999999999; Max length:13;
4	userIdentificationNumber	String	Yes	This will be a generic field for Entities' internal MIS / reconciliation purpose. Entities may use this field to provide BSR code, Loan Account Number, Transaction Id, etc.	Alphanumeric Characters; No Space Allowed; Special Character(s) Allowed: **None:** Max Length:20;
5	miscNarration	String	No	This is a free text field to capture information relevant to security interest.	Alphanumeric Characters; Special Character(s) Allowed: **Hyphen** / **Underscore** / **Dot** / **Comma** / **Forward Slash / Whitespace**; Consecutive special characters not allowed; Must not begin or end with a special character; Max Length:100;
6	typeOfCharge	String	Yes	This is the type of charge of the creditor such as first charge, second charge, pari passu, etc. This should be the type of charge of the creditor or the type of charge of the consortium leader in case of consortium security interest(s).	Alphabets only; Special Character(s) Allowed: **Whitespace**; Consecutive special characters not allowed; Must not begin or end with a special character; Max Length:20;

For Attachment Order –

Table 6: Field Validation for Attachment Order

SR NO	FIELD NAME	DATA TYPE	MANDATORY / OPTIONAL?	FIELD DESCRIPTION	FIELD VALIDATION
1	totalRecoveryAmount	Decimal	Yes	This is the total secured amount of the security interest. This must be greater than zero. Values up to two decimal places are allowed.	Numbers only; No Space Allowed; Special Character(s) Allowed: **Dot (Only One)**; Must be greater than zero; Other Field Specific Validations may apply (Example: Credit Upload Amount must not exceed 1 Crore; Credit Upload Amount must be in multiples of 100 / 1000 / etc.); Maximum Amount: -9999999999999; Max length:13;
2	userIdentificationNumber	String	Yes	This will be a generic field for Entities' internal MIS / reconciliation purpose. Entities may use this field to provide BSR code, Loan Account Number, Transaction Id, etc.	Alphanumeric Characters; No Space Allowed; Special Character(s) Allowed: **None:** Max Length:20;
3	miscNarration	String	No	This is a free text field to capture information relevant to security interest.	Alphanumeric Characters; Special Character(s) Allowed: **Hyphen** / **Underscore** / **Dot** / **Comma** / **Forward Slash** / **Whitespace**; Consecutive special characters not allowed; Must not begin

					or end with a special character; Max Length:100;

For Charge Holder –

Table 7: Field Validation for Charge Holder

SR NO	FIELD NAME	DATA TYPE	MANDATORY / OPTIONAL?	FIELD DESCRIPTION	FIELD VALIDATION
1	officeName	String	Yes	This field is for the Office/ Ward/ Branch name of the Charge Holder.	Alphabets only; Special Character(s) Allowed: **Whitespace**; Consecutive special characters not allowed; Must not begin or end with a special character;Maximum Length:100;
2	addressLine1	String	Yes	The 1st line of the office address details of the Charge Holder. It may include Flat number, Building number, Building name etc.	Alphanumeric Characters; Special Character(s) Allowed: **Hyphen** / **Underscore** / **Dot** / **Forward Slash / Whitespace**; Consecutive special characters not allowed; Must not begin or end with a special character;Maximum Length:100;
3	addressLine2	String	No	The 2nd line of the office address details of the Charge Holder. It may include Plot number, Street name etc.	Alphanumeric Characters; Special Character(s) Allowed: **Hyphen** / **Underscore** / **Dot** / **Forward Slash / Whitespace**; Consecutive special characters not allowed;

					Must not begin or end with a special character;Maximum Length:100;
4	addressLine3	String	No	The 3rd line of the office address details of the Charge Holder. It may include Locality, Village, Taluka etc.	Alphanumeric Characters; Special Character(s) Allowed: **Hyphen** / **Underscore** / **Dot** / **Forward Slash / Whitespace**; Consecutive special characters not allowed; Must not begin or end with a special character;Maximum Length:100;
5	cityTownVillageCode	String	Yes	This field is for City/ Village/ Town name of the Charge Holder. Please refer corresponding master available in the "Downloads" section on the CERSAI portal for allowed values.	Only fixed set of values allowed (as per master table / data set)
6	districtCode	String	Yes	The field for District of the Charge Holder. Please refer corresponding master available in the "Downloads" section on the CERSAI portal for allowed values.	Only fixed set of values allowed (as per master table / data set)
7	stateCode	String	Yes	The field for the name of the State of the Charge Holder. Please refer corresponding	Only fixed set of values allowed (as per master table / data set)

				master available in the "Downloads" section on the CERSAI portal for allowed values.	
8	pincode	Number	Yes	The field for 6-digit Pin-Code / Post-Code of the Charge Holder. Please refer corresponding master available in the "Downloads" section on the CERSAI portal for allowed values.	Only fixed set of values allowed (as per master table / data set)
9	countryCode	Constant	Yes	"IN"	**