CREATE AND CONFIGURE IBM CLOUD SERVICE Create Node-Red service

| Date | 15 September 2022 | | |
|---------------|---------------------------------------------------------------|--|--|
| Team ID | PNT2022TMID07810 | | |
| Project Name | IoT Based gadget for child safety monitoring and notification | | |
| Maximum Marks | 4 Marks | | |

Node- Red Service

• Use IBM® Cloudant® Node-Red for IBM Cloud to store and access your device data in daily, weekly, or monthly databases set by on your selected bucket line.

Node-RED is a programming tool for wiring together hardware devices, APIs and online services in new and interesting ways. It provides a browser-based editor that makes it easy to wire together flows using the wide range of nodes in the palette that can be deployed to its runtime in a single-click.

This script work on any system using systemd as the init process.

- # It works on Debian/Raspbian Jessie.
- # If you have Debian/Rapbian Wheezy and want to use this script with systemd
- # follow the information here: https://wiki.debian.org/systemd
- # To easily download, install and set at startup:
- # wget -O /tmp/download

https://gist.github.com/Belphemur/3f6d3bf211b0e8a18d93/download && sudo tar -zxf /tmp/download --strip-components 1 -C /etc/systemd/system/ && sudo systemctl -- reload-daemon && sudo systemctl enable Node-RED

To consult the log: journalctl-u Node-RED

[Unit]

services in new and interesting ways. After=syslog.target network.target **Documentation=http://nodered.org/** [Service] Environment="NODE_OPTIONS=--max-old-space-size=128" Environment="NODE_RED_OPTIONS=-v" **#Full Path to Node.js** ExecStart=/usr/local/bin/node \$NODE_OPTIONS red.js \$NODE_RED_OPTIONS WorkingDirectory=/home/pi/node-red/ # User/Group that launches node-RED (it's advised to create a new user for Node-RED) # You can do: sudo useradd node-red # then change the User=root by User=node-red User=root **Group=root** Nice=10 SyslogIdentifier=Node-RED StandardOutput=syslog # Make Node-RED restart if it fails Restart=on-failure # Node-RED need a SIGINT to be notified to stop KillSignal=SIGINT [Install] WantedBy=multi-user.target

Description=Node-RED is a tool for wiring together hardware devices, APIs and online