


HOLDING ANGLE SWA

Date: 8/25/2026



Organization: UACPL


Customer: E+H

Operator: Yogesh

Part name: HOLDING ANGLE SWA

Part Number: 71089431

Serial No: 01



Feature Table

Length Units Millimeters
Coordinate Systems world
Data Alignments best-fit to ref 1

↔ Ballooning No. 11 Feature: circle 3, Ref Feature: circle 2

Control	Nom	Meas	Tol	Dev	Test	Out Tol
Z Distance	18.000	18.081	±0.500	0.081	Pass	

↔ Ballooning No. 8 Feature: circle 1, Ref Feature: circle 2


Control	Nom	Meas	Tol	Dev	Test	Out Tol
Y Distance	18.000	17.913	±0.500	-0.087	Pass	

↔ Ballooning No. 9 Feature: Ballooning No. 16, Ref Feature: point 1

Control	Nom	Meas	Tol	Dev	Test	Out Tol
Y Distance	33.000	32.888	±0.600	-0.112	Pass	

↔ Ballooning No. 7 Feature: point 1, Ref Feature: circle 2

Control	Nom	Meas	Tol	Dev	Test	Out Tol
Y Distance	4.750	4.585	±0.300	-0.165	Pass	



Feature Table

Length Units Millimeters
Coordinate Systems world
Data Alignments best-fit to ref 1

Ballooning No. 15

Control	Nom	Meas	Tol	Dev	Test	Out Tol
Diameter	30.500	30.618	±1.200	0.118	Pass	

Ballooning No. 16

Control	Nom	Meas	Tol	Dev	Test	Out Tol
Diameter	50.000	49.941	±1.200	-0.059	Pass	

Ballooning No. 14

Control	Nom	Meas	Tol	Dev	Test	Out Tol
Radius	2.502	2.689	±0.600	0.187	Pass	

Ballooning No. 13


Feature: Ballooning No. 15, Ref Feature: circle 2

Control	Nom	Meas	Tol	Dev	Test	Out Tol
X Distance	78.000	78.600	±0.800	0.600	Pass	

Ballooning No. 12

Feature: point 4, Ref Feature: point 3

Control	Nom	Meas	Tol	Dev	Test	Out Tol
Z Distance	28.000	27.803	±0.600	-0.197	Pass	



Feature Table

Length Units Millimeters
Coordinate Systems world
Data Alignments best-fit to ref 1

Ballooning No. 18

Control	Nom	Meas	Tol	Dev	Test	Out Tol
Radius	2.500	2.493	±0.600	-0.007	Pass	

Ballooning No. 19

Feature: point 2, Ref Feature: plane 1

Control	Nom	Meas	Tol	Dev	Test	Out Tol
X Distance	102.995	102.704	±0.800	-0.291	Pass	

Ballooning No. 17

Feature: plane 2, Ref Feature: point 1

Control	Nom	Meas	Tol	Dev	Test	Out Tol
Y Distance	33.000	32.980	±0.600	-0.020	Pass	