

Cucumber Report

11-Sep-2022, 8:28:30 pm

Start : Sep 11, 8:26:55.881 pm

End : Sep 11, 8:28:29.848 pm

Duration : 1 m 33.967 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 3



FAILED - 7

SKIPPED - 0


PASSED - 9

FAILED - 7


SKIPPED - 9



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>E-Commerce Purchase</u>	1 m 33.967 s	10	3	7	0	25	9	7	9





#	Feature Name	T	P	F	S	Duration
1	<u>E-Commerce Purchase</u>	10	3	7	0	1 m 33.967 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>E-Commerce Purchase</u>	<u>User wants to order Iphone13 through Amazon</u>	3	3	0	0	6.032 s
2	<u>E-Commerce Purchase</u>	<u>User wants to signin the amazon</u>	3	3	0	0	4.759 s
3	<u>E-Commerce Purchase</u>	<u>User wants to provide some details</u>	3	3	0	0	6.156 s
4	<u>E-Commerce Purchase</u>	<u>User wants to search for their requirement</u>	3	0	1	2	2.073 s
5	<u>E-Commerce Purchase</u>	<u>User wants to select the desired item</u>	2	0	1	1	12.455 s
6	<u>E-Commerce Purchase</u>	<u>User wants to buy the selected item</u>	2	0	1	1	12.487 s
7	<u>E-Commerce Purchase</u>	<u>User wants to do the payment</u>	2	0	1	1	12.485 s
8	<u>E-Commerce Purchase</u>	<u>User wants to provide delivery address</u>	2	0	1	1	12.471 s
9	<u>E-Commerce Purchase</u>	<u>User wants to provide payment details</u>	3	0	1	2	12.479 s
10	<u>E-Commerce Purchase</u>	<u>User wants to quit the order</u>	2	0	1	1	12.495 s

E-Commerce Purchase



<div>FAILED</div>	<div>DURATION - 1 m 33.967 s</div>	<div>Scenarios</div> <div>Total - 10</div> <div>Pass - 3</div> <div>Fail - 7</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 25</div> <div>Pass - 9</div> <div>Fail - 7</div> <div>Skip - 9</div>	<div></div>
<div>/ 8:26:55.881 pm // 8:28:29.848 pm /</div>					

User wants to order Iphone13 through Amazon

PASSED		DURATION - 6.032 s			Steps	
/ 8:26:55.884 pm // 8:27:01.916 pm /					Total - 3	
E-Commerce Purchase					Pass - 3	
					Fail - 0	
					Skip - 0	



#	Step / Hook Details	Status	Duration
1	Given User wants to open the website	PASSED	3.373 s
2	When User wants to click the Signin Button	PASSED	2.647 s
3	Then User can proceed to next page	PASSED	0.001 s

User wants to sign the amazon

<div>PASSED</div>	<div>DURATION - 4.759 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 8:27:01.927 pm // 8:27:06.686 pm /</div>				
<div>E-Commerce Purchase</div>				



#	Step / Hook Details	Status	Duration
1	Given User should enter the vaild email id or mobile number	PASSED	2.109 s
2	When User wants to click the continue button	PASSED	2.649 s
3	Then User can get into the next page	PASSED	0.001 s

User wants to provide some details

PASSED		DURATION - 6.156 s			Steps Total - 3 Pass - 3 Fail - 0 Skip - 0			
/ 8:27:06.695 pm // 8:27:12.851 pm /								
E-Commerce Purchase								

#	Step / Hook Details	Status	Duration
1	Given User should enter the valid passcode	PASSED	2.085 s
2	When User wants to click the signIn button	PASSED	2.069 s
3	Then User will get into the amazon website	PASSED	2.002 s



User wants to search for their requirement

FAILED		DURATION - 2.073 s			Steps Total - 3 Pass - 0 Fail - 1 Skip - 2		
/ 8:27:12.859 pm // 8:27:14.932 pm /							
E-Commerce Purchase							

#	Step / Hook Details	Status	Duration
1	Given User wants to enter iphone13 in the searchbox	FAILED	2.068 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=105.0.5195.102) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'LAPTOP-OHR58QTM', ip: '192.168.29.245', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3e4ad6e6037f357d106234388a03e577, clickElement {id=1ac62fb9-e539-416d-b4cb-799dc14779c7}] Capabilities {acceptInsecureCerts: false,		

#	Step / Hook Details	Status	Duration
	<p>browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\acer\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:61093}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61093/devtoo..., se:cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (3e4ad6e6037f357d106234388a03e577)] -> xpath: //input[@type='text']] Session ID: 3e4ad6e6037f357d106234388a03e577</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:257) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:78) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:577) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy24.click(Unknown Source) at com.baseclass.BaseClass.clickOnElement(BaseClass.java:145) at com.stepdefinition.StepDefinition.user_wants_to_enter_iphone13_in_the_searchbox(StepDefinition.java:101) at ?.User wants to enter iphone13 in the searchbox(file:///C:/Users/acer/eclipse-workspace/Project/src/test/java/com/feature/amazon.feature:19)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	When User should click the search button	SKIPPED	0.001 s
3	Then User can show the results	SKIPPED	0.000 s



User wants to select the desired item

<div>FAILED</div> <div>DURATION - 12.455 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 8:27:14.951 pm // 8:27:27.406 pm /				
E-Commerce Purchase				

#	Step / Hook Details	Status	Duration
1	<p>Given User should click the desired item</p> <pre>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=105.0.5195.102) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'LAPTOP-OHR58QTM', ip: '192.168.29.245', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3e4ad6e6037f357d106234388a03e577, findElement {using=xpath, value=(//img[@class='s-image'])[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\acer\AppData\Local\., goog:chromeOptions: {debuggerAddress: localhost:61093}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:61093/devtoo..., se.cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3e4ad6e6037f357d106234388a03e577 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy24.click(Unknown Source) at com.baseclass.BaseClass.clickOnElement(BaseClass.java:145) at com.stepdefinition.StepDefinition.user_should_click_the_desired_item(StepDefinition.java:122) at ?.User should click the desired item(file:///C:/Users/acer/eclipse-workspace/Project/src/test/java/com/feature/amazon.feature:24)</pre>	FAILED	12.453 s

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. When User will directed to next page	SKIPPED	0.001 s



User wants to buy the selected item

FAILED DURATION - 12.487 s / 8:27:27.411 pm // 8:27:39.898 pm / E-Commerce Purchase		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given User wants to click the buy now option <pre>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=105.0.5195.102) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'LAPTOP-OHR58QTM', ip: '192.168.29.245', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3e4ad6e6037f357d106234388a03e577, findElement {using=xpath, value=//div[@id='nav-tools']/following-sibling::a[@aria-label='1 item in cart']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\acer\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:61093}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61093/devtoo..., se:cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3e4ad6e6037f357d106234388a03e577 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365)</pre>	FAILED	12.485 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy24.click(Unknown Source) at com.baseclass.BaseClass.clickOnElement(BaseClass.java:145) at com.stepdefinition.StepDefinition.user_wants_to_click_the_buy_now_option(StepDefinition.java:134) at ?.User wants to click the buy now option(file:///C:/Users/acer/eclipse-workspace/Project/src/test/java/com/feature/amazon.feature:28) * Not displayable characters are replaced by '?'. </pre>		
2	When User can get into the payment page	SKIPPED	0.000 s

User wants to do the payment

FAILED DURATION - 12.485 s / 8:27:39.903 pm // 8:27:52.388 pm / E-Commerce Purchase		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
---	--	--	---

#	Step / Hook Details	Status	Duration
1	Given User wants to click the procced to payment button <pre> org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=105.0.5195.102) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'LAPTOP-OHR58QTM', ip: '192.168.29.245', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3e4ad6e6037f357d106234388a03e577, findElement {using=xpath, value=//span[@class='celwidget'}}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\acer\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:61093}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:61093/devtoo..., se.cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3e4ad6e6037f357d106234388a03e577 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) </pre>	FAILED	12.484 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy24.click(Unknown Source) at com.baseclass.BaseClass.clickOnElement(BaseClass.java:145) at com.stepdefinition.StepDefinition.user_wants_to_click_the_procced_to_payment_button(StepDefinition.java:146) at ?.User wants to click the procced to payment button(file:///C:/Users/acer/eclipse-workspace/Project/src/test/java/com/feature/amazon.feature:32) * Not displayable characters are replaced by '?'. </pre>		
2	Then User will get into next page	SKIPPED	0.001 s

User wants to provide delivery address

FAILED DURATION - 12.471 s		Steps Total - 2 Pass - 0 Fail - 1 Skip - 1	
/ 8:27:52.394 pm // 8:28:04.865 pm /			
E-Commerce Purchase			

#	Step / Hook Details	Status	Duration
1	<p>Given User should select the use this address button</p> <pre> org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=105.0.5195.102) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'LAPTOP-OHR58QTM', ip: '192.168.29.245', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3e4ad6e6037f357d106234388a03e577, findElement {using=xpath, value=([input[@type='submit']])[2]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\acer\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:61093}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61093/devtoo..., se:cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: </pre>	FAILED	12.470 s

#	Step / Hook Details	Status	Duration
	<p>3e4ad6e6037f357d106234388a03e577</p> <pre> at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy24.click(Unknown Source) at com.baseclass.BaseClass.clickOnElement(BaseClass.java:145) at com.stepdefinition.StepDefinition.user_should_select_the_use_this_address_button(StepDefinition.java:158) at ?.User should select the use this address button(file:///C:/Users/acer/eclipse-workspace/Project/src/test/java/com/feature/amazon.feature:36) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
2	Then User will directed to payment page	SKIPPED	0.000 s



User wants to provide payment details

FAILED DURATION - 12.479 s / 8:28:04.869 pm // 8:28:17.348 pm / E-Commerce Purchase		Steps Total - 3 Pass - 0 Fail - 1 Skip - 2	
---	--	--	--

#	Step / Hook Details	Status	Duration
1	Given User want to click cvv button org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=105.0.5195.102) Build info: version: '4.4.0', revision:	FAILED	12.477 s

#	Step / Hook Details	Status	Duration
	<p>'e5c75ed026a' System info: host: 'LAPTOP-OHR58QTM', ip: '192.168.29.245', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3e4ad6e6037f357d106234388a03e577, findElement {using=xpath, value=//input[@type='password']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\acer\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:61093}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61093/devtoo..., se:cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3e4ad6e6037f357d106234388a03e577</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy24.click(Unknown Source) at com.baseclass.BaseClass.clickOnElement(BaseClass.java:145) at com.stepdefinition.StepDefinition.user_want_to_click_cvv_button(StepDefinition.java:170) at ?.User want to click cvv button(file:///C:/Users/acer/eclipse-workspace/Project/src/test/java/com/feature/amazon.feature:40)</p> <p>* Not displayable characters are replaced by '?'. </p>		
2	When User should enter the cvv number	SKIPPED	0.000 s
3	Then User will proceed to confirm the order	SKIPPED	0.000 s

User wants to quit the order

<div>FAILED</div> <div>DURATION - 12.495 s</div>		<div></div>	<div>Steps</div> <div>Total - 2</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 8:28:17.353 pm // 8:28:29.848 pm /				
E-Commerce Purchase				

#	Step / Hook Details	Status	Duration
1	<p>Given User should click the logout icon</p> <pre>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=105.0.5195.102) Build info: version: '4.4.0', revision: 'e5c75ed026a' System info: host: 'LAPTOP-OHR58QTM', ip: '192.168.29.245', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '18.0.2.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3e4ad6e6037f357d106234388a03e577, findElement {using=xpath, value=//img[@alt='Website is secured with SSL']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\acer\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:61093}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:61093/devtoo..., se.cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 3e4ad6e6037f357d106234388a03e577 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:483) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:365) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:357) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy24.click(Unknown Source) at com.baseclass.BaseClass.clickOnElement(BaseClass.java:145) at com.stepdefinition.StepDefinition.user_shoul_click_the_logout_icon(StepDefinition.java:189) at ?.User should click the logout icon(file:///C:/Users/acer/eclipse-workspace/Project/src/test/java/com/feature/amazon.feature:45)</pre>	FAILED	12.494 s

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. Then User logged out successfully		
2	Then User logged out successfully	SKIPPED	0.001 s