

16/8/26

Exp: 05: Experiment on packet capture
tool: Wireshark.

Aim:

Experiments on packet capture tool: Wireshark

Wireshark: -

Wireshark, a network analysis tool formally known as Ethereal, captures packets in real time and displays them in human-readable format.

Wireshark includes filters, color coding and other features that let you dig deep into network traffic and inspect individual packets.

Procedure:-

Capturing packets:-

After downloading & installing Wireshark, launch it & double-click the name of a network interface under Capture to start capturing packets on that interface. As soon as you click the interface's name, you will see the packets start to appear in real time. Wireshark captures each packet sent to or from your system. If you have promiscuous mode enabled - it's enabled by default you will also see all the other packets on the network instead of only packets addressed to your network. To check if promiscuous mode is enabled, click Capture > Options and verify the "Enable promiscuous mode on all interfaces" checkbox is activated at the bottom of this window. Create a filter to display only TCP packet, inspect the packets and provide the flow graph.

Procedure:-

*) Select local area connection in Wireshark.

*) Go to Capture option.

*) Select stop capture automatically after 100 packets

*) Then click start capture

*) Search TCP packets in search box.

*) To see flow graph click statistics flow graph.

*) Save the packets.

Create a filter to display only ARP packets and inspect the packets.

Procedure:-

*) Go to Capture option.

*) Select stop capture automatically after 100 packets

*) Then click start capture.

*) Search ARP packets in search bar.

*) Save the packets



