

DAY-07

The image displays two screenshots of the Eclipse IDE interface, showing the execution of Selenium tests.

Top Screenshot:

- Package Explorer:** Shows the project structure with packages `com.selenium.A1` and `src/test/java`. The `src/test/java` package contains sub-packages `com.selenium.A1` and `src`, with files `AppTest.java`, `sample1.java`, `D7_1.java`, `D7_2.java`, `D7_3.java`, `D7_4.java`, `Test1.java`, and `Test2.java`.
- Editor:** Displays the code for `A1/pom.xml` and `src/test/java/com.selenium.A1.D7_4.java`. The code includes imports for `java.util.concurrent.TimeUnit` and `org.openqa.selenium.*`, and defines two test methods: `Test1` and `Test2`.
- Outline:** Shows the class `com.selenium.A1.D7_4` with methods `Test1`, `Test2`, `Test3`, and `Test4`.
- Problems:** Shows a message: "Tests: 1/1. Methods: 4 (22292 ms)".
- Test Results:** Shows a summary of test results: "All Tests" (1 failed, 0 skipped, 0 passed). The failed test is `Test1` (12.284 s).

Bottom Screenshot:

- Package Explorer:** Shows the project structure with packages `com.selenium.A1` and `src/test/java`. The `src/test/java` package contains sub-packages `com.selenium.A1` and `src`, with files `AppTest.java`, `sample1.java`, `D7_1.java`, `D7_2.java`, `D7_3.java`, `D7_4.java`, `Test1.java`, and `Test2.java`.
- Editor:** Displays the code for `A1/pom.xml` and `src/test/java/com.selenium.A1.D7_3.java`. The code includes imports for `java.util.concurrent.TimeUnit` and `org.openqa.selenium.*`, and defines two test methods: `Test1` and `Test2`.
- Outline:** Shows the class `com.selenium.A1.D7_3` with methods `Test1`, `Test2`, `Test3`, and `Test4`.
- Problems:** Shows a message: "Tests: 1/1. Methods: 1 (30058 ms)".
- Test Results:** Shows a summary of test results: "All Tests" (1 failed, 0 skipped, 0 passed). The failed test is `f` (3.342 s).



