
AWS Solution Architect Training with
AWS Cloud Practitioner Global Certification

Capstone Projects

Trainer: Aravindraj.G- Nminds Academy

AWS Academy Certified Educator

Configure VPC Peering with different AWS Region



GOKUL S

Objective

Amazon VPC Peering is a networking connection between two Virtual Private Clouds (VPCs) that enables you to route traffic between them privately using AWS's internal network.

🔷 Key Features:

✅ Private communication (no internet gateway required)

✅ Low latency, high bandwidth

✅ Works across regions (Inter-Region Peering)

✅ No single point of failureSubnets:

VPC peering is a one-to-one networking connection between two VPCs that enables you to route traffic between them privately. Instances in either VPC can communicate with each other like they are in the same network. You can create a VPC peering connection between your own VPCs, with a VPC in another AWS account, or with a VPC in a different AWS Region.

You can establish peering relationships between VPCs across different AWS Regions. Inter-Region VPC peering provides a simple and cost-effective way to share resources between Regions or replicate data for geographic redundancy. Data that is transferred across inter-Region VPC peering connections is charged at the standard inter-Region data transfer rates.

Inter-Region VPC peering enables VPC resources to communicate with each other using private IP addresses without requiring gateways, VPN connections, or separate network appliances. Some examples of VPC resources include Amazon Elastic Compute Cloud (Amazon EC2) instances, Amazon Relational Database Service (Amazon RDS) databases, and AWS Lambda functions that run in different Regions.

Traffic remains in the private IP address space. All inter-Region traffic is encrypted with no single point of failure or bandwidth bottleneck. Traffic always stays on the global AWS backbone. Traffic never traverses the public internet, which reduces threats, such as common exploits and distributed denial of service (DDoS) attacks.

🔷 Use Cases:

✔️ Connecting microservices across VPCs

✔️ Multi-account architecture

✔️ Hybrid application environments

✔️ Data sharing between teams

🔷 Important Limitations:


⚠️ No transitive peering (VPC A ↔ B ↔ C does NOT mean A ↔ C)

⚠️ Overlapping CIDR blocks are not allowed

⚠️ Must manually update route tables

Topology

How to Configure VPC Peering with different Region in AWS



Used Services in AWS



Amazon VPC

Public subnet

Private subnet




Internet gateway



Route table



Peering connection



Amazon Elastic Compute Cloud (Amazon EC2)


Used Services in Windows Server



Apache Webserver


Execution Steps:


Steps to Configure VPC Peering(Different Region) in AWS





Execution Tasks:


Task1: Create the 2 custom VPC with Public Subnet with different VPC based on the above topology:






Subnet details | VPC Management
us-east-1.console.aws.amazon.com/vpcconsole/home?region=us-east-1#subnets:subnetId=subnet-0fa9bd1257440bd58
Search
United States (N. Virginia)
Gokul S (294022385305)
VPC > Subnets
VPC dashboard
You have successfully created 1 subnet: subnet-0fa9bd1257440bd58
Subnets (1/1) Info
Actions
Create subnet
Subnet ID : subnet-0fa9bd1257440bd58
Clear filters
Name
Subnet ID
State
VPC
NV public
subnet-0fa9bd1257440bd58
Available
vpc-01f5060cb221a7f05 | NV vpc
subnet-0fa9bd1257440bd58 / NV public
Details
Flow logs
Route table
Network ACL
CIDR reservations
Sharing
Tags
Related resources
Subnet ID
Subnet ARN
State
Block Public Access
IPv4 CIDR
IPv6 CIDR
IPv6 CIDR association ID
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Internet gateway details | VPC
us-east-1.console.aws.amazon.com/vpcconsole/home?region=us-east-1#igws:
VPC > Internet gateways
VPC dashboard
Internet gateway igw-0e82bfb492e439db1 successfully attached to vpc-01f5060cb221a7f05
Internet gateways (1/2) Info
Actions
Create internet gateway
Name
Internet gateway ID
State
VPC ID
Default-VPC-IGW
igw-0d70633d5595dcb14
Attached
vpc-026c40e4766f2ccc4 | Default-VPC
NV IGW
igw-0e82bfb492e439db1
vpc-01f5060cb221a7f05 | NV vpc
igw-0e82bfb492e439db1 / NV IGW
Details
Tags
Internet gateway ID
State
VPC ID
Owner
294022385305



VPC | us-east-1
Ask Gemini
us-east-1.console.aws.amazon.com/vpcconsole/home?region=us-east-1#RouteTableDetails:RouteTableId=rtb-034c5dbe5b92091f5
Search
[Alt+S]
United States (N. Virginia)
Gokul S (294022385305)
VPC > Route tables > rtb-034c5dbe5b92091f5
VPC dashboard
Filter by VPC
AWS Global View
Virtual private cloud
Your VPCs
Subnets
Route tables
Internet gateways
Egress-only internet gateways
Carrier gateways
DHCP option sets
Elastic IPs
Managed prefix lists
NAT gateways
Peering connections
Updated routes for rtb-034c5dbe5b92091f5 / NV RT successfully
Details
Details Info
Route table ID
rtb-034c5dbe5b92091f5
Main
Yes
Explicit subnet associations
–
Edge associations
–
VPC
vpc-01f5060cb221a7f05 | NV vpc
Owner ID
294022385305
Routes
Subnet associations
Edge associations
Route propagation
Tags
Related resources
Routes (2)
Both
Edit routes
Filter routes
Destination
Target
Status
Propagated
Route Origin
0.0.0.0/0
igw-0e82bfb492e439db1
Active
No
Create Route
10.0.0.0/24
local
Active
No
Create Route Table
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
ENG



SecurityGroups | VPC Console
Ask Gemini
us-east-1.console.aws.amazon.com/vpcconsole/home?region=us-east-1#SecurityGroups:
Search
[Alt+S]
United States (N. Virginia)
Gokul S (294022385305)
VPC > Security Groups
DHCP option sets
Elastic IPs
Managed prefix lists
NAT gateways
Peering connections
Route servers
Security
Network ACLs
Security groups
PrivateLink and Lattice
Getting started
Endpoints
Endpoint services
Service networks
Lattice services
Resource configurations
Resource gateways
Security group (sg-0277d5cf2e9d5ec81 | NV Public SG) was created successfully
Details
Security Groups (1/3) Info
Actions
Export security groups to CSV
Create security group
Find security groups by attribute or tag
Name
Security group ID
Security group name
VPC ID
NV
sg-0277d5cf2e9d5ec81
NV Public SG
vpc-01f5060cb221a7f05
–
sg-0d49a40aa7ef114ff
default
vpc-026c40e4766f2ccc4
sg-0277d5cf2e9d5ec81 - NV Public SG
Details
Inbound rules
Outbound rules
Sharing
VPC associations
Related resources - new
Tags
Details
Security group name
NV Public SG
Security group ID
sg-0277d5cf2e9d5ec81
Description
Allow
VPC ID
vpc-01f5060cb221a7f05
Owner
Inbound rules count
Outbound rules count
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
ENG


SecurityGroups | VPC Console
vpcs | VPC | ap-south-1
Ask Gemini
ap-south-1.console.aws.amazon.com/vpcconsole/home?region=ap-south-1#vpcs:
Search
[Alt+S]
Asia Pacific (Mumbai)
Gokul S (294022385305)
Gokul S
VPC > Your VPCs
VPC dashboard
Filter by VPC
AWS Global View
Virtual private cloud
Your VPCs
Subnets
Route tables
Internet gateways
Egress-only internet gateways
DHCP option sets
Elastic IPs
Managed prefix lists
NAT gateways
Peering connections
Route servers
You successfully created vpc-0fe1fc8b317f6ed3f / IND 19
Your VPCs (1/2) Info
Last updated less than a minute ago
Actions
Create VPC
Find VPCs by attribute or tag
Name
VPC ID
State
Encryption c...
Encryption control ...
IND 19
vpc-0fe1fc8b317f6ed3f
Available
vpc-0fe1fc8b317f6ed3f / IND 19
Details
VPC ID
vpc-0fe1fc8b317f6ed3f
State
Available
Block Public Access
Off
DNS hostnames
Disabled
DNS resolution
Enabled
Tenancy
default
DHCP option set
dopt-0186f5b6490c6565a
Main route table
Main network ACL
Default VPC
No
IPv4 CIDR
192.168.0.0/24
IPv6 pool
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
ENG



SecurityGroups | VPC Console
Subnet details | VPC Managem
Ask Gemini
ap-south-1.console.aws.amazon.com/vpcconsole/home?region=ap-south-1#subnets:subnetId=subnet-0ebefc054e6ca52b6
Search
[Alt+S]
Asia Pacific (Mumbai)
Gokul S (294022385305)
Gokul S
VPC > Subnets
VPC dashboard
Filter by VPC
AWS Global View
Virtual private cloud
Your VPCs
Subnets
Route tables
Internet gateways
Egress-only internet gateways
DHCP option sets
Elastic IPs
Managed prefix lists
NAT gateways
Peering connections
Route servers
You have successfully created 1 subnet: subnet-0ebefc054e6ca52b6
Subnets (1/1) Info
Last updated less than a minute ago
Actions
Create subnet
Find subnets by attribute or tag
Subnet ID : subnet-0ebefc054e6ca52b6
Clear filters
Name
Subnet ID
State
VPC
Block Publi
IND SN
subnet-0ebefc054e6ca52b6
Available
vpc-0fe1fc8b317f6ed3f | IND 19
Off
subnet-0ebefc054e6ca52b6 / IND SN
Details
Subnet ID
subnet-0ebefc054e6ca52b6
Subnet ARN
arn:aws:ec2:ap-south-1:294022385305:subnet/subnet-0ebefc054e6ca52b6
State
Available
Block Public Access
Off
IPv4 CIDR
192.168.0.0/25
IPv6 CIDR
IPv6 CIDR association ID
Availability Zone
aps1-az1 (ap-south-1a)
Available IPv4 addresses
123
VPC
vpc-0fe1fc8b317f6ed3f | IND 19
Route table
Network border group
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
ENG



SecurityGroups | VPC Console
Internet gateway details | VPC
Ask Gemini
ap-south-1.console.aws.amazon.com/vpcconsole/home?region=ap-south-1#igws:
Search
[Alt+S]
Asia Pacific (Mumbai)
Gokul S (294022385305)
Gokul S
VPC > Internet gateways
VPC dashboard
Filter by VPC
AWS Global View
Virtual private cloud
Your VPCs
Subnets
Route tables
Internet gateways
Egress-only internet gateways
DHCP option sets
Elastic IPs
Managed prefix lists
NAT gateways
Peering connections
Route servers
Internet gateway igw-06d41e9f10c9b02d5 successfully attached to vpc-0fe1fc8b317f6ed3f
Notifications
Internet gateways (1/2) Info
Actions
Create internet gateway
Find internet gateways by attribute or tag
Name
Internet gateway ID
State
VPC ID
igw-05d665bfe0f83db6f
Attached
vpc-02d34a0cd7a2821dd | default
Ind Igw
igw-06d41e9f10c9b02d5
Attached
vpc-0fe1fc8b317f6ed3f | IND 19
igw-06d41e9f10c9b02d5 / Ind Igw
Details
Tags
Details
Internet gateway ID
igw-06d41e9f10c9b02d5
State
Attached
VPC ID
vpc-0fe1fc8b317f6ed3f | IND 19
Owner
294022385305
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
ENG



VPC | us-east-1
Route table details | VPC
Ask Gemini
ap-south-1.console.aws.amazon.com/vpcconsole/home?region=ap-south-1#RouteTables:
Search
[Alt+S]
Asia Pacific (Mumbai)
Gokul S (294022385305)
Gokul S
VPC > Route tables
VPC dashboard
Filter by VPC
AWS Global View
Virtual private cloud
Your VPCs
Subnets
Route tables
Internet gateways
Egress-only internet gateways
DHCP option sets
Elastic IPs
Managed prefix lists
NAT gateways
Peering connections
Route servers
Updated routes for rtb-03a42fe583cd3d3de / IND successfully
Details
Route tables (1/2) Info
Last updated less than a minute ago
Actions
Create route table
Find route tables by attribute or tag
Name
Route table ID
Explicit subnet associ...
Edge associations
Main
IND
rtb-03a42fe583cd3d3de
Yes
Default RT
rtb-0c68a18a44f5728bf
Yes
rtb-03a42fe583cd3d3de / IND
Routes (2)
Both
Edit routes
Filter routes
Destination
Target
Status
Propagated
Route Origin
0.0.0.0/0
igw-06d41e9f10c9b02d5
Active
No
Create Route
192.168.0.0/24
local
Active
No
Create Route Table
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
ENG





Task2: Create Linux Instance & Install Apache Webserver (EC2) on newly created 2 different VPC's:





ec2-user@ip-10-0-0-41:~
Microsoft Windows [Version 10.0.17134.191]
(c) 2018 Microsoft Corporation. All rights reserved.
C:\Users\Aravindraj>cd downloads
C:\Users\Aravindraj\Downloads>ssh -i private.pem ec2-user@44.200.118.22
The authenticity of host '44.200.118.22 (44.200.118.22)' can't be established.
ECDSA key fingerprint is SHA256:74/TDVNvVo3CJwzm8VmVlKPkF3qOAU6ZG4EqGAZ85Xs.
Are you sure you want to continue connecting (yes/no)? yes
Warning: Permanently added '44.200.118.22' (ECDSA) to the list of known hosts.
Amazon Linux 2023
https://aws.amazon.com/linux/amazon-linux-2023
[ec2-user@ip-10-0-0-41 ~]$


root@ip-10-0-0-41:~
Installing : generic-logos-httpd-18.0.0-12.amzn2023.0.3.noarch 12/13
Installing : httpd-2.4.68-1.amzn2023.0.1.x86_64 13/13
Running scriptlet: httpd-2.4.68-1.amzn2023.0.1.x86_64 13/13
Verifying : apr-1.7.5-1.amzn2023.0.4.x86_64 1/13
Verifying : apr-util-1.6.3-1.amzn2023.0.2.x86_64 2/13
Verifying : apr-util-lmdb-1.6.3-1.amzn2023.0.2.x86_64 3/13
Verifying : apr-util-openssl-1.6.3-1.amzn2023.0.2.x86_64 4/13
Verifying : generic-logos-httpd-18.0.0-12.amzn2023.0.3.noarch 5/13
Verifying : httpd-2.4.68-1.amzn2023.0.1.x86_64 6/13
Verifying : httpd-core-2.4.68-1.amzn2023.0.1.x86_64 7/13
Verifying : httpd-filesystem-2.4.68-1.amzn2023.0.1.noarch 8/13
Verifying : httpd-tools-2.4.68-1.amzn2023.0.1.x86_64 9/13
Verifying : libbrotli-1.0.9-4.amzn2023.0.2.x86_64 10/13
Verifying : mailcap-2.1.49-3.amzn2023.0.3.noarch 11/13
Verifying : mod_http2-2.0.42-1.amzn2023.0.1.x86_64 12/13
Verifying : mod_lua-2.4.68-1.amzn2023.0.1.x86_64 13/13
Installed:
apr-1.7.5-1.amzn2023.0.4.x86_64
apr-util-1.6.3-1.amzn2023.0.2.x86_64
apr-util-lmdb-1.6.3-1.amzn2023.0.2.x86_64
apr-util-openssl-1.6.3-1.amzn2023.0.2.x86_64
generic-logos-httpd-18.0.0-12.amzn2023.0.3.noarch
httpd-2.4.68-1.amzn2023.0.1.x86_64
httpd-core-2.4.68-1.amzn2023.0.1.x86_64
httpd-filesystem-2.4.68-1.amzn2023.0.1.noarch
httpd-tools-2.4.68-1.amzn2023.0.1.x86_64
libbrotli-1.0.9-4.amzn2023.0.2.x86_64
mailcap-2.1.49-3.amzn2023.0.3.noarch
mod_http2-2.0.42-1.amzn2023.0.1.x86_64
mod_lua-2.4.68-1.amzn2023.0.1.x86_64
Complete!
[root@ip-10-0-0-41 ~]#


vpcs | VPC Console
VPC | ap-south-1
Instances | EC2 | ap-south-1
Instances | EC2 | us-east-1
Ask Gemini
ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#Instances:
Search
[Alt+S]
Asia Pacific (Mumbai)
Gokul S (294022385305)
Gokul S
EC2 > Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
Capacity Manager New
Images
AMIs
Instances (1/1) Info
Last updated less than a minute ago
Connect
Instance state
Actions
Launch instances
Saved filter sets
Choose filter set
Find Instance by attribute or tag (case-sensitive)
Name
Instance ID
Instance state
Instance type
Status check
Availability Zone
IND server
i-031bbdb839c391e11
Running
t3.micro
Initializing
ap-south-1a
i-031bbdb839c391e11 (IND server)
Instance summary Info
Public IPv4 address copied
Instance ID
i-031bbdb839c391e11
13.126.68.212 | open address
Private IPv4 addresses
192.168.0.89
IPv6 address
Instance state
Running
Public DNS
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
ENG



ec2-user@ip-192-168-0-89:~
Microsoft Windows [Version 10.0.17134.191]
(c) 2018 Microsoft Corporation. All rights reserved.
C:\Users\Aravindraj>cd downloads
C:\Users\Aravindraj\Downloads>ssh -i ind.pem ec2-user@13.126.68.212
The authenticity of host '13.126.68.212 (13.126.68.212)' can't be established.
ECDSA key fingerprint is SHA256:Yfk9ejkcAu7mdEhyZ9CDjl2V1+FbmM8Qa/lT25Il7t4.
Are you sure you want to continue connecting (yes/no)? yes
Warning: Permanently added '13.126.68.212' (ECDSA) to the list of known hosts.
Amazon Linux 2023
https://aws.amazon.com/linux/amazon-linux-2023
[ec2-user@ip-192-168-0-89 ~]$
ENG





Task3: From N.V VPC1 Linux Instance try to access Mumbai VPC2 Linux Instance (EC2) by using private IP address, is possible to access or not?

Yes, By peering connection it is possible

Task4: Configure VPC peering for N.Virginia VPC1 to Mumbai VPC2 in the Same region with appropriate route table configuration.




VPC | us-east-1
Peering connection details | VPC
Instances | EC2 | ap-south-1
Instances | EC2 | us-east-1
Ask Gemini
us-east-1.console.aws.amazon.com/vpcconsole/home?region=us-east-1#RouteTableDetails:RouteTableId=rtb-034c5dbe5b92091f5
Search [Alt+S]
United States (N. Virginia)
Gokul S (294022385305)
Gokul S
VPC > Route tables > rtb-034c5dbe5b92091f5
Virtual private cloud
Your VPCs
Subnets
Route tables
Internet gateways
Egress-only internet gateways
Carrier gateways
DHCP option sets
Elastic IPs
Managed prefix lists
NAT gateways
Peering connections
Route servers
Security
Network ACLs
Security groups
PrivateLink and Lattice
Updated routes for rtb-034c5dbe5b92091f5 / NV RT successfully
Details
Details Info
Route table ID
rtb-034c5dbe5b92091f5
Main
Yes
Explicit subnet associations
–
Edge associations
–
VPC
vpc-01f5060cb221a7f05 | NV vpc
Owner ID
294022385305
Routes
Subnet associations
Edge associations
Route propagation
Tags
Related resources
Routes (3)
Both
Edit routes
Filter routes
Destination
Target
Status
Propagated
Route Origin
0.0.0.0/0
igw-0e82bfb492e439db1
Active
No
Create Route
10.0.0.0/24
local
Active
No
Create Route Table
192.168.0.0/24
pcx-075eeb01566b6e141
Active
No
Create Route
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
ENG


VPC | us-east-1
VPC | ap-south-1
Instances | EC2 | ap-south-1
Instances | EC2 | us-east-1
Ask Gemini
ap-south-1.console.aws.amazon.com/vpcconsole/home?region=ap-south-1#RouteTableDetails:RouteTableId=rtb-03a42fe583cd3d3de
Search [Alt+S]
Asia Pacific (Mumbai)
Gokul S (294022385305)
Gokul S
VPC > Route tables > rtb-03a42fe583cd3d3de
Your VPCs
Subnets
Route tables
Internet gateways
Egress-only internet gateways
DHCP option sets
Elastic IPs
Managed prefix lists
NAT gateways
Peering connections
Route servers
Security
Network ACLs
Security groups
PrivateLink and Lattice
Getting started
Endpoints
Updated routes for rtb-03a42fe583cd3d3de / IND successfully
Details
Details Info
Route table ID
rtb-03a42fe583cd3d3de
Main
Yes
Explicit subnet associations
–
Edge associations
–
VPC
vpc-0fe1fc8b317f6ed3f | IND 19
Owner ID
294022385305
Routes
Subnet associations
Edge associations
Route propagation
Tags
Related resources
Routes (3)
Both
Edit routes
Filter routes
Destination
Target
Status
Propagated
Route Origin
0.0.0.0/0
igw-06d41e9f10c9b02d5
Active
No
Create Route
10.0.0.0/24
pcx-075eeb01566b6e141
Active
No
Create Route
192.168.0.0/24
local
Active
No
Create Route Table
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences
ENG

Task5: Now test the above task

```
C:\Users\starj\Downloads>ssh -i linux-pw.pem ec2-user@44.201.14.124
   ,     #_
   ~\_  ####_        Amazon Linux 2023
  ~~  \_#####\
  ~~     \###|
  ~~       \#/ ___   https://aws.amazon.com/linux/amazon-linux-2023
   ~~       V~' '->
    ~~~         /
      ~~._.   _/
         _/ _/
       _/m/'
Last login: Tue May 12 01:02:10 2026 from 27.60.164.45
[ec2-user@ip-10-0-100-227 ~]$ sudo -i
[root@ip-10-0-100-227 ~]# vi linux-pw.pem
[root@ip-10-0-100-227 ~]# ls
linux-pw.pem
[root@ip-10-0-100-227 ~]# vi linux-pw-IND.pen
[root@ip-10-0-100-227 ~]# ls
linux-pw-IND.pem  linux-pw.pem
[root@ip-10-0-100-227 ~]# ssh -i linux-pw
linux-pw-IND.pem  linux-pw.pem
[root@ip-10-0-100-227 ~]# ssh -i linux-pw-IND.pem ec2-user@172.16.0.11
The authenticity of host '172.16.0.11 (172.16.0.11)' can't be established.
ED25519 key fingerprint is SHA256:B7QAQvDBLqJgopUZphtrd+tCoxZFNuzhvX4L7u2vlbg.
This key is not known by any other names
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '172.16.0.11' (ED25519) to the list of known hosts.
@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@
@         WARNING: UNPROTECTED PRIVATE KEY FILE!          @
@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@
Permissions 0644 for 'linux-pw-IND.pem' are too open.
It is required that your private key files are NOT accessible by others.
```

```
Warning: Permanently added '172.16.0.11' (ED25519) to the list of known hosts.
@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@
@         WARNING: UNPROTECTED PRIVATE KEY FILE!          @
@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@@
Permissions 0644 for 'linux-pw-IND.pem' are too open.
It is required that your private key files are NOT accessible by others.
This private key will be ignored.
Load key "linux-pw-IND.pem": bad permissions
ec2-user@172.16.0.11: Permission denied (publickey,gssapi-keyex,gssapi-with-mic).
[root@ip-10-0-100-227 ~]# ls -l linux-pw-IND.pem
-rw-r--r--. 1 root root 1675 May 12 01:13 linux-pw-IND.pem
[root@ip-10-0-100-227 ~]# chmod 400 linux-pw-IND.pem
[root@ip-10-0-100-227 ~]# ls -l linux-pw-IND.pem
-r--------. 1 root root 1675 May 12 01:13 linux-pw-IND.pem
[root@ip-10-0-100-227 ~]# ssh -i linux-pw-IND.pem ec2-user@172.16.0.11
   ,     #_
   ~\_  ####_        Amazon Linux 2023
  ~~  \_#####\
  ~~     \###|
  ~~       \#/ ___   https://aws.amazon.com/linux/amazon-linux-2023
   ~~       V~' '->
    ~~~         /
      ~~._.   _/
         _/ _/
       _/m/'
Last login: Tue May 12 01:08:11 2026 from 27.60.164.45
[ec2-user@ip-172-16-0-11 ~]$
```