

下载任务调度中心源码

下载任务调度中心源码

下载xxl-job源码


将下载的源码导入到eclipse中

下载xxl-job源码


下载地址：<https://github.com/Gold-yuan/xqx-xxl-job>

将下载的源码导入到eclipse中


1、打开eclipse文件，打开file->Import...



2、在弹出窗口中输入git，选中Projects from Git，点击next。



3、在弹出窗口中选中Clone URI，点击next。




4、将下载地址输入到URI中，Host和Repository path 自动生成，输入用户名和密码，点击next。

Import Projects from Git

Source Git Repository

Enter the location of the source repository.



Location

URI:

Host:

Repository path:

Connection

Protocol:


Port:

Authentication


User:

Password:


☒ Store in Secure Store




5、点击next。




6、选择存储路径，文件夹必须以xqx-xxl-job命名，点击next。



7、选中Import as general project ,点击next。



8、项目名称必须以xqx-xxl-job命名，点击finish。




9、目录结构

```

└─ xqx-xxl-job [xqx-xxl-job master]
   └─ libs
   └─ xqx-base
   └─ xqx-gateway
   └─ xqx-job-handler
   └─ xqx-job1
   └─ xqx-job2
   └─ xqx-job3
   └─ xqx-job4
   └─ xqx-job5
   └─ build.gradle
   └─ settings.gradle
```

10、将普通项目转成gradle项目。项目右键，选中configure,选中Add Gradle Nature.



11、目录结构

```
└─ > xqx-base [xqx-xxl-job master]
└─ > xqx-gateway [boot] [xqx-xxl-job master]
└─ > xqx-job-handler [boot] [xqx-xxl-job master]
└─ > xqx-job1 [boot] [xqx-xxl-job master]
└─ > xqx-job2 [boot] [xqx-xxl-job master]
└─ > xqx-job3 [boot] [xqx-xxl-job master]
└─ > xqx-job4 [boot] [xqx-xxl-job master]
└─ > xqx-job5 [boot] [xqx-xxl-job master]
└─ > xqx-xxl-job [xqx-xxl-job master]
```

请阅读readme.md安装并启动任务调度中心