



);

```
CREATE TABLE Orders (  
  id INT PRIMARY KEY,  
  total_cost DECIMAL(10, 2),  
  user_id INT, -- assuming each order is associated with a user  
  FOREIGN KEY (user_id) REFERENCES Users(id)  
);
```

);

```
CREATE TABLE OrderItems (  
  id INT PRIMARY KEY,  
  order_id INT,  
  beer_id INT,  
  quantity INT,  
  price DECIMAL(10, 2),  
  FOREIGN KEY (order_id) REFERENCES Orders(id),  
  FOREIGN KEY (beer_id) REFERENCES Beers(id)  
);
```

);

```
CREATE TABLE Users (  
  id INT PRIMARY KEY,  
  username VARCHAR(50),  
  password_hash VARCHAR(255), -- store hashed passwords  
  email VARCHAR(255), -- optional, for notifications or authentication  
  created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,  
  last_login TIMESTAMP,  
  -- Add other user-related fields as needed  
);
```

);

```
CREATE TABLE Favorites (  
  user_id INT,  
  beer_id INT,  
  PRIMARY KEY (user_id, beer_id),  
  FOREIGN KEY (user_id) REFERENCES Users(id),  
  FOREIGN KEY (beer_id) REFERENCES Beers(id)  
);
```

);