Magpie — Sprint 23 spec: field-use intake polish v1

Audience: Codex. **Author:** Claude. **Status: ready to implement. Origin:** Regan's first real field session (adding a Canadian $1 bank note over Tailscale) surfaced three intake frictions — this sprint fixes them. **Locks:** D-115 (curated per-category field scope), D-124 (own photos; EXIF-strip), D-129 (no AI/generated values in these paths). **Facts:** F-09/F-20 (no scraping, no new eBay API). **Builds on:** live `main @ 39ad524`.

---

1. Goal

Make item intake work the way field use demands: **photos from the library as well as the camera**, a **proper Banknotes category** (not a Coins shoehorn), and **denomination as a data-driven dropdown with custom entry**.

2. Scope

IN: photo-source choice (§3) · the Banknotes category + schema (§4) · per-category denomination lists (§5). **OUT:** any new AI paths; any network/API additions (F-09/F-20); category management UI beyond what §4–5 need; bulk recategorisation tooling (Regan will manually recategorise the one existing note).

3. Photo source choice (all photo inputs: Add Item + item edit)

- Offer **two explicit actions: "Take photo"** (input with `capture="environment"`) and **"Choose from library"** (input **without** `capture`, `multiple` enabled). iOS currently forces camera-only because of the `capture` attribute — the library path must be a separate input.
- **EXIF-strip must be asserted for library-sourced files** (they commonly carry GPS): the existing Sprint-1 strip pipeline applies to every upload path — add a test that a library-style file with GPS EXIF is stripped before storage/any cloud send (D-124/Sprint-15 discipline unchanged).
- Multiple library picks upload in one action; existing size/validation rules apply

unchanged.

4. Banknotes category

- Add **Banknotes** to the category registry with a curated attribute schema (D-115 style): **country · denomination (§5) · series/year · prefix/serial (optional) · signature/variety (optional) · catalogue refs** (reuse the existing candidates-only catalogue-ref repeater — Pick numbers) · notes. Condition uses the existing global field.
- **Wire it through the existing machinery** (should be config, not new code): evidence-lookup descriptors, sold-search building, copy-pack templates (generic fields), and the **AI-identify curated field scope** (add the Banknotes entry so Phase-1 identify stages these fields; candidates-only for catalogue refs, per D-115).
- No data migration of existing items — Regan recategorises his one note manually after deploy.

5. Denomination as a data-driven list

- **Per-category denomination lists stored as data** (registry/config, the Sprint-14/22 pattern — editable without a deploy): seed **Banknotes** and **Coins** with sensible common values (AU set + $1/$2/$5/$10/$20/$50/$100 style entries; include values already present in live data).
- Render as a **combobox: pick from the list OR type a custom value** — custom entry must never be blocked (odd denominations exist). The stored value is the plain text either way; no schema change to the attribute itself.
- If trivial, expose the lists in Settings for editing; otherwise registry-data editing is acceptable for v1 (Codex judgement).

6. ROUND 2 (added 2026-07-06 — Sprint 23 REOPENED after live phone check)

Regan's live phone showed the **denomination field as bare free-text — no visible picker** — contradicting §5's closure criterion (the phone proof evidently didn't demonstrate the control open on-device; if the implementation was a bare `<datalist>`, that's the known iOS trap: near-invisible, no affordance). Round 2:

- **(i) A real picker on iOS.** The denomination control must be **visibly tappable with an affordance (chevron)** and open a usable list on iPhone Safari/PWA — a native

`<select>` whose final option is **"Other / custom…"** (revealing a text input), or an accessible custom combobox (tap → list + custom-value row). **A bare `<datalist>` is explicitly insufficient as the sole mechanism.** Custom entry never blocked.

- **(ii) Country becomes a picker too**, via a small generalisation: the registry becomes **per-category, per-field choice lists** (keyed category + field → list), so Country and Denomination both draw from data and future dropdown requests are data edits. Seed Country for Banknotes/Coins with common note-issuing countries (AU/CA/US/GB/NZ + a sensible wider set + values already in live data); **custom entry essential** (defunct issuers exist — Rhodesia etc.).
- **(iii) Form parity:** the pickers work identically on **Add Item and item-edit** (the live gap was observed on the edit form).
- **(iv) Proof standard raised:** the phone screenshot must show a picker **open on the device**, not just the field rendered.

7. Acceptance criteria (closure gate — round 2 additions in bold)

- **Photos:** on a real iPhone, Add Item offers both Take-photo and Choose-from-library; library multi-select works; **a GPS-EXIF library file is stripped** (test) — phone proof screenshot of the chooser.
- **Banknotes:** category appears with its schema; fields persist + display; catalogue refs behave candidates-only; evidence descriptors + copy packs + AI-identify scope include it (config-level tests where they exist).
- **Denominations & Country (round 2): on a real iPhone, both fields show a visible, tappable picker that opens** (proof = screenshot of the open picker on-device); selecting a value saves; **custom entry saves** (test); **the generalised per-category per-field choice-list registry is data** (demonstrate adding a value + a new field mapping without code change); **Add Item and item-edit have parity** (both proven).
- **No new network calls / no new AI paths** (assert). Suites + typecheck/build/collectstatic green; **dual-lane Validation green**; additive migration only if the registry needs one (then **pre-migration backup + restore spot-check**); Administrator restart; **phone screenshots headline** (photo chooser, Banknotes form with the denomination dropdown). **Closure quotes head hash + Validation run ID.** Evidence as `SPRINT23_EVIDENCE.md`.

7. For Codex

Reasoning: Medium-High (small sprint, but the EXIF assertion and the config-not-code wiring are the parts not to fumble). Hard lines: EXIF-strip covers every upload path; lists and category schema are **data**; no generated values anywhere (D-129); no scraping/new API (F-09/F-20). **Never echo `.env` values** — the credential rotation is still in progress. Evidence as `SPRINT23_EVIDENCE.md`.