Appium简单入门

安装appium

[安装Appium - Appium Documentation]

1.前置：node.js安装

参考链接(74 封私信 / 80 条消息) Node.js | npm下载安装及环境配置教程 - 知乎+环境配置





2.全局安装appium

```
npm install -g appium
```

3.Android SDK

两种安装方式，建议用android studio捆绑安装，因为比较简单，课程结束后把AndroidStudio卸载即可

一定要安装如下方式来配置一个ANDROID_HOME



4.Java

建议安装Java SE Development Kit 17.0.12，https://www.oracle.com/java/technologies/javase/jdk17-archive-downloads.html

macOS Arm 64 DMG Installer	168.24 MB	https://do
macOS x64 Compressed Archive	170.91 MB	https://do
macOS x64 DMG Installer	170.32 MB	https://do
Windows x64 Compressed Archive	172.87 MB	https://do
Windows x64 Installer	153.92 MB	https://do
Windows x64 MSI Installer	152.67 MB	https://do

系统变量(S)

变量	值
ANDROID_HOME	D:\androidsdk
ComSpec	C:\Windows\system32\cmd.exe
DriverData	C:\Windows\System32\Drivers\DriverData
JAVA_HOME	D:\jdk17
NUMBER_OF_PROCESSORS	16
OS	Windows_NT
Path	D:\vmware17pro\bin\;C:\Program Files (x86)\Razer\ChromaBroadc...
PATHEXT	.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC

新建(W)... 编辑(I)... 删除(L)

确定 取消

5.安装安卓驱动uiautomator2

```
appium driver install uiautomator2
```

6.环境验证

```
appium driver doctor uiautomator2
```

期望结果

```
C:\Users\Administrator>appium driver doctor uiautomator2
Running 7 doctor checks for the "uiautomator2" driver
info Doctor ### Starting doctor diagnostics  ###
info Doctor  ✔ANDROID_HOME is set to: D:\androidsdk
info Doctor    Checking adb, emulator
info Doctor      'adb' exists in D:\androidsdk\platform-tools\adb.exe
info Doctor      'emulator' exists in D:\androidsdk\emulator\emulator.exe
info Doctor  ✔adb, emulator exist in 'D:\androidsdk'
info Doctor  ✔JAVA_HOME is set to: D:\jdk17
info Doctor  ✔'bin\java.exe' exists under 'D:\jdk17'
WARN Doctor  ✘bundletool.jar cannot be found
WARN Doctor  ✘ffmpeg.exe cannot be found
WARN Doctor  ✘gst-launch-1.0.exe and/or gst-inspect-1.0.exe cannot be found
info Doctor ### Diagnostic completed, 0 required fixes needed, 3 optional fixes possible. ###
info Doctor
info Doctor ### Optional Manual Fixes ###
info Doctor To fix these optional issues, please do the following manually:
WARN Doctor  → bundletool.jar is used to handle Android App bundles. Please download the binary from https://github.com/
google/bundletool/releases/ and store it to any folder listed in the PATH environment variable. Folders that are current
ly present in PATH: D:\vmware17pro\bin\;C:\Program Files (x86)\Razer\ChromaBroadcast\bin;C:\Program Files\Razer\ChromaBr
oadcast\bin;C:\Windows\system32;C:\Windows;C:\Windows\System32\Wbem;C:\Windows\System32\WindowsPowerShell\v1.0\;C:\Windo
ws\System32\OpenSSH\;C:\Program Files (x86)\NVIDIA Corporation\PhysX\Common;C:\Program Files\NVIDIA Corporation\NVIDIA A
pp\NvDLISR;C:\Windows\system32\config\systemprofile\AppData\Local\Microsoft\WindowsApps;C:\Program Files (x86)\Razer Chr
oma SDK\bin;C:\Program Files\Razer Chroma SDK\bin;D:\anaconda;D:\anaconda\Library\mingw-w64\bin;D:\anaconda\Library\usr\
bin;D:\anaconda\Library\bin;D:\anaconda\Scripts;C:\Users\Administrator\AppData\Local\Microsoft\WindowsApps;D:\Microsoft
VS Code\bin;D:\pcsuite\;C:\Program Files\dotnet\;D:\jdk17\bin;D:\androidsdk\platform-tools;D:\nodejs\;D:\anaconda;D:\ana
conda\Library\mingw-w64\bin;D:\anaconda\Library\usr\bin;D:\anaconda\Library\bin;D:\anaconda\Scripts;C:\Users\Administrat
or\AppData\Local\Microsoft\WindowsApps;D:\Microsoft VS Code\bin;D:\node_global;
WARN Doctor  → ffmpeg.exe is used to capture screen recordings from the device under test. Please read https://www.ffmpe
g.org/download.html.
WARN Doctor  → gst-launch-1.0.exe and gst-inspect-1.0.exe are used to stream the screen of the device under test. Please
 read https://gstreamer.freedesktop.org/documentation/installing/index.html?gi-language=c.
info Doctor
info Doctor Bye! All issues have been fixed!
info Doctor

C:\Users\Administrator>
```

Appium简单使用

python环境安装

```
pip install Appium-Python-Client
```

建议使用python3.8版本

Appium inspector

下载链接：https://github.com/appium/appium-inspector/releases

手动测试

获取app的包名和启动应用

建议使用androguard来实现

```
def get_package_name(apk_path):
    """获取APK包名"""
    a = apk.APK(apk_path)
    return a.get_package()


def get_main_activity(apk_path):
    """获取主Activity"""
    a = apk.APK(apk_path)
    return a.get_main_activity()
```

先在cmd中输入appium启动

```
Microsoft Windows [版本 10.0.22631.2715]
(c) Microsoft Corporation。保留所有权利。

C:\Users\Administrator>appium
[Appium] Welcome to Appium v3.3.0
[Appium] The autodetected Appium home path: C:\Users\Administrator\.appium
[Appium] Attempting to load driver uiautomator2...
[Appium] Requiring driver at C:\Users\Administrator\.appium\node_modules\appium-uiautomator2-driver\build\lib\in
[Appium] AndroidUiautomator2Driver has been successfully loaded in 1.069s
[Appium] Appium REST http interface listener started on http://0.0.0.0:4723
[Appium] You can provide the following URLs in your client code to connect to this server:
        http://192.168.137.1:4723/
        http://192.168.159.1:4723/
        http://172.27.144.148:4723/
        http://127.0.0.1:4723/ (only accessible from the same host)
        http://172.17.96.1:4723/
[Appium] Available drivers:
[Appium]   - uiautomator2@7.1.2 (automationName 'UiAutomator2')
[Appium] No plugins have been installed. Use the "appium plugin" command to install the one(s) you want to use.
```

填入appium连接和启动所需的元素，然后启动指定app