

Commercial risk assessment

XYZ Shoes

shoe manufacturing

Reference	C-0002
Assessment date	2026-09-01
Report generated	2026-09-01 21:09
Employees	140

Overview

High risk Overall risk band	16 Cover sections assessed	69 Risk factors identified
---------------------------------------	--------------------------------------	--------------------------------------

XYZ Shoes is a shoe manufacturing plant with 140 employees, operating 24 hours a day from an owned, 3-floor brick and corrugated iron premises in Jacob. The business uses flammable liquids and chemicals, and has armed response but no burglar alarm or CCTV retention.

Cover sections

Section	Assessment	Reason
Buildings Combined	Required	The business owns the building it operates from, valued at R30,000,000.
Fire	Required	The business holds significant value in plant (R10m), stock (R5m), and contents (R3m) at its premises.
Business Interruption	Required	The business depends on its plant and premises to generate its R12m turnover; damage would interrupt this.
Office Contents	Required	The submission specifies R3,000,000 in contents, including desks and filing cabinets.

Accounts Receivable	Required	The business has debtors outstanding of R2,000,000 and would suffer loss if records were destroyed.
Fidelity	Required	A single employee has access to funds and payments are not dual-authorised, creating a dishonesty exposure.
Theft	Required	The business holds valuable stock and contents and has incomplete security (no burglar alarm).
Money	Required	The business holds up to R10,000 in cash on premises and in transit.
Goods-in-Transit	Required	The business transports goods with a maximum value of R200,000 per vehicle.
Electronic Equipment	Required	The business owns fixed (R250k) and portable (R80k) electronic equipment.
Business All Risks	Required	The business has portable electronic equipment (R80k in laptops) that may be used off-premises.
Group Personal Accident / Stated Benefits	Required	The business has 140 employees, including machinists and drivers, who are exposed to risk of accidental injury.
Motor Comprehensive	Required	The business owns and operates a fleet of LDVs, trucks, trailers, and forklifts as per the attached schedule.
Public Liability	Required	Members of the public visit the premises, and the business manufactures goods, creating third-party liability exposure.
Broadform Liability	Required	As a manufacturer that also gives professional advice/design, the business has exposures best covered by a broadform policy.
Umbrella Liability	Required	The business is an SME with significant liability exposures from manufacturing and public access that may require higher indemnity limits.

Risk factors by section

Each factor quotes the submission text it was drawn from, so it can be checked against the source.

1. Buildings Combined

Uncertified electrical system **severe severity**

Below regulatory standard for any commercial building.

The absence of a current Electrical Certificate of Compliance is a breach of statutory regulations and presents a significant, unmanaged fire hazard. It is a fundamental requirement for cover.

From the submission: "Electrical CoC current, and dated: No"

No monitored fire alarm **high severity**

Below standard for a 24-hour industrial occupancy.

For a 24-hour manufacturing plant, the lack of a monitored fire alarm means reliance on human detection, which can significantly delay fire brigade response and increase loss potential.

From the submission: "Fire alarm, and monitored: None"

No sprinkler system **high severity**

Below standard for a manufacturing risk using flammable liquids.

The use of flammable liquids in a high-value building without an automatic sprinkler system removes the most effective fire suppression measure, elevating the risk of a catastrophic loss.

From the submission: "Hose reels / sprinklers: Hose reels (no sprinklers)"

Hazardous adjacent occupancies **medium severity**

Elevated external fire exposure from neighbouring businesses.

The insured premises are located next to an auto mechanic and a bakery, both of which are occupancies with a high inherent fire hazard, increasing the risk of fire spreading from an adjacent property.

From the submission: "What happens at these premises, and what is next door: Manufacturing of shoes. To the left a Auto mechanic and to the right Bakery"

Unclear security alarm **low severity**

Ambiguous security measures against malicious damage peril.

The description 'Armed response (no alarm)' is ambiguous but suggests no electronic detection system is in place, increasing the risk of undetected intrusion and potential malicious damage to the building.

From the submission: "Burglar alarm, armed response: Armed response (no alarm)"

2. Fire

Missing electrical coc **severe severity**

Critical safety certification is absent for an industrial occupancy.

The absence of a current Electrical Certificate of Compliance signifies a potentially unsafe electrical installation, a primary source of ignition in industrial settings. For a 24-hour manufacturing plant, this represents a critical hazard requiring immediate remediation before cover can be offered.

From the submission: "Electrical CoC current, and dated: No"

Hazardous adjacent occupancies **high severity**

High external fire exposure from neighbouring businesses.

The insured is situated between an auto mechanic and a bakery, both of which are high-risk occupancies due to flammable materials and heat processes. This creates a significant external fire exposure that is beyond the insured's direct control.

From the submission: "What happens at these premises, and what is next door: Manufacturing of shoes. To the left a Auto mechanic and to the right Bakery"

No automated fire detection high severity

Inadequate fire detection for a 24-hour manufacturing operation.

With no automated fire alarm, the discovery of a fire depends on employees, significantly delaying notification to the fire brigade. For a large, multi-story industrial building, this deficiency dramatically increases the likelihood of a catastrophic loss.

From the submission: "Fire alarm, and monitored: None"

No sprinkler system high severity

Lack of automatic fire suppression for a high-risk occupancy.

An automatic sprinkler system is the expected standard for a three-story manufacturing plant with a high fire load from stock and chemicals. Hose reels require trained personnel to operate and are far less effective at controlling a fire in its early stages.

From the submission: "Hose reels / sprinklers: Hose reels (no sprinklers)"

Unspecified flammable materials high severity

High internal fire load from undefined hazardous materials.

The use of unspecified flammable liquids and chemicals significantly increases the internal fire load and risk of rapid fire spread. Without knowing the types, quantities, and storage methods, this represents a major, unquantified hazard.

From the submission: "Hazardous materials, processes or substances held or used: Flammable liquids and chemicals"

3. Business Interruption

Inadequate fire safety systems **severe severity**

Well below standard for a manufacturing occupancy using flammable materials.

The absence of a valid Electrical Certificate of Compliance is a primary fire hazard. Combined with the lack of a fire alarm, this creates a severe risk of a major fire that would cause a lengthy and costly business interruption.

From the submission: "Electrical CoC current, and dated: No"

Single premises dependency **high severity**

A common but high-risk profile for single-location manufacturers.

The entire business operates from a single location, which is a critical point of failure. Any significant insured event at this premises would halt all production and revenue, leading to a total business interruption loss.

From the submission: "Location number: 1 of 1"

External fire exposure **medium severity**

Elevated conflagration risk from neighbouring trades.

The business is situated next to an auto mechanic and a bakery, both of which present a higher-than-average fire risk. A fire originating at a neighbouring property could easily spread and trigger a major business interruption claim.

From the submission: "What happens at these premises, and what is next door: Manufacturing of shoes. To the left a Auto mechanic and to the right Bakery"

Critical machinery dependency medium severity

Typical for a manufacturing operation, but noted as a key dependency.

The business explicitly identifies its reliance on machinery as critical, indicating that damage to key plant could cause a significant interruption. The potential for a prolonged shutdown is elevated if equipment is specialised or has long replacement lead times.

From the submission: "What the business depends on to keep trading: Their customers and minimal machinery breakdown"

Ineffective theft protection medium severity

Below standard security for an industrial property.

The presence of armed response without a linked burglar alarm is ineffective for triggering a timely response. A break-in could go undetected, increasing the risk of malicious damage to machinery, which is a covered cause of loss.

From the submission: "Burglar alarm, armed response: Armed response (no alarm)"

4. Office Contents

Outdated electrical coc high severity

Significantly below standard for an industrial manufacturing risk.

The lack of a current Electrical Certificate of Compliance indicates a heightened risk of fire from electrical faults. This significantly increases the risk of damage or total loss to the office contents, especially given the presence of flammable materials.

From the submission: "Electrical CoC current, and dated: No"

No fire alarm high severity

A critical protection is absent for this type of occupancy.

Without a monitored fire alarm, detection of a fire is delayed, which can lead to a total loss of office contents before emergency services arrive. The 24-hour occupancy mitigates this only partially, as a fire could start in an unoccupied area.

From the submission: "Fire alarm, and monitored: None"

Inadequate theft protection medium severity

Below standard physical and electronic security measures.

The statement indicates there is no detection system to trigger the armed response, and the lack of burglar bars further weakens physical security. While 24-hour occupancy helps, this configuration leaves office contents vulnerable to theft.

From the submission: "Burglar alarm, armed response: Armed response (no alarm)"

No sprinkler system medium severity

Standard for older buildings, but a notable risk for a manufacturer.

The absence of an automatic sprinkler system means a fire cannot be suppressed in its early stages, relying on manual intervention. This increases the potential scale of damage to the office contents in the event of a fire.

From the submission: "Hose reels / sprinklers: Hose reels (no sprinklers)"

Adjacent fire hazard low severity

Common external exposure for industrial areas.

The neighbouring auto mechanic and bakery present an external fire exposure due to their use of flammable materials and heat sources. A fire originating next door could spread and cause damage to the insured's office contents.

From the submission: "What happens at these premises, and what is next door: Manufacturing of shoes. To the left a Auto mechanic and to the right Bakery"

6. Accounts Receivable

Invalid electrical coc **high severity**

Below standard for any commercial premises.

An invalid Electrical Certificate of Compliance indicates a significantly increased risk of an electrical fire. This is a primary peril that could destroy the on-site server housing the debtors' ledger and other primary accounting records.

From the submission: "Electrical CoC current, and dated: No"

No fire alarm **high severity**

Below standard for a manufacturing occupancy with flammable materials.

The lack of a fire alarm system means a fire could destroy the server holding the primary accounting records before being detected. While daily off-site backups are a mitigating factor, the disruption and potential data gap from the last backup still poses a significant risk.

From the submission: "Fire alarm, and monitored: None"

No burglar alarm **medium severity**

Below standard for premises with valuable electronic equipment.

The absence of a burglar alarm system increases the likelihood of theft of the on-site server which holds the primary financial records. Although backups exist, the cost and disruption to reconstitute records can be significant.

From the submission: "Burglar alarm, armed response: Armed response (no alarm)"

Single on site server **low severity**

Common for businesses of this size, but presents a known risk.

Relying on a single on-site server creates a single point of failure for the primary accounting records. This is mitigated by daily off-site backups, but any destructive event will necessitate a full restoration, which carries its own costs and risks of data gaps.

From the submission: "Servers on site, how many: One"

Contradictory debtors information **low severity**

A data quality issue requiring clarification.

The submission states both R0 average debtors and R2,000,000 in debtors at any time. This contradiction needs to be clarified to accurately assess the exposure and adequacy of the sum insured for this section.

From the submission: "Average debtors outstanding: R0"

7. Fidelity

Single payment authorisation **high severity**

Below standard for a business with this turnover and wage bill.

The absence of a dual authorisation requirement for payments is a critical internal control failure. It creates a significant opportunity for a single employee to misappropriate funds without immediate oversight.

From the submission: "Payments authorised by two people: No"

Concentrated financial control **medium severity**

A key-person dependency for a business of this scale.

Concentrating financial access and payment authority in a single role increases the risk of sophisticated fraud. While mitigated by separate reconciliations, the core exposure of a single point of failure remains.

From the submission: "Employees with access to funds or payments: Finance Manager"

Evasive dishonesty history low severity

An ambiguous response where a clear declaration is expected.

The response to a direct question about prior dishonesty incidents is non-responsive and fails to provide a clear yes or no. This ambiguity raises a minor concern about transparency regarding the insured's actual loss history.

From the submission: "Any past incident of employee dishonesty, theft or fraud: All transactions done off internet banking app"

8. Theft

Armed response without alarm severe severity

Severely inadequate for an industrial premises with high-value stock.

Armed response is of little value without a linked alarm system to automatically detect an intrusion and summon a response. This fundamental security gap exposes the high-value stock to a significant risk of burglary.

From the submission: "Burglar alarm, armed response: Armed response (no alarm)"

No physical barriers high severity

Below standard for a manufacturing facility in an industrial area.

The complete absence of burglar bars on the windows creates multiple vulnerable points for forced entry. This greatly increases the burglary risk, especially given the lack of an effective electronic alarm system.

From the submission: "Burglar bars: None"

Ineffective cctv system medium severity

Weak for a large, 24-hour operational site.

CCTV without retained recordings provides no investigative value after a theft and has limited deterrent effect. While 24-hour occupancy provides some live monitoring, this is a notable weakness for a large three-floor premises.

From the submission: "CCTV, recordings retained: CCTV (recordings not retained)"

Poor risk perception **low severity**

Indicates a weak security culture for a business of this scale.

Identifying a single laptop as the most attractive item while holding R5 million in stock suggests a significant underestimation of the theft exposure. This may point to other unstated weaknesses in operational security controls.

From the submission: "The most portable or attractive items on site, and roughly what they are worth: Laptop - R20 000"

9. Money

No safe for overnight cash **high severity**

Below standard security for holding cash overnight.

The business holds up to R10,000 in cash overnight without the basic protection of a safe. This creates a significant, easily exploitable vulnerability for theft.

From the submission: "Safe (make, grade, anchored): None"

Infrequent cash banking **medium severity**

Increases the exposure period for cash held on premises.

Banking cash only once a month means cash accumulates and remains on-site for extended periods, increasing the window of opportunity for theft.

From the submission: "Frequency of banking: Monthly"

Inadequate premises security for cash **medium severity**

Below standard for general premises security.

The absence of a burglar alarm means there is no automated system to detect intruders and trigger the armed response, increasing the risk of a successful burglary targeting cash.

From the submission: "Burglar alarm, armed response: Armed response (no alarm)"

Maximum cash held overnight low severity

Sub-optimal cash management practice.

Holding the maximum cash limit overnight, rather than banking daily, ensures the potential loss from any single after-hours incident is maximized. This practice exacerbates other security weaknesses like the lack of a safe.

From the submission: "Maximum cash on premises, overnight: R10 000"

10. Goods-in-Transit

Non nominated drivers medium severity

Below standard for a commercial fleet operation.

The absence of a nominated driver policy means less control over driver suitability and accountability, increasing the risk of accidents or theft. This is a significant gap in fleet management controls.

From the submission: "Nominated drivers, how many: None"

Theft attractive goods low severity

An inherent risk for footwear manufacturers.

Finished footwear is a portable and desirable commodity, making it a target for theft and hijacking during transit. This inherent risk is present, although mitigated by tracking devices and a clean loss history.

From the submission: "What the business actually does: XYZ Shoes is a shoe manufacturing plant that manufactures specific designed shoes for retail by major stores."

Unknown vehicle usage low severity

A common information gap in initial submissions.

The submission lacks details on delivery routes, destinations, or frequency of trips. This information gap prevents a complete assessment of exposure to high-risk areas for hijacking or accidents.

From the submission: "What the vehicles are used for, and where they go: (blank)"

11. Electronic Equipment

Invalid electrical coc **high severity**

Below standard for any commercial risk, especially a manufacturing plant.

An invalid Electrical Certificate of Compliance indicates a heightened risk of electrical faults, power surges, or fires which can cause catastrophic damage to sensitive electronic equipment.

From the submission: "Electrical CoC current, and dated: No"

Inadequate theft protection **high severity**

Below standard for a premises holding valuable portable electronics.

Armed response without a linked burglar alarm is a poor control as it is not automatically triggered. This provides intruders ample time to remove valuable electronic items such as computers and laptops.

From the submission: "Burglar alarm, armed response: Armed response (no alarm)"

No fire alarm **medium severity**

Poor practice for a 24-hour manufacturing operation using flammable materials.

The absence of a fire alarm prevents early detection of a fire, increasing the potential for severe damage to all assets, including fixed electronic equipment like servers and the PABX system.

From the submission: "Fire alarm, and monitored: None"

Unsecured portable equipment **medium severity**

Standard practice requires securing high-value portable items overnight.

The business holds R80,000 in portable laptops, which are attractive to thieves, but has no safe to secure them after hours. This elevates the theft risk, especially given the lack of a burglar alarm.

From the submission: "Safe (make, grade, anchored): None"

Single server dependency **low severity**

Common for this size of business, but presents a business interruption risk.

The business relies on a single on-site server, creating a single point of failure. Although daily off-site backups mitigate data loss, physical destruction of the server would cause significant operational disruption.

From the submission: "Servers on site, how many: One"

12. Business All Risks

No burglar alarm **high severity**

Below standard for a commercial property relying on armed response.

Armed response services are significantly less effective without an electronic alarm to provide an immediate trigger. This delayed response greatly increases the theft risk for portable, high-value items like laptops when they are on the premises.

From the submission: "Burglar alarm, armed response: Armed response (no alarm)"

Cctv recordings not retained **medium severity**

Standard practice for security systems is not being followed.

The failure to retain CCTV recordings makes the system ineffective for post-loss investigation, which could otherwise aid in recovery or identify perpetrators. This removes a key security control and reduces the deterrent effect of the cameras.

From the submission: "CCTV, recordings retained: CCTV (recordings not retained)"

High value attractive items low severity

Reflects the inherent theft risk of the insured items.

The items covered under this section are specifically identified as being highly portable and attractive to thieves, with a significant value per item. This establishes an inherent risk of loss for the items covered, both on and off premises.

From the submission: "The most portable or attractive items on site, and roughly what they are worth: Laptop - R20 000"

13. Group Personal Accident / Stated Benefits

Uncertified electrical system high severity

Below standard safety compliance for an industrial operation.

The absence of a current Electrical Certificate of Compliance indicates a potentially unsafe electrical installation. This creates a direct risk of electrocution or fire, which can cause severe injury or death to employees.

From the submission: "Electrical CoC current, and dated: No"

No monitored fire alarm high severity

Critically substandard for a manufacturing plant using flammable materials.

In a facility using flammable materials, the lack of a fire alarm system removes the possibility of early warning and timely evacuation. This significantly elevates the risk of multiple severe injuries or fatalities in the event of a fire.

From the submission: "Fire alarm, and monitored: None"

High risk machinery operations medium severity

An inherent and expected risk for this type of industry.

A large part of the workforce are machinists, who operate industrial equipment and are inherently exposed to a greater risk of accidental physical injury than employees in non-manufacturing roles.

From the submission: "What the people actually do during a working day: Machinist, drivers and admin staff"

Hazardous substance exposure medium severity

A typical exposure for a shoe manufacturer.

The use of flammable and chemical substances in the manufacturing process exposes employees to the risk of acute injuries such as burns, respiratory damage, or poisoning from accidental contact or fire.

From the submission: "Hazardous materials, processes or substances held or used: Flammable liquids and chemicals"

Continuous shift work low severity

A common operational factor which slightly increases risk.

Operating on a 24-hour shift basis can contribute to employee fatigue. Fatigue is a known factor that increases the likelihood of human error leading to workplace accidents and injuries.

From the submission: "How it operates: Plant runs on a 24 hour shift with annual shut down in December"

14. Motor

Unrestricted driver access high severity

Poor driver controls for a commercial fleet operator.

The open driving basis means the insurer cannot vet individual drivers. This lack of control is a significant exposure, especially for a fleet that includes heavy commercial vehicles.

From the submission: "Nominated drivers, how many: None"

Inadequate overnight vehicle security **medium severity**

Below-average physical security for overnight vehicle storage.

The fleet is kept overnight at premises with weak security, including no monitored alarm and no retained CCTV footage, increasing the theft risk. The presence of tracking devices mitigates this risk from being higher.

From the submission: "CCTV, recordings retained: CCTV (recordings not retained)"

Unmanaged contingent liability **low severity**

Standard contingent liability exposure, but without stated controls.

The use of employee-owned vehicles for business creates a contingent liability exposure. No controls are mentioned, such as checking for adequate personal insurance, creating a potential coverage gap.

From the submission: "Employees drive own vehicles on business: Yes"

16. Public Liability

Poor risk perception **high severity**

Significantly below standard for a manufacturing operation.

The insured's stated belief that they have no potential to cause injury or damage indicates a poor safety culture and a lack of risk awareness. This increases the likelihood of an unmanaged liability event occurring.

From the submission: "The realistic worst-case injury or damage the business could cause to someone else, and what is in place to prevent it: None"

Invalid electrical coc **high severity**

Represents a direct breach of statutory safety requirements.

An invalid Electrical Certificate of Compliance suggests unmanaged electrical hazards, posing a direct electrocution risk to visitors and a fire risk which could damage adjacent third-party properties.

From the submission: "Electrical CoC current, and dated: No"

Uncontrolled hazardous materials medium severity

Below standard controls for a business using flammable substances.

The use of flammable materials creates a risk of fire or explosion that could spread to the neighbouring auto mechanic and bakery, leading to significant third-party property damage claims.

From the submission: "Hazardous materials, processes or substances held or used: Flammable liquids and chemicals"

Inadequate fire detection medium severity

Substandard fire protection for a 24-hour manufacturing plant.

The absence of a monitored fire alarm significantly delays emergency response, increasing the risk of a fire spreading to adjacent properties, especially given the use of flammable materials.

From the submission: "Fire alarm, and monitored: None"

Product design liability medium severity

An elevated liability exposure common to manufacturing and design firms.

Providing design services alongside manufacturing creates an additional liability exposure for claims arising from design defects, not just manufacturing faults, which can lead to bodily injury or property damage for end-users.

From the submission: "Professional advice or design given: Yes"

17. Broadform Liability

Poor risk perception **severe severity**

Significantly below standard for a manufacturing operation.

The client's assertion of no potential for worst-case injury indicates a poor understanding of the risks associated with manufacturing, chemicals, and selling products to the public. This suggests that necessary liability controls may be absent.

From the submission: "The realistic worst-case injury or damage the business could cause to someone else, and what is in place to prevent it: None"

Uncertified electrical installation **high severity**

Below standard for a commercial property, especially one with hazardous processes.

An uncertified electrical installation in a plant using flammable materials presents a major fire risk. A fire could spread to adjacent third-party properties, leading to significant public liability claims for property damage and bodily injury.

From the submission: "Electrical CoC current, and dated: No"

Hazardous materials exposure **high severity**

A typical but high-hazard exposure for this type of manufacturer.

The use of flammable liquids and chemicals creates a significant pollution and fire liability risk. An incident could cause bodily injury or property damage to neighbouring businesses and the public.

From the submission: "Hazardous materials, processes or substances held or used: Flammable liquids and chemicals"

Product design liability **medium severity**

A standard professional liability exposure for a design-and-manufacture business.

The business provides design services in addition to manufacturing, creating a professional liability exposure under the broadform policy. A design flaw could affect an entire product line, leading to widespread bodily injury or property damage claims.

From the submission: "Professional advice or design given: Yes"

18. Umbrella Liability

Underestimation of liability exposure **high severity**

A significant blind spot for a large manufacturing operation.

The client's failure to identify any potential worst-case liability scenarios indicates a poor risk management culture. This lack of awareness increases the likelihood of a catastrophic event that could exhaust primary liability limits.

From the submission: "The realistic worst-case injury or damage the business could cause to someone else, and what is in place to prevent it: None"

Product design liability **high severity**

High potential for mass-claims in a product manufacturing context.

Providing professional design services for mass-produced goods creates a significant products liability exposure. A single design flaw could lead to widespread third-party claims that exhaust primary policy limits.

From the submission: "Professional advice or design given: Yes"

Hazardous materials fire risk medium severity

Poor fire risk management for an occupancy using flammable materials.

The use of flammable materials without a monitored fire alarm, and situated next to other businesses, creates a substantial risk of a fire spreading. The resulting third-party damage claims could be catastrophic and breach primary liability limits.

From the submission: "Hazardous materials, processes or substances held or used: Flammable liquids and chemicals"

Outdated electrical coc medium severity

Below compliance standard for an industrial property.

Lacking a current Electrical Certificate of Compliance is a significant fire ignition risk. A major electrical fire could spread to adjacent properties, causing extensive third-party property damage and injury claims that would fall to the umbrella policy.

From the submission: "Electrical CoC current, and dated: No"

Contingent motor liability low severity

A typical but noteworthy exposure for commercial businesses.

The use of employee-owned vehicles for business purposes creates a contingent liability exposure. A serious accident could result in claims exceeding the employee's personal insurance limits, which would then fall to the business and potentially the umbrella policy.

From the submission: "Employees drive own vehicles on business: Yes"

Premium calculation

Each premium is calculated deterministically: $\text{sum insured} \times \text{base rate} \times \text{band loading}$. The loading follows the section's assessed risk band; any manual adjustment by the underwriter is disclosed against the band table value.

Section	Sum insured	Rate	Base premium	Band	Loading	Adjusted premium
Buildings Combined	R 30 000 000	0.2%	R 60 000	High	+25%	R 75 000

Fire	R 18 000 000	0.2%	R 36 000	High	+25%	R 45 000
Business Interruption	R 3 600 000	0.2%	R 7 200	High	+25%	R 9 000
Office Contents	Not stated	2%	—	Elevated	+10%	Not priced — sum insured not provided
Accounts Receivable	R 2 000 000	0.3%	R 6 000	Elevated	+10%	R 6 600
Fidelity	Not stated	0.5%	—	Elevated	+10%	Not priced — sum insured not provided
Theft	Not stated	9%	—	High	+25%	Not priced — sum insured not provided
Money	R 10 000	8%	R 800	Elevated	+10%	R 880
Goods-in-Transit	R 200 000	9%	R 18 000	Moderate	+0%	R 18 000
Electronic Equipment	R 330 000	7.5%	R 24 750	Elevated	+10%	R 27 225
Business All Risks	R 0	7.5%	R 0	Elevated	+10%	R 0
Group Personal Accident / Stated Benefits	Not stated	0.8%	—	Elevated	+10%	Not priced — sum insured not provided
Motor	Not stated	4%	—	Elevated	+10%	Not priced — sum insured not provided
Public Liability	Not stated	0.00833%	—	Elevated	+10%	Not priced — sum insured not provided
Broadform Liability	Not stated	0.01%	—	High	+25%	Not priced — sum insured not provided

Umbrella Liability	Not stated	0.005%	—	Elevated	+10%	Not priced — sum insured not provided
Total, per annum		R 152 750			R 181 705	

This report records a risk assessment reviewed and approved by an underwriter. Premiums shown are indicative, calculated deterministically from broker-supplied base rates and the assessed risk band; they are not a binding quotation and do not constitute cover. Converge AI (Pty) Ltd · Johannesburg, South Africa · convergeai.co.za