

EGCI 213
Group Project 2 – Factory Simulation

The project can be done in a group of ≤ 5 students. Each group must do the project by themselves:

- **Everyone involved in cheating, either as source or copier, will get ZERO point.**
- If late submitting group copies code from a graded group, the graded group will still be penalized.
- If I suspect that you don't do the project all by yourself (taking code from ChatGPT is counted as not doing the project by yourself), I may ask you to do programming quizzes about the suspicious points in person.

1. This project uses only 1 input file (config.txt).

First column of each line = descriptions of the following columns.

days,	5
warehouse_num,	3
freight_num_max,	2, 100
supplier_num_min_max,	3, 50, 100
factory_num_max,	3, 80

- 1.1 Line "days" → next cols = #days of simulation.
- 1.2 Line "warehouse_num" → next cols = #warehouses of materials.
- 1.3 Line "freight_num_max" → next cols = #freights of shipping products, max capacity of each freight.
- 1.4 Line "supplier_num_min_max" → next cols = #SupplierThreads, min daily material supply of each thread, max daily material supply of each thread.
- 1.5 Line "factory_num_max" → next cols = #FactoryThreads, max daily production of each thread.

**** Don't hard code these values. I may change some of them to check whether your calculation is correct.**

- There are always 5 lines with columns as stated above, but numbers may be changed.
- There won't be any input error (e.g. invalid input, negative number, wrong format, missing columns) in this file. But the program must still handle the case of missing file. Don't let it crash.

2. Implement **class Warehouse** that represents an individual warehouse to keep materials, and **class Freight** that represents an individual freight for shipping products.

- Class Warehouse should have methods put and get for material handling (see 3 and 4).
- Class Freight should have methods ship and reset for product handling (see 4).
- All threads in the program must see the same list of warehouses and the same list of freights.

3. Implement **class SupplierThread** that represents an individual supplier as thread. Thread activities are done in loop. Each iteration of a loop = 1 day. In each day:

- 3.1 Wait until 1 thread (main, SupplierThread, or FactoryThread) prints day number, all warehouse balances (accumulated from previous days), all freight capacities (reset every day to max capacity).
- 3.2 Put materials in 1 random warehouse. The number of materials is randomized between min and max daily supply. Print thread activities as in the demo.

4. Implement **class FactoryThread** that represents an individual factory as thread. Thread activities are done in loop. Each iteration of a loop = 1 day. In each day:

- 4.1 Wait until 1 thread (main, SupplierThread, or FactoryThread) finishes activities in 3.1.
- 4.2 Also wait until all SupplierThreads finish putting materials in warehouses.
- 4.3 Get materials from 1 random warehouse to create products, supposing that 1 material is converted to 1 product. Try to get as many materials as possible without exceeding max daily production. For simplicity, each thread will contact only 1 warehouse in each day – if it can't get materials from this warehouse, it will not try any other. Print thread activities as in the demo & wait until all threads complete this step.

- 4.4 Check total products to ship (= products created today + unshipped products from previous days). Print thread activities as in the demo & wait until all threads complete this step.
 - 4.5 Send products to 1 random freight. Try to ship as many products as possible without exceeding max freight capacity. For simplicity, each thread will contact only 1 freight in each day – if it can't ship products to this freight, it will not try any other. Print thread activities as in the demo & wait until all threads complete this step.
 - 4.6 Check unshipped products. Print thread activities as in the demo.
 - 4.7 After all days of simulation, calculate the percentage of products created by this thread that are successfully shipped.
5. Implement main class with main method.
 - 5.1 Read simulation parameters from config.txt.
 - 5.2 Create Warehouses, Freights, SupplierThreads, FactoryThreads. Start all threads. You are recommended to use ArrayLists to keep objects for flexibility.
 - 5.3 After all threads complete all days of simulation, let main thread report FactoryThreads' performance as in the demo. The report must be sorted in decreasing order of total created products, and by thread names (if total products are equal).
- ** Everything printed to the screen must be labelled by the name of the thread who prints it. Don't hard code thread's name but use Thread.currentThread().getName().**
6. Package and folder structure must be correct
 - 6.1 Your source files (.java) must be in folder Project2_XXX where XXX = full ID of the group representative, assuming that this folder is under Maven's "src/main/java" structure. The first lines of all source files must be comments containing names & IDs of all members.
 - 6.2 Input files must be read from Project2_XXX. Don't use absolute path that is valid only on your PC.
 - 6.3 Add readme.txt containing names & IDs of all members in Project2_XXX.

Submission

1. Group representative zips and submits Project2_XXX to Google classroom
2. Other members submit only readme.txt to Google classroom

Grading

- | | | | |
|-----|--------|---|--|
| 1 | point | daily processing by main + SupplierThread | (requirements 3.1, 3.2) |
| 2.5 | points | daily processing by FactoryThread | (requirements 4.1-4.2, 4.3, 4.4, 4.5, 4.6) |
| 1.5 | points | summary by main thread | (requirements 4.7, 5.3) |
| 1 | point | others e.g. thread name, missing file handling | |
| 4 | points | design & programming in proper OOP and multithreading style | |
| | | Maximum & safe concurrency is expected. Don't enforce sequential execution when threads can work in parallel. For example, if 2 SupplierThreads want to put materials in 2 different warehouses, they should be able to do it concurrently. | |

Late submission: -0.5 points for <1 week late; -1 point for each 1 full week late

--- exec:3.1.0:exec (default-cli) @ solutions ---

java.io.FileNotFoundException: src\main\java\Project2\config.txt (The system cannot find the file specific

New file name =

configs.txt

java.io.FileNotFoundException: src\main\java\Project2\configs.txt (The system cannot find the file specifi

New file name =

config1.txt

java.io.FileNotFoundException: src\main\java\Project2\config1.txt (The system cannot find the file specifi

New file name =

config_1.txt

Missing file handling

main >> ===== Parameters =====

main >> Days of simulation : 5

main >> Warehouses : [Warehouse_0, Warehouse_1, Warehouse_2]

main >> Freights : [Freight_0, Freight_1]

main >> Freight capacity : max = 100

main >> SupplierThreads : [SupplierThread_0, SupplierThread_1, SupplierThread_2]

main >> Daily supply : min = 50, max = 100

main >> FactoryThreads : [FactoryThread_0, FactoryThread_1, FactoryThread_2]

main >> Daily production : max = 80

main >>

main >> =====

main >> Day 1

main >> Warehouse_0 balance = 0

main >> Warehouse_1 balance = 0

main >> Warehouse_2 balance = 0

main >> Freight_0 capacity = 100

main >> Freight_1 capacity = 100

main >>

SupplierThread_0 >> put 73 materials Warehouse_0 balance = 73

SupplierThread_2 >> put 55 materials Warehouse_1 balance = 55

SupplierThread_1 >> put 51 materials Warehouse_2 balance = 51

FactoryThread_0 >> get 55 materials Warehouse_1 balance = 0 1 material = 1 product

FactoryThread_1 >> get 51 materials Warehouse_2 balance = 0

FactoryThread_2 >> get 0 materials Warehouse_2 balance = 0

FactoryThread_2 >>

FactoryThread_2 >> total products to ship = 0

FactoryThread_0 >> total products to ship = 55

FactoryThread_1 >> total products to ship = 51

FactoryThread_1 >> ship 51 products Freight_0 remaining capacity = 49

FactoryThread_0 >> ship 49 products Freight_0 remaining capacity = 0

FactoryThread_2 >> ship 0 products Freight_1 remaining capacity = 100

FactoryThread_2 >> unshipped products = 0

FactoryThread_1 >> unshipped products = 0

FactoryThread_0 >> unshipped products = 6

main >>

main >> =====

main >> Day 2

main >> Warehouse_0 balance = 73 Warehouse balance is accumulated from previous days

main >> Warehouse_1 balance = 0

main >> Warehouse_2 balance = 0

main >> Freight_0 capacity = 100 Freight capacity is reset at the beginning of each day

main >> Freight_1 capacity = 100

main >>

SupplierThread_1 >> put 99 materials Warehouse_1 balance = 99

SupplierThread_0 >> put 91 materials Warehouse_2 balance = 91

SupplierThread_2 >> put 97 materials Warehouse_0 balance = 170

FactoryThread_0 >> get 80 materials Warehouse_0 balance = 90

FactoryThread_2 >> get 80 materials Warehouse_2 balance = 11

FactoryThread_1 >> get 11 materials Warehouse_2 balance = 0

FactoryThread_1 >>

FactoryThread_1 >> total products to ship = 11

FactoryThread_0 >> total products to ship = 86 Include unshipped products from previous days

FactoryThread_2 >> total products to ship = 80

FactoryThread_2 >> ship 80 products Freight_1 remaining capacity = 20

FactoryThread_0 >> ship 86 products Freight_0 remaining capacity = 14

FactoryThread_1 >> ship 11 products Freight_1 remaining capacity = 9

FactoryThread_1 >> unshipped products = 0

FactoryThread_2 >> unshipped products = 0

FactoryThread_0 >> unshipped products = 0

main >>

```

main >> =====
main >> Day 3
main >> Warehouse_0 balance = 90
main >> Warehouse_1 balance = 99
main >> Warehouse_2 balance = 0
main >> Freight_0 capacity = 100
main >> Freight_1 capacity = 100
main >>
SupplierThread_2 >> put 90 materials Warehouse_0 balance = 180
SupplierThread_1 >> put 72 materials Warehouse_1 balance = 171
SupplierThread_0 >> put 77 materials Warehouse_0 balance = 257
FactoryThread_0 >> get 0 materials Warehouse_2 balance = 0
FactoryThread_2 >> get 80 materials Warehouse_1 balance = 91
FactoryThread_1 >> get 0 materials Warehouse_2 balance = 0
FactoryThread_1 >>
FactoryThread_1 >> total products to ship = 0
FactoryThread_0 >> total products to ship = 0
FactoryThread_2 >> total products to ship = 80
FactoryThread_2 >> ship 80 products Freight_0 remaining capacity = 20
FactoryThread_0 >> ship 0 products Freight_0 remaining capacity = 20
FactoryThread_1 >> ship 0 products Freight_0 remaining capacity = 20
FactoryThread_1 >> unshipped products = 0
FactoryThread_2 >> unshipped products = 0
FactoryThread_0 >> unshipped products = 0
main >>
main >> =====
main >> Day 4
main >> Warehouse_0 balance = 257
main >> Warehouse_1 balance = 91
main >> Warehouse_2 balance = 0
main >> Freight_0 capacity = 100
main >> Freight_1 capacity = 100
main >>
SupplierThread_0 >> put 52 materials Warehouse_2 balance = 52
SupplierThread_1 >> put 59 materials Warehouse_1 balance = 150
SupplierThread_2 >> put 96 materials Warehouse_2 balance = 148
FactoryThread_0 >> get 80 materials Warehouse_1 balance = 70
FactoryThread_1 >> get 80 materials Warehouse_0 balance = 177
FactoryThread_2 >> get 80 materials Warehouse_2 balance = 68
FactoryThread_2 >>
FactoryThread_2 >> total products to ship = 80
FactoryThread_0 >> total products to ship = 80
FactoryThread_1 >> total products to ship = 80
FactoryThread_1 >> ship 80 products Freight_0 remaining capacity = 20
FactoryThread_2 >> ship 80 products Freight_1 remaining capacity = 20
FactoryThread_0 >> ship 20 products Freight_1 remaining capacity = 0
FactoryThread_0 >> unshipped products = 60
FactoryThread_1 >> unshipped products = 0
FactoryThread_2 >> unshipped products = 0
main >>
main >> =====
main >> Day 5
main >> Warehouse_0 balance = 177
main >> Warehouse_1 balance = 70
main >> Warehouse_2 balance = 68
main >> Freight_0 capacity = 100
main >> Freight_1 capacity = 100
main >>
SupplierThread_2 >> put 75 materials Warehouse_0 balance = 252
SupplierThread_0 >> put 88 materials Warehouse_1 balance = 158
SupplierThread_1 >> put 70 materials Warehouse_2 balance = 138
FactoryThread_2 >> get 80 materials Warehouse_0 balance = 172
FactoryThread_0 >> get 80 materials Warehouse_2 balance = 58
FactoryThread_1 >> get 80 materials Warehouse_0 balance = 92
FactoryThread_1 >>

```

```
FactoryThread_1 >> total products to ship = 80
FactoryThread_2 >> total products to ship = 80
FactoryThread_0 >> total products to ship = 140
FactoryThread_0 >> ship 100 products Freight_1 remaining capacity = 0
FactoryThread_1 >> ship 0 products Freight_1 remaining capacity = 0
FactoryThread_2 >> ship 0 products Freight_1 remaining capacity = 0
FactoryThread_2 >> unshipped products = 80
FactoryThread_0 >> unshipped products = 40
FactoryThread_1 >> unshipped products = 80
main >>
main >> =====
main >> Summary
main >> FactoryThread_2 total products = 320 shipped = 240 ( 75.00%)
main >> FactoryThread_0 total products = 295 shipped = 255 ( 86.44%)
main >> FactoryThread_1 total products = 222 shipped = 142 ( 63.96%)
```

BUILD SUCCESS
