

# Storage



[gollnickdata.de](https://gollnickdata.de)

# Storage

## Storage Types

Azure Blob Storage

Azure Files

Azure Queue Storage

Azure Table Storage

- Storage of massive amounts of unstructured data
- Types: Block-Blobs, append-blobs, page-blobs
- Used for texts, binary data, images, videos, backups
- Access tiers:
  - Hot ...for frequent access
  - Cool...seldom access, min. 30 days storing
  - Archive...very seldom, high latency, min. 180 days storing



# Storage

## Storage Types

Azure Blob Storage

Azure Files

Azure Queue Storage

Azure Table Storage

- Provision of standard file access
- Used for on premise file servers
- Shared use for data and apps
- Allows replication on local Windows servers



# Storage

## Storage Types

Azure Blob Storage

Azure Files

Azure Queue Storage

Azure Table Storage

- Storage of large amounts of messages between app components
- Used for modularized, scalable applications, asynchronous processing
- Each message has 64kB size



# Storage

## Storage Types

Azure Blob Storage

Azure Files

Azure Queue Storage

Azure Table Storage

- Storing of structured NoSQL data
- Used for flexible datasets in web apps, metadata
- Usually rather Cosmos DB used



# Storage

## Upload File to Blob Storage

```
### packages
import os
import pickle
import json
from azure.storage.blob import BlobClient

###
data_object = {"name": "Test", "value": 123}
json_string = json.dumps(data_object)

# %%
CONNECTI ON_STRI NG = "..."
CONTAI NER_NAME = "docs"
BLOB_NAME = "your_obj ect_name.pkl "

# 1. Create a BlobClient
blob_client = BlobClient.from_connection_string(
    conn_str=CONNECTI ON_STRI NG,
    container_name=CONTAI NER_NAME,
    blob_name=BLOB_NAME
)


blob_client.upload_blob(json_string, overwrite=True, encoding='utf-8')
```



# Storage

## Get Connection string

Home > [formysearchservice](#)

 **formysearchservice** | Access keys ☆ ...  
Storage account

Search

- Overview
- Activity log
- Tags
- Diagnose and solve problems
- Access Control (IAM)
- Data migration
- Events
- Storage browser
- Storage Mover
- Partner solutions
- Resource visualizer
- ▼ Data storage
  - Containers
  - File shares
  - Queues
  - Tables
- ▼ Security + networking
  - Networking
  - Front Door and CDN
  - Access keys**

Set rotation reminder Refresh Give feedback

Access keys authenticate your applications' requests to this storage account. Keep your keys in a secure location like Azure Key Vault, and replace them often with new keys. The two keys allow you to replace one while still using the other.

Remember to update the keys with any Azure resources and apps that use this storage account.  
[Learn more about managing storage account access keys](#)

Storage account name  
formysearchservice

**key1** Rotate key  
Last rotated: 10/2/2025 (32 days ago)  
Key  
..... Show  
Connection string  
DefaultEndpointsProtocol=https;AccountName=formysearchservice;AccountKey=... Hide

**key2** Rotate key  
Last rotated: 10/2/2025 (32 days ago)  
Key  
..... Show  
Connection string  
..... Show

# Storage

Get Container names

[Home](#) > [formysearchservice](#)



**formysearchservice** | Containers ☆ ...

Storage account



[+ Add container](#) [↑ Upload](#) [↻ Refresh](#) | [🗑 Delete](#) [🔒 Change access level](#) [↶ Restore containers](#) [🔧 Edit columns](#)



Overview



Activity log



Tags



Diagnose and solve problems



Access Control (IAM)



Data migration



Events



Storage browser



Storage Mover



Partner solutions



Resource visualizer



Data storage

**Containers**

File shares

Queues

Tables

Showing all 2 items



Name



\$logs



docs