



Web Apps



gollnickdata.de

Create WebApp

Add Web App



Create WebApp

Create Web App


- select region
- Define name
- Select stack
- Select pricing tier

```
✓ ◡ Create Web App "gollnick" 38s
  ✓ Create resource group "appsvc_linux_westeurope_basic" 2s
  ✓ Create app service plan "appsvc_linux_westeurope_basic" 13s
  ◡ Create application insights "gollnick"
```




Create WebApp

Deployment



Develop app



Create WebApp

Configuration

Home > gollnick

gollnick | Configuration ☆ ...
Web App

Search 🔍 ◊ « Refresh Save Discard Leave Feedback

- Overview
- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems
- Microsoft Defender for Cloud
- Events (preview)
- Log stream
- Resource visualizer
- Deployment
- Settings
 - Environment variables
 - Configuration**
 - Authentication

Custom Error pages requires a premium App Service Plan.

View and edit your application settings and connection strings from Environment variables. [Click here to go to Environment Variables menu](#)

[General settings](#) [Path mappings](#) [Error pages \(preview\)](#)

Stack settings

Stack	Python
Major version	Python 3
Minor version	Python 3.12
Startup Command	<div>run.sh</div>


Startup Command

Provide an optional startup command that will be run as part of container startup. [Learn more](#)



Create WebApp

Test Deployment

← → ↻  gollnick-dvg7d8dvc3b3a2bm.westeurope-01.azurewebsites.net

My Streamlit App