
Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
2. <!DOCTYPE html>₽
 3. <html lang="en">₽
 4.
   <head>↩
        <meta charset="utf-8">↔
 5.
        <meta http-equiv="X-UA-Compatible" content="IE=edge">↔
 6.
        <meta name="viewport" content="width=device-width, initial-</pre>
 7.
   scale=1">↩
8.
        <!-- CSRF Token -->₽
9.
        <meta name="csrf-token"</pre>
10.
   content="Gc0Ny8sis0XxzsvffF0GGkcGP0EIwBQjsAnYCshP">↔
4 . 11
12.
        <title>Queryly</title>↩
13. ↩
        <!-- Styles -->↔
14.
        <link rél="stylesheet" type="text/css"</pre>
15.
   href="http://localhost:8000/css/newbs.css">↔
```

```
<link rel="stylesheet" type="text/css"</pre>
16
   href="https://cdn.jsdelivr.net/npm/bootstrap-
   icons@1.9.0/font/bootstrap-icons.css">↩
        link href="http://localhost:8000/css/app.css" rel="stylesheet">→
17.
        <script src="https://kit.fontawesome.com/32cf153bee.js</pre>
18.
   crossorigin="anonymous"></script>↔
19.
        <script
   src="https://cdn.jsdelivr.net/npm/bootstrap@latest/dist/js/bootstrap.bu
ndle.min.js" defer></script>↔
        <script src="http://localhost:8000/js/app.js" defer></script>↩
20.
21.
   </head>↔
   <body class="d-flex flex-column min-vh-100">↔
22.
        <div class="offcanvas offcanvas-end" id="notificationsOffcanvas">↔
23.
24.
            <div class="offcanvas-header">↔
25.
                <h3 class="offcanvas-title">Notifications (<span>0</span>)
   </h3>↔
                <button type="button" class="btn-close" data-bs-</pre>
26.
   dismiss="offcanvas"></button>↔
27.
            </div>↩
28.
            <div class="offcanvas-body" id="notificationsArea"></div>↔
29.
        </div>↔
30.
       31.
32.
                <nav class="navbar navbar-expand-sm navbar-dark bg-</pre>
33.
   primary">↩
34.
        <div class="container-fluid">↩
            <a href="http://localhost:8000/homepage" class="navbar-brand">→
35.
                <img src="http://localhost:8000/logo.png" alt="Queryly!"
</pre>
36.
37.
                     style="width:42px;height:42px;">↔
38.
            </a>↔
            <button class="navbar-toggler position-relative" type="button"</pre>
39.
   data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent"↔
aria-controls="navbarSupportedContent" aria-
expanded="false" aria-label="Toggle navigation">↔
40.
                <span class="navbar-toggler-icon"></span>↔
41.
                <span id="notificationCounter2" class="position-absolute</pre>
42.
   top-0 start-100 translate-middle p-2 bg-danger border border-light
   rounded-circle d-none"></span>↔
43.
            </button>↩
            <div class="collapse navbar-collapse justify-content-end">
44.
   centering" id="navbarSupportedContent">↔
45.
                ↔
                    ↔
46.
47.
                        <a class="btn btn-outline-light" aria-</pre>
   current="page" href="/posts/questions/new">Post Question</a>↔
48.
                    ↩
49.
50.
                    <!-- mobile sub menu -->↩
                    class="nav-item d-sm-none">↔
51.
52.
                        <a class="btn btn-outline-light" aria-
   current="page" href="http://localhost:8000/homepage">Browse</a>↔
                    ←
53.
                    ↩
54.
55.
                        <a class="btn btn-outline-light" aria-</pre>
    current="page" href="http://localhost:8000/posts/topquestions">Top
   Questions</a>~
56.
                    ↩
                    class="nav-item d-sm-none">←
57.
                        <a class="btn btn-outline-light" aria-
58.
   current="page" href="http://localhost:8000/users">Users</a>↔
59.
                    ↩
60.
                    class="nav-item d-sm-none">₽
                        <a class="btn btn-outline-light" aria-
61.
   current="page" href="http://localhost:8000/tags">Tags</a>↔
                    62.
63.
                    <!-- mobile sub menu end -->↔
64.
                                     class="nav-item">₽
65.
                        <a class="btn btn-outline-light" aria-
66.
   current="page" href="/login">Login</a>↔
                    ↩
67.
68.
                                </div>↩
69.
70.
        </div>ب
```

```
71.
    </nav>↩
 72.
              </div>↔
         </div>↔
 73.
         <div class="row mw-100">↔
 74.
 75.
              <div class="col-3 d-none d-sm-block">↔
 76.
                  <div class="menu">↩
 77.
 78.
                       <h3 class="centering">Menu</h3>↔
 79.
                       <hr>→
                       <a class="menu item btn"
 80.
     href="http://localhost:8000/homepage">Browse</a>↔
                       <a class="menu
                                         item btn"
 81.
     href="http://localhost:8000/posts/topquestions">Top Questions</a>↔
 82.
                       <a class="menu__item btn'</pre>
     href="http://localhost:8000/users">Users</a>↔
                                         item btn"
 83.
                       <a class="menu
     href="http://localhost:8000/tags">Tags</a>↔
 84.
                  </div>↩
 85.
              </div>↔
              <div class="col-sm-7 col-12 mx-3 mx-sm-0">←
 86.
 87.
         <h2 class="centering">Search Results (1)</h2>↔
 88.
 89.
         <hr>→
         <br>>↔
 90.
         <form action="http://localhost:8000/resultsPosts?searchType=post"</pre>
 91
     method="post" class="searchbar">↔
 92.
         <input type="hidden" name=" token"</pre>
    value="Gc0Ny8sis0XxzsvffF0GGkcGP0EIwB0jsAnYCshP">↔
  <input type="search" placeholder="Search" name="search" id="search" value="Latin">↔
 93.
 94
 95.
          <!-- will not do a proper break with br -->↔
 96.
                  <div class="accordion" id="accordionTags">↔
<div class="accordion-item">↔
 97.
 98.
                       <h2 class="accordion-header" id="headingOne">↔
 99.
                           <button class="accordion-button collapsed"</pre>
100.
     type="button" data-bs-toggle="collapse" data-bs-target="#collapseOne"
     aria-expanded="false" aria-controls="collapseOne">↔
101.
                                Tags↩
                           </button>↩
102.
103.
                       </h2>↔
104.
                       <div id="collapse0ne" class="accordion-collapse</pre>
     collapse" aria-labelledby="headingOne" data-bs-
     parent="#accordionExample">↔
105
                           <div class="accordion-body">↔
                                <div class="container centering">↔
106.
                                    <div class="row">↔
107.
108.
     <div class="form-check col-12 col-md-6 col-lg-4">←
                                                  <input class="form-check-input"</pre>
109
     type="checkbox" value="13" id="advice" name="tag[]">↔
                                                  <label čĺass="form-check-label"
110.
     for="advice">advice</label>↔
111.
                                             </div>↔
112.
     <div class="form-check col-12 col-md-6 col-lg-4">↔
                                                  <input class="form-check-input"</pre>
113.
     type="checkbox" value="11" id="animals" name="tag[]">↔
                                                  <label class="form-check-label"
114
     for="animals">animals</label>↔
115.
                                             </div>↩
116.
     <div class="form-check col-12 col-md-6 col-lg-4">↔
117.
                                                  <input class="form-check-input"</pre>
     type="checkbox" value="17" id="art" name="tag[]">↔
                                                  <label class="form-check-label"</pre>
118.
     for="art">art</label>↔
119.
                                             </div>↔
120.
     <div class="form-check col-12 col-md-6 col-lg-4">↔
                                                  <input class="form-check-input"</pre>
121.
     type="checkbox" value="3" id="C" name="tag[j">↔
                                                  <label class="form-check-label"</pre>
122.
     for="C">C</label>↔
```

```
1/3/2023
                              Showing results for contents of text-input area - Nu Html Checker
   123.
                                                </div>↔
    124.
        <div class="form-check col-12 col-md-6 col-lg-4">↔
   125
                                                     <input class="form-check-input"</pre>
         type="checkbox" value="8" id="cats" name="tag[]">↔
                                                     <label class="form-check-label"</pre>
   126.
         for="cats">cats</label>↔
   127.
   128.
        <div class="form-check col-12 col-md-6 col-lg-4">←
                                                     <input class="form-check-input"</pre>
   129.
         type="checkbox" value="6" id="code" name="tag[]">↩
                                                     <label class="form-check-label"</pre>
   130.
         for="code">code</label>↔
    131.
                                                </div>↔
   132.
        <div class="form-check col-12 col-md-6 col-lg-4">←
   133.
                                                     <input class="form-check-input"</pre>
         type="checkbox" value="9" id="dogs" name="tag[]">↔
                                                     <label class="form-check-label"</pre>
   134.
         for="dogs">dogs</label>↔
   135.
                                                </div>↔
   136.
         <div class="form-check col-12 col-md-6 col-lg-4">←
   137.
                                                     <input class="form-check-input"</pre>
         type="checkbox" value="7" id="food" name="tag[]">↔
   138.
                                                     <label class="form-check-label"</pre>
         for="food">food</label>↔
   139.
                                                </div>↔
   140.
        <div class="form-check col-12 col-md-6 col-lg-4">←
                                                     <input class="form-check-input"</pre>
   141.
         type="checkbox" value="14" id="gym" name="tag[]">↔
                                                     <label class="form-check-label"</pre>
   142.
         for="gym">gym</label>↔
   143.
                                                </div>↩
    144.
        <div class="form-check col-12 col-md-6 col-lg-4">←
                                                     <input class="form-check-input"</pre>
   145.
         type="checkbox" value="12" id="help" name="tag[]">↔
   146.
                                                     <label class="form-check-label"
         for="help">help</label>↔
   147.
                                                </div>↔
   148.
         <div class="form-check col-12 col-md-6 col-lg-4">←
   149.
                                                     <input class="form-check-input"</pre>
         type="checkbox" value="4" id="html" name="tag[]">↔
   150.
                                                     <label class="form-check-label"
         for="html">html</label>↔
   151.
                                                </div>↩
   152.
         <div class="form-check col-12 col-md-6 col-lg-4">↔
   153.
                                                     <input class="form-check-input"</pre>
         type="checkbox" value="2" id="java" name="tag[]">↔
                                                     <label class="form-check-label"</pre>
   154.
         for="java">java</label>↔
   155.
                                                </div>↔
   156.
         <div class="form-check col-12 col-md-6 col-lg-4">↔
                                                     <input class="form-check-input"</pre>
   157.
         type="checkbox" value="18" id="music" name="tag[]">↔
                                                     <label class="form-check-label"
   158.
         for="music">music</label>↩
   159.
                                                </div>↔
   160.
         <div class="form-check col-12 col-md-6 col-lg-4">↔
   161.
                                                     <input class="form-check-input"</pre>
         type="checkbox" value="16" id="parenting" name="tag[]">↔
                                                     <label class="form-check-label"</pre>
   162.
         for="parenting">parenting</label>↔
   163.
                                                </div>↔
   164.
        <div class="form-check col-12 col-md-6 col-lg-4">←
                                                     <input class="form-check-input"</pre>
   165.
         type="checkbox" value="10" id="pets" name="tag[]">↔
```

```
1/3/2023
                             Showing results for contents of text-input area - Nu Html Checker
   166.
                                                   <label class="form-check-label"</pre>
        for="pets">pets</label>↔
                                              </div>↔
   167.
   168.
        <div class="form-check col-12 col-md-6 col-lg-4">↔
                                                   <input class="form-check-input"</pre>
   169.
        type="checkbox" value="5" id="php" name="tag[]">↔
                                                   <label class="form-check-label"
   170.
        for="php">php</label>↔
   171.
                                              </div>↔
   172.
        <div class="form-check col-12 col-md-6 col-lg-4">←
                                                   <input class="form-check-input"</pre>
   173.
        type="checkbox" value="20" id="plants" name="tag[]">↔
                                                   <label class="form-check-label"</pre>
   174.
        for="plants">plants</label>↔
   175.
                                              </div>↩
   176.
        <div class="form-check col-12 col-md-6 col-lg-4">←
        177.
                                                   <label class="form-check-label"</pre>
   178.
        for="python">python</label>↔
   179.
                                              </div>↔
   180.
        <div class="form-check col-12 col-md-6 col-lg-4">↔
                                                   <input class="form-check-input"</pre>
   181.
        type="checkbox" value="19" id="school" name="tag[]">↔
                                                   <label class="form-check-label"</pre>
   182.
        for="school">school</label>↔
   183.
                                              </div>↔
   184.
        <div class="form-check col-12 col-md-6 col-lg-4">↔
   185.
                                                   <input class="form-check-input"</pre>
        type="checkbox" value="15" id="workout" name="tag[]">↔
                                                   <label class="form-check-label"</pre>
   186.
        for="workout">workout</label>↔
   187.
                                              </div>↩
   188.
                                                                        </div>↩
   189.
                                  </div>↩
                             </div>↔
   190.
                         </div>↔
   191.
   192.
                     </div>↩
                 </div>↔
   193.
                 <hr>→
   194.
   195. ↩
                 <select class="form-select orderby" name = "orderby">↔
   196.
                     <option value = "newest">Newest</option>↔
   197.
                     <option value = "oldest">Oldest</option>↔
   198.
                     <option value = "morevoted">More Voted</option>↔
   199.
   200.
                     <option value = "lessvoted">Less Voted</option>↔
   201.
                 </select>↩
   202.
                 <br>>→
            <input type="submit" value="Search" class="btn outlined">↔
   203.
   204.
            <br>>
   205.
        </form>
                    <br>br>↔
   206.
   207.
        <article class="post" data-id="3">↔
<div class="card">↔
   208.
                 <div class="card-body">↩
   209.
                                      <h3 class="card-title
   210.
        shrinkTitle">Latin</h3>↩
   211.
                                  <div>↩
   212.
                         <a href="http://localhost:8000/posts/3" class="btn
        cardBtn">See Post</a>↔
   213.
                                      </div>↩
   214.
                     How do you write the verb
        to be in latin?↩
   215.
                     2023-01-03↔
                                                       <a class="btn" aria-
   216
        current="page"
        href="http://localhost:8000/users/10">@NataliaWheeler</a>↔
   217.
                                  <br>>←
```

```
1/3/2023
                          Showing results for contents of text-input area - Nu Html Checker
                                             <i class="fa-regular fa-
   218.
       star"> <span class="starLabel">2</span></i>↔
   219.
                           </div>↩
   220.
           </div>↩
   221. </article>↩
                                              </div>↔
   222.
   223.
           </div>↩
           <button onclick="topFunction()" id="topBtn" title="Go to"</pre>
   224.
       top">Top</button>↔
   225.
           <div class="footer mt-auto">↔
   226.
               <div class="container">↩
   227.
                   <footer>↩
           228.
   229.
       </a>↩
               <a class="btn" href=" http://localhost:8000/contacts ">
   230.
       Contacts </a>↔
   231.
               <a class="btn" href=" http://localhost:8000/faq "> FAQ </a>↔
           </div>↩
   232.
   233. cla
234. </footer>↔
           Queryly ©↔
   235.
               </div>↩
   236.
           </div>↔
   237. ↔
   238. </body>↔
   239. <!-- v3 -->↔
   240. </html>
  Used the HTML parser.
```

Total avacution time 42 mill

Total execution time 43 milliseconds.

About this checker • Report an issue • Version: 22.12.5