
Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area



Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
2. <!DOCTYPE html>↔
 3. <html lang="en">₽
 4.
   <head>↩
        <meta charset="utf-8">↔
 5.
        <meta http-equiv="X-UA-Compatible" content="IE=edge">↔
 6.
        <meta name="viewport" content="width=device-width, initial-</pre>
 7.
   scale=1">↩
8.
        <!-- CSRF Token -->₽
9.
        <meta name="csrf-token"</pre>
10.
   content="LmKGTzVgsP2HiM0Qd8SywcrF4kVHxWXSoloYnGog">↔
4 . 11
12.
        <title>Queryly</title>↩
13. ↩
        <!-- Styles -->↔
14.
        <link rél="stylesheet" type="text/css"</pre>
15.
   href="http://localhost:8000/css/newbs.css">↔
```

```
<link rel="stylesheet" type="text/css"</pre>
16
   href="https://cdn.jsdelivr.net/npm/bootstrap-
   icons@1.9.0/font/bootstrap-icons.css">↔
        link href="http://localhost:8000/css/app.css" rel="stylesheet">→
17.
        <script src="https://kit.fontawesome.com/32cf153bee.js</pre>
18.
   crossorigin="anonymous"></script>↔
19.
        <script
   src="https://cdn.jsdelivr.net/npm/bootstrap@latest/dist/js/bootstrap.bu
ndle.min.js" defer></script>↔
        <script src="http://localhost:8000/js/app.js" defer></script>↩
20.
21.
   </head>↔
   <body class="d-flex flex-column min-vh-100">↔
22.
        <div class="offcanvas offcanvas-end" id="notificationsOffcanvas">↔
23.
24.
            <div class="offcanvas-header">↔
25.
                <h3 class="offcanvas-title">Notifications (<span>0</span>)
   </h3>↩
                <button type="button" class="btn-close" data-bs-</pre>
26.
   dismiss="offcanvas"></button>↔
27.
            </div>↩
28.
            <div class="offcanvas-body" id="notificationsArea"></div>↔
29.
        </div>↔
30.
       31.
32.
                <nav class="navbar navbar-expand-sm navbar-dark bg-</pre>
33.
   primary">↩
34.
        <div class="container-fluid">↩
            <a href="http://localhost:8000/homepage" class="navbar-brand">→
35.
                <img src="http://localhost:8000/logo.png" alt="Queryly!"
</pre>
36.
37.
                     style="width:42px;height:42px;">↔
38.
            </a>↔
            <button class="navbar-toggler position-relative" type="button"</pre>
39.
   data-bs-toggle="collapse" data-bs-target="#navbarSupportedContent"↔
aria-controls="navbarSupportedContent" aria-
expanded="false" aria-label="Toggle navigation">↔
40.
                <span class="navbar-toggler-icon"></span>↔
41.
                <span id="notificationCounter2" class="position-absolute</pre>
42.
   top-0 start-100 translate-middle p-2 bg-danger border border-light
   rounded-circle d-none"></span>↔
43.
            </button>↩
            <div class="collapse navbar-collapse justify-content-end">
44.
   centering" id="navbarSupportedContent">↔
45.
                ↔
                    ↩
46.
                        <a class="btn btn-outline-light" aria-
47.
   current="page" href="/posts/questions/new">Post Question</a>↔
48.
                    ↩
49.
50.
                    <!-- mobile sub menu -->↩
                    class="nav-item d-sm-none">↔
51.
52.
                        <a class="btn btn-outline-light" aria-
   current="page" href="http://localhost:8000/homepage">Browse</a>↔
                    ←
53.
                    class="nav-item d-sm-none">↩
54.
55.
                        <a class="btn btn-outline-light" aria-
    current="page" href="http://localhost:8000/posts/topquestions">Top
   Questions</a>~
56.
                    ↩
                    class="nav-item d-sm-none">←
57.
                        <a class="btn btn-outline-light" aria-
58.
   current="page" href="http://localhost:8000/users">Users</a>↔
59.
                    ↩
                    class="nav-item d-sm-none">₽
60.
                        <a class="btn btn-outline-light" aria-
61.
   current="page" href="http://localhost:8000/tags">Tags</a>↔
                    62.
63.
                    <!-- mobile sub menu end -->↔
64.
                                     class="nav-item">↩
65.
66.
                        <a class="btn btn-outline-light" aria-
   current="page" href="/logout">Logout</a>
                    ↩
67.
                    li class="nav-item">↩
68.
                        <button id="notificationButton" type="button"</pre>
69.
   class="btn btn-primary" data-bs-toggle="offcanvas" data-bs-
```

```
target="#notificationsOffcanvas">↔
70.
                             <i class="fa-solid fa-bell position-relative</pre>
    mx-1">↩
                                 <span id="notificationCounter"</pre>
71.
    class="position-absolute top-0 start-100 badge rounded-pill bg-danger">
    </span>↔
72
                             </i>ب<
 73.
                         </button>↩
                     74.
                     li class="nav-item">↔
75.
                         <a class="nav-link userBtn" aria-current="page"↔
76.
                            href="/users/1">John Doe</a>↩
77.
                     ↔
 78.
 79.
                                 80.
             </div>↔
        </div>↔
81.
82. </nav>↔
83.
             </div>↩
        </div>↔
84.
        85.
86.
87.
                <br>>~
                 <div class="menu">↩
88.
89.
                     <h3 class="centering">Menu</h3>↔
90.
                     <hr>→
91.
                     <a class="menu item btn"
    href="http://localhost:8000/homepage">Browse</a>↔
                     <a class="menu item btn'
92.
    href="http://localhost:8000/posts/topquestions">Top Questions</a>↔
                     <a class="menu item btn"
93.
    href="http://localhost:8000/users">Users</a>↔
94.
                     <a class="menu__item btn'</pre>
    href="http://localhost:8000/tags">Tags</a>↔
95.
                 </div>↩
96.
            </div>↩
            <div class="col-sm-7 col-12 mx-3 mx-sm-0">↔
97.
98.
                 <br>>→
99.
      <h2 class="centering">Your Answers (2)</h2>↔
100. <hr>←
101.
    <br>>→
      <article class="post" data-id="52" id="answer-52">↔
102.
        <div class="card">↩
103.
104.
             <div class="card-body">
                                                     <h3 class="card-
105.
    title">Answer to: Importing in javascript</h3>↔
106.
    href="http://localhost:8000/posts/7#answer-52" class="btn cardBtn">See
    Post</a>↔
107.
    method="post" action="http://localhost:8000/posts/52/delete">~
108.
                             <input type="hidden" name="_token'</pre>
    value="LmKGTzVgsP2HiM0Qd8SywcrF4kVHxWXSoloYnGog">
    <button type="submit" class="delete btn"> Delete Answer </button>↔
                         </form>↩
109.
110.
                                                          <a class="btn
    cardBtn" aria-current="page"
    href="http://localhost:8000/posts/52/edit">Edit</a>↔
111.
                 Use the keyword import, followed by
112
    the name of your class inside curly brackets, them write from
    "file". Like this: import { className } from
    "file". ↔
113.
                                             <form method="post"</pre>
    action="http://localhost:8000/posts/52">↔
                         <input type="hidden" name=" token"</pre>
114.
    value="LmKGTzVgsP2HiM0Qd8SywcrF4kVHxWXSoloYnGoq">→
                         <button type="submit" class="btn cardBtn report">
115.
    Report Answer </button>↔
116.
                     </form>↩
117.
                             2023-01-03↔
118.
                             <br>>←
119.
120
    <i class="fa-solid fa-star star">&nbsp;<span class="starLabel">1</span>
    </i>
```

177. <!-- v3 -->↔ 178. </html> Used the HTML parser.

Total execution time 24 milliseconds.

About this checker • Report an issue • Version: 22.12.5