# Rajalakshmi Engineering College

Name: Sankara Gomathi R

Email: 240701470@rajalakshmi.edu.in

Roll no: 240701470 Phone: 7530026101

Branch: REC

Department: I CSE FE

Batch: 2028

Degree: B.E - CSE



# NeoColab\_REC\_CS23221\_Python Programming

REC\_Python\_Week 5\_CY

Attempt : 1 Total Mark : 40 Marks Obtained : 40

Section 1: Coding

#### 1. Problem Statement

Samantha is working on a text analysis tool that compares two words to find common and unique letters. She wants a program that reads two words, w1, and w2, and performs the following operations:

Print the letters common to both words, in alphabetical order. Print the letters that are unique to each word, in alphabetical order. Determine if the set of letters in the first word is a superset of the letters in the second word. Check if there are no common letters between the two words and print the result as a Boolean value.

Ensure the program ignores case differences and leading/trailing spaces in the input words.

Your task is to help Samantha in implementing the same.

# **Input Format**

The first line of input consists of a string representing the first word, w1.

The second line consists of a string representing the second word, w2.

#### **Output Format**

The first line of output should display the sorted letters common to both words, printed as a list.

The second line should display the sorted letters that are unique to each word, printed as a list.

The third line should display a Boolean value indicating if the set of letters in w1 is a superset of the set of letters in w2.

The fourth line should display a Boolean value indicating if there are no common letters between w1 and w2.

Refer to the sample output for the formatting specifications.

## Sample Test Case

```
Input: program Peace
```

Output: ['a', 'p'] ['c', 'e', 'g', 'm', 'o', 'r']

False False

#### Answer

```
w1=input().strip().lower()
w2=input().strip().lower()
set_w1=set(w1)
set_w2=set(w2)
com_let=sorted(set_w1&set_w2)
uni_let=sorted(set_w1^set_w2)
is_superset=set_w1>=set_w2
no_com=len(com_let)==0
print(com_let)
```

print(uni\_let)
print(is\_superset)
print(no\_com)

Status: Correct Marks: 10/10

#### 2. Problem Statement

Alex is working with grayscale pixel intensities from an old photo that has been scanned in a single row. To detect edges in the image, Alex needs to calculate the differences between each pair of consecutive pixel intensities.

Your task is to write a program that performs this calculation and returns the result as a tuple of differences.

#### **Input Format**

The first line of input contains an integer n, representing the number of pixel intensities.

The second line contains n space-separated integers representing the pixel intensities.

#### **Output Format**

The output displays a tuple containing the absolute differences between consecutive pixel intensities.

Refer to the sample output for format specifications.

#### Sample Test Case

Input: 5

200 100 20 80 10

Output: (100, 80, 60, 70)

Answer

n=int(input())

```
pix=list(map(int,input().split()))
diff=tuple(abs(pix[i]-pix[i+1]) for i in range(n-1))
print(diff)
```

Marks: 10/10 Status: Correct

#### 3. Problem Statement

Alex is tasked with managing the membership lists of several exclusive clubs. Each club has its own list of members, and Alex needs to determine the unique members who are part of exactly one club when considering all clubs together.

symmetric difference of membership lists from multiple clubs and then finds the total number of unique members.

#### **Input Format**

The first line of input consists of an integer k, representing the number of clubs.

The next k lines each contain a space-separated list of integers, where each integer represents a member's ID.

## **Output Format**

The first line of output displays the symmetric difference of the membership lists as a set.

The second line displays the sum of the elements in this symmetric difference.

Refer to the sample output for the formatting specifications.

# Sample Test Case

Input: 3

123

234

567

```
Output: {1, 4, 5, 6, 7}
23

Answer

k=int(input())
result=set()
for i in range(k):
    c_mem=set(map(int,input().split()))
    result.symmetric_difference_update(c_mem)
print(result)
print(sum(result))
```

Status: Correct Marks: 10/10

# 4. Problem Statement

Riley is analyzing DNA sequences and needs to determine which bases match at the same positions in two given DNA sequences. Each DNA sequence is represented as a tuple of integers, where each integer corresponds to a DNA base.

Your task is to write a program that compares these two sequences and identifies the bases that match at the same positions and print it.

#### Input Format

The first line of input consists of an integer n, representing the size of the first tuple.

The second line contains n space-separated integers, representing the elements of the first DNA sequence tuple.

The third line of input consists of an integer m, representing the size of the second tuple.

The fourth line contains m space-separated integers, representing the elements of the second DNA sequence tuple.

#### **Output Format**

The output is a space-separated integer of the matching bases at the same positions in both sequences.

240707470

240707470

240707470

2,07070,70

Refer to the sample output for format specifications.

```
Sample Test Case
```

```
Input: 4
5 1 8 4
4
4 1 8 2
Output: 1 8
Answer
```

n1=int(input())
l1=list(map(int,input().split()))
n2=int(input())
l2=list(map(int,input().split()))
for i in range(n1):
 if(l1[i]==l2[i]):
 print(f"{l1[i]}")

Status: Correct

2,40701470

240/014/0

240707470

Marks: 10/10

2,40707470

240701470

240701470

240701470

240101410