

GOMEZ URIBE,CARLOS H

DOB: 06/04/1945
Sex: M
Phone: (813) 842-3463
Patient ID: 103892930

Age: 81
Fasting:

Specimen: TZ130762H
Requisition: 0065938
Lab Reference ID: 106020201636L18417
Report Status: FINAL / SEE REPORT

Collected: 07/09/2026 09:05
Received: 07/09/2026 09:05
Reported: 07/11/2026 05:43

Client #: 5064
SOLORZANO,MARTIN
BAYCARE MEDICAL GROUP
10330 N DALE MABRY HWY STE 190
TAMPA, FL 33618
Phone: (813) 969-4440
Fax: (813) 908-3290

▲ **LIPID PANEL, STANDARD**

Analyte	Value	
▲ CHOLESTEROL, TOTAL	303 H	Reference Range: <200 mg/dL
HDL CHOLESTEROL	56	Reference Range: > OR = 40 mg/dL
TRIGLYCERIDES	109	Reference Range: <150 mg/dL

▲ **LDL-CHOLESTEROL** **223 H** mg/dL (calc)

LDL-C levels > or = 190 mg/dL may indicate familial hypercholesterolemia (FH). Clinical assessment and measurement of blood lipid levels should be considered for all first degree relatives of patients with an FH diagnosis. LDL Cholesterol (LDL-C) levels > or = 300 mg/dL may indicate homozygous familial hypercholesterolemia (HoFH). Untreated, these extremely high LDL-C levels can result in premature CV events and mortality. Patients should be identified early and provided appropriate interventions to reduce the cumulative LDL-C burden from birth.

For questions about testing for familial hypercholesterolemia, please call Quest Genomics Client Services at 1.866.GENE.INFO.

Jacobson T, et al. J National Lipid Association Recommendations for Patient-Centered Management of Dyslipidemia: Part 1 Journal of Clinical Lipidology 2015;9(2), 129-169.
Cuchel, M. et al. (2014). Homozygous familial hypercholesterolaemia: new insights and guidance for clinicians to improve detection and clinical management. European Heart Journal, 35(32), 2146-2157.
Reference range: <100

Desirable range <100 mg/dL for primary prevention;
<70 mg/dL for patients with CHD or diabetic patients with > or = 2 CHD risk factors.

LDL-C is now calculated using the Martin-Hopkins calculation, which is a validated novel method providing better accuracy than the Friedewald equation in the estimation of LDL-C.
Martin SS et al. JAMA. 2013;310(19): 2061-2068
(<http://education.QuestDiagnostics.com/faq/FAQ164>)

▲ CHOL/HDLC RATIO	5.4 H	Reference Range: <5.0 (calc)
▲ NON HDL CHOLESTEROL	247 H	Reference Range: <130 mg/dL (calc)

Non-HDL level > or = 220 is very high and may indicate genetic familial hypercholesterolemia (FH). Clinical assessment and measurement of blood lipid levels should be considered for all first-degree relatives of patients with an FH diagnosis.

For patients with diabetes plus 1 major ASCVD risk factor, treating to a non-HDL-C goal of <100 mg/dL (LDL-C of <70 mg/dL) is considered a therapeutic option.

▲ **COMPREHENSIVE METABOLIC PANEL**

Analyte	Value
---------	-------

▲ GLUCOSE	137 H	Reference Range: 65-99 mg/dL
Fasting reference interval		
For someone without known diabetes, a glucose value >125 mg/dL indicates that they may have diabetes and this should be confirmed with a follow-up test.		
▲ UREA NITROGEN (BUN)	30 H	Reference Range: 7-25 mg/dL
▲ CREATININE	1.47 H	Reference Range: 0.70-1.22 mg/dL
▲ EGFR	48 L	Reference Range: > OR = 60 mL/min/1.73m2
BUN/CREATININE RATIO	20	Reference Range: 6-22 (calc)
▲ SODIUM	133 L	Reference Range: 135-146 mmol/L
POTASSIUM	4.5	Reference Range: 3.5-5.3 mmol/L
▲ CHLORIDE	96 L	Reference Range: 98-110 mmol/L
CARBON DIOXIDE	27	Reference Range: 20-32 mmol/L
CALCIUM	9.6	Reference Range: 8.6-10.3 mg/dL
PROTEIN, TOTAL	6.4	Reference Range: 6.1-8.1 g/dL
ALBUMIN	4.3	Reference Range: 3.6-5.1 g/dL
GLOBULIN	2.1	Reference Range: 1.9-3.7 g/dL (calc)
ALBUMIN/GLOBULIN RATIO	2.0	Reference Range: 1.0-2.5 (calc)
BILIRUBIN, TOTAL	0.8	Reference Range: 0.2-1.2 mg/dL
▲ ALKALINE PHOSPHATASE	145 H	Reference Range: 35-144 U/L
AST	17	Reference Range: 10-35 U/L
ALT	21	Reference Range: 9-46 U/L

▲ HEMOGLOBIN A1c WITH eAG

Analyte	Value	
▲ HEMOGLOBIN A1c	8.6 H	Reference Range: <5.7 %
For someone without known diabetes, a hemoglobin A1c value of 6.5% or greater indicates that they may have diabetes and this should be confirmed with a follow-up test.		
For someone with known diabetes, a value <7% indicates that their diabetes is well controlled and a value greater than or equal to 7% indicates suboptimal control. A1c targets should be individualized based on duration of diabetes, age, comorbid conditions, and other considerations.		
Currently, no consensus exists regarding use of hemoglobin A1c for diagnosis of diabetes for children.		
eAG (mg/dL)	200	mg/dL
eAG (mmol/L)	11.1	mmol/L

▲ URINALYSIS, COMPLETE

Analyte	Value	
COLOR	YELLOW	Reference Range: YELLOW
APPEARANCE	CLEAR	Reference Range: CLEAR
SPECIFIC GRAVITY	1.017	Reference Range: 1.001-1.035
PH	5.5	Reference Range: 5.0-8.0

GLUCOSE	NEGATIVE	Reference Range: NEGATIVE
BILIRUBIN	NEGATIVE	Reference Range: NEGATIVE
KETONES	NEGATIVE	Reference Range: NEGATIVE
OCCULT BLOOD	NEGATIVE	Reference Range: NEGATIVE
PROTEIN	NEGATIVE	Reference Range: NEGATIVE
NITRITE	NEGATIVE	Reference Range: NEGATIVE
▲ LEUKOCYTE ESTERASE	2+	Reference Range: NEGATIVE
▲ WBC	40-60	Reference Range: < OR = 5/HPF
RBC	NONE SEEN	Reference Range: < OR = 2/HPF
SQUAMOUS EPITHELIAL CELLS	NONE SEEN	Reference Range: < OR = 5/HPF
BACTERIA	NONE SEEN	Reference Range: NONE SEEN /HPF
HYALINE CAST	NONE SEEN	Reference Range: NONE SEEN /LPF

NOTE

This urine was analyzed for the presence of WBC, RBC, bacteria, casts, and other formed elements. Only those elements seen were reported.

CBC (INCLUDES DIFF/PLT)

Analyte	Value	
WHITE BLOOD CELL COUNT	7.3	Reference Range: 3.8-10.8 Thousand/uL
RED BLOOD CELL COUNT	4.84	Reference Range: 4.20-5.80 Million/uL
HEMOGLOBIN	14.6	Reference Range: 13.2-17.1 g/dL
HEMATOCRIT	43.3	Reference Range: 39.4-51.1 %
MCV	89.5	Reference Range: 81.4-101.7 fL
MCH	30.2	Reference Range: 27.0-33.0 pg
MCHC	33.7	Reference Range: 31.6-35.4 g/dL
RDW	13.0	Reference Range: 11.0-15.0 %
ABSOLUTE NEUTROPHILS	5402	Reference Range: 1500-7800 cells/uL
ABSOLUTE LYMPHOCYTES	1095	Reference Range: 850-3900 cells/uL
ABSOLUTE MONOCYTES	679	Reference Range: 200-950 cells/uL
ABSOLUTE EOSINOPHILS	102	Reference Range: 15-500 cells/uL
ABSOLUTE BASOPHILS	22	Reference Range: 0-200 cells/uL
NEUTROPHILS	74	%
LYMPHOCYTES	15.0	%
MONOCYTES	9.3	%
EOSINOPHILS	1.4	%
BASOPHILS	0.3	%

COMMENT(S)

Review of peripheral smear confirms automated results.

PLATELET COUNT

Test Not Performed

Thousand/uL

TEST(S) NOT PERFORMED:
PLATELET COUNT
Unable to report due to
significant platelet clumping.
Platelet estimate appears
normal.

ALBUMIN, RANDOM URINE W/CREATININE

Analyte	Value
CREATININE, RANDOM URINE	124 Reference Range: 20-320 mg/dL
ALBUMIN, URINE	1.8 Reference Range: Reference Range mg/dL Not established mg
ALBUMIN/CREATININE RATIO, RANDOM URINE	15 Reference Range: <30 mg/g creat
The ADA defines abnormalities in albumin excretion as follows:	
Albuminuria Category	Result (mg/g creatinine)
Normal to Mildly increased	<30
Moderately increased	30-299
Severely increased	> OR = 300
The ADA recommends that at least two of three specimens collected within a 3-6 month period be abnormal before considering a patient to be within a diagnostic category.	

IRON AND TOTAL IRON BINDING CAPACITY

Analyte	Value
IRON, TOTAL	108 Reference Range: 50-180 mcg/dL
IRON BINDING CAPACITY	304 Reference Range: 250-425 mcg/dL (calc)
% SATURATION	36 Reference Range: 20-48 % (calc)

FERRITIN

Analyte	Value
FERRITIN	102 Reference Range: 24-380 ng/mL

VITAMIN B12/FOLATE, SERUM PANEL

Analyte	Value
VITAMIN B12	451 Reference Range: 200-1100 pg/mL
FOLATE, SERUM	17.3 ng/mL
Reference Range	
Low:	<3.4
Borderline:	3.4-5.4
Normal:	>5.4

Performing Sites

TP Quest Diagnostics-Tampa, 4225 E Fowler Ave, Tampa, FL 33617-2026 Laboratory Director: Weston H Rothrock MD

Key Priority Out of Range  Out of Range

These results have been sent to the person who ordered the tests. Your receipt of these results should not be viewed as medical advice and is not meant to replace discussion with your doctor or other healthcare professional.

Quest, Quest Diagnostics, the associated logo, Nichols Institute, Interactive Insights and all associated Quest Diagnostics marks are the registered trademarks of Quest Diagnostics. All third party marks - '®' and '™' - are the property of their respective owners. Privacy policy can be found at: <http://questdiagnostics.com/home/privacy-policy/online-privacy.html>. © 2022 Quest Diagnostics Incorporated. All rights reserved.

