Simulation Results steps

Daniel Moreno Manzano

December 17, 2018

1 Simplest benchmarks results

Table 1: 1	Benchmarks	used
Benchmark	# qubits	# gates
$4gt 11_{82}$	5	27
$4\mathrm{gt}12_{\mathrm{v}189}$	6	228
$4\mathrm{gt}4_{\mathrm{v}072}$	6	258
$4 \text{mod} 5_{\text{bdd} 287}$	7	70
$4 \text{mod} 5_{\text{v020}}$	5	20
${ m alu_{bdd288}}$	7	84
$\mathrm{alu_{v027}}$	5	36
$ m decod 24_{bdd294}$	6	73
$\bmod 10_{176}$	5	178
$ mod5adder_{127} $	6	555
$\mod 5 \mathrm{d} 1_{63}$	5	22
0.008_{10177}	6	440
$\mathrm{one}_{\mathrm{twothreev199}}$	5	132
$\mathrm{one}_{\mathrm{twothreev3101}}$	5	70
$\mathrm{rd}32_{\mathrm{v}066}$	4	34
sf_{274}	6	781
sf_{276}	6	778
$\mathrm{sym}6_{145}$	7	3888

$1.1 4gt11_{82}$

Table 2: Step 1 results after 1000 iterations

Mapper	# qubits	depth	# gates	# SWAPS	t_1	t_2	meas. err.	p. success	f	
No	5	78	84	0	3000	3000	0.03	0.96	0.97823066	3
minextendre	7	226	237	17	3000	3000	0.03	0.929	0.92937318	15
$\operatorname{minextendrc}$	6	173	174	10	3000	3000	0.03	0.939	0.94685216	10
$\min extend$	8	158	228	16	3000	3000	0.03	0.947	0.9312172	12
$\min extend$	6	139	165	9	3000	3000	0.03	0.949	0.94748374	8
base	6	177	228	16	3000	3000	0.03	0.932	0.906571	10
base	6	130	147	7	3000	3000	0.03	0.9509	0.9459456	7

1.2 4gt12-v1₈₉

Table 3: Results after 1000 iterations

Mapper	# qubits	depth	# gates	# SWAPS	t_1	t_2	meas. err.	p. success	f
no	6	416	658	0	3000	3000	0.005	0.768	0.66623522
$\overline{ m minextendrc}$	9	1172	1360	78	3000	3000	0.005	0.562	0.44841106
$\operatorname{minextend}$	9	1008	1549	99	3000	3000	0.005	0.601	0.40972458
base	6	1069	1423	85	3000	3000	0.005	0.517	0.3581228

$1.3 ext{ } 4\text{gt}4\text{-v}0_{72}$

Table 4: Results after 1000 iterations

		100	10 1. 1000	ALOD GILOUI TOO.	O ICCICCO	TOIL			
Mapper	# qubits	depth	# gates	# SWAPS	t_1	t_2	meas. err.	p. success	f
no	6	442	746	0	3000	3000	0.005	0.786	0.68007548
minextendrc	9	1352	1592	94	3000	3000	0.005	0.452	0.37749204
$\min extend$	8	$\boldsymbol{963}$	1736	110	3000	3000	0.005	0.498	0.34067243
base	6	1056	1547	89	3000	3000	0.005	$\boldsymbol{0.532}$	0.35703954

$1.4 \quad 4 \bmod 5 \text{-} \mathbf{bdd}_{\mathbf{287}}$

Table 5: Results after 1000 iterations

	Table 5. Results after 1000 Relations										
Mapper	# qubits	depth	# gates	# SWAPS	t_1	t_2	meas. err.	p. success	$\overline{}$		
no	7	147	203	0	3000	3000	0.005	0.916	0.87474237	1	
minextendre	9	436	500	33	3000	3000	0.005	0.753	0.65935538	:	
$\operatorname{minextend}$	9	$\bf 332$	500	33	3000	3000	0.005	0.798	0.69281491	2	
base	7	334	419	${\bf 24}$	3000	3000	0.005	0.776	0.67942877	2	

$1.5 \mod 5 - v0_{20}$

Table 6: Results after 1000 iterations

Mapper	# qubits	depth	$\# \ { m gates}$	# SWAPS	t_1	t_2	meas. err.	p. success	f	
no	5	53	61	0	3000	3000	0.005	0.985	0.97145968	2
minextendrc	9	139	142	9	3000	3000	0.005	0.944	0.9092329	12
$\min extend$	8	${\bf 128}$	160	11	3000	3000	0.005	0.938	0.88981602	10
base	6	133	119	8	3000	3000	0.005	0.947	0.89871898	7

Table 7: Results after 1000 iterations

Mapper	# qubits	# gates	# SWAPS	depth	t_1	t_2	meas. err.	p. success	f	1
no	7	247	0	165	3000	3000	0.005	0.94	0.89851036	11
minextendrc	8	571	36	495	3000	3000	0.005	0.847	0.78096707	39
$\min extend$	8	616	41	383	3000	3000	0.005	0.846	0.73109047	30
base	7	472	25	360	3000	3000	0.005	0.841	0.71637503	25

Table 8: Results after 1000 iterations

Mapper	# qubits	# gates	# SWAPS	depth	t_1	t_2	meas. err.	p. success	f	1
no	5	107	0	80	3000	3000	0.005	0.98	0.96369032	4
minextendre	9	278	19	248	3000	3000	0.005	0.959	0.92602273	22
$\min extend$	10	296	21	156	3000	3000	0.005	0.944	0.89032214	15
base	6	278	19	214	3000	3000	0.005	0.915	0.84492332	12

Table 9: Results after 1000 iterations

Mapper	# qubits	# gates	# SWAPS	depth	t_1	t_2	meas. err.	p. success	f	1
no	6	207	0	144	3000	3000	0.005	0.938	0.91098461	8
minextendre	9	441	26	407	3000	3000	0.005	0.888	0.7749599	36
$\min extend$	7	468	29	328	3000	3000	0.005	0.816	0.73708015	22
base	6	405	22	300	3000	3000	0.005	0.781	0.71803687	18

$1.6 \quad alu_{\rm bdd288}$

$1.7 \quad alu_{v027}$

$1.8 \quad decod 24_{bdd 294}$

$1.9 \mod 10_{176}$

Table 10: Results after 1000 iterations

Mapper	# qubits	$\# \ { m gates}$	# SWAPS	depth	t_1	t_2	meas. err.	p. success	f	1
no	5	515	0	327	3000	3000	0.005	0.9	0.82976826	16
minextendrc	7	1199	76	1090	3000	3000	0.005	0.758	0.62105388	76
$\min extend$	10	1127	68	687	3000	3000	0.005	0.733	0.60641905	68
base	6	983	52	734	3000	3000	0.005	0.697	0.56115058	44

Table 11: Results after 1000 iterations

Mapper	# qubits	# gates	# SWAPS	depth	t_1	t_2	meas. err.	p. success	f	
no	6	1583	0	944	3000	3000	0.005	0.71	0.45135226	5
minextendrc	9	3320	193	2878	3000	3000	0.005	0.491	0.1922222	25
$\min extend$	10	3779	244	2667	3000	3000	0.005	0.548	0.18165444	26
base	6	3248	185	2378	3000	3000	0.005	0.591	0.18911191	14

Table 12: Results after 1000 iterations

Mapper	# qubits	# gates	# SWAPS	depth	t_1	t_2	meas. err.	p. success	f	1
no	5	69	0	59	3000	3000	0.005	0.989	0.98368741	2
minextendre	8	195	14	209	3000	3000	0.005	0.958	0.93474128	16
$\min extend$	8	195	14	136	3000	3000	0.005	0.969	0.93997349	10
base	6	195	14	146	3000	3000	0.005	0.95	0.91002595	8

Table 13: Results after 1000 iterations

		rabic	io. iteaura e	arter rot	o itera	UIUIIS				
Mapper	# qubits	# gates	# SWAPS	depth	t_1	t_2	meas. err.	p. success	f	
no	6	1270	0	794	3000	3000	0.005	0.858	0.70131629	4
$\overline{ m minextendrc}$	10	2674	156	2275	3000	3000	0.005	0.52	0.39211003	22
$\min extend$	10	2827	173	1761	3000	3000	0.005	0.411	0.29686116	17
base	6	2773	167	2006	3000	3000	0.005	0.335	0.26106507	12

Table 14: Results after 1000 iterations

		10010	II. ICOUITO	arour roo	o icia	010110				
Mapper	# qubits	# gates	# SWAPS	depth	t_1	t_2	meas. err.	p. success	$\overline{}$	
no	5	383	0	256	3000	3000	0.005	0.832	0.78653106	12
minextendre	7	887	56	839	3000	3000	0.005	0.633	0.59855522	58
$\operatorname{minextend}$	10	869	54	530	3000	3000	0.005	0.729	0.62135956	53
base	6	833	50	609	3000	3000	0.005	0.662	0.57083541	36

 $1.10 \quad mod5 adder_{127}$

 $1.11 \mod 5 d1_{63}$

 $1.12 \mod 8_{10177}$

1.13 one_{twothreev199}

 $1.14 \quad one_{twothreev3101}$

	Table 15: Results after 1000 iterations												
Mapper	# qubits	# gates	# SWAPS	depth	t_1	t_2	meas. err.	p. success	f	1			
no	5	203	0	143	3000	3000	0.005	0.937	0.88807716	7			
minextendre	8	464	29	440	3000	3000	0.005	0.746	0.620299	35			
$\min extend$	8	509	34	302	3000	3000	0.005	0.732	0.63161506	24			
base	6	428	25	323	3000	3000	0.005	0.742	0.62081173	19			

$1.15 \quad rd32_{v066}$

	Table 16: Results after 1000 iterations												
Mapper	# qubits	# gates	# SWAPS	depth	t_1	t_2	meas. err.	p. success	f	1			
no	4	102	0	83	3000	3000	0.005	0.983	0.97241164	3			
minextendre	7	219	13	195	3000	3000	0.005	0.947	0.91458844	13			
$\min extend$	7	228	14	142	3000	3000	0.005	0.958	0.91079208	9			
base	5	219	13	169	3000	3000	0.005	0.955	0.90759692	8			

$1.16 ext{ sf}_{274}$

	Table 17: Results after 1000 iterations											
Mapper	# qubits	# gates	# SWAPS	depth	t_1	t_2	meas. err.	p. success	f			
no	6	2227	0	1359	3000	3000	0.005	0.484	0.34974095	8		
$\overline{ m minextendrc}$	7	5116	321	4515	3000	3000	0.005	0.0	0.16778098	31		
$\min extend$	10	5071	316	3007	3000	3000	0.005	0.097	0.14752778	30		
base	6	4450	247	3289	3000	3000	0.005	0.088	0.15461728	19		

 $1.17 ext{ sf}_{276}$

 $1.18 \quad \text{sym}6_{145}$

Table 18: Results after 1000 iterations

Mapper	# qubits	# gates	# SWAPS	depth	t_1	t_2	meas. err.	p. success	f	
no	6	2224	0	1360	3000	3000	0.005	0.472	0.30846996	8
minextendre	9	4852	292	4103	3000	3000	0.005	0.0	0.16746873	36
$\min extend$	10	4807	287	2747	3000	3000	0.005	0.092	0.14342305	27
base	6	4447	247	3280	3000	3000	0.005	0.089	0.13928494	19

Table 19: Results after 1000 iterations

Mapper	# qubits	# gates	# SWAPS	depth	t_1	t_2	meas. err.	p. success	f	V_Q
no	7	11185	0	6759	3000	3000	0.005	0.506	0.15429107	47313