Simulation Results steps

Daniel Moreno Manzano

 $December\ 18,\ 2018$

1 Simplest benchmarks results

Table 1: Be	$_{ m enchmarks}$	used
Benchmark	# qubits	# gates
$4gt11_{82}$	5	27
$4 gt 12_{v189}$	6	228
$4\mathrm{gt}4_{\mathrm{v}072}$	6	258
$4 \text{mod} 5_{\text{bdd} 287}$	7	70
$4 \mod 5_{\mathrm{v}020}$	5	20
${ m alu_{bdd288}}$	7	84
$\mathrm{alu_{v027}}$	5	36
$decod24_{bdd294}$	6	73
$\rm decod 24_{enable 126}$	6	338
${ m graycode6_{47}}$	6	5
$\bmod 10_{176}$	5	178
$ mod 5 adder_{127} $	6	555
$\mathrm{mod}5\mathrm{d}1_{63}$	5	22
$mod8_{10177}$	6	440
${ m one_{twothreev199}}$	5	132
$\mathrm{one}_{\mathrm{twothreev}3101}$	5	70
$\rm rd32_{v066}$	4	34
sf_{274}	6	781
sf_{276}	6	778
$\mathrm{sym}6_{145}$	7	3888

$1.1 4gt11_{82}$

Table 2: Step 1 results after 1000 iterations

Mapper	# aubits			# SWAPS		£	17.
Mapper	# qubits	аерип	# gates	# SWAFS	p. success	J	V_Q
No	5	78	84	0	0.96	0.97823066	390
minextendrc	7	226	237	17	0.929	0.92937318	1582
$\min extend$	8	158	228	16	0.947	0.9312172	1264
base	6	177	228	16	0.932	0.906571	1062

1.2 4gt12-v1₈₉

Table 3: Results after 1000 iterations

Mapper	# qubits	depth	# gates	# SWAPS	p. success	f	V_Q
no	6	416	658	0	0.768	0.66623522	2496
minextendre	9	1172	1360	78	0.562	0.44841106	10548
$\min extend$	9	1008	1549	99	0.601	0.40972458	9072
$_{\mathrm{base}}$	6	1069	1423	85	0.517	0.3581228	6414

$1.3 ext{ } 4\text{gt}4\text{-v}0_{72}$

Table 4: Results after 1000 iterations

Mapper	# qubits	depth	# gates	# SWAPS	p. success	f	V_Q
no	6	442	746	0	0.786	0.68007548	2652
$\overline{\mathrm{minextendrc}}$	9	1352	1592	94	0.452	0.37749204	12168
$\min extend$	8	$\boldsymbol{963}$	1736	110	0.498	0.34067243	7704
base	6	1056	$\boldsymbol{1547}$	89	$\boldsymbol{0.532}$	0.35703954	6336

$1.4 \mod 5$ - bdd_{287}

Table 5: Results after 1000 iterations

Mapper	# qubits	depth	# gates	# SWAPS	p. success	f	V_Q
no	7	147	203	0	0.916	0.87474237	1029
minextendre	9	436	500	33	0.753	0.65935538	3924
$\min extend$	9	$\boldsymbol{332}$	500	33	0.798	0.69281491	2988
$_{\mathrm{base}}$	7	334	419	$\bf 24$	0.776	0.67942877	2338

$1.5 \quad 4 \bmod 5 \text{-v} 0_{20}$

Table 6: Results after 1000 iterations

Mapper	# qubits	depth	# gates	# SWAPS	p. success	f	V_Q
no	5	53	61	0	0.985	0.97145968	265
minextendrc	9	139	142	9	0.944	0.9092329	1251
\min extend	8	$\bf 128$	160	11	0.938	0.88981602	1024
base	6	133	119	8	0.947	0.89871898	714

$1.6 \quad alu_{bdd288}$

Table 7: Results after 1000 iterations

Mapper	# qubits	# gates	# SWAPS	depth	p. success	f	V_Q
no	7	247	0	165	0.94	0.89851036	1155
minextendre	8	571	36	495	0.847	0.78096707	3960
$\operatorname{minextend}$	8	616	41	383	0.846	0.73109047	3064
base	7	$\boldsymbol{472}$	${\bf 25}$	360	0.841	0.71637503	2520

$1.7 \quad alu_{v027}$

Table 8: Results after 1000 iterations

Mapper	# qubits	# gates	# SWAPS	depth	p. success	f	V_Q
no	5	107	0	80	0.98	0.96369032	400
minextendre	9	278	19	248	0.959	0.92602273	2232
$\min extend$	10	296	21	$\bf 156$	0.944	0.89032214	1560
base	6	278	19	214	0.915	0.84492332	1284

$1.8 \quad decod 24_{bdd 294}$

Table 9: Results after 1000 iterations

Mapper	# qubits	# gates	# SWAPS	depth	p. success	f	V_Q
no	6	207	0	144	0.938	0.91098461	864
minextendrc	9	441	26	407	0.888	0.7749599	3663
\min extend	7	468	29	328	0.816	0.73708015	2296
base	6	405	$\boldsymbol{22}$	300	0.781	0.71803687	1800

$1.9 \quad decod 24_{enable 126}$

Table 10: Results after 1000 iterations

Mapper	# qubits	# gates	# SWAPS	depth	p. success	f	V_Q
no	6	978	0	612	0.894	0.74038417	3672
minextendre	9	2049	119	1788	0.831	0.57285276	16092
\min extend	10	2184	134	1440	0.805	0.50947313	14400
base	6	$\boldsymbol{1959}$	109	1446	0.74	0.42630108	8676

$1.10 \mod 10_{176}$

Table 11: Results after 1000 iterations

		Lable II.	Ticourto arte	1 1000 1	dionalions		
Mapper	$\#~{ m qubits}$	# gates	$\# \ \mathrm{SWAPS}$	depth	p. success	f	V_Q
no	5	515	0	327	0.9	0.82976826	1635
minextendre	7	1199	76	1090	0.758	0.62105388	7630
$\min extend$	10	1127	68	687	0.733	0.60641905	6870
base	6	983	$\bf 52$	734	0.697	0.56115058	4404

$1.11 \quad mod5 adder_{127}$

Table 12: Results after 1000 iterations

Mapper	# qubits	# gates	# SWAPS	depth	p. success	f	V_Q
no	6	1583	0	944	0.71	0.45135226	5664
minextendre	9	3320	193	2878	0.491	0.1922222	25902
$\min extend$	10	3779	244	2667	0.548	0.18165444	26670
base	6	3248	185	2378	0.591	0.18911191	14268

$1.12 \mod 5d1_{63}$

Table 13: Results after 1000 iterations

Mapper	# qubits	# gates	# SWAPS	depth	p. success	f	V_Q
no	5	69	0	59	0.989	0.98368741	295
minextendre	8	195	14	209	0.958	0.93474128	1672
$\min extend$	8	195	14	136	0.969	0.93997349	1088
base	6	195	14	146	0.95	0.91002595	876

$1.13 \mod 8_{10177}$

Table 14: Results after 1000 iterations

		Table 14.	Ticourio arti	CI 1000	Ittrations		
Mapper	# qubits	# gates	# SWAPS	depth	p. success	f	V_Q
no	6	1270	0	794	0.858	0.70131629	4764
$\overline{\text{minextendrc}}$	10	2674	156	2275	0.52	0.39211003	22750
$\min extend$	10	2827	173	1761	0.411	0.29686116	17610
base	6	2773	167	2006	0.335	0.26106507	12036

$1.14 \quad one_{twothreev199}$

Table 15: Results after 1000 iterations

Mapper	# qubits	# gates	# SWAPS	depth	p. success	f	V_Q
no	5	383	0	256	0.832	0.78653106	1280
minextendre	7	887	56	839	0.633	0.59855522	5873
$\min extend$	10	869	54	530	0.729	0.62135956	5300
base	6	833	50	609	0.662	0.57083541	3654

$1.15 \quad one_{twothreev3101}$

Table 16: Results after 1000 iterations

		Labic 10.	TOODAIDD AIRC	, IOOO 1	CITOIDI		
Mapper	# qubits	# gates	# SWAPS	depth	p. success	f	V_Q
no	5	203	0	143	0.937	0.88807716	715
minextendre	8	464	29	440	0.746	0.620299	3520
$\min \operatorname{extend}$	8	509	34	$\boldsymbol{302}$	0.732	0.63161506	2416
$_{\mathrm{base}}$	6	428	25	323	0.742	0.62081173	1938

$1.16 \quad rd32_{v066}$

Table 17: Results after 1000 iterations

Mapper	# qubits	# gates	# SWAPS	depth	p. success	f	V_Q
no	4	102	0	83	0.983	0.97241164	332
minextendre	7	219	13	195	0.947	0.91458844	1365
$\min extend$	7	228	14	$\bf 142$	$\boldsymbol{0.958}$	0.91079208	994
base	5	219	13	169	0.955	0.90759692	845

$1.17 ext{ sf}_{274}$

Table 18: Results after 1000 iterations

		Table 10.	TCSUIUS air	CI IUUU	10010010110		
Mapper	# qubits	# gates	# SWAPS	depth	p. success	f	V_Q
no	6	2227	0	1359	0.484	0.34974095	8154
$\overline{\mathrm{minextendrc}}$	7	5116	321	4515	0.0	0.16778098	31605
$\min extend$	10	5071	316	$\boldsymbol{3007}$	$\boldsymbol{0.097}$	0.14752778	30070
base	6	$\boldsymbol{4450}$	247	3289	0.088	0.15461728	19734

$1.18 ext{ sf}_{276}$

Table 19: Results after 1000 iterations

		Table 13.	ricourto arti	CI IOOO	Iterations		
Mapper	$\#~{ m qubits}$	# gates	# SWAPS	depth	p. success	f	V_Q
no	6	2224	0	1360	0.472	0.30846996	8160
minextendre	9	4852	292	4103	0.0	0.16746873	36927
$\min extend$	10	4807	287	2747	$\boldsymbol{0.092}$	0.14342305	27470
base	6	4447	247	3280	0.089	0.13928494	19680

$1.19 \quad \text{sym}6_{145}$

Table 20: Results after 1000 iterations

Mapper	# qubits	# gates	# SWAPS	depth	p. success	f	$\overline{V_Q}$
no	7	11185	0	6759	0.506	0.15429107	47313
minextendre	8	24658	1497	20984	0.513	0.22079977	167872
\min extend	10	25756	1619	14156	0.546	0.12489321	141560
base	7	21679	1166	15613	0.531	0.12176519	109291