# Simulation Results steps

Daniel Moreno Manzano

December 22, 2018

# 1 Simplest benchmarks results

Table 1: Benchmarks used

Benchmark	# qubits	# gates
$4 gt 11_{82}$	5	27
$4\mathrm{gt}12_{\mathrm{v}189}$	6	228
$4\mathrm{gt}4_{\mathrm{v}072}$	6	258
$4 \bmod 5_{\mathrm{bdd287}}$	7	70
$4 \bmod 5_{\mathrm{v}020}$	5	20
${ m alu_{bdd288}}$	7	84
$\mathrm{alu_{v027}}$	5	36
$ m decod 24_{bdd294}$	6	73
$ m decod 24_{enable 126}$	6	338
${ m graycode6_{47}}$	6	5
$\mathrm{ham}3_{102}$	3	20
$hwb4_{49}$	5	233
$\bmod 10_{176}$	5	178
${ m mod5adder_{127}}$	6	555
$\mathrm{mod}5\mathrm{d}1_{63}$	5	22
$mod8_{10177}$	6	440
$\mathrm{one}_{\mathrm{twothreev199}}$	5	132
$\mathrm{one}_{\mathrm{twothreev3101}}$	5	70
$\mathrm{rd}32_{\mathrm{v}066}$	4	34
$\mathrm{sf}_{274}$	6	781
$\mathrm{sf}_{276}$	6	778
$\mathrm{sym}6_{145}$	7	3888
$xor5_{254}$	6	7

### $1.1 4gt11_{82}$

Table 2: Step 1 results after 1000 iterations

Mapper	# qubits	$\operatorname{depth}$	# gates	# SWAPS	p. success	f	$V_Q$
No	5	78	84	0	0.96	0.97823066	390
minextendrc	7	226	237	17	0.929	0.92937318	1582
$\min extend$	8	158	<b>228</b>	16	$\boldsymbol{0.947}$	0.9312172	1264
base	6	177	<b>228</b>	16	0.932	0.906571	1062

### $1.2 ext{ } 4gt12-v1_{89}$

Table 3: Results after 1000 iterations

Mapper	# qubits	$\operatorname{depth}$	# gates	# SWAPS	p. success	f	$V_Q$
no	6	416	658	0	0.768	0.66623522	2496
minextendre	9	1172	1360	78	0.562	0.44841106	10548
$\min extend$	9	1008	1549	99	0.601	0.40972458	9072
$_{\mathrm{base}}$	6	1069	1423	85	0.517	0.3581228	6414

### $1.3 ext{ } 4\text{gt}4\text{-v}0_{72}$

Table 4: Results after 1000 iterations

Mapper	# qubits	depth	# gates	# SWAPS	p. success	f	$V_Q$
no	6	442	746	0	0.786	0.68007548	2652
minextendre	9	1352	1592	94	0.452	0.37749204	12168
$\min$ extend	8	$\boldsymbol{963}$	1736	110	0.498	0.34067243	7704
base	6	1056	$\boldsymbol{1547}$	89	$\boldsymbol{0.532}$	0.35703954	6336

# $1.4 \mod 5$ -bdd<sub>287</sub>

Table 5: Results after 1000 iterations

Mapper	# qubits	depth	# gates	# SWAPS	p. success	f	$V_Q$
no	7	147	203	0	0.916	0.87474237	1029
minextendre	9	436	500	33	0.753	0.65935538	3924
$\min extend$	9	$\bf 332$	500	33	0.798	0.69281491	2988
base	7	334	419	${\bf 24}$	0.776	0.67942877	2338

### $1.5 \quad 4 \bmod 5 \text{-v} 0_{20}$

Table 6: Results after 1000 iterations

Mapper	# qubits	$\operatorname{depth}$	# gates	# SWAPS	p. success	f	$V_Q$
no	5	53	61	0	0.985	0.97145968	265
minextendrc	9	139	142	9	0.944	0.9092329	1251
$\min$ extend	8	$\bf 128$	160	11	0.938	0.88981602	1024
base	6	133	119	8	$\boldsymbol{0.947}$	0.89871898	714

### $1.6 \quad alu_{\rm bdd288}$

Table 7: Results after 1000 iterations

Mapper	# qubits	# gates	# SWAPS	$\operatorname{depth}$	p. success	f	$V_Q$
no	7	247	0	165	0.94	0.89851036	1155
minextendre	8	571	36	495	0.847	0.78096707	3960
$\min extend$	8	616	41	383	0.846	0.73109047	3064
$_{\mathrm{base}}$	7	$\boldsymbol{472}$	25	360	0.841	0.71637503	2520

### $1.7 \quad alu_{v027}$

Table 8: Results after 1000 iterations

Mapper	# qubits	# gates	# SWAPS	$\operatorname{depth}$	p. success	f	$V_Q$
no	5	107	0	80	0.98	0.96369032	400
minextendre	9	278	19	248	0.959	0.92602273	2232
$\min extend$	10	296	21	156	0.944	0.89032214	1560
$_{ m base}$	6	<b>278</b>	19	214	0.915	0.84492332	1284

### $1.8 \quad decod 24_{bdd 294}$

Table 9: Results after 1000 iterations

Mapper	# qubits	# gates	# SWAPS	depth	p. success	f	$V_Q$
no	6	207	0	144	0.938	0.91098461	864
minextendrc	9	441	26	407	0.888	0.7749599	3663
$\min$ extend	7	468	$^{29}$	328	0.816	0.73708015	2296
base	6	405	22	300	0.781	0.71803687	1800

## $1.9 \quad decod 24_{enable 126}$

Table 10: Results after 1000 iterations

Mapper	# qubits	# gates	# SWAPS	$\operatorname{depth}$	p. success	f	$\overline{V_Q}$
no	6	978	0	612	0.894	0.74038417	3672
minextendre	9	2049	119	1788	0.831	0.57285276	16092
$\min$ extend	10	2184	134	<b>1440</b>	0.805	0.50947313	14400
base	6	$\boldsymbol{1959}$	109	1446	0.74	0.42630108	8676

### $1.10 \quad {\rm graycode} 6_{47}$

Table 11: Results after 1000 iterations

Mapper	# qubits	# gates	# SWAPS	$\operatorname{depth}$	p. success	f	$V_Q$
no	6	21	0	32	0.995	0.99332325	192
minextendre	7	111	10	111	0.991	0.98223938	777
$\min extend$	10	102	9	61	0.987	0.97012132	610
$_{\mathrm{base}}$	6	84	7	82	0.991	0.98075312	492

#### $1.11 \quad ham 3_{102}$

Table 12: Results after 1000 iterations

Mapper	# qubits	# gates	# SWAPS	$\operatorname{depth}$	p. success	f	$V_Q$
no	3	61	0	60	0.987	0.98246387	180
minextendrc	4	115	6	127	0.971	0.95999051	508
$\min \operatorname{ext} \operatorname{end}$	4	115	6	121	0.974	0.96288976	484
base	4	106	5	98	0.973	0.95944625	392

### $1.12 \mod 10_{176}$

Table 13: Results after 1000 iterations,  $t_1 = t_2 = 3000$ 

Mapper	# qubits	# gates	# SWAPS	$\operatorname{depth}$	p. success	f	$V_Q$
no	5	515	0	327	0.9	0.82976826	1635
minextendrc	7	1199	76	1090	0.758	0.62105388	7630
$\min extend$	10	1127	68	687	0.733	0.60641905	6870
base	6	983	<b>52</b>	734	0.697	0.56115058	4404

Table 14: Results after 1000 iterations,  $t_1 = t_2 = 1000$ 

Mapper	p. success	f
no	0.738	0.59602509
minextendre	0.453	0.31989048
$\min \operatorname{ext} \operatorname{end}$	0.443	0.31320313
base	0.372	0.27839542

### $1.13 \quad mod5 adder_{127}$

Table 15: Results after 1000 iterations,  $t_1 = t_2 = 3000$ 

Mapper	# qubits	# gates	# SWAPS	depth	p. success	f	$V_Q$
no	6	1583	0	944	0.71	0.45135226	5664
$\overline{\mathrm{minextendrc}}$	9	3320	193	2878	0.491	0.1922222	25902
$\min \operatorname{ext} \operatorname{end}$	10	3779	244	2667	0.548	0.18165444	26670
$_{\mathrm{base}}$	6	$\bf 3248$	185	<b>2378</b>	$\boldsymbol{0.591}$	0.18911191	14268

Table 16: Results after 1000 iterations,  $t_1 = t_2 = 1000$ 

Mapper	p. success	f
no	0.528	0.18188697
minextendrc	0.36	0.1484162
$\operatorname{minextend}$	0.399	0.14349585
base	0.465	0.12694018

### $1.14 \mod 5d1_{63}$

Table 17: Results after 1000 iterations,  $t_1 = t_2 = 3000$ 

Mapper	# qubits	# gates	# SWAPS	$\operatorname{depth}$	p. success	f	$V_Q$
no	5	69	0	59	0.989	0.98368741	295
minextendrc	8	195	14	209	0.958	0.93474128	1672
$\min extend$	8	195	14	136	0.969	0.93997349	1088
base	6	195	14	146	0.95	0.91002595	876

Table 18: Results after 1000 iterations,  $t_1=t_2=1000$ 

Mapper	p. success	f
no	0.97	0.95187372
minextendre	0.901	0.84099717
$\min \operatorname{ext} \operatorname{end}$	0.914	0.83627787
base	0.892	0.7849484

### $1.15 \mod 8_{10177}$

Table 19: Results after 1000 iterations,  $t_1=t_2=3000$ 

Mapper	# qubits	# gates	# SWAPS	depth	p. success	f	$\overline{V_Q}$
no	6	1270	0	794	0.858	0.70131629	4764
minextendre	10	2674	156	2275	0.52	0.39211003	22750
$\min extend$	10	2827	173	1761	0.411	0.29686116	17610
$_{ m base}$	6	2773	167	2006	0.335	0.26106507	12036

Table 20: Results after 1000 iterations,  $t_1 = t_2 = 1000$ 

Mapper	p. success	f
no	0.698	0.42021822
minextendre	0.244	0.19792409
$\min extend$	0.123	0.14638911
base	0.068	0.16412249

### $1.16 \quad one_{twothreev199}$

Table 21: Results after 1000 iterations,  $t_1 = t_2 = 3000$ 

Mapper	# qubits	# gates	# SWAPS	$\operatorname{depth}$	p. success	f	$\overline{V_Q}$
no	5	383	0	256	0.832	0.78653106	1280
minextendrc	7	887	56	839	0.633	0.59855522	5873
$\min extend$	10	869	54	<b>530</b>	0.729	0.62135956	5300
base	6	833	50	609	0.662	0.57083541	3654

Table 22: Results after 1000 iterations,  $t_1 = t_2 = 1000$ 

Mapper	p. success	f
no	0.602	0.55524768
minextendre	0.266	0.38317882
$\min extend$	0.355	0.33820922
base	0.26	0.31493265

#### 1.17 one<sub>twothreev3101</sub>

Table 23: Results after 1000 iterations,  $t_1=t_2=3000$ 

Mapper	# qubits	# gates	# SWAPS	$\operatorname{depth}$	p. success	f	$V_Q$
no	5	203	0	143	0.937	0.88807716	715
minextendre	8	464	29	440	0.746	0.620299	3520
$\min extend$	8	509	34	$\bf 302$	0.732	0.63161506	2416
base	6	428	25	323	0.742	0.62081173	1938

Table 24: Results after 1000 iterations,  $t_1 = t_2 = 1000$ 

Mapper	p. success	f
no	0.809	0.69629912
minextendrc	0.411	0.31374806
$\min \operatorname{ext} \operatorname{end}$	0.391	0.31579028
base	<b>0.42</b>	0.31189591

### $1.18 \quad rd32_{v066}$

Table 25: Results after 1000 iterations,  $t_1 = t_2 = 3000$ 

Mapper	# qubits	# gates	# SWAPS	$\operatorname{depth}$	p. success	f	$V_Q$
no	4	102	0	83	0.983	0.97241164	332
minextendre	7	219	13	195	0.947	0.91458844	1365
$\min extend$	7	228	14	${\bf 142}$	$\boldsymbol{0.958}$	0.91079208	994
$_{ m base}$	5	219	13	169	0.955	0.90759692	845

Table 26: Results after 1000 iterations,  $t_1 = t_2 = 1000$ 

Mapper	p. success	f
no	0.95	0.9176419
minextendre	0.88	0.79475368
$\min \operatorname{ext} \operatorname{end}$	$\boldsymbol{0.902}$	0.77708902
base	0.896	0.77242986

### $1.19 ext{ sf}_{274}$

Table 27: Results after 1000 iterations,  $t_1 = t_2 = 3000$ 

Mapper	# qubits	# gates	# SWAPS	$\operatorname{depth}$	p. success	f	$V_Q$
no	6	2227	0	1359	0.484	0.34974095	8154
minextendre	7	5116	321	4515	0.0	0.16778098	31605
$\min$ extend	10	5071	316	$\boldsymbol{3007}$	$\boldsymbol{0.097}$	0.14752778	30070
base	6	$\boldsymbol{4450}$	<b>247</b>	3289	0.088	0.15461728	19734

Table 28: Results after 1000 iterations,  $t_1 = t_2 = 1000$ 

Mapper	p. success	f
no	0.108	0.16219308
minextendre	0.002	0.19857107
$\min \operatorname{extend}$	0.0	0.1458942
base	0.0	0.14493197

#### $1.20 ext{ sf}_{276}$

Table 29: Results after 1000 iterations,  $t_1 = t_2 = 3000$ 

Mapper	# qubits	# gates	# SWAPS	depth	p. success	f	$\overline{V_Q}$
no	6	2224	0	1360	0.472	0.30846996	8160
minextendre	9	4852	292	4103	0.0	0.16746873	36927
$\min$	10	4807	287	$\boldsymbol{2747}$	$\boldsymbol{0.092}$	0.14342305	27470
base	6	4447	247	3280	0.089	0.13928494	19680

Table 30: Results after 1000 iterations,  $t_1 = t_2 = 1000$ 

Mapper	p. success	$\overline{f}$
no	0.034	0.15718296
minextendrc	0.0	0.22111901
$\min \operatorname{ext} \operatorname{end}$	0.0	0.15992956
base	0.0	0.14842314

### $1.21 \quad sym6_{145}$

Table 31: Results after 1000 iterations,  $t_1=t_2=3000$ 

Mapper	# qubits	# gates	# SWAPS	$\operatorname{depth}$	p. success	f	$V_Q$
no	7	11185	0	6759	0.506	0.15429107	47313
minextendrc	8	24658	1497	20984	0.513	0.22079977	167872
$\min$ extend	10	25756	1619	14156	0.546	0.12489321	141560
base	7	21679	1166	15613	0.531	0.12176519	109291

Table 32: Results after 1000 iterations,  $t_1 = t_2 = 1000$ 

Mapper	p. success	f
no	0.513	0.1407412
minextendrc	0.518	0.24438143
$\min \operatorname{extend}$	0.543	0.1533595
base	0.53	0.14274046

### $1.22 \quad xor 5_{254}$

Table 33: Results after 1000 iterations,  $t_1 = t_2 = 3000$ 

Mapper	# qubits	# gates	# SWAPS	depth	p. success	f	$V_Q$
no	6	23	0	36	0.995	0.99375935	216
minextendre	7	68	5	75	0.984	0.9736118	525
$\min \operatorname{ext} \operatorname{end}$	7	68	5	58	0.958	0.94092446	406
base	6	104	9	92	0.942	0.91559086	552

Table 34: Results after 1000 iterations,  $t_1 = t_2 = 3000$ 

Mapper	p. success	f
no	0.984	0.97720823
minextendre	0.952	0.91998206
$\min \operatorname{extend}$	0.896	0.84674549
base	0.837	0.77312906

Table 35: Peason correlation coefficient for decoherence time of  $t_1=3000$ 

	# of Gates	# of SWAPs	$_{ m Depth}$	$V_Q$
$\rho_{f,Y}$	-0.6196	-0.5598	-0.6093	-0.6196
$\rho_{n_0,Y}$	-0.4684	-0.4346	-0.4710	-0.4684




Figure 1: Plotting fidelity against number of gates, swaps, depth and Quantum Volume

### 2 Correlation and Plots

- **2.1**  $t_1 = 3000$
- **2.2**  $t_1 = 1000$

Table 36: Pearson correlation coefficient for decoherence time of  $t_1=1000\,$ 

	# of Gates	# of SWAPs	Depth	$V_Q$
$\rho_{f,Y}$	-0.4389	-0.3803	-0.4256	-0.4389
$\rho_{p_s,Y}$	-0.1874	-0.1757	-0.1923	-0.1874




Figure 2: Plotting probability of success against number of gates, swaps, depth and Quantum Volume




Figure 3: Plotting fidelity against number of gates, swaps, depth and Quantum Volume




Figure 4: Plotting probability of success against number of gates, swaps, depth and Quantum Volume