

Simulation Results steps

Daniel Moreno Manzano

January 9, 2019

1 Simplest benchmarks results

Table 1: Benchmarks used

Benchmark	# qubits	# gates
4gt11 ₈₂	5	27
4gt12 _{v189}	6	228
4gt4 _{v072}	6	258
4mod5 _{bdd287}	7	70
4mod5 _{v020}	5	20
alu _{bdd288}	7	84
alu _{v027}	5	36
decod24 _{bdd294}	6	73
decod24 _{enable126}	6	338
graycode6 ₄₇	6	5
ham3 ₁₀₂	3	20
hwb4 ₄₉	5	233
mod10 ₁₇₆	5	178
mod5adder ₁₂₇	6	555
mod5d1 ₆₃	5	22
mod8 ₁₀₁₇₇	6	440
one _{twothreev199}	5	132
one _{twothreev3101}	5	70
rd32 _{v066}	4	34
sf ₂₇₄	6	781
sf ₂₇₆	6	778
sym6 ₁₄₅	7	3888
xor5 ₂₅₄	6	7

1.1 4gt11₈₂

Table 2: Step 1 results after 1000 iterations

Mapper	# qubits	depth	# gates	# SWAPS	p. success	f	V_Q
No	5	78	84	0	0.96	0.97823066	390
minextendrc	7	226	237	17	0.929	0.92937318	1582
minextend	8	158	228	16	0.947	0.9312172	1264
base	6	177	228	16	0.932	0.906571	1062

1.2 4gt12-v1₈₉

Table 3: Results after 1000 iterations

Mapper	# qubits	depth	# gates	# SWAPS	p. success	f	V_Q
no	6	416	658	0	0.768	0.66623522	2496
minextendrc	9	1172	1360	78	0.562	0.44841106	10548
minextend	9	1008	1549	99	0.601	0.40972458	9072
base	6	1069	1423	85	0.517	0.3581228	6414

1.3 4gt4-v0₇₂

Table 4: Results after 1000 iterations

Mapper	# qubits	depth	# gates	# SWAPS	p. success	f	V_Q
no	6	442	746	0	0.786	0.68007548	2652
minextendrc	9	1352	1592	94	0.452	0.37749204	12168
minextend	8	963	1736	110	0.498	0.34067243	7704
base	6	1056	1547	89	0.532	0.35703954	6336

1.4 4mod5-bdd₂₈₇

Table 5: Results after 1000 iterations

Mapper	# qubits	depth	# gates	# SWAPS	p. success	f	V_Q
no	7	147	203	0	0.916	0.87474237	1029
minextendrc	9	436	500	33	0.753	0.65935538	3924
minextend	9	332	500	33	0.798	0.69281491	2988
base	7	334	419	24	0.776	0.67942877	2338

1.5 4mod5-v0₂₀

Table 6: Results after 1000 iterations

Mapper	# qubits	depth	# gates	# SWAPS	p. success	f	V_Q
no	5	53	61	0	0.985	0.97145968	265
minextendrc	9	139	142	9	0.944	0.9092329	1251
minextend	8	128	160	11	0.938	0.88981602	1024
base	6	133	119	8	0.947	0.89871898	714

1.6 alu_{bdd288}

Table 7: Results after 1000 iterations

Mapper	# qubits	# gates	# SWAPS	depth	p. success	f	V_Q
no	7	247	0	165	0.94	0.89851036	1155
minextendrc	8	571	36	495	0.847	0.78096707	3960
minextend	8	616	41	383	0.846	0.73109047	3064
base	7	472	25	360	0.841	0.71637503	2520

1.7 alu_{v027}

Table 8: Results after 1000 iterations

Mapper	# qubits	# gates	# SWAPS	depth	p. success	f	V_Q
no	5	107	0	80	0.98	0.96369032	400
minextendrc	9	278	19	248	0.959	0.92602273	2232
minextend	10	296	21	156	0.944	0.89032214	1560
base	6	278	19	214	0.915	0.84492332	1284

1.8 decod24_{bdd294}

Table 9: Results after 1000 iterations

Mapper	# qubits	# gates	# SWAPS	depth	p. success	f	V_Q
no	6	207	0	144	0.938	0.91098461	864
minextendrc	9	441	26	407	0.888	0.7749599	3663
minextend	7	468	29	328	0.816	0.73708015	2296
base	6	405	22	300	0.781	0.71803687	1800

1.9 **decod24_{enable126}**

Table 10: Results after 1000 iterations

Mapper	# qubits	# gates	# SWAPS	depth	p. success	f	V_Q
no	6	978	0	612	0.894	0.74038417	3672
minextendrc	9	2049	119	1788	0.831	0.57285276	16092
minextend	10	2184	134	1440	0.805	0.50947313	14400
base	6	1959	109	1446	0.74	0.42630108	8676

1.10 **graycode6₄₇**

Table 11: Results after 1000 iterations

Mapper	# qubits	# gates	# SWAPS	depth	p. success	f	V_Q
no	6	21	0	32	0.995	0.99332325	192
minextendrc	7	111	10	111	0.991	0.98223938	777
minextend	10	102	9	61	0.987	0.97012132	610
base	6	84	7	82	0.991	0.98075312	492

1.11 **ham3₁₀₂**

Table 12: Results after 1000 iterations

Mapper	# qubits	# gates	# SWAPS	depth	p. success	f	V_Q
no	3	61	0	60	0.987	0.98246387	180
minextendrc	4	115	6	127	0.971	0.95999051	508
minextend	4	115	6	121	0.974	0.96288976	484
base	4	106	5	98	0.973	0.95944625	392

1.12 **mod10₁₇₆**

Table 13: Results after 1000 iterations, $t_1 = t_2 = 3000$

Mapper	# qubits	# gates	# SWAPS	depth	p. success	f	V_Q
no	5	515	0	327	0.9	0.82976826	1635
minextendrc	7	1199	76	1090	0.758	0.62105388	7630
minextend	10	1127	68	687	0.733	0.60641905	6870
base	6	983	52	734	0.697	0.56115058	4404

Table 14: Results after 1000 iterations, $t_1 = t_2 = 1000$

Mapper	p. success	f
no	0.738	0.59602509
minextendrc	0.453	0.31989048
minextend	0.443	0.31320313
base	0.372	0.27839542

1.13 mod5adder₁₂₇

Table 15: Results after 1000 iterations, $t_1 = t_2 = 3000$

Mapper	# qubits	# gates	# SWAPS	depth	p. success	f	V_Q
no	6	1583	0	944	0.71	0.45135226	5664
minextendrc	9	3320	193	2878	0.491	0.1922222	25902
minextend	10	3779	244	2667	0.548	0.18165444	26670
base	6	3248	185	2378	0.591	0.18911191	14268

Table 16: Results after 1000 iterations, $t_1 = t_2 = 1000$

Mapper	p. success	f
no	0.528	0.18188697
minextendrc	0.36	0.1484162
minextend	0.399	0.14349585
base	0.465	0.12694018

1.14 mod5d1₆₃

Table 17: Results after 1000 iterations, $t_1 = t_2 = 3000$

Mapper	# qubits	# gates	# SWAPS	depth	p. success	f	V_Q
no	5	69	0	59	0.989	0.98368741	295
minextendrc	8	195	14	209	0.958	0.93474128	1672
minextend	8	195	14	136	0.969	0.93997349	1088
base	6	195	14	146	0.95	0.91002595	876

Table 18: Results after 1000 iterations, $t_1 = t_2 = 1000$

Mapper	p. success	f
no	0.97	0.95187372
minextendrc	0.901	0.84099717
minextend	0.914	0.83627787
base	0.892	0.7849484

1.15 mod8₁₀₁₇₇

Table 19: Results after 1000 iterations, $t_1 = t_2 = 3000$

Mapper	# qubits	# gates	# SWAPS	depth	p. success	f	V_Q
no	6	1270	0	794	0.858	0.70131629	4764
minextendrc	10	2674	156	2275	0.52	0.39211003	22750
minextend	10	2827	173	1761	0.411	0.29686116	17610
base	6	2773	167	2006	0.335	0.26106507	12036

Table 20: Results after 1000 iterations, $t_1 = t_2 = 1000$

Mapper	p. success	f
no	0.698	0.42021822
minextendrc	0.244	0.19792409
minextend	0.123	0.14638911
base	0.068	0.16412249

1.16 one_{twothreev199}Table 21: Results after 1000 iterations, $t_1 = t_2 = 3000$

Mapper	# qubits	# gates	# SWAPS	depth	p. success	f	V_Q
no	5	383	0	256	0.832	0.78653106	1280
minextendrc	7	887	56	839	0.633	0.59855522	5873
minextend	10	869	54	530	0.729	0.62135956	5300
base	6	833	50	609	0.662	0.57083541	3654

Table 22: Results after 1000 iterations, $t_1 = t_2 = 1000$

Mapper	p. success	f
no	0.602	0.55524768
minextendrc	0.266	0.38317882
minextend	0.355	0.33820922
base	0.26	0.31493265

1.17 one_{twothreev3101}Table 23: Results after 1000 iterations, $t_1 = t_2 = 3000$

Mapper	# qubits	# gates	# SWAPS	depth	p. success	f	V_Q
no	5	203	0	143	0.937	0.88807716	715
minextendrc	8	464	29	440	0.746	0.620299	3520
minextend	8	509	34	302	0.732	0.63161506	2416
base	6	428	25	323	0.742	0.62081173	1938

Table 24: Results after 1000 iterations, $t_1 = t_2 = 1000$

Mapper	p. success	f
no	0.809	0.69629912
minextendrc	0.411	0.31374806
minextend	0.391	0.31579028
base	0.42	0.31189591

1.18 rd32_{v066}

Table 25: Results after 1000 iterations, $t_1 = t_2 = 3000$

Mapper	# qubits	# gates	# SWAPS	depth	p. success	f	V_Q
no	4	102	0	83	0.983	0.97241164	332
minextendrc	7	219	13	195	0.947	0.91458844	1365
minextend	7	228	14	142	0.958	0.91079208	994
base	5	219	13	169	0.955	0.90759692	845

Table 26: Results after 1000 iterations, $t_1 = t_2 = 1000$

Mapper	p. success	f
no	0.95	0.9176419
minextendrc	0.88	0.79475368
minextend	0.902	0.77708902
base	0.896	0.77242986

1.19 sf₂₇₄

Table 27: Results after 1000 iterations, $t_1 = t_2 = 3000$

Mapper	# qubits	# gates	# SWAPS	depth	p. success	f	V_Q
no	6	2227	0	1359	0.484	0.34974095	8154
minextendrc	7	5116	321	4515	0.0	0.16778098	31605
minextend	10	5071	316	3007	0.097	0.14752778	30070
base	6	4450	247	3289	0.088	0.15461728	19734

Table 28: Results after 1000 iterations, $t_1 = t_2 = 1000$

Mapper	p. success	f
no	0.108	0.16219308
minextendrc	0.002	0.19857107
minextend	0.0	0.1458942
base	0.0	0.14493197

1.20 sf₂₇₆

Table 29: Results after 1000 iterations, $t_1 = t_2 = 3000$

Mapper	# qubits	# gates	# SWAPS	depth	p. success	f	V_Q
no	6	2224	0	1360	0.472	0.30846996	8160
minextendrc	9	4852	292	4103	0.0	0.16746873	36927
minextend	10	4807	287	2747	0.092	0.14342305	27470
base	6	4447	247	3280	0.089	0.13928494	19680

Table 30: Results after 1000 iterations, $t_1 = t_2 = 1000$

Mapper	p. success	f
no	0.034	0.15718296
minextendrc	0.0	0.22111901
minextend	0.0	0.15992956
base	0.0	0.14842314

1.21 sym6₁₄₅

Table 31: Results after 1000 iterations, $t_1 = t_2 = 3000$

Mapper	# qubits	# gates	# SWAPS	depth	p. success	f	V_Q
no	7	11185	0	6759	0.506	0.15429107	47313
minextendrc	8	24658	1497	20984	0.513	0.22079977	167872
minextend	10	25756	1619	14156	0.546	0.12489321	141560
base	7	21679	1166	15613	0.531	0.12176519	109291

Table 32: Results after 1000 iterations, $t_1 = t_2 = 1000$

Mapper	p. success	f
no	0.513	0.1407412
minextendrc	0.518	0.24438143
minextend	0.543	0.1533595
base	0.53	0.14274046

1.22 xor5₂₅₄

Table 33: Results after 1000 iterations, $t_1 = t_2 = 3000$

Mapper	# qubits	# gates	# SWAPS	depth	p. success	f	V_Q
no	6	23	0	36	0.995	0.99375935	216
minextendrc	7	68	5	75	0.984	0.9736118	525
minextend	7	68	5	58	0.958	0.94092446	406
base	6	104	9	92	0.942	0.91559086	552

Table 34: Results after 1000 iterations, $t_1 = t_2 = 3000$

Mapper	p. success	f
no	0.984	0.97720823
minextendrc	0.952	0.91998206
minextend	0.896	0.84674549
base	0.837	0.77312906

2 Correlation and Plots


Pearson correlation formula:

$$\rho_{X,Y} = \frac{\text{cov}(X,Y)}{\sigma_X \sigma_Y}$$


2.1 $t_1 = 3000$

Table 35: Pearson correlation coefficient for decoherence time of $t_1 = 3000$


	# of Gates	# of SWAPs	Depth	V_Q
$\rho_{f,Y}$	-0.6196	-0.5598	-0.6093	-0.6196
$\rho_{p_s,Y}$	-0.4684	-0.4346	-0.4710	-0.4684




(a) Number of gates



(b) Number of SWAPs




(c) Depth




(d) Quantum Volume


Figure 1: Plotting fidelity against number of gates, swaps, depth and Quantum Volume




(a) Number of gates



(b) Number of SWAPs



(c) Depth



(d) Quantum Volume

Figure 2: Plotting probability of success against number of gates, swaps, depth and Quantum Volume

2.1.1 Two-qubit gates

$$\rho_{f',Y} = -0.1158$$

2.2 $t_1 = 1000$

Table 36: Pearson correlation coefficient for decoherence time of $t_1 = 1000$

	# of Gates	# of SWAPs	Depth	V_Q
$\rho_{f,Y}$	-0.4389	-0.3803	-0.4256	-0.4389
$\rho_{p_s,Y}$	-0.1874	-0.1757	-0.1923	-0.1874







Figure 3: Number of swaps and fidelity difference relationship's




(a) Number of gates



(b) Number of SWAPs




(c) Depth




(d) Quantum Volume


Figure 4: Plotting fidelity against number of gates, swaps, depth and Quantum Volume




(a) Number of gates



(b) Number of SWAPs



(c) Depth



(d) Quantum Volume

Figure 5: Plotting probability of success against number of gates, swaps, depth and Quantum Volume

2.2.1 Two-qubit gates

$$\rho_{f',Y} = -0.5525$$




Figure 6: Number of swaps and fidelity difference relationship's