



UNIWERSYTET
WARSZAWSKI



UNIWERSYTET WARSZAWSKI
Wydział Nauk Ekonomicznych

Lagged Determinants of U.S. Output Growth

Ege Güney Kıymaç

Index No. 447987

e.kiymac@student.uw.edu.pl

Sung Kwan Chiu

Index No. 444585

s.chiu@student.uw.edu.pl

January 10, 2026

Prepared under the supervision of Dr. A.W. Kolasa.

Abstract

This paper presents an autoregressive model of Real GDP with exogenous regressors that are connected to output in the Keynesian framework. A relatively standard/conventional statistical test suite is augmented with newly discovered modifications to the Kolmogorov–Smirnov test to facilitate time-series data and the interdependence brought by it. Building on the original validation methods that are rigorously tested over the decades, the paper manages to present moderate evidence that the estimator specified is efficient, well conditioned, and interpretable.

Contents

1	Introduction	3
1.1	Overview	3
1.2	Hypothesis	3
1.3	Theoretical Background	3
1.4	Literature Review	4
2	Data	6
3	Methodology	8
3.1	Data Preparation and Examination	8
3.1.1	Design Matrix Formation	8
3.1.2	Regressor Examination	9
3.2	BLUE Evaluation	9
4	Results	11
4.1	Data Examination	11
4.1.1	ARX Equation	13
4.1.2	Variable Distribution Equality	13
4.2	Model Fit	14
4.3	Residual Analysis	15
4.4	Gauss–Markov Conditions	16
5	Conclusion	18
6	Remarks	19
6.1	Remark 1: VIF Application on a Reduced Design Matrix	19
6.2	Remark 2: Time-Series Application of KS Test	19
7	Bibliography	21

1 Introduction

1.1 Overview

Real GDP is a prominent measure of output due to its simplicity, interpretability, and effectiveness in communicating the overall activity of an economy. Alongside academic settings, Real GDP has retained its relevance in politics as one of the go-to measures for public communications regarding economic growth and prosperity. As per its wide-spread adoption, the measure has accumulated a plethora of literature referencing it from a multitude of perspectives.

This paper explores the link between GDP growth and theoretically grounded interactions of GDP deficit, unemployment gap, and output gap, alongside other exogenous regressors. Ultimately, the paper aims to show that empirical observations of Real GDP growth in the U.S. economy can be modelled optimally with a **Gauss–Markov** compliant **Distributed Lag Model** (DLM) specification where the exogenous contributors are theoretical descriptors of output.

1.2 Hypothesis

In the history of economic equilibria, multiple models have proposed mathematically defined relationships between Real GDP and many indicators. Moreover, some interactions between said indicators have been formalized into economic models. This paper focuses on testing the predictive and explanatory power of two such indicators involving unemployment gap, output gap, and GDP deflator (P_t^{GDP}):

- Unemployment Gap and Output Gap (**Okun-like**): $O_t = (u_t - u_t^*) \times (Y_t - Y_t^*)$
- Unemployment Gap and GDP Deflator (**Phillips-like**): $\Pi_t = (u_t - u_t^*) \times \Delta \log(P_t^{GDP})$

Alongside other exogenous regressors, this paper hypothesizes that a model of the form:

$$\Delta \log(Y_t) = C + \sum_{i=1}^n \beta_i X_{[i, t-1]} + \varepsilon_t \quad (1)$$

where $X_{[i, t-1]}$ includes the above defined interactions has a **BLUE** OLS estimator with nonzero interaction coefficients.

1.3 Theoretical Background

We consider two equations to base our selection of interactions. First, the **Phillips Curve** describes the relationship between inflation and unemployment. It can be expressed in terms of expected inflation and the unemployment gap as follows:

$$\pi_t = \mathbb{E}_t[\pi_{t+1}] - \alpha(u_t - u_t^*) + \varepsilon_t \quad (2)$$

where π_t is the inflation rate at time t , $\mathbb{E}_t[\pi_{t+1}]$ is the expected inflation rate at time $t + 1$, $\bar{u}_t$ is the unemployment gap, α is a positive constant, and ε_t is a random error term. Equation 2 displays a negative relationship between inflation and unemployment gap with a factor of α . The inflation rate π_t in logarithmic space can be approximated by $\log(1 + \pi_t) = \Delta \log(P_t)$ for sufficiently small π_t . (up to 8-10%) The presented interaction substitutes the deflator for price levels and uses $\Delta \log(P_t^{GDP})$ as a deflator-based inflation term. In principle, we expect (and hypothesize) that the pseudo-inflation term defined will again have a negative relationship with unemployment gap with a non-zero factor.

We can use the Phillips Curve to connect inflation and unemployment; however, the connection of this interaction to our regression target is not yet established. Utilizing the **Fischer Equation**, we can relate inflation to nominal interest rates, and express output as a function of inflation using the **IS Curve**.

$$\begin{aligned} r_t &= i_t - \pi_t \\ \Rightarrow Y_t &= Y^* - \alpha(r_t - r_t^*) \end{aligned} \tag{3}$$

Having established Y_t as a function of π_t , we can expect to see a relationship in growth rates as well.

Next, we consider **Okun's Law**, which describes the relationship between unemployment and output (Real GDP):

$$\frac{(Y_t - Y_t^*)}{Y_t^*} = -\gamma(u_t - u_t^*) \tag{4}$$

where Y_t is the actual output, Y_t^* is the potential output, γ is a positive constant, and $(u_t - u_t^*)$ is the unemployment gap. Okun's Law can be algebraically rearranged to express Y_t in levels:

$$\begin{aligned} \frac{Y_t}{Y_t^*} - 1 &= -\gamma(u_t - u_t^*) \\ Y_t &= Y_t^*(1 - \gamma(u_t - u_t^*)) \end{aligned} \tag{5}$$

The above transformation connects output to unemployment and establishes a negative relationship. A simple yet fundamental observation is that non-zero relationships of P_t , and $(u_t - u_t^*)$ are clearly defined in theory. Interactions defined with these variables are therefore potential candidates to explain the output growth. Therefore, an empirical relationship can be expected; and such relationship can be analyzed to determine the differences between theoretical and observed interactions.

1.4 Literature Review

The literature review in this paper is aimed to justify two main choices made for our methodology and selection of variables:

- Selection of the exogenous variable set
- Usage of an *ARX* model

The theoretical relationships between exogenous variables and output were displayed in Section 1.3. In addition to said demonstration, there are numerous papers investigating these relationships. Primarily, “The Relationship between GDP and Unemployment Rate in the U.S.” (Mandel and Liebens, 2019) employs a very similarly structured model to conduct correlation analysis. The paper demonstrates the existence of significant correlations $\rho_{Y,CPI}$ and $\rho_{Y,u}$ (among other variables) through multiple regression analysis. However, an important note regarding their application is the usage of CPI_{t-0} and u_{t-2} which do not align the orders selected in our paper.¹

Another relevant paper, “GDP Forecasting: Machine Learning, Linear or Autoregression?” (Maccarrone et al., 2021), compares the performance of various simple regression models and machine learning algorithms in forecasting GDP. The authors conclude that *ARX* in their specification is the best model in “one-step-ahead” and comparable to the best in “multi-step-ahead” forecasts. This paper confirms the intuitively autocorrelated nature of GDP, and the fact that exogenous variables have the ability to improve fit quality.

Although there are many other papers investigating GDP modelling from simple regression to deep learning, the two papers mentioned above capture the reasoning behind the methodology design and model selection in our paper.

¹Refer to Section ?? for the order selection of this paper.

2 Data

The initial model specification includes a wide range of macroeconomic indicators alongside the interactions. Observations for all series span from 1989Q4 to 2025Q1 and the frequency is quarterly. All series are sourced from the St. Louis Federal Reserve Economic Data (FRED) database.

Variable	Units	FRED ID
Real GDP (Y)	Billions of Chained 2017 Dollars (Adjusted)	GDPC1
Personal Consumption Expenditures (pce)	Billions of Chained 2017 Dollars (Adjusted)	PCECC96
Private Domestic Investment (pdi)	Billions of Chained 2017 Dollars (Adjusted)	GPDIC1
Government Expenditures ($govexp$)	Billions of Chained 2017 Dollars (Adjusted)	GCEC1
Output Deflator ($odef$)	Chained Index 2017=100 (Adjusted)	GDPDEF
Natural Unemployment Rate (u^*)	% (Not Adjusted)	NROU
Unemployment Rate (u)	% (Adjusted)	LRUN64TTUSQ156S
Potential Output (Y^*)	Billions of Chained 2017 Dollars (Adjusted)	GDPPOT

Table 1: Macroeconomic series used in the model along with their FRED IDs.

Using the series in Table 1, we construct our target variable and regressors as follows:

- Target Variable: $\Delta \log(Y_t)$

- Regressors:

$$X_{[t, 1]} (pce): \Delta \log(pce_{t-1})$$

$$X_{[t, 2]} (pdi): \Delta \log(pdi_{t-1})$$

$$X_{[t, 3]} (govexp): \Delta \log(govexp_{t-1})$$

$$X_{[t, 4]} (ugap): u_{t-1} - u_{t-1}^*$$

$$X_{[t, 5]} (ogap): \log(Y_{t-1}) - \log(Y_{t-1}^*)$$

$$X_{[t, 6]} (okun): ugap \times ogap$$

$$X_{[t, 7]} (phillips): ugap \times \Delta \log(odef_{t-1})$$

All variables that are observed in levels are transformed into log differences while both the gap variables and interactions are not differenced. In our specification, log differencing is used to clean the regressors of slow-moving trends and potential multicollinearity; which is mostly an artifact of data in pure levels. The gaps and interactions are already detrended to an extent by their construction.

Distributions of Regressors




Figure 1: Density histograms of regressors.

3 Methodology

The proposed methodology of this paper can be split into three main components:

- Data Preparation and Examination
- Model Estimation
- BLUE Evaluation

Each component is detailed in the following subsections.

3.1 Data Preparation and Examination

The preparation step consists of using the series defined in Table 1 to create regressors and target as listed. Vectorized transformations are applied to the raw data to create the necessary variables. The differencing process requires each observation to have a predecessor; therefore the first observation is lost in the transformation. This pushes our observation window from 1989Q4–2025Q1 to 1990Q1–2025Q1.

After the variables are constructed, we shift all regressors by one period to produce the final dataset. This ensures that all regressors at time t are known; making the model have predictive validity rather than being a purely explanatory specification. Having shifted the regressors, we again lose the first observation in the dataset, pulling the final observation window to 1990Q2–2025Q1 with a total of 140 observations.

3.1.1 Design Matrix Formation

X is formed by converting the model equation specified in Equation 1 into matrix form. The inner product operation of OLS estimation can be written as a matrix multiplication of observations and coefficients:

$$\underbrace{\begin{bmatrix} 1 & X_{1,2} & \cdots & X_{1,m+1} \\ \vdots & \vdots & \ddots & \vdots \\ 1 & X_{n,2} & \cdots & X_{n,m+1} \end{bmatrix}}_{\text{Design Matrix}} \times \begin{bmatrix} C \\ \beta_1 \\ \vdots \\ \beta_{m+1} \end{bmatrix} \quad (6)$$

Where n is the number of observations and m is the number of features (including the intercept) Using our observation count $n = 140$ and number of regressors $m = 7$, the design matrix X takes the dimensions of 140×8 .

3.1.2 Regressor Examination

While the model order will not be adjusted based on the results, the Cross Correlation Function (CCF) of each regressor with the target variable will be examined to confirm the appropriateness of the lag structure. The **Box–Jenkins Prewhitening** procedure will be applied to expose a clearer signal of the underlying cross-correlations. Box–Jenkins Prewhitening transforms the exogenous variables into residuals of their AR representation, then uses the β coefficient to re-scale the dependent variable. (Hackhard and Romer, 2025) Formally, the $AR(1)$ variant of the process can be shown as:

$$\begin{aligned}\hat{X}_i &= (L^1 X_i)\beta_i \\ \hat{y}_i &= y\beta_i \\ \rho_{y,i} &= \text{corr}(\hat{y}_i, X_i - \hat{X}_i)\end{aligned}\tag{7}$$

Where L^1 is the lag-1 operator.

Additionally, the **Variance Inflation Factor** (VIF) of all regressors will be checked to ensure multicollinearity is not present. VIF is computed as:

$$VIF_{X_i} = \frac{1}{1 - R_{X_i}^2}\tag{8}$$

Where $R_{X_i}^2$ is the coefficient of determination of the regression of X_i on all other columns of X . The common threshold for multicollinearity, $VIF > 10$, will be used.

3.2 BLUE Evaluation

After estimating the model coefficients, we evaluate the Gauss–Markov conditions to confirm whether the resulting fit is BLUE. Previous stages of the methodology involve checks for the pre-fit Gauss–Markov conditions:

- **Linearity of Parameters:** by definition the model employed is a linear combination of regressors and coefficients. Therefore, this condition is satisfied at the stage of model selection.
- **Full Rank:** $\text{rank}(X) = k$ must hold for $X^\top X$ to be invertible. Therefore, this condition must hold for the model to be estimable via OLS.

The remaining Gauss–Markov conditions concern ε and are verified post-estimation:

- **Spherical Errors:** This condition holds if $\text{Var}(\varepsilon) = \sigma^2 I_n$; implies that the residuals are homoskedastic and uncorrelated. The two criteria can be tested separately using the **Breusch–Pagan Test** for homoskedasticity and the **Breusch–Godfrey Test** for autocorrelation.

- **Strict Exogeneity:** In textbook terms strict exogeneity requires $\mathbb{E}[\varepsilon_i \mid X] = 0$. However, this condition is not directly testable. It's often assumed to hold given weak exogeneity holds, and the design matrix X shows no direct signs of endogenous interactions. A **RESET Test** will be employed to check for model misspecification and omitted nonlinearities. Moreover, the **Harvey–Collier Test** will be used to further assess model specification. Strong exogeneity will then be assumed, and therefore any finding of BLUE will be referred to as “approximate” under the modelling assumptions.

4 Results

4.1 Data Examination

With the design matrix constructed as per Section 3.1.1, we can compute the inter-regressor interactions with VIF and the regressor-target relations with CCF. Our initial VIF computations are as follows:

Regressor	VIF
<i>pce</i>	1.31
<i>pdi</i>	1.21
<i>govexp</i>	1.37
<i>ugap</i>	1.76
<i>ogap</i>	1.80
<i>okun</i>	2.56
<i>phillips</i>	2.80

Table 2: Variance Inflation Factor (VIF) of all regressors.

All VIF values are well below the threshold; and we can safely conclude that multicollinearity is not a concern in our design matrix.




Figure 2: CCF plots of the whitened exogenous variables and the dependent variable.

Although not as clear as the PACF results, Figure 4.1 carries much stronger insights into the cross-correlation structure compared to raw correlation coefficients. *CPI* shows several spikes above the significance bounds with notable lags being $\{0, 45, 47\}$. For *u*, we observe that lag-0 is the only significant entry. Based on the observations, lag-0 is the only selection that ensures significant lags of both exogenous variables are included. Therefore, the cross-correlation analysis yields $q = 0$ to be the optimal selection.²

Using $q = 0$ introduces the problem of **data leakage**, as current quarter values of exogenous variables would not be available at the time of estimation. This results in a design choice of either using the closest available selection in time (i.e. lag-1) or in significance (selection of lag-45 or lag-47 for *CPI*). Since introducing 45 or 47 more coefficients per variable would essentially guarantee overfitting, the final decision was in favor of using $q = 1$.³

²In Equation 1, $q = 0$ would mean not including exogenous variables. But as a lag order selection, it should be interpreted as using the current observations as regressors.

³Further regularization techniques, or using sparse lagged estimators are indeed possible but are deemed outside the scope of this paper.

4.1.1 ARX Equation

With the order specification finalized, we were left with an $ARX(1, 1)$ model. The objective equation is as follows:

$$y_t = \beta_0 + \beta_1 y_{t-1} + \beta_2 CPI_{t-1} + \beta_3 u_{t-1} + \varepsilon_t \quad (9)$$

At this stage, all model variables were known, and rescaling was performed to standardize the data. With a concrete design matrix, a final check of VIF between the two exogenous variables was performed to confirm the model parameters did not yield multicollinear exogenous components. $VIF_{CPI,u}$ was found to be 1.023, indicating near-perfect orthogonality between exogenous regressors. Moreover, after standardization, we computed $\text{cond}(X) = 14.75$. The VIF and condition number both indicate a relatively well-conditioned design matrix.

4.1.2 Variable Distribution Equality

The standardized design matrix was used to conduct KS tests to confirm the equality of distributions. For demonstration purposes, both a simple KS test, and a bootstrapped test with 1,000 iterations were performed.

KS Test Matrix ($\alpha = 0.05$)			
y_{t-1}	Fail to Reject H_0 $p = 1.0000$ $C = 0.0000$	Fail to Reject H_0 $p = 0.8674$ $C = 0.0714$	Reject H_0 $p = 0.0160$ $C = 0.1857$
	Fail to Reject H_0 $p = 0.8674$ $C = 0.0714$	Fail to Reject H_0 $p = 1.0000$ $C = 0.0000$	Fail to Reject H_0 $p = 0.0857$ $C = 0.1500$
	Reject H_0 $p = 0.0160$ $C = 0.1857$	Fail to Reject H_0 $p = 0.0857$ $C = 0.1500$	Fail to Reject H_0 $p = 1.0000$ $C = 0.0000$
	y_{t-1}	CPI_{t-1}	u_{t-1}

Figure 3: KS Test Matrix

Bootstrapped KS Test Matrix ($\alpha = 0.05$)			
y_{t-1}	Fail to Reject H_0 $p = 1.0000$ $C = 0.0000$	Fail to Reject H_0 $p = 0.9990$ $C = 0.0714$	Fail to Reject H_0 $p = 0.1379$ $C = 0.1857$
	Fail to Reject H_0 $p = 0.9970$ $C = 0.0714$	Fail to Reject H_0 $p = 1.0000$ $C = 0.0000$	Fail to Reject H_0 $p = 0.3926$ $C = 0.1500$
	Fail to Reject H_0 $p = 0.1469$ $C = 0.1857$	Fail to Reject H_0 $p = 0.4006$ $C = 0.1500$	Fail to Reject H_0 $p = 1.0000$ $C = 0.0000$
	y_{t-1}	CPI_{t-1}	u_{t-1}

Figure 4: Bootstrapped KS Test Matrix

We observe that the only difference in results between the two tests is in the $\{y_{t-1}, u_{t-1}\}$ pair. Both tests use $H_0: F_x = F_y$ therefore failing to reject means there was not enough evidence to refute the equality of distributions. However, it is important to note that these tests are not proof of equality, but rather an indication that the distributions are similar enough to not be statistically different. In this paper, we proceed respect the results of the bootstrapped test (Figure 4) and assume approximate equality of distributions for all variable pairs.

NOTE: The p-values annotated in the Standard KS matrix are approximations derived by a

101-term Taylor expansion. (Expansion is ill-defined at $D = 0$ for an even number of terms) The test results are evaluated by a comparison of statistics and are not supposed to yield concrete p-values.

4.2 Model Fit

The fit was performed using Ordinary Least Squares (OLS) on the matrix expansion of Equation 9. The estimation yielded the following coefficients:

Variable	Coefficient
$C (\beta_0)$	16,257.27
$y_{t-1} (\beta_1)$	3,795.25
$CPI_{t-1} (\beta_2)$	14.83
$u_{t-1} (\beta_3)$	65.54

Table 3: Estimated coefficients of the ARX(1, 1) model.

With a normalized design matrix, the intercept column expectedly has to take on the re-scaling of inputs. Also, the strong influence of y_{t-1} is inline with the autocorrelation analysis in Section ?? . The only notable observation is the positive coefficient of u_{t-1} , which both by theory and correlation analysis should have been a negative value. This anomaly is likely attributable to the normalization step introducing negative values into an otherwise positive-only variable.

The overall model fit statistics are as follows:

Statistic	Value
R^2	0.9972
Adjusted R^2	0.9971
RMSE	201.30
MAPE	0.62%
F-statistic	12,002.50
p-value (F)	≈ 0
$X^\top \hat{\varepsilon}$	$-6.25 \times 10^{-9} \approx 0$

Figure 5: Overall model fit statistics.




Figure 6: Fitted vs. Observed Values

All metrics indicate a good fit to in-sample data. However, the extremely high R^2 and F-statistic are clear signs of overfitting. Overall, the fit behavior indicates a model where coefficients are

interpretable, but predictions should be handled with care. Figure 6, displays 2 expected locations where residuals noticeably deviate from 0:

- The 2008 Financial Crisis
- The 2020 COVID-19 Shock

As expected from a generalized model, the shocks cause an increase in error. However, it's arguable that the model still responds to the shocks more than what would be expected from a well-generalized estimator. With the highly autocorrelated y and the presence of y_{t-1} in the design matrix, the unregularized *ARX* model expectedly "follows" the shocks. In fact, despite the reasonable fit statistics, the use of **Ridge** or **Lasso** regularization would yield better generalization for the tradeoff of a slightly reduced R^2 .

To test the predictive performance of the model, a quick test with the only available out-of-sample data (Q2 2025) was conducted. A prediction of \$23,632.14 Bn was achieved against a true value of \$23,770.98 Bn. This results in a percentage error of -0.58% which is within the expected range by MAPE.

4.3 Residual Analysis

Given the fit information above, we can safely expect well-behaved residuals. However, a thorough analysis of residuals is of course necessary to confirm the validity of OLS assumptions. Plotting residuals over time presents the opportunity to inspect the exact magnitudes of the errors in the shock periods discussed in Section 4.2.




Figure 7: Residuals over time.

Figure 7 outlines two abnormalities in residuals using a 0.99 confidence interval to define outliers. Both extremes occur in the COVID-19 period, but looking at the 2008 period, we clearly see an

overestimation of y . Inspecting the line of best fit shows us that the residuals are centered around 0, with a slope of 0. The residuals are heavily concentrated around 0, indicating a tighter empirical distribution compared to a Normal distribution. Fitting a Normal and t-student distribution to the residuals confirms this observation.




Figure 8: Residual density with fitted distributions.




Figure 9: QQ Plot of Residuals vs. $N(0, 1)$ quantiles.

The QQ plot of residuals against the Normal distribution (Figure 9) shows that most observations lie on a line with a noticeably smaller slope than the reference line $\bar{y} + S_y x_i$, indicating that the bulk of the residuals is less dispersed than a Normal distribution with the same mean and standard deviation. However, there are extreme points in both tails that lie well outside the 95% simulation envelope, reflecting occasional large shocks. Together with the fitted Student- t distribution with $\hat{df} \approx 2.36$, this suggests a very concentrated core with heavier-than-Normal tails rather than Gaussian residuals. As an added confirmation, the Shapiro–Wilk test rejects normality with $W = 0.62$ and $p = 1.81 \times 10^{-17} \approx 0$.

As a final descriptor of residual behavior, we inspect the stationarity using the ADF test. Knowing the residuals are zero-centered, we fit an ADF regression with no deterministic terms. With $ADF = -2.25$ we obtain a p -value of 0.02 and reject the null hypothesis of a unit root at the 5% significance level. This confirms the stationarity of residuals and presents further evidence towards homoskedasticity.

4.4 Gauss–Markov Conditions

Although we present strong evidence towards all Gauss–Markov conditions being satisfied, we further confirm our findings using the tests outlined in Section 3.2.

- **Linearity:** The model is linear in parameters by design (Equation 9 & Equation 1).
- **Full Rank:** We computed a lack of perfect multicollinearity with $VIF_{CPI,u} = 1.023 < 5$ and $\text{cond}(X) = 14.75 < 30$
- **Spherical Errors:** Results of the BP test yielded $BP = 3.88$ and $p = 0.73$ failing to reject the null hypothesis of homoskedasticity. Additionally, BG tests for lags $[1, 8]$ (2 years) all failed to reject the null hypothesis of no autocorrelation with the most significant result being $BG(7) = 6.14$ and $p = 0.48$; while the least significant was $BG(3) = 5.19$ and $p = 0.61$.
- **Strict Exogeneity:** While strict exogeneity is not testable, the BG test and correlation analysis of X support the weak exogeneity assumption. Therefore, we elect to proceed with the assumption of exogeneity given the results of all prior diagnostics. The discussed final check of Harvey–Collier test results in $HC = 0.83$ and $p = 0.41$ failing to reject the null hypothesis of $\mathbb{E}[w_i] = 0 \forall w$.

5 Conclusion

With the help of normalization of variables, we were able to construct a well-behaved $ARX(1, 1)$ model that, against expectations, showed no evidence against BLUE. Although the model showed signs of overfitting in-sample, the statistical tests and equality of variable distributions support the conclusion of an extremely interpretable estimator where coefficients may show connections to empirical elasticities of the used Keynesian regressors.

An unexpected finding was made with the unemployment coefficient, but the model as a whole shows enough stability and in-sample goodness-of-fit to warrant further comparison of empirical coefficients to economic theory. Moreover, we were able to display the use new and developing statistical tests and adapt to the unique challenges brought by the time-series context.

All in all, we believe that our model provides a decent starting point for further research and analysis. While the limited out-of-sample testing did not yield results that immediately display predictive instability, we strongly believe that as more data becomes available, the model will exhibit the well-known symptoms of overfitting. Therefore, we want to stress that the idea behind the creation of this model is to explore where theory and empirical evidence meet, and we encourage future researchers to build upon our findings.

6 Remarks

6.1 Remark 1: VIF Application on a Reduced Design Matrix

Although VIF just a measure and has no constraints on its application, the conventional use is to check for multicollinearity among the complete X matrix. In models with AR components, this application of VIF leads to two issues (assuming the dependent variable is actually autocorrelated):

- The AR components inside X will create processes equivalent to the an AR estimator of y . To demonstrate, let's assume a relationship $y_t \sim y_{t-1}$ exists in an $AR(2)$ model. As shifting the variable in time does not change the assumed relationship, we also have $y_{t-1} \sim y_{t-2}$. As a consequence, the design matrix (which is composed of y_{t-1} and y_{t-2}) will exactly replicate an $AR(1)$ estimator of y . With lags selected to maximize R_y^2 , we end up also maximizing the R^2 in the VIF calculation.
- The point above extends to exogenous variables as well. Again, assuming $y_t \sim x_{t-1}$ exists, we also have $y_{t-1} \sim x_{t-2}$. Although $y_{t-1} \sim x_{t-2}$ never directly occurs, the design matrix in this case produces $y_{t-1} \sim x_{t-1}$. This is not an exact replication of the designed relationship, but by autocorrelation of y , it is a very safe assumption that $y_{t-1} \sim x_{t-1}$ will produce an R^2 comparable to the original estimator. As a result, we will again be maximizing the R^2 in the VIF calculation if we're constructing the model to explain the dependent variable as best as it can.

The points discussed show the well-known fact that VIF is not designed for these scenarios. Therefore, many studies, alongside this paper, elect to use VIF on a reduced X matrix stripped of AR components. (Niu and Li, 2022 & Karlström et al., 2023)

6.2 Remark 2: Time-Series Application of KS Test

The i.i.d. assumption of the classic KS test was addressed by Præstgaard with a bootstrapping approach. Yet, the examples, lemmas, and theorems presented in the paper were derived from row-exchangeable samples.

With row-exchangeability, Præstgaard was able to apply standard bootstrap resampling while preserving the continuity of the empirical distribution. However, time-series data inherently requires the row-structure to be preserved; hence rendering the standard bootstrap inappropriate. To preserve the time-dependent dynamics, our methodology elected to use a **Block Bootstrap** approach. This specific adaptation is not documented nor theoretically justified in Præstgaard's work; consequently, while we regard it as a reasonable and practically reliable extension for the purposes of this study, it remains an empirical choice that invites further theoretical investigation.

A block bootstrap 1-sample KS test was derived in a recent preprint paper (Chandy et al., 2025) and applications of bootstrap techniques in KS style tests were demonstrated in multiple studies. (Psaradakis, 2003 & Wyłupek, 2023) These works place bootstrap KS tests on a more solid theoretical footing, even though our specific use case is undocumented.

7 Bibliography

References in the Paper

- Chandy, M., Schifano, E., Yan, J., & Zhang, X. (2025, November). Nonparametric Block Bootstrap Kolmogorov-Smirnov Goodness-of-Fit Test [arXiv:2511.05733 [stat]]. <https://doi.org/10.48550/arXiv.2511.05733>
- Chen, X.-S., Kim, M. G., Lin, C.-H., & Na, H. J. (2025). Development of per Capita GDP Forecasting Model Using Deep Learning: Including Consumer Goods Index and Unemployment Rate [Publisher: Multidisciplinary Digital Publishing Institute]. *Sustainability*, 17(3), 843. <https://doi.org/10.3390/su17030843>
- Hackhard, B., & Romer, M. (2025, July). 9 Prewhitening; Intervention Analysis – STAT 510 — Applied Time Series Analysis. Retrieved November 28, 2025, from <https://online.stat.psu.edu/stat510/Lesson09>
- Harvey, A. C., & Collier, P. (1977). Testing for functional misspecification in regression analysis. *Journal of Econometrics*, 6(1), 103–119. [https://doi.org/10.1016/0304-4076\(77\)90057-4](https://doi.org/10.1016/0304-4076(77)90057-4)
- Karlström, A., Hill, J., & Johansson, L. (2023). Data-Driven Soft Sensors in Refining Processes – Pulp Property Estimation Using ARX - Models. *BioResources*, 18(4), 8163–8186. Retrieved November 29, 2025, from <https://ojs.bioresources.com/index.php/BRJ/article/view/22443>
- Maccarrone, G., Morelli, G., & Spadaccini, S. (2021). GDP Forecasting: Machine Learning, Linear or Autoregression? [Publisher: Frontiers]. *Frontiers in Artificial Intelligence*, 4. <https://doi.org/10.3389/frai.2021.757864>
- Mandel, D. C., & Liebens, P. (2019). The Relationship between GDP and Unemployment Rate in the U.S. *International Journal of Business and Social Science*, 10(4). <https://doi.org/10.30845/ijbss.v10n4p3>
- Niu, M., & Li, G. (2022). The Impact of Climate Change Risks on Residential Consumption in China: Evidence from ARMAX Modeling and Granger Causality Analysis [Publisher: Multidisciplinary Digital Publishing Institute]. *International Journal of Environmental Research and Public Health*, 19(19), 12088. <https://doi.org/10.3390/ijerph191912088>
- Præstgaard, J. (1995). Permutation and Bootstrap Kolmogorov-Smirnov Tests for the Equality of Two Distributions. *Scandinavian Journal of Statistics*, 22(3), 305–322. Retrieved November 28, 2025, from <https://www.jstor.org/stable/4616362>
- Psaradakis, Z. (2003). A Bootstrap Test for Symmetry of Dependent Data Based on a Kolmogorov-Smirnov Type Statistic [Publisher: Taylor & Francis _eprint: <https://doi.org/10.1081/SAC-120013116>]. *Communications in Statistics - Simulation and Computation*, 32(1), 113–126. <https://doi.org/10.1081/SAC-120013116>
- Riedl, A., & Wörz, J. (2018). A simple approach to nowcasting GDP growth in CESEE economies [Publisher: Oesterreichische Nationalbank (Austrian Central Bank)]. *Focus on European*

- Economic Integration*, (Q4/18), 56–74. Retrieved December 6, 2025, from <https://ideas.repec.org/a/onb/oenbf/y2018iq4-18b1.html>
- Rouksar-Dussoyea, B., Ming-Kang, H., Rajeswari, R., & Yin-Fah, B. C. (2017). Economic Crisis in Europe: Panel Analysis of Inflation, Unemployment and Gross Domestic Product Growth Rates. *International Journal of Economics and Finance*, 9(10), 145. <https://doi.org/10.5539/ijef.v9n10p145>
- Tang, L. (2020). Application of Nonlinear Autoregressive with Exogenous Input (NARX) neural network in macroeconomic forecasting, national goal setting and global competitiveness assessment [Number: 2005.08735 Publisher: arXiv.org]. *Papers*. Retrieved December 8, 2025, from <https://ideas.repec.org/p/arx/papers/2005.08735.html>
- Wyłupek, G. (2023). A nonparametric test for paired data [Publisher: Elsevier]. *Journal of Multivariate Analysis*, 198(C). <https://doi.org/10.1016/j.jmva.2023.105229>

References in the Source Code

- Breusch, T. S. (1978). Testing for Autocorrelation in Dynamic Linear Models* [_eprint: <https://onlinelibrary.wiley.com/doi/10.1111/j.1467-8454.1978.tb00635.x>]. *Australian Economic Papers*, 17(31), 334–355. <https://doi.org/10.1111/j.1467-8454.1978.tb00635.x>
- David, D., & Wayne, F. (1979). Distribution of the Estimators for Autoregressive Time Series With a Unit Root. *Journal of the American Statistical Association*, 74(366), 427–431. <https://doi.org/10.2307/2286348>
- Durbin, J., & Watson, G. S. (1950). Testing for Serial Correlation in Least Squares Regression: I. *Biometrika*, 37(3/4), 409–428. <https://doi.org/10.2307/2332391>
- Godfrey, L. G. (1978). Testing for Higher Order Serial Correlation in Regression Equations when the Regressors Include Lagged Dependent Variables. *Econometrica*, 46(6), 1303–1310. <https://doi.org/10.2307/1913830>
- MacKinnon, J. (1996). Numerical Distribution Functions for Unit Root and Cointegration Tests. *Journal of Applied Econometrics*, 11(6), 601–618. Retrieved November 21, 2025, from <https://www.jstor.org/stable/2285154>
- Præstgaard, J. (1995). Permutation and Bootstrap Kolmogorov-Smirnov Tests for the Equality of Two Distributions. *Scandinavian Journal of Statistics*, 22(3), 305–322. Retrieved November 28, 2025, from <https://www.jstor.org/stable/4616362>
- Royston, J. P. (1982). An Extension of Shapiro and Wilk’s W Test for Normality to Large Samples. *Journal of the Royal Statistical Society*, 31(2), 115–124. <https://doi.org/10.2307/2347973>
- Royston, J. P. (1995). Remark AS R94: A Remark on Algorithm AS 181: The W-test for Normality. *Journal of the Royal Statistical Society*, 44(4), 547–551. <https://doi.org/10.2307/2986146>
- Shapiro, S. S., & Wilk, M. B. (1965). An Analysis of Variance Test for Normality (Complete Samples). *Biometrika*, 52(3/4), 591–611. <https://doi.org/10.2307/2333709>