


Vincent Gong -5614
CSc 336
Project 2

TASK 1



TASK 2

```
CREATE TABLE Line {
    stationID    INT,
    lineName     CHAR(30)
};

CREATE TABLE Station {
    stationID    INT PRIMARY KEY,
    stationName  CHAR(30),
    latitude     DECIMAL(5,7),
    longitude    DECIMAL(6,4)
};

CREATE TABLE ControlArea {
    controlAreaID INT PRIMARY KEY,
    controlArea   CHAR(5) PRIMARY KEY,
    stationID     INT,
    remoteUnit    CHAR(4)
};

CREATE TABLE TurnStiles {
    controlAreaID INT
};
```

TASK 3

A)

```
SELECT controlArea
FROM ControlArea CA
WHERE CA.controlareaID IN
    ( SELECT controlAreaID
      FROM TurnStiles
      GROUP BY controlAreaID
      HAVING COUNT(controlAreaID) > 15
    );
```

B)

```
SELECT DISTINCT remoteunit
FROM remoteunit
WHERE count(remoteunit) > 1
```

C)

```
SELECT DISTINCT stationname
FROM Station S, ControlArea CA
WHERE S.stationID = CA.stationID AND CA.controlareaID IN
    ( SELECT controlAreaID
      FROM TurnStiles
      GROUP BY controlAreaID
      HAVING COUNT(controlAreaID) >15
    );
```

D)

```
SELECT DISTINCT stationName
FROM Station
WHERE stationID IN
    ( SELECT stationID
      FROM Line
      WHERE Line LIKE '%A%'
    )
ORDER BY latitude DESC;
```

E)

```
SELECT S.stationID, S.stationName, COUNT(controlArea) AS ControlAreas
FROM Station S, ControlArea CA,
    ( SELECT stationID
      FROM Station
      WHERE latitude > 40.750 AND latitude < 40.760
      AND longitude > -74.000 AND longitude < -73.95
    ) R1
WHERE R1.stationID = CA.stationID AND R1.stationID = S.stationID
GROUP BY CA.stationID;
```

F)

```
SELECT S.stationID, S.stationName, COUNT(controlArea) AS ControlAreas,SUM(TurnStiles) AS TurnStiles
FROM Station S, ControlArea CA,
    (SELECT controlAreaID, COUNT(controlAreaID) AS TurnStiles
    FROM TurnStiles
    GROUP BY controlAreaID
    ) R1
WHERE CA.controlAreaID = R1.controlAreaID AND CA.stationID = S.stationID AND latitude > 40.750 AND
latitude < 40.760 AND longitude > -74.000 AND longitude < -73.95
GROUP BY CA.stationID
```