

**Kevlar® XP™**

Version 4.1

Issue Date : 11/17/2020
Revision Date : 01/14/2020

Ref. 150000004127

This document is for information only, provided voluntarily and not subsequent to regulatory requirement.

PRODUCT AND CONTACT INFORMATION**Product identifier**

Product name : Kevlar® XP™
Product Grade/Type : S102,S103,S104,S107,S300,S307,S308,K520
Use of the article : For professional users only.
This product is not intended for consumer use.

Company : DuPont
974 Centre Road
Wilmington, Delaware 19805

Telephone : 1-800-931-3456

Emergency telephone number

Emergency contact : 1-800-441-3637 (outside the U.S. 1-302-774-1139)

HAZARDS IDENTIFICATION**Emergency Overview**

The hazards of this product are associated mainly with its processing.

High concentrations of dust can irritate eyes, nose and respiratory system and cause coughing and sneezing. Continual rubbing of fibre particulates and dust on the skin can cause a transitory, mild irritation with redness or itching.

Physical and chemical properties

Form : laminate
Color : gold
Odor : odourless
Melting point/range : Not applicable
Boiling point/boiling range : Not applicable
Water solubility : insoluble

Stability and reactivity

Incompatibility : Strong acids and strong bases

Hazardous decomposition products : Carbon dioxide
Nitrogen oxides (NOx), Hydrogen cyanide (gaseous), Ammonia, anhydrous
Aldehydes, Hydrocarbons

**Kevlar® XP™**

Version 4.1

Issue Date : 11/17/2020
Revision Date : 01/14/2020

Ref. 150000004127

INFORMATION ON INGREDIENTS

Component	CAS-No.	Concentration
Para-aramid	26125-61-1	85 - 100 %

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

Exposure limits may be applicable for the following :

Dust (inhalable and respirable fraction)		
--	--	--

FIRST AID MEASURES**Description of first aid measures**

General advice : No hazards which require special first aid measures.

FIREFIGHTING MEASURES**Extinguishing media**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Special hazards arising from the article

Specific hazards during firefighting : Hazardous decomposition products formed under fire conditions.

Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

ACCIDENTAL RELEASE MEASURES



Kevlar® XP™

Version 4.1

Issue Date : 11/17/2020
Revision Date : 01/14/2020

Ref. 150000004127

Personal precautions, protective equipment and emergency procedures

Personal precautions : None.

Environmental precautions

Environmental precautions : Do not let product enter drains.

Methods and materials for containment and cleaning up

Methods for cleaning up : Avoid dust formation., Clean up dusts and fibres with high efficiency particulate air (HEPA) filtered vacuum equipment, or by wet cleaning.

HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling : Avoid dust formation. Exposure to fibre fly, dust and decomposition products of spinfinishes should be avoided by ventilation and/or vacuum cleaning.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep away from direct sunlight.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls : Ensure adequate ventilation. Provide for appropriate exhaust ventilation and dust collection at machinery. Static charges can cause explosions in solvent and dust laden atmospheres. Provide grounding of equipment to prevent static build-up.

Personal protective equipment

Respiratory protection : When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

**Kevlar® XP™**

Version 4.1

Issue Date : 11/17/2020
Revision Date : 01/14/2020

Ref. 150000004127

Eye protection : Safety glasses with side-shields

Exposure Guidelines
Exposure Limit Values

Dust (inhalable and respirable fraction)			
PEL (Permissible Exposure Limit)	(OSHA)	50 Million particles per cubic foot	TWA total dust
PEL (Permissible Exposure Limit)	(OSHA)	15 mg/m3	TWA total dust
PEL (Permissible Exposure Limit)	(OSHA)	5 mg/m3	TWA respirable fraction
PEL (Permissible Exposure Limit)	(OSHA)	15 Million particles per cubic foot	TWA respirable fraction
TLV	(ACGIH)	3 mg/m3	TWA Respirable particulate matter
TLV	(ACGIH)	10 mg/m3	TWA Inhalable particulate matter

DISPOSAL CONSIDERATIONS**Waste treatment methods**

Product : Can be landfilled or incinerated, when in compliance with local regulations. Do not flush into surface water or sanitary sewer system.

REGULATORY INFORMATION**TSCA (US) Status**

Product is an article as defined at 40CFR720.3(c) and is not subject to TSCA Inventory requirements.

California Prop. 65:

This product does not contain any substances requiring a warning under the Safe Drinking Water and Toxic Enforcement Act.

OTHER INFORMATION



Kevlar® XP™

Version 4.1

Issue Date : 11/17/2020
Revision Date : 01/14/2020

Ref. 150000004127

Restrictions on use

Do not use DuPont materials in medical applications involving implantation in the human body or contact with internal body fluids or tissues unless the material has been provided from DuPont under a written contract that is consistent with DuPont policy regarding medical applications and expressly acknowledges the contemplated use. For further information, please contact your DuPont representative. You may also request a copy of the DuPont POLICY Regarding Medical Applications and DuPont CAUTION Regarding Medical Applications.

Further information

It is recommended that additional information be requested if an unusual application of synthetic fibres is intended. The DuPont Oval Logo, DuPont™ and all products denoted with ® or ™ are trademarks or registered trademarks of affiliates of DuPont de Nemours, Inc.

The information provided in this Article Information Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The above information relates only to the specific material(s) designated herein and may not be valid for such material(s) used in combination with any other materials or in any process or if the material is altered or processed, unless specified in the text.