

NIJ 0101.07 vs Argentina's RB Standards

Jose Maria Barbeito

NIJ Standards - HG and RF

NIJ Ballistic Protection Level	Test Threat	Ammunition Identifier	Reference Velocity
NIJ HG1	9mm Luger FMJ RN 124 grain	NIJ.ojp.gov/ standard-0123-00	1305 ft/s (398 m/s)
	.357 Mag JSP 158 grain	NIJ.ojp.gov/ standard-0123-00	1430 ft/s (436 m/s)
NIJ HG2	9mm Luger FMJ RN 124 grain	NIJ.ojp.gov/ standard-0123-00	1470 ft/s (448 m/s)
	.44 MAG JHP 240 grain	NIJ.ojp.gov/ standard-0123-00	1430 ft/s (436 m/s)

NIJ Ballistic Protection Level	Test Threat	Ammunition Identifier	Reference Velocity
NIJ RF1	7.62x51mm M80 Ball NATO FMJ Steel Jacket 147 +0/-3 grain	U.S. military supply or rounds meeting NATO specifications	2780 ft/s (847 m/s)
	7.62x39mm MSC Ball Ammunition Type 56 from Factory 31	Factory 31 Ammunition evaluated and meeting the requirements of Appendix A	2400 ft/s (732 m/s)
	5.56mm M193 56 +0/-2 grain	U.S. military supply or rounds meeting NATO specifications	3250 ft/s (990 m/s)
NIJ RF2	7.62x51mm M80 Ball NATO FMJ Steel Jacket 147 +0/-3 grain	U.S. military supply or rounds meeting NATO specifications	2780 ft/s (847 m/s)
	7.62x39mm MSC Ball Ammunition Type 56 from Factory 31	Factory 31 Ammunition evaluated and meeting the requirements of Appendix A	2400 ft/s (732 m/s)
	5.56mm M193 56 +0/-2 grain	U.S. military supply or rounds meeting NATO specifications	3250 ft/s (990 m/s)
	5.56mm M855 61.8 ± 1.5 grain	U.S. military supply or rounds meeting NATO specifications	3115 ft/s (950 m/s)
NIJ RF3	30.06 M2 AP 165.7 +0/-7 grain	U.S. military supply or rounds meeting NATO specifications	2880 ft/s (878 m/s)

Argentina Standards - RB

- Adds RB0, less than HG1
- No Green tip

Ballistic Protection Level	Test Threat	Reference Velocity
RB0	.22LR, Lead Tipped (SL), 40 grain	1050 ft/s (320 m/s)
	38SPL, Lead Round Tipped (RNL), 158 grain	850 ft/s (259 m/s)
RB1	.40 FMJ S&W, 180 grain	1125 ft/s (343 m/s)
	9mm FMJ, 124 grain	1090 ft/s (332 m/s)
RB2	.357 MG JSP	1395 ft/s (425 m/s)
	9mm FMJ, 124 grain	1175 ft/s (358 m/s)
RB3	.44 MG SWC, 240 grain	1400 ft/s (426 m/s)
	9mm FMJ, 124 grain	1400 ft/s (426 m/s)
RB4	7.62x51mm NATO, 150 grain	2750 ft/s (838 m/s)
	5.56x45mm NATO, 55 grain	3250 ft/s (991 m/s)
RB5	7.62x51mm NATO Armor Piercing, 150 grain	2750 ft/s (838 m/s)

Threat Level

