# SBOL in Action
# “Wetware Studio + Eugene”

**Jackie Quinn**
Autodesk

**Ernst Oberortner**
CIDAR Lab
Boston University

# FLOW

1. Draw the Design in Wetware Studio

2. Export the Design to SBOL (libSBOLc)

3. Import the Design from SBOL (libSBOLj)

4. Load/Specify Parts

5. Generate Devices

6. Export Devices to SBOL (libSBOLj)

7. Import Devices from SBOL (libSBOLc)

8. Visualize Devices

# CASE STUDY

- **iGEM 2011**
  - Petrobrick by UW (BBa_K590025)



# Wetware Studio:



# Eugene:

```
// Import from SBOL
Collection col = SBOL.import(“petrobrick.xml");

// Define Device
Device d = col.get("WWS_26") + col.get("WWS_1");

// Specify/Import Parts
Promoter prom00(.name("prom00"), …);
CDS k590000 = Genbank.import(CDS, "K590000");

// Rules
Rule r02(
   d[2] NOTEQUALS d[4] AND d[4] NOTEQUALS d[6] AND
   d[6] NOTEQUALS d[12] AND d[12] NOTEQUALS d[17]);
Rule r (Promoter MORETHAN 1 AND
   NOT Promoter MORETHAN 3);

// Device Generation
Device[] lst = product(d, strict);

// Export to SBOL
SBOL.export(lst, "./eugene-petrobrick.xml");
```