

OPERACIONES HTTPS

OPERACIÓN POST

Run Run Selected Auto complete Clear SQL statement:

SELECT * FROM LOCALIDAD

SELECT * FROM LOCALIDAD;

ID	DENOMINACION
1	Capital
2	Godoy Cruz

(2 rows, 1 ms)

Edit

Max rows: 1000 Auto complete Off

Run Run Selected Auto complete Clear SQL statement:

SELECT * FROM DOMICILIO

SELECT * FROM DOMICILIO;

ID	CALLE	NUMERO	FK_LOCALIDAD
1	Adolfo Calle	7653	1

(1 row, 0 ms)

Edit

POST CREATE

Localidad Api Request / CREATE

POST http://localhost:8082/ApiRest/v1/localidades

Params Authorization Headers (9) Body Scripts Settings

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL

```
1 {
2   "id": 3,
3   "denominacion": "Godoy Cruz"
4 }
```

Body Cookies Headers (8) Test Results

Pretty Raw Preview Visualize JSON

```
1 {
2   "id": 2,
3   "denominacion": "Godoy Cruz"
4 }
```

POST http://localhost:8082/ApiRest/v1/domicilios

Params Authorization Headers (9) Body Scripts Settings

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL

```
1 {
2   "id": 3,
3   "calle": "Adolfo Calle",
4   "numero": 7653,
5   "localidad": {
6     "id": 1,
7     "denominacion": "Capital"
8   }
9 }
```

Body Cookies Headers (8) Test Results

Pretty Raw Preview Visualize JSON

```
1 {
2   "id": 1,
3   "calle": "Adolfo Calle",
4   "numero": 7653,
5   "localidad": {
6     "id": 1,
7     "denominacion": "Capital"
8   }
9 }
```

OPERACIONES HTTPS

Run Run Selected Auto complete Clear SQL st

```
SELECT * FROM PERSONA
```

SELECT * FROM PERSONA;

ID	APELLIDO	NOMBRE	FK_DOMICILIO
1	velez	Carlos	2

(1 row, 0 ms)

Edit

HTTP Persona Api Request / CREATE

POST http://localhost:8082/ApiRest/v1/personas

Params Authorization Headers (9) Body Scripts Settings

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary

```
1 {
2   "id": 26,
3   "nombre": "Carlos",
4   "apellido": "velez",
5   "domicilio": {
6     "id": 3,
7     "calle": "Adolfo Calle",
8     "numero": 7653,
9     "localidad": {
10      "id": 1,
11      "denominacion": "Capital"
12    }
13  }
14 }
```

body Cookies Headers (8) Test Results

Pretty Raw Preview Visualize JSON

```
1 {
2   "id": 1,
3   "nombre": "Carlos",
4   "apellido": "velez",
5   "domicilio": {
6     "id": 2,
7     "calle": "Adolfo Calle",
8     "numero": 7653,
9     "localidad": {
10      "id": 1,
11      "denominacion": "Capital"
12    }
13  },
14   "libros": []
15 }
```

Moyano, Gonzalo Legajo: 47600

OPERACIONES HTTPS

D

[HTTP](#) [Autor Api Request](#) / **CREATE**

OPERACIÓN GET ONE

Max rows: 1000 Auto complete Off Auto select On

GET <http://localhost:8082/ApiRest/v1/personas/1>

Params Authorization Headers (6) **Body** Scripts Settings

☒ none ☐ form-data ☐ x-www-form-urlencoded ☐ raw ☐ binary ☐ GraphQL

Body Cookies Headers (8) Test Results

Pretty Raw Preview Visualize JSON

OPERACIONES HTTPS

OPERACIÓN GET ALL

The image displays two side-by-side screenshots. The left screenshot shows a web application interface with a SQL query editor and a results table. The right screenshot shows an API client interface for a GET request.

Left Screenshot (Web Application):

Buttons: Run, Run Selected, Auto complete, Clear, SQL stat

Query: `SELECT * FROM LOCALIDAD`

Results:

ID	DENOMINACION
1	Capital
2	Godoy Cruz

(2 rows, 0 ms)

Buttons: Edit

Right Screenshot (API Client):

URL: `http://localhost:8082/ApiRest/v1/localidades`

Method: GET

Query Params:

Key
Key

Body:

```
[{"id": 1, "denominacion": "Capital"}, {"id": 2, "denominacion": "Godoy Cruz"}]
```

QUERY AND PAGED

OPERACIONES HTTPS

Persona Api Request / SEARCH PAGED

GET ▼ http://localhost:8082/ApiRest/v1/personas/paged?page=0&size=4&sort=nombre,asc

Params ● Authorization Headers (6) Body Scripts Settings

Query Params

<input checked="" type="checkbox"/> Key	Value
<input checked="" type="checkbox"/> page	0
<input checked="" type="checkbox"/> size	4
<input checked="" type="checkbox"/> sort	nombre,asc
Key	Value

Body Cookies Headers (8) Test Results

Pretty Raw Preview Visualize JSON ▼ ≡

```
1 {
2   "content": [
3     {
4       "id": 4,
5       "nombre": "Ana",
6       "apellido": "Sánchez",
7       "domicilio": {
8         "id": 4,
9         "calle": "Las Heras",
10        "numero": 7890,
11        "localidad": {
12          "id": 4,
13          "denominacion": "Guaymallen"
14        }
15      },
16      "libros": []
17    },
18    {
19      "id": 3,
20      "nombre": "Carlos",
21      "apellido": "Gómez",
22      "domicilio": {
```

OPERACIONES HTTPS

Persona Api Request / **SEARCH**


GET ⌵ `http://localhost:8082/ApiRest/v1/personas/search?filtro=Gonzalo`

Params • Authorization Headers (6) Body Scripts Settings

Query Params

<input checked="" type="checkbox"/>	Key	Value
<input checked="" type="checkbox"/>	filtro	Gonzalo
	Key	Value

Body Cookies Headers (8) Test Results

Pretty Raw Preview Visualize JSON ⌵ 

```
1  [
2    {
3      "id": 1,
4      "nombre": "Gonzalo",
5      "apellido": "Moyano",
6      "domicilio": {
7        "id": 1,
8        "calle": "Adolfo Calle",
9        "numero": 7653,
10       "localidad": {
11         "id": 1,
12         "denominacion": "Godoy Cruz"
13       }
14     },
15     "libros": []
16   }
17 ]
```

Moyano, Gonzalo
Legajo: 47600

OPERACIONES HTTPS