
CS 442: Mobile Applications Development Assignment 3 – Stock Watch (300 pts)

Uses: Internet, RecyclerView, Option-Menus, Multiple AsyncTasks, JSON Data, Swipe-Refresh, Dialogs, SQLite Database

App Highlights:

- This app allows the user to display a sorted list of selected stocks. List entries include the stock symbol, company name, the current price, the daily price change amount and price percent change.
- There is no need to use a different layout for landscape orientation in this application the same layout should work in any orientation.
- Selected stock symbols and the related names should be stored in the device's SQLite Database.
- A Stock class should be created to represent each individual stock in the application. Required data includes: Stock Symbol (String), Company Name (String), Price (double), Price Change (double), and Change Percentage (double).
- Clicking on a stock entry opens a browser displaying the *Market Watch* web page for the selected stock
- Swipe-Refresh (pull-down) refreshes stock data.
- The application is made up of 1 activity, shown below:



A) Internet Data:

Downloading data for a stock symbol requires 2 downloads – one download to acquire the full set of supported stock symbol and company names, and a second download to acquire the financial data for an individual stock.

Download 1: Stock Symbol & Company Data

When started, your app should initiate a download of the full set of supported stock **symbol** and **company names**. This data is saved, and then used whenever the user adds a new stock.

Download Source URL: https://api.iextrading.com/1.0/ref-data/symbols

Download Results Example:

Results are returned in JSON format, as a JSONArray of JSONObjects containing the results of the query. The data we are interested in is the stock "symbol" and "name". Below is a small sample of the JSON you will download:

```
[{
   "symbol": "A",
   "name": "Agilent Technologies Inc.",
   "date": "2018-09-21",
   "isEnabled": true,
   "type": "cs",
   "iexId": "2"
   "symbol": "AA",
   "name": "Alcoa Corporation",
   "date": "2018-09-21",
   "isEnabled": true,
   "type": "cs",
   "iexId": "12042"
}, {
   "symbol": "AAAU",
   "name": "Perth Mint Physical Gold",
   "date": "2018-09-21",
   "isEnabled": true,
   "type": "N/A",
   "iexId": "14924"
   "symbol": "AABA",
   "name": "Altaba Inc.",
   "date": "2018-09-21",
   "isEnabled": true,
   "type": "cs",
   "iexId": "7653"
   "symbol": "AAC",
   "name": "AAC Holdings Inc.",
   "date": "2018-09-21",
   "isEnabled": true,
   "type": "cs",
   "iexId": "9169"
}, {
```

```
"symbol": "ICXUSDT".
   "name": "ICON USD",
   "date": "2018-09-21".
   "isEnabled": true,
   "type": "crypto",
   "iexId": 10000013
}, {
   "symbol": "NEOUSDT",
   "name": "NEO USD",
   "date": "2018-09-21",
   "isEnabled": true,
   "type": "crypto",
   "iexId": 10000014
}, {
   "symbol": "VENUSDT".
   "name": "VeChain USD",
   "date": "2018-09-21",
   "isEnabled": true,
   "type": "crypto",
   "iexId": 10000015
}, {
   "symbol": "XLMUSDT",
   "name": "Stellar Lumens USD",
   "date": "2018-09-21",
   "isEnabled": true,
   "type": "crypto",
   "iexId": 10000016
}, {
   "symbol": "QTUMUSDT",
   "name": "Qtum USD",
   "date": "2018-09-21",
   "isEnabled": true,
   "type": "crypto",
   "iexId": 10000017
```

© Christopher Hield 2 of 16

Download 2: Stock Financial Data

When you want the financial data for a specific stock, use the *stock symbol* to get the financial data for that stock.

Download Source: https://cloud.iexapis.com

To use this API, you need to register with the IEX site and then get an API token. To register, go to:

https://iexcloud.io/cloud-login#/register

Follow these instructions to set up your free account

- Select "Individual" Account type, then enter your name, email address, and select a password.
- Click the terms checkbox and click "Create acount" Then select the "START" plan (0/mo)

Go to your email (the email you provided above) and look for message with Subject "IEX Cloud Email Verification"

• Click the iexcloud.io link in the email.

From the web page that link opens, click "API Tokens" in the upper-left (under Home)

• Click on "Reveal secret token" to see your token string. Use this string with your API calls. You can copy it and paste it into your code.

Your app will use this token when making these API calls.

Query Format: https://cloud.iexapis.com/stable/stock/stock/stock symbol/quote?token=your_token

For example, if the selected stock symbol was TSLA and your API token was ABC123, your full URL would be:

https://cloud.iexapis.com/stable/stock/TSLA/quote?token=ABC123

Download Results:

Results are returned in JSON format, as a JSONObject containing the results data from the query. The data we are interested in is highlighted below (Example using search text "TSLA"):

```
"extendedChangePercent": null,
"symbol": "TSLA",
                                                        "extendedPriceTime": null,
"companyName": "Tesla, Inc.",
                                                        "previousClose": 240.62,
"primaryExchange": "NASDAQ",
                                                        "previousVolume": 6506264,
"calculationPrice": "tops",
                                                        "change": 1.055,
"open": null,
                                                         'changePercent": 0.00438,
"openTime": null,
                                                         "volume": null,
"close": null,
                                                        "iexMarketPercent": 0.014193664027864077,
"closeTime": null,
                                                        "iexVolume": 56856,
"high": null,
                                                        "avgTotalVolume": 5923413,
"low": null,
                                                        "iexBidPrice": 241.1,
"latestPrice": 241.675,
                                                        "iexBidSize": 100,
"latestSource": "IEX real time price",
                                                        "iexAskPrice": 252,
"latestTime": "3:50:00 PM",
                                                        "iexAskSize": 300,
"latestUpdate": 1569268200249,
                                                        "marketCap": 43290517725,
"latestVolume": null,
                                                        "peRatio": -64.68,
"iexRealtimePrice": 241.675,
                                                        "week52High": 379.49,
"iexRealtimeSize": 6,
                                                        "week52Low": 176.99,
                                                        "ytdChange": -0.219727,
"iexLastUpdated": 1569268200249,
                                                        "lastTradeTime": 1569268200249,
"delayedPrice": null,
"delayedPriceTime": null,
                                                        "isUSMarketOpen": true
"extendedPrice": null,
                                                }
"extendedChange": null,
```

If the requested stock symbol does not exist, the following is returned: (Example using search text "ZZZZZ"):

Response Code: 404 Not Found

© Christopher Hield 3 of 16



The **symbol**, **companyName**, **latestPrice**, **change** & **changePercentage** make up the data for one stock. Your code should parse these 5 data elements. Using these 5 data elements, you can create a Stock object with all data reflecting the user's choice.

Note – it is possible that the values for "latestPrice", "change", and "changePercent" could be null. If you encounter these null values in your data download, use the value "0.0" for the purposes of our app.


B) Application Behavior Diagrams:

App MainActivity

Each stock entry contains the Stock Symbol (AAPL), the company name (Apple Inc.), the Last Trade Price (135.72), the price change direction (▲ for positive Price Change Amount, ▼ for negative Price Change Amount), the Price Change Amount (0.38), and the Price Change Percentage (0.28%) in parentheses.

If the stock's Price Change Amount is a positive value, then entire entry should use a green font. If the Price Change Amount is a negative value, then entire entry should use a red font.

Clicking on a Stock entry opens a web browser to the Market Watch site for the selected stock




© Christopher Hield 4 of 16

1) Adding a stock – when only **one stock matched** the search symbol/name search string (NOTE: The Stock Selection dialog should only allow capital letters):




2) Adding a stock — **multiple stocks matched** the search string (Stock Selection dialog should only allow capital letters, stock selection dialog should display the stock symbol and company name):







3) Adding a stock with no Network Connection – test using "Airplane Mode" (You can show no buttons on the error dialog, or an "Ok" button – either is fine):



4) Adding a stock – specified stock is a duplicate (Stock Selection dialog should only allow capital letters, You can show no buttons on the error dialog, or an "Ok" button – either is fine):



1) Adding a stock – specified stock is not found (Stock Selection dialog should only allow capital letters, You can show no buttons on the error dialog, or an "Ok" button – either is fine):




6) Swipe-Refresh (pull-down) reloads (re-downloads) all stock financial data:




© Christopher Hield 7 of 16

7) Swipe-Refresh attempt with no network connection (You can show no buttons on the error dialog, or an "Ok" button – either is fine):



8) Long-Press on a stock to delete it:






9) Tap on a stock to open the *MarketWatch.com* website entry for the selected stock:

MarketWatch URL's are in the form: http://www.marketwatch.com/investing/stock/some_stock


For example: http://www.marketwatch.com/investing/stock/TSLA




© Christopher Hield 9 of 16

C) Application Behavior Flowcharts:


a) App Startup



b) NameDownloader (AsyncTask)




c) StockDownloader (AsyncTask)




© Christopher Hield 10 of 16

d) Add New Stock Process




© Christopher Hield 11 of 16

e) Swipe-Refresh (pull-down) List:



f) Long-Press Delete Stock:



© Christopher Hield 12 of 16

D) Database

Your application must store the Stock Symbol and Company Name in the android device's SQLite database. You will need a Database handler class as we have done in class (you have a posted example of a Database handler that you can use as a model).

StockWatchTable	
StockSymbol	CompanyName
AAPL	Apple, Inc
AMZN	Amazon.com, Inc.
•••	

```
private static final String DATABASE_NAME = "StockAppDB";
private static final String TABLE_NAME = "StockWatchTable";
private static final String SYMBOL = "StockSymbol";
private static final String COMPANY = "CompanyName";
```

DB creation (done in onCreate):

```
CREATE TABLE TABLE_NAME (

SYMBOL TEXT not null unique,

COMPANY TEXT not null)
```

DB Add (Sample method to add a stock to the DB):

```
public void addStock(Stock stock) {
   Log.d(TAG, "addStock: Adding " + stock.getSymbol());

   ContentValues values = new ContentValues();
   values.put(SYMBOL, stock.getSymbol());
   values.put(COMPANY, stock.getCompany());

   database.insert(TABLE_NAME, null, values);

   Log.d(TAG, "addStock: Add Complete");
}
```

DB Delete (Sample method to delete a stock from the DB):

© Christopher Hield 13 of 16

}

CS 442 Mobile Applications Development (Android Section)

```
Log.d(TAG, "deleteStock: " + cnt);
   }
DB Load All (Sample method to get all stock-company entries from the DB):
    public ArrayList<String[]> loadStocks() {
        ArrayList<String[]> stocks = new ArrayList<>();
        Cursor cursor = database.query(
                TABLE_NAME, // The table to query
                new String[]{SYMBOL, COMPANY}, // The columns to return
                null, // The columns for the WHERE clause
                null, // The values for the WHERE clause
                null, // don't group the rows
                null, // don't filter by row groups
                null); // The sort order
        if (cursor != null) {
            cursor.moveToFirst();
            for (int i = 0; i < cursor.getCount(); i++) {</pre>
                String symbol = cursor.getString(0);
                String company = cursor.getString(1);
                stocks.add(new String[]{symbol, company});
                cursor.moveToNext();
            cursor.close();
        }
        return stocks;
```

© Christopher Hield 14 of 16

E) Development Plan

- 1) Create the base app:
 - a. MainActivity with RecyclerView & SwipeRefreshLayout
 - b. Stock Class
 - c. RecyclerView Adapter
 - d. RecyclerView ViewHolder
 - e. Create fake "dummy" stocks to populate the list in the MainActivity onCreate.
 - f. Add the onClick and onLongClick methods. The onLongClick should delete an entry. The onClick can open a Toast message for now.
 - g. Add Stock options-menu opens dialog, on confirmation you can open a Toast message for now.
 - h. SwipeRefresh callback method can open a Toast message for now.
- 2) Add the database elements:
 - a. Create the database handler.
 - b. Add database handler calls to MainActivity (load, add, delete)
 - c. Code the MainActivity's onClick method to open the browser to the stock's Market Watch site.
- 3) Add the internet elements and final integration:
 - a. Create the Stock Symbol/Company Name downloader/parser AsyncTask
 - b. Create the Stock Financial Data downloader/parser AsyncTask
 - c. Add a method to MainActivity that allows the Stock Symbol/Company Name downloader/parser AsyncTask to send the newly downloaded Stock Symbol & Company Name data back to MainActivity. This method should create and execute the Stock Financial Data downloader/parser AsyncTask.
 - d. Add a method to MainActivity that allows the Stock Financial Data downloader/parser AsyncTask to send the newly created Stock back to MainActivity.
 - e. Implement the Add Stock feature (this uses the results of the above tasks)
 - f. Implement the SwipeRefresh callback to re-download the Stock Financial Data for the loaded stocks
 - g. Add alerts when startup, add, & refresh are attempted when no internet connection is available.

© Christopher Hield 15 of 16

Assignment Assistance

The TAs for our course is available to assist you with your assignment if needed. Questions on assignment requirements and course concepts can be sent to the instructor.

Submissions & Grading

- 1) Submissions must consist of your zipped project folder (please execute Build =>Clean Project before generating the zip file).
- 2) Submissions should reflect the concepts and practices we cover in class, and the requirements specified in this document.
- 3) Late submissions will be penalized by 10% per class late. (i.e., from one second late to 1 class late: 10% penalty, from one class plus one second late to 2 classes late: 20% penalty, etc.).
- 4) Grading will be based upon the presence and proper functionality of *all features and behaviors* described in this document.

NOTE

This assignment is worth 300 points. This means (for example) that if you get 89% on this assignment, your recorded score will be:

(89% * 300 points = 267 points)

Note that this also means that the 10% late submission penalty will be 10% * 300 points = 30 points.

If you do not understand anything in this handout, please ask.

Otherwise the assumption is that you understand the content.

Unsure? Ask!

© Christopher Hield 16 of 16