




Computer Audit :: 7/17/2016 6:35:12 AM

Vista General

| Item | Value |
|-----------------------|--|
| Computer Name | Win10-PEEL93 |
| Domain Name | WORKGROUP |
| Site Name | |
| Roles | Workstation, Server |
| Description | |
| Operating System | Microsoft Windows 6.2 Enterprise 64-bit |
| Manufacturer | Gigabyte Technology Co., Ltd. |
| Model | To be filled by O.E.M. |
| Serial Number | To be filled by O.E.M. |
| Asset Tag | To Be Filled By O.E.M. |
| Number Of Processors | 1 |
| Processor Description | Intel(R) Core(TM) i3-2120 CPU @ 3.30GHz |
| Total Memory | 16272MB |
| Total Hard Drive | 495MB |
| Display | W1943, 18.5" (41cm x 23cm) |
| BIOS Version | ALASKA - 1072009 BIOS Date: 06/07/12 21:53:50 Ver: 04.06.05 BIOS Date: 06/07/12 21:53:50 Ver: 04.06.05 |
| User Account | SYSTEM |
| System Uptime | 0 Days, 0 Hours, 3 Minutes |
| Local Time | 2016-07-17 06:35:11 |



Software instalado



Active Setup

No information found.

Installed Programs

No programs found.

Software Updates

No information found.



Sistema Operativo

| Name | Value |
|---------------------------|--------------------------------------|
| Name | 6.2 |
| Edition | Enterprise 64-bit |
| Install Date | |
| Registered Owner | |
| Registered Organization | |
| Product ID | |
| Major Version Number | 6 |
| Minor Version Number | 2 |
| Build Number | 9200 |
| Service Pack | |
| Service Pack Version | 0.0 |
| Plus! Version Number | |
| DirectX Version | 9.0c |
| Windows Directory | X:\windows\ |
| System Directory | X:\windows\system32\ |
| Temporary Directory | X:\Users\Default\AppData\Local\Temp\ |
| Operating System Language | English - United States |
| Number Of Bits | 64 |



Periféricos

| Name | Description |
|---------------------|--|
| Mouse | 5 Button Mouse, has wheel |
| Keyboard | IBM enhanced (101- or 102-key), 12 function keys |
| Display Description | W1943, 18.5" (41cm x 23cm) |
| Network Installed | Yes |



Seguridad

Internet Software

| Type | Name | Version | Data Update? |
|---------|-----------------------|--------------|--------------|
| Browser | Internet Explorer(TM) | 9.11.14393.0 | |
| E-mail | Windows Mail(TM) | 10.0.14393.0 | |

Open Ports

TCP 0.0.0.0:135

| Item | Value |
|----------------|-----------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 135 |
| Caption | TCP 0.0.0.0:135 |
| Service Name | epmap |
| Remote Address | 0.0.0.0 |

| | |
|----------------------|--------------------|
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | svchost.exe |
| Process ID | 728 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:445

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 445 |
| Caption | TCP 0.0.0.0:445 |
| Service Name | microsoft-ds |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | System |
| Process ID | 4 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:5800

| Item | Value |
|------|-------|
| | |

| | |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 5800 |
| Caption | TCP 0.0.0.0:5800 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | winvnc.exe |
| Process ID | 1768 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:5900

| Item | Value |
|------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 5900 |
| Caption | TCP 0.0.0.0:5900 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | winvnc.exe |
| Process ID | 1768 |

| | |
|----------------------|--|
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:49664

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 49664 |
| Caption | TCP 0.0.0.0:49664 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | wininit.exe |
| Process ID | 428 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:49665

| Item | Value |
|---------------|-------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 49665 |
| Caption | TCP 0.0.0.0:49665 |

| | |
|----------------------|--------------------|
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | svchost.exe |
| Process ID | 856 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:49666

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 49666 |
| Caption | TCP 0.0.0.0:49666 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | services.exe |
| Process ID | 496 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:49667

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 49667 |
| Caption | TCP 0.0.0.0:49667 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | lsass.exe |
| Process ID | 528 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:500

| Item | Value |
|---------------------|-----------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 500 |
| Caption | UDP 0.0.0.0:500 |
| Service Name | isakmp |
| Process Name | svchost.exe |
| Process ID | 892 |
| Process Description | |

| | |
|----------------------|--|
| Process Manufacturer | |
|----------------------|--|

UDP 0.0.0.0:4500

| Item | Value |
|----------------------|------------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 4500 |
| Caption | UDP 0.0.0.0:4500 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 892 |
| Process Description | |
| Process Manufacturer | |

Printer Permissions**No installed printers found****Security Log****No security audit failures found or reported.****Security Settings**

| Item | Name | Setting |
|-----------|---------|---------|
| AutoLogon | Enabled | No |

| | | |
|-------------------|-------------------------|--------------|
| Screen Saver | Enabled | No |
| Screen Saver | Timeout | 0 Seconds |
| Screen Saver | Password Protected | No |
| All Accounts | Force Network Logoff | Never |
| All Accounts | Minimum Password Length | 0 Characters |
| All Accounts | Maximum Password Age | 42 Days |
| All Accounts | Historical Passwords | 0 remembered |
| All Accounts | Lockout Threshold | 0 Attempts |
| Automatic Updates | Update Status | Unknown |
| Automatic Updates | Update Schedule | Unknown |
| Internet Explorer | Run Script | Allow |
| Internet Explorer | Run ActiveX | Allow |
| Internet Explorer | Run Java | Allow |
| Internet Explorer | Download Files | Allow |
| Internet Explorer | Install Desktop Items | Unknown |
| Internet Explorer | Launch Applications | Prompt user |

Share Permissions

ADMIN\$

No Trustee

| Name | Value |
|-------------|------------|
| Name | ADMIN\$ |
| Object Type | Share |
| Trustee | No Trustee |

| | |
|-------------|---|
| ACE Type | |
| Permissions | No security |
| ACE Flags | |
| Access Mask | |
| Owner | S-1-5-21-918705465-2053469877-2163499889-1001 |

IPC\$**No Trustee**

| Name | Value |
|-------------|-------------|
| Name | IPC\$ |
| Object Type | Share |
| Trustee | No Trustee |
| ACE Type | |
| Permissions | No security |
| ACE Flags | |
| Access Mask | |
| Owner | |

X\$**No Trustee**

| Name | Value |
|-------------|-------|
| Name | X\$ |
| Object Type | Share |

| | |
|-------------|-------------|
| Trustee | No Trustee |
| ACE Type | |
| Permissions | No security |
| ACE Flags | |
| Access Mask | |
| Owner | |

User Privileges

| Privilege Name |
|--|
| Create a token object |
| Replace a process level token |
| Lock pages in memory |
| Adjust memory quotas for a process |
| Act as part of the operating system |
| Manage auditing and security log |
| Take ownership of files or other objects |
| Load and unload device drivers |
| Profile system performance |
| Change the system time |
| Profile single process |
| Increase scheduling priority |
| Create a pagefile |
| Create permanent shared objects |
| Back up files and directories |
| Restore files and directories |

| |
|--|
| Shut down the system |
| Debug programs |
| Generate security audits |
| Modify firmware environment values |
| Bypass traverse checking |
| Remove computer from docking station |
| Perform volume maintenance tasks |
| Impersonate a client after authentication |
| Create global objects |
| Access Credential Manager as a trusted caller |
| Modify an object label |
| Increase a process working set |
| Change the time zone |
| Create symbolic links |
| Obtain an impersonation token for another user in the same session |

Windows Firewall

No information found, requires at least XP with service pack 2 and with the Firewall service running.

Grupos y Usuarios

Local Groups

Access Control Assistance Operators

| Name | Value |
|------|-------|
| | |

| | |
|--------------|---|
| Group Type | Local |
| Group Name | Access Control Assistance Operators |
| Comment Item | Members of this group can remotely query authorization attributes and permissions for resources on this computer. |

Members**No information found.****Policy****No information found.****Administrators**

| Name | Value |
|--------------|---|
| Group Type | Local |
| Group Name | Administrators |
| Comment Item | Administrators have complete and unrestricted access to the computer/domain |

Members

| Group Name | Member Name |
|----------------|---------------|
| Administrators | Administrator |

Policy

| Group Name | Privilege Name |
|-------------------|--|
| Administrators | Manage auditing and security log |
| Administrators | Back up files and directories |
| Administrators | Restore files and directories |
| Administrators | Change the system time |
| Administrators | Shut down the system |
| Administrators | Force shutdown from a remote system |
| Administrators | Take ownership of files or other objects |
| Administrators | Debug programs |
| Administrators | Modify firmware environment values |
| Administrators | Profile system performance |
| Administrators | Profile single process |
| Administrators | Increase scheduling priority |
| Administrators | Load and unload device drivers |
| Administrators | Create a pagefile |
| Administrators | Adjust memory quotas for a process |
| Administrators | Remove computer from docking station |
| Administrators | Perform volume maintenance tasks |
| Administrators | Impersonate a client after authentication |
| Administrators | Create global objects |
| Administrators | Increase a process working set |
| Administrators | Change the time zone |
| Administrators | Create symbolic links |
| Administrators | Bypass traverse checking |
| Administrators | Obtain an impersonation token for another user in the same session |

| | |
|----------------|-------------------------|
| Administrators | SeInteractiveLogonRight |
| Administrators | SeNetworkLogonRight |
| Administrators | SeBatchLogonRight |

Backup Operators

| Name | Value |
|--------------|---|
| Group Type | Local |
| Group Name | Backup Operators |
| Comment Item | Backup Operators can override security restrictions for the sole purpose of backing up or restoring files |

Members

No information found.

Policy

| Group Name | Privilege Name |
|------------------|-------------------------------|
| Backup Operators | Back up files and directories |
| Backup Operators | Restore files and directories |
| Backup Operators | Shut down the system |
| Backup Operators | SeInteractiveLogonRight |

Cryptographic Operators

| Name | Value |
|------|-------|
| | |

| | |
|--------------|---|
| Group Type | Local |
| Group Name | Cryptographic Operators |
| Comment Item | Members are authorized to perform cryptographic operations. |

Members

No information found.

Policy

No information found.

Distributed COM Users

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Distributed COM Users |
| Comment Item | Members are allowed to launch, activate and use Distributed COM objects on this machine. |

Members

No information found.

Policy

No information found.

Event Log Readers

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Event Log Readers |
| Comment Item | Members of this group can read event logs from local machine |

Members

No information found.

Policy

No information found.

Guests

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Guests |
| Comment Item | Guests have the same access as members of the Users group by default, except for the Guest account which is further restricted |

Members

| Group Name | Member Name |
|------------|-------------|
| Guests | Guest |

Policy

| Group Name | Privilege Name |
|------------|-------------------------|
| Guests | SeInteractiveLogonRight |

Hyper-V Administrators

| Name | Value |
|--------------|---|
| Group Type | Local |
| Group Name | Hyper-V Administrators |
| Comment Item | Members of this group have complete and unrestricted access to all features of Hyper-V. |

Members

No information found.

Policy

No information found.

IIS_IUSRS

| Name | Value |
|--------------|---|
| Group Type | Local |
| Group Name | IIS_IUSRS |
| Comment Item | Built-in group used by Internet Information Services. |

Members

| Group Name | Member Name |
|------------|-------------|
| IIS_IUSRS | IUSR |

Policy

No information found.

Network Configuration Operators

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Network Configuration Operators |
| Comment Item | Members in this group can have some administrative privileges to manage configuration of networking features |

Members

No information found.

Policy

No information found.

Performance Log Users

| Name | Value |
|------------|-----------------------|
| Group Type | Local |
| Group Name | Performance Log Users |

| | |
|--------------|--|
| Comment Item | Members of this group may schedule logging of performance counters, enable trace providers, and collect event traces both locally and via remote access to this computer |
|--------------|--|

Members

No information found.

Policy

No information found.

Performance Monitor Users

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Performance Monitor Users |
| Comment Item | Members of this group can access performance counter data locally and remotely |

Members

No information found.

Policy

No information found.

Power Users

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Power Users |
| Comment Item | Power Users are included for backwards compatibility and possess limited administrative powers |

Members

No information found.

Policy

| Group Name | Privilege Name |
|-------------|-------------------------------------|
| Power Users | Change the system time |
| Power Users | Shut down the system |
| Power Users | Force shutdown from a remote system |
| Power Users | Profile single process |
| Power Users | Increase scheduling priority |
| Power Users | SeInteractiveLogonRight |
| Power Users | SeNetworkLogonRight |
| Power Users | SeRemoteInteractiveLogonRight |

Remote Desktop Users

| Name | Value |
|------------|-------|
| Group Type | Local |

| | |
|--------------|---|
| Group Name | Remote Desktop Users |
| Comment Item | Members in this group are granted the right to logon remotely |

Members**No information found.****Policy****No information found.****Remote Management Users**

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Remote Management Users |
| Comment Item | Members of this group can access WMI resources over management protocols (such as WS-Management via the Windows Remote Management service). This applies only to WMI namespaces that grant access to the user. |

Members**No information found.****Policy****No information found.****Replicator**

| Name | Value |
|--------------|---------------------------------------|
| Group Type | Local |
| Group Name | Replicator |
| Comment Item | Supports file replication in a domain |

Members

No information found.

Policy

No information found.

System Managed Accounts Group

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | System Managed Accounts Group |
| Comment Item | Members of this group are managed by the system. |

Members

| Group Name | Member Name |
|-------------------------------|----------------|
| System Managed Accounts Group | DefaultAccount |

Policy

| Group Name | Privilege Name |
|-------------------------------|--------------------------------|
| System Managed Accounts Group | Bypass traverse checking |
| System Managed Accounts Group | Increase a process working set |
| System Managed Accounts Group | Change the time zone |
| System Managed Accounts Group | SeInteractiveLogonRight |
| System Managed Accounts Group | SeNetworkLogonRight |

Users

| Name | Value |
|--------------|---|
| Group Type | Local |
| Group Name | Users |
| Comment Item | Users are prevented from making accidental or intentional system-wide changes and can run most applications |

Members

No information found.

Policy

| Group Name | Privilege Name |
|-------------------|--------------------------------|
| Users | Bypass traverse checking |
| Users | Increase a process working set |
| Users | Shut down the system |
| Users | SeInteractiveLogonRight |

| | |
|-------|---------------------|
| Users | SeNetworkLogonRight |
|-------|---------------------|

[Global Groups](#)

None

| Name | Value |
|--------------|----------------|
| Group Type | Global |
| Group Name | None |
| Comment Item | Ordinary users |

Members

| Group Name | Member Name |
|------------|----------------|
| None | Administrator |
| None | DefaultAccount |
| None | Guest |

Policy

No information found.

[User Accounts](#)

Administrator

| Item | Value |
|--------------|---------------|
| User Account | Administrator |

| | |
|--------------------|--|
| Full Name | |
| Description | Built-in account for administering the computer/domain |
| Account Status | Enabled, Not Locked |
| Local Groups | Administrators |
| Global Groups | None |
| Last Logon | |
| Last Logoff | |
| Number Of Logons | 0 |
| Bad Password Count | 0 |
| Password Age | 0 Days |
| Password Expired | No |
| Account Expires | |

DefaultAccount

| Item | Value |
|--------------------|---------------------------------------|
| User Account | DefaultAccount |
| Full Name | |
| Description | A user account managed by the system. |
| Account Status | Disabled, Not Locked |
| Local Groups | System Managed Accounts Group |
| Global Groups | None |
| Last Logon | |
| Last Logoff | |
| Number Of Logons | 0 |
| Bad Password Count | 0 |

| | |
|------------------|--------|
| Password Age | 0 Days |
| Password Expired | No |
| Account Expires | |

Guest

| Item | Value |
|--------------------|--|
| User Account | Guest |
| Full Name | |
| Description | Built-in account for guest access to the computer/domain |
| Account Status | Enabled, Not Locked |
| Local Groups | Guests |
| Global Groups | None |
| Last Logon | |
| Last Logoff | |
| Number Of Logons | 0 |
| Bad Password Count | 0 |
| Password Age | 0 Days |
| Password Expired | No |
| Account Expires | |

**Red Windows****Network Files****No information found.**

Network Sessions

| Client Name | User Name | Connected | Idle |
|-------------|-----------|-----------|-----------|
| \[::1] | This PC\$ | 0 Minutes | 0 Minutes |

Network Shares

| Share Name | Share Type | Connections | Share Path |
|------------|----------------------------------|-------------|------------|
| ADMIN\$ | Disk Drive Admin | 1 | X:\windows |
| IPC\$ | Interprocess Communication Admin | 0 | |
| X\$ | Disk Drive Admin | 1 | X:\ |



Red TCP/IP

Realtek PCIe GBE Family Controller

| Item | Value |
|--------------------|------------------------------------|
| Adapter Number | 1 |
| Adapter Name | Realtek PCIe GBE Family Controller |
| DNS Host Name | Win10-PEEL93 |
| DNS Servers | |
| IP Address | 0.0.0.0 |
| IP Subnet | |
| Default IP Gateway | |

| | |
|-------------------|--------|
| DHCP Enabled | Yes |
| DHCP Server | |
| DHCP IP Address | |
| Adapter Status | |
| Adapter Type | |
| MAC Address | |
| Connection Status | |
| Connection Speed | 0 Mbps |



NetBIOS

No NetBios Configurations Found.



Dispositivos

Computer

ACPI x64-based PC

| Item | Value |
|--------------|----------------------|
| Device Type | Computer |
| Device Name | |
| Description | ACPI x64-based PC |
| Manufacturer | (Standard computers) |
| Location | |

| | |
|-----------------|--|
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E966-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\ACPI_HAL\0000 |

Disk drives

General UDisk USB Device

| Item | Value |
|-----------------|---|
| Device Type | Disk drives |
| Device Name | General UDisk USB Device |
| Description | Disk drive |
| Manufacturer | (Standard disk drives) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E967-E325-11CE-BFC1-08002BE10318} |
| Device ID | USBSTOR\DISK&VEN_GENERAL&PROD_UD ISK&REV_5.00\7&37C5D5AC&0&_&0 |

USB Mass Storage Device USB Device

| Item | Value |
|-----------------|---|
| Device Type | Disk drives |
| Device Name | USB Mass Storage Device USB Device |
| Description | Disk drive |
| Manufacturer | (Standard disk drives) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E967-E325-11CE-BFC1-08002BE10318} |
| Device ID | USBSTOR\DISK&VEN_USB_MASS&PROD__ STORAGE_DEVICE&REV__\816820090724&0 |

WDC WD5000AAKX-00ERMA0 ATA Device

| Item | Value |
|-----------------|-----------------------------------|
| Device Type | Disk drives |
| Device Name | WDC WD5000AAKX-00ERMA0 ATA Device |
| Description | Disk drive |
| Manufacturer | (Standard disk drives) |
| Location | Channel 1, Target 0, Lun 0 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |

| | |
|----------------|--|
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E967-E325-11CE-BFC1-08002BE10318} |
| Device ID | IDE\DISKWDC_WD5000AAKX-00ERMA0__ _____15.01H15\5&1042348C&0&1.0.0 |

WDC WDS120G2G0A-00JH30 ATA Device

| Item | Value |
|-----------------|---|
| Device Type | Disk drives |
| Device Name | WDC WDS120G2G0A-00JH30 ATA Device |
| Description | Disk drive |
| Manufacturer | (Standard disk drives) |
| Location | Channel 0, Target 0, Lun 0 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E967-E325-11CE-BFC1-08002BE10318} |
| Device ID | IDE\DISKWDC_WDS120G2G0A-00JH30__ _____UE360000\5&2777C19&0&0.0.0 |

DVD/CD-ROM drives

HL-DT-ST DVDRAM GH24NS90 ATA Device

| Item | Value |
|-----------------|--|
| Device Type | DVD/CD-ROM drives |
| Device Name | HL-DT-ST DVDRAM GH24NS90 ATA Device |
| Description | CD-ROM Drive |
| Manufacturer | (Standard CD-ROM drives) |
| Location | Channel 1, Target 1, Lun 0 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E965-E325-11CE-BFC1-08002BE10318} |
| Device ID | IDE\CDROMHHL-DT-ST_DVDRAM_GH24NS9 0_____IN01____\5&1042348C&0&1.1.0 |

Human Interface Devices

HID-compliant consumer control device

| Item | Value |
|-----------------|---------------------------------------|
| Device Type | Human Interface Devices |
| Device Name | |
| Description | HID-compliant consumer control device |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |

| | |
|----------------|--|
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {745A17A0-74D3-11D0-B6FE-00A0C90F57DA} |
| Device ID | HID\VID_04D9&PID_1702&MI_01&COL02\8&3418DFD&0&0001 |

HID-compliant system controller

| Item | Value |
|-----------------|--|
| Device Type | Human Interface Devices |
| Device Name | |
| Description | HID-compliant system controller |
| Manufacturer | (Standard system devices) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {745A17A0-74D3-11D0-B6FE-00A0C90F57DA} |
| Device ID | HID\VID_04D9&PID_1702&MI_01&COL01\8&3418DFD&0&0000 |

USB Input Device

| Item | Value |
|------|-------|
| | |

| | |
|-----------------|--|
| Device Type | Human Interface Devices |
| Device Name | |
| Description | USB Input Device |
| Manufacturer | (Standard system devices) |
| Location | 0000.001a.0000.001.004.000.000.000.000 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {745A17A0-74D3-11D0-B6FE-00A0C90F57DA} |
| Device ID | USB\VID_04D9&PID_1702&MI_00\7&ABDE5BA&0&0000 |

USB Input Device

| Item | Value |
|-----------------|--|
| Device Type | Human Interface Devices |
| Device Name | |
| Description | USB Input Device |
| Manufacturer | (Standard system devices) |
| Location | 0000.001a.0000.001.004.000.000.000.000 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |

| | |
|------------|--|
| Class GUID | {745A17A0-74D3-11D0-B6FE-00A0C90F57DA} |
| Device ID | USB\VID_04D9&PID_1702&MI_01\7&ABDE5BA&0&0001 |

USB Input Device

| Item | Value |
|-----------------|--|
| Device Type | Human Interface Devices |
| Device Name | |
| Description | USB Input Device |
| Manufacturer | (Standard system devices) |
| Location | Port_#0003.Hub_#0004 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {745A17A0-74D3-11D0-B6FE-00A0C90F57DA} |
| Device ID | USB\VID_0458&PID_003A\6&265D47D&0&3 |

IDE ATA/ATAPI controllers

Standard Dual Channel PCI IDE Controller

| Item | Value |
|-------------|--|
| Device Type | IDE ATA/ATAPI controllers |
| Device Name | |
| Description | Standard Dual Channel PCI IDE Controller |

| | |
|-----------------|--|
| Manufacturer | (Standard IDE ATA/ATAPI controllers) |
| Location | PCI bus 0, device 31, function 2 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96A-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_1E00&SUBSYS_B00 51458&REV_04\3&11583659&0&FA |

Standard Dual Channel PCI IDE Controller

| Item | Value |
|-----------------|--|
| Device Type | IDE ATA/ATAPI controllers |
| Device Name | |
| Description | Standard Dual Channel PCI IDE Controller |
| Manufacturer | (Standard IDE ATA/ATAPI controllers) |
| Location | PCI bus 0, device 31, function 5 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96A-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_1E08&SUBSYS_B00 21458&REV_04\3&11583659&0&FD |

ATA Channel 0

| Item | Value |
|-----------------|--|
| Device Type | IDE ATA/ATAPI controllers |
| Device Name | ATA Channel 0 |
| Description | IDE Channel |
| Manufacturer | (Standard IDE ATA/ATAPI controllers) |
| Location | Channel 0 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96A-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCIIDE\IDECHANNEL\4&E6151C4&0&0 |

ATA Channel 0

| Item | Value |
|-----------------|--------------------------------------|
| Device Type | IDE ATA/ATAPI controllers |
| Device Name | ATA Channel 0 |
| Description | IDE Channel |
| Manufacturer | (Standard IDE ATA/ATAPI controllers) |
| Location | Channel 0 |
| Driver Provider | Microsoft |

| | |
|----------------|--|
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96A-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCIIDE\IDECHANNEL\4&FD97F00&0&0 |

ATA Channel 1

| Item | Value |
|-----------------|--|
| Device Type | IDE ATA/ATAPI controllers |
| Device Name | ATA Channel 1 |
| Description | IDE Channel |
| Manufacturer | (Standard IDE ATA/ATAPI controllers) |
| Location | Channel 1 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96A-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCIIDE\IDECHANNEL\4&E6151C4&0&1 |

ATA Channel 1

| Item | Value |
|------|-------|
| | |

| | |
|-----------------|--|
| Device Type | IDE ATA/ATAPI controllers |
| Device Name | ATA Channel 1 |
| Description | IDE Channel |
| Manufacturer | (Standard IDE ATA/ATAPI controllers) |
| Location | Channel 1 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96A-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCIIDE\IDECHANNEL\4&FD97F00&0&1 |

Keyboards

HID Keyboard Device

| Item | Value |
|-----------------|----------------------|
| Device Type | Keyboards |
| Device Name | |
| Description | HID Keyboard Device |
| Manufacturer | (Standard keyboards) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |

| | |
|----------------|---|
| Status Message | OK |
| Class GUID | {4D36E96B-E325-11CE-BFC1-08002BE10318} |
| Device ID | HID\VID_04D9&PID_1702&MI_00\8&2BAC3BC6&0&0000 |

Mice and other pointing devices

HID-compliant mouse

| Item | Value |
|-----------------|---|
| Device Type | Mice and other pointing devices |
| Device Name | |
| Description | HID-compliant mouse |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96F-E325-11CE-BFC1-08002BE10318} |
| Device ID | HID\VID_0458&PID_003A\7&26B87EBA&0&0000 |

Monitors

Generic PnP Monitor

| Item | Value |
|------|-------|
| | |

| | |
|-----------------|--|
| Device Type | Monitors |
| Device Name | |
| Description | Generic PnP Monitor |
| Manufacturer | (Standard monitor types) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96E-E325-11CE-BFC1-08002BE10318} |
| Device ID | DISPLAY\GSM4BAD\1&8713BCA&0&UID0 |

Network adapters

Microsoft Kernel Debug Network Adapter

| Item | Value |
|-----------------|--|
| Device Type | Network adapters |
| Device Name | Microsoft Kernel Debug Network Adapter |
| Description | Microsoft Kernel Debug Network Adapter |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |

| | |
|----------------|--|
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\KDNIC\0000 |

Realtek PCIe GBE Family Controller

| Item | Value |
|-----------------|--|
| Device Type | Network adapters |
| Device Name | Realtek PCIe GBE Family Controller |
| Description | Realtek PCIe GBE Family Controller |
| Manufacturer | Realtek |
| Location | PCI bus 2, device 0, function 0 |
| Driver Provider | Realtek |
| Driver Version | 10.10.714.2016 |
| Driver Date | 7-14-2016 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_10EC&DEV_8168&SUBSYS_E0001458&REV_06\4&1828E751&0&00E4 |

Ports (COM & LPT)

Ports (COM & LPT) #0

| Item | Value |
|-------------|-------------------|
| Device Type | Ports (COM & LPT) |

| | |
|-----------------|--|
| Device Name | |
| Description | |
| Manufacturer | (Standard port types) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E978-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0501\1 |

Ports (COM & LPT) #1

| Item | Value |
|-----------------|--|
| Device Type | Ports (COM & LPT) |
| Device Name | |
| Description | |
| Manufacturer | (Standard port types) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 31 |
| Status Message | Code 31: This device is not working properly because Windows cannot load the drivers required for this device. |

| | |
|------------|--|
| Class GUID | {4D36E978-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0400\4&275C0D6&0 |

Processors

Intel(R) Core(TM) i3-2120 CPU @ 3.30GHz

| Item | Value |
|-----------------|--|
| Device Type | Processors |
| Device Name | Intel(R) Core(TM) i3-2120 CPU @ 3.30GHz |
| Description | Intel Processor |
| Manufacturer | Intel |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 4-21-2009 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {50127DC3-0F36-415E-A6CC-4CB3BE910B65} |
| Device ID | ACPI\GENUINEINTEL_-_INTEL64_FAMILY_6_MODEL_42_-_____INTEL(R)_CORE(TM)_I3-2120_CPU_@_3.30GHZ_1 |

Intel(R) Core(TM) i3-2120 CPU @ 3.30GHz

| Item | Value |
|-------------|------------|
| Device Type | Processors |

| | |
|-----------------|---|
| Device Name | Intel(R) Core(TM) i3-2120 CPU @ 3.30GHz |
| Description | Intel Processor |
| Manufacturer | Intel |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 4-21-2009 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {50127DC3-0F36-415E-A6CC-4CB3BE910B65} |
| Device ID | ACPI\GENUINEINTEL_-_INTEL64_FAMILY_6_MODEL_42_-_INTEL(R)_CORE(TM)_I3-2120_CPU_@_3.30GHz\2 |

Intel(R) Core(TM) i3-2120 CPU @ 3.30GHz

| Item | Value |
|-----------------|---|
| Device Type | Processors |
| Device Name | Intel(R) Core(TM) i3-2120 CPU @ 3.30GHz |
| Description | Intel Processor |
| Manufacturer | Intel |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 4-21-2009 |
| Status Code | 0 |
| Status Message | OK |

| | |
|------------|---|
| Class GUID | {50127DC3-0F36-415E-A6CC-4CB3BE910B65} |
| Device ID | ACPI\GENUINEINTEL_-_INTEL64_FAMI LY_6_MODEL_42_-_INTEL(R) _CORE(TM)_I3-2120_CPU_@_3.30GHz\3 |

Intel(R) Core(TM) i3-2120 CPU @ 3.30GHz

| Item | Value |
|-----------------|---|
| Device Type | Processors |
| Device Name | Intel(R) Core(TM) i3-2120 CPU @ 3.30GHz |
| Description | Intel Processor |
| Manufacturer | Intel |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 4-21-2009 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {50127DC3-0F36-415E-A6CC-4CB3BE910B65} |
| Device ID | ACPI\GENUINEINTEL_-_INTEL64_FAMI LY_6_MODEL_42_-_INTEL(R) _CORE(TM)_I3-2120_CPU_@_3.30GHz\4 |

Software devices**Microsoft GS Wavetable Synth**

| Item | Value |
|------|-------|
| | |

| | |
|-----------------|--|
| Device Type | Software devices |
| Device Name | Microsoft GS Wavetable Synth |
| Description | Generic software device |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {62F9C741-B25A-46CE-B54C-9BCCCE08B6F2} |
| Device ID | SWD\MMDEVAPI\MICROSOFTGSWAVETABLESYNTH |

Sound, video and game controllers

High Definition Audio Device

| Item | Value |
|-----------------|------------------------------------|
| Device Type | Sound, video and game controllers |
| Device Name | |
| Description | High Definition Audio Device |
| Manufacturer | Microsoft |
| Location | Internal High Definition Audio Bus |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 7-15-2016 |
| Status Code | 0 |

| | |
|----------------|--|
| Status Message | OK |
| Class GUID | {4D36E96C-E325-11CE-BFC1-08002BE10318} |
| Device ID | HDAUDIO\FUNC_01&VEN_10EC&DEV_088 7&SUBSYS_1458A002&REV_1003\4&1F81EEAB&0&0201 |

Storage controllers

Microsoft iSCSI Initiator

| Item | Value |
|-----------------|--|
| Device Type | Storage controllers |
| Device Name | |
| Description | Microsoft iSCSI Initiator |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.10586.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97B-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\ISCSIPRT\0000 |

Microsoft Storage Spaces Controller

| Item | Value |
|-------------|---------------------|
| Device Type | Storage controllers |

| | |
|-----------------|--|
| Device Name | |
| Description | Microsoft Storage Spaces Controller |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97B-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\SPACEPORT\0000 |

Storage volumes

Volume

| Item | Value |
|-----------------|-----------------|
| Device Type | Storage volumes |
| Device Name | |
| Description | Volume |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |

| | |
|------------|---|
| Class GUID | {71A27CDD-812A-11D0-BEC7-08002BE2092F} |
| Device ID | STORAGE\VOLUME__USBSTOR#DISK&VEN_GENERAL&PROD_UDISK&REV_5.00#7&37C5D5AC&0&_0#{53F56307-B6BF-11D0-94F2-00A0C91EFB8B} |

Volume

| Item | Value |
|-----------------|---|
| Device Type | Storage volumes |
| Device Name | |
| Description | Volume |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {71A27CDD-812A-11D0-BEC7-08002BE2092F} |
| Device ID | STORAGE\VOLUME__USBSTOR#DISK&VEN_USB_MASS&PROD__STORAGE_DEVIC E&REV__#816820090724&0#{53F56307-B6BF-11D0-94F2-00A0C91EFB8B} |

System devices

ACPI Fan

| Item | Value |
|-----------------|--|
| Device Type | System devices |
| Device Name | |
| Description | ACPI Fan |
| Manufacturer | (Standard system devices) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C0B\0 |

ACPI Fan

| Item | Value |
|-----------------|---------------------------|
| Device Type | System devices |
| Device Name | |
| Description | ACPI Fan |
| Manufacturer | (Standard system devices) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |

| | |
|----------------|--|
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C0B\1 |

ACPI Fan

| Item | Value |
|-----------------|--|
| Device Type | System devices |
| Device Name | |
| Description | ACPI Fan |
| Manufacturer | (Standard system devices) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C0B\2 |

ACPI Fan

| Item | Value |
|-------------|----------------|
| Device Type | System devices |
| Device Name | |

| | |
|-----------------|--|
| Description | ACPI Fan |
| Manufacturer | (Standard system devices) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C0B\3 |

ACPI Fan

| Item | Value |
|-----------------|--|
| Device Type | System devices |
| Device Name | |
| Description | ACPI Fan |
| Manufacturer | (Standard system devices) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C0B\4 |

ACPI Fixed Feature Button

| Item | Value |
|-----------------|--|
| Device Type | System devices |
| Device Name | |
| Description | ACPI Fixed Feature Button |
| Manufacturer | (Standard system devices) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\FIXEDBUTTON\2&DABA3FF&0 |

ACPI Power Button

| Item | Value |
|-----------------|---------------------------|
| Device Type | System devices |
| Device Name | |
| Description | ACPI Power Button |
| Manufacturer | (Standard system devices) |
| Location | |
| Driver Provider | Microsoft |

| | |
|----------------|--|
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C0C\AA |

ACPI Thermal Zone

| Item | Value |
|-----------------|--|
| Device Type | System devices |
| Device Name | |
| Description | ACPI Thermal Zone |
| Manufacturer | (Standard system devices) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\THERMALZONE\TZ00 |

ACPI Thermal Zone

| Item | Value |
|------|-------|
| | |

| | |
|-----------------|--|
| Device Type | System devices |
| Device Name | |
| Description | ACPI Thermal Zone |
| Manufacturer | (Standard system devices) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\THERMALZONE\TZ01 |

Direct memory access controller

| Item | Value |
|-----------------|---------------------------------|
| Device Type | System devices |
| Device Name | |
| Description | Direct memory access controller |
| Manufacturer | (Standard system devices) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |

| | |
|------------|--|
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0200\4&275C0D6&0 |

High Definition Audio Controller

| Item | Value |
|-----------------|--|
| Device Type | System devices |
| Device Name | |
| Description | High Definition Audio Controller |
| Manufacturer | Microsoft |
| Location | PCI bus 0, device 27, function 0 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 7-15-2016 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_1E20&SUBSYS_A0021458&REV_04\3&11583659&0&D8 |

High precision event timer

| Item | Value |
|-------------|----------------------------|
| Device Type | System devices |
| Device Name | |
| Description | High precision event timer |

| | |
|-----------------|--|
| Manufacturer | (Standard system devices) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0103\0 |

Legacy device

| Item | Value |
|-----------------|--|
| Device Type | System devices |
| Device Name | |
| Description | Legacy device |
| Manufacturer | Intel |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\INT0800\4&275C0D6&0 |

LPC Controller

| Item | Value |
|-----------------|--|
| Device Type | System devices |
| Device Name | |
| Description | LPC Controller |
| Manufacturer | Intel |
| Location | PCI bus 0, device 31, function 0 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_1E49&SUBSYS_500 11458&REV_04\3&11583659&0&F8 |

Memory Controller

| Item | Value |
|-----------------|---------------------------------|
| Device Type | System devices |
| Device Name | |
| Description | Memory Controller |
| Manufacturer | Intel |
| Location | PCI bus 0, device 0, function 0 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |

| | |
|----------------|--|
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_0100&SUBSYS_500 01458&REV_09\3&11583659&0&00 |

Microsoft ACPI-Compliant System

| Item | Value |
|-----------------|--|
| Device Type | System devices |
| Device Name | |
| Description | Microsoft ACPI-Compliant System |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI_HAL\PNP0C08\0 |

Microsoft Basic Display Driver

| Item | Value |
|------|-------|
| | |

| | |
|-----------------|--|
| Device Type | System devices |
| Device Name | |
| Description | Microsoft Basic Display Driver |
| Manufacturer | (Standard display types) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\BASICDISPLAY\0000 |

Microsoft Basic Render Driver

| Item | Value |
|-----------------|-------------------------------|
| Device Type | System devices |
| Device Name | |
| Description | Microsoft Basic Render Driver |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |

| | |
|------------|--|
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\BASICRENDER\0000 |

Microsoft System Management BIOS Driver

| Item | Value |
|-----------------|---|
| Device Type | System devices |
| Device Name | |
| Description | Microsoft System Management BIOS Driver |
| Manufacturer | (Standard system devices) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\MSSMBIOS\0000 |

Microsoft Virtual Drive Enumerator

| Item | Value |
|--------------|------------------------------------|
| Device Type | System devices |
| Device Name | |
| Description | Microsoft Virtual Drive Enumerator |
| Manufacturer | Microsoft |

| | |
|-----------------|--|
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\VIDRVROOT\0000 |

Motherboard resources

| Item | Value |
|-----------------|--|
| Device Type | System devices |
| Device Name | |
| Description | Motherboard resources |
| Manufacturer | (Standard system devices) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\INT3F0D\4&275C0D6&0 |

Motherboard resources

| Item | Value |
|-----------------|--|
| Device Type | System devices |
| Device Name | |
| Description | Motherboard resources |
| Manufacturer | (Standard system devices) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C02\1 |

Motherboard resources

| Item | Value |
|-----------------|---------------------------|
| Device Type | System devices |
| Device Name | |
| Description | Motherboard resources |
| Manufacturer | (Standard system devices) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |

| | |
|----------------|--|
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C02\10 |

Motherboard resources

| Item | Value |
|-----------------|--|
| Device Type | System devices |
| Device Name | |
| Description | Motherboard resources |
| Manufacturer | (Standard system devices) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C02\111 |

Motherboard resources

| Item | Value |
|-------------|----------------|
| Device Type | System devices |
| Device Name | |

| | |
|-----------------|--|
| Description | Motherboard resources |
| Manufacturer | (Standard system devices) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C02\2 |

NDIS Virtual Network Adapter Enumerator

| Item | Value |
|-----------------|---|
| Device Type | System devices |
| Device Name | |
| Description | NDIS Virtual Network Adapter Enumerator |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\NDISVIRTUALBUS\0000 |

Numeric data processor

| Item | Value |
|-----------------|--|
| Device Type | System devices |
| Device Name | |
| Description | Numeric data processor |
| Manufacturer | (Standard system devices) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C04\4&275C0D6&0 |

PCI Express Root Complex

| Item | Value |
|-----------------|---------------------------|
| Device Type | System devices |
| Device Name | |
| Description | PCI Express Root Complex |
| Manufacturer | (Standard system devices) |
| Location | |
| Driver Provider | Microsoft |

| | |
|----------------|--|
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0A08\0 |

PCI-to-PCI Bridge

| Item | Value |
|-----------------|--|
| Device Type | System devices |
| Device Name | |
| Description | PCI-to-PCI Bridge |
| Manufacturer | (Standard system devices) |
| Location | PCI bus 0, device 28, function 0 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_1E10&SUBSYS_500 11458&REV_C4\3&11583659&0&E0 |

PCI-to-PCI Bridge

| Item | Value |
|-----------------|--|
| Device Type | System devices |
| Device Name | |
| Description | PCI-to-PCI Bridge |
| Manufacturer | (Standard system devices) |
| Location | PCI bus 0, device 28, function 4 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_1E18&SUBSYS_500 11458&REV_C4\3&11583659&0&E4 |

PCI-to-PCI Bridge

| Item | Value |
|-----------------|----------------------------------|
| Device Type | System devices |
| Device Name | |
| Description | PCI-to-PCI Bridge |
| Manufacturer | (Standard system devices) |
| Location | PCI bus 0, device 30, function 0 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |

| | |
|----------------|--|
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_244E&SUBSYS_500 61458&REV_A4\3&11583659&0&F0 |

Plug and Play Software Device Enumerator

| Item | Value |
|-----------------|--|
| Device Type | System devices |
| Device Name | |
| Description | Plug and Play Software Device Enumerator |
| Manufacturer | (Standard system devices) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 7-15-2016 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\SYSTEM\0000 |

Programmable interrupt controller

| Item | Value |
|-------------|----------------|
| Device Type | System devices |

| | |
|-----------------|--|
| Device Name | |
| Description | Programmable interrupt controller |
| Manufacturer | (Standard system devices) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0000\4&275C0D6&0 |

SM Bus Controller

| Item | Value |
|-----------------|--|
| Device Type | System devices |
| Device Name | |
| Description | SM Bus Controller |
| Manufacturer | Intel |
| Location | PCI bus 0, device 31, function 3 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |

| | |
|-----------|--|
| Device ID | PCI\VEN_8086&DEV_1E22&SUBSYS_500 11458&REV_04\3&11583659&0&FB |
|-----------|--|

System board

| Item | Value |
|-----------------|--|
| Device Type | System devices |
| Device Name | |
| Description | System board |
| Manufacturer | (Standard system devices) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C01\1 |

System board

| Item | Value |
|--------------|---------------------------|
| Device Type | System devices |
| Device Name | |
| Description | System board |
| Manufacturer | (Standard system devices) |

| | |
|-----------------|--|
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C01\2 |

System CMOS/real time clock

| Item | Value |
|-----------------|--|
| Device Type | System devices |
| Device Name | |
| Description | System CMOS/real time clock |
| Manufacturer | (Standard system devices) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0B00\4&275C0D6&0 |

System timer

| Item | Value |
|-----------------|--|
| Device Type | System devices |
| Device Name | |
| Description | System timer |
| Manufacturer | (Standard system devices) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0100\4&275C0D6&0 |

UMBus Root Bus Enumerator

| Item | Value |
|-----------------|---------------------------|
| Device Type | System devices |
| Device Name | |
| Description | UMBus Root Bus Enumerator |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |

| | |
|----------------|--|
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\UMBUS\0000 |

Volume Manager

| Item | Value |
|-----------------|--|
| Device Type | System devices |
| Device Name | |
| Description | Volume Manager |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\VOLMGR\0000 |

Universal Serial Bus controllers

Generic USB Hub

| Item | Value |
|-------------|----------------------------------|
| Device Type | Universal Serial Bus controllers |

| | |
|-----------------|--|
| Device Name | |
| Description | Generic USB Hub |
| Manufacturer | (Generic USB Hub) |
| Location | Port_#0001.Hub_#0001 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |
| Device ID | USB\VID_8087&PID_0024\5&12B45E09&0&1 |

Generic USB Hub

| Item | Value |
|-----------------|--|
| Device Type | Universal Serial Bus controllers |
| Device Name | |
| Description | Generic USB Hub |
| Manufacturer | (Generic USB Hub) |
| Location | Port_#0001.Hub_#0002 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |

| | |
|-----------|-------------------------------------|
| Device ID | USB\VID_8087&PID_0024\5&69DDA25&0&1 |
|-----------|-------------------------------------|

Intel(R) 7 Series/C216 Chipset Family USB Enhanced Host Control

| Item | Value |
|-----------------|--|
| Device Type | Universal Serial Bus controllers |
| Device Name | |
| Description | Intel(R) 7 Series/C216 Chipset Family USB Enhanced Host Control |
| Manufacturer | Intel |
| Location | PCI bus 0, device 26, function 0 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |
| Device ID | PCI\VEN_8086&DEV_1E2D&SUBSYS_500 61458&REV_04\3&11583659&0&D0 |

Intel(R) 7 Series/C216 Chipset Family USB Enhanced Host Control

| Item | Value |
|--------------|---|
| Device Type | Universal Serial Bus controllers |
| Device Name | |
| Description | Intel(R) 7 Series/C216 Chipset Family USB Enhanced Host Control |
| Manufacturer | Intel |

| | |
|-----------------|--|
| Location | PCI bus 0, device 29, function 0 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |
| Device ID | PCI\VEN_8086&DEV_1E26&SUBSYS_50061458&REV_04\3&11583659&0&E8 |

USB Composite Device

| Item | Value |
|-----------------|--|
| Device Type | Universal Serial Bus controllers |
| Device Name | |
| Description | USB Composite Device |
| Manufacturer | (Standard USB Host Controller) |
| Location | Port_#0004.Hub_#0004 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |
| Device ID | USB\VID_04D9&PID_1702\6&265D47D&0&4 |

USB Mass Storage Device

| Item | Value |
|-----------------|--|
| Device Type | Universal Serial Bus controllers |
| Device Name | |
| Description | USB Mass Storage Device |
| Manufacturer | Compatible USB storage device |
| Location | Port_#0001.Hub_#0004 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |
| Device ID | USB\VID_14CD&PID_8168\816820090724 |

USB Mass Storage Device

| Item | Value |
|-----------------|----------------------------------|
| Device Type | Universal Serial Bus controllers |
| Device Name | |
| Description | USB Mass Storage Device |
| Manufacturer | Compatible USB storage device |
| Location | Port_#0002.Hub_#0004 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |

| | |
|----------------|--|
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |
| Device ID | USB\VID_ABCD&PID_1234\6&265D47D&0&2 |

USB Root Hub (xHCI)

| Item | Value |
|-----------------|--|
| Device Type | Universal Serial Bus controllers |
| Device Name | |
| Description | USB Root Hub (xHCI) |
| Manufacturer | (Standard USB HUBs) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 7-15-2016 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |
| Device ID | USB\ROOT_HUB30\4&24618A5B&0&0 |

USB Root Hub

| Item | Value |
|-------------|----------------------------------|
| Device Type | Universal Serial Bus controllers |

| | |
|-----------------|--|
| Device Name | |
| Description | USB Root Hub |
| Manufacturer | (Standard USB Host Controller) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |
| Device ID | USB\ROOT_HUB20\4&232151F9&0 |

USB Root Hub

| Item | Value |
|-----------------|--|
| Device Type | Universal Serial Bus controllers |
| Device Name | |
| Description | USB Root Hub |
| Manufacturer | (Standard USB Host Controller) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |

| | |
|-----------|-----------------------------|
| Device ID | USB\ROOT_HUB20\4&282DCF3F&0 |
|-----------|-----------------------------|

Intel(R) USB 3.0 eXtensible Host Controller - 1.0 (Microsoft)

| Item | Value |
|-----------------|--|
| Device Type | Universal Serial Bus controllers |
| Device Name | Intel(R) USB 3.0 eXtensible Host Controller - 1.0 (Microsoft) |
| Description | USB xHCI Compliant Host Controller |
| Manufacturer | Generic USB xHCI Host Controller |
| Location | PCI bus 0, device 20, function 0 |
| Driver Provider | Microsoft |
| Driver Version | 10.0.14393.0 |
| Driver Date | 7-15-2016 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |
| Device ID | PCI\VEN_8086&DEV_1E31&SUBSYS_500 71458&REV_04\3&11583659&0&A0 |

**Características Pantalla****Display #1****Identification**

| Name | Value |
|------|-------|
|------|-------|

| | |
|--------------------|------------------------------|
| Display Number | 1 |
| Display Name | W1943 |
| Manufacturer | LG Electronics Inc. |
| Manufacture Date | Week 3, Year 2010 |
| Serial Number | 16843009 |
| Product ID | GSM4BAD |
| Display Size | 18.5" (41cm x 23cm) |
| Display Type | Analog, RGB Colour |
| Supported Features | Standby, Suspend, Active-Off |
| Display Resolution | 1024 x 768 pixels |

Capabilities

| Display | Type | Description | Capable |
|---------|-------|--------------------------|---------|
| 1 | Curve | Draw chord arcs | Yes |
| 1 | Curve | Draw circles | Yes |
| 1 | Curve | Draw chord ellipses | Yes |
| 1 | Curve | Draw chord interiors | Yes |
| 1 | Curve | Draw pie wedges | Yes |
| 1 | Curve | Draw rounded rectangles | Yes |
| 1 | Curve | Draw styled borders | Yes |
| 1 | Curve | Draw wide borders | Yes |
| 1 | Curve | Draw wide styled borders | Yes |
| 1 | Line | Draw a polyline | Yes |
| 1 | Line | Draw styled lines | Yes |
| 1 | Line | Draw wide lines | Yes |

| | | | |
|---|---------|---|-----|
| 1 | Line | Draw wide styled lines | Yes |
| 1 | Line | Draw interiors | Yes |
| 1 | Line | Draw a marker | Yes |
| 1 | Line | Draw multiple markers | Yes |
| 1 | Polygon | Draw interior polygon | Yes |
| 1 | Polygon | Draw alternate-fill polygons | Yes |
| 1 | Polygon | Draw rectangles | Yes |
| 1 | Polygon | Draw a single scanline | Yes |
| 1 | Polygon | Draw polygon styled border | Yes |
| 1 | Polygon | Draw polygon wide border | Yes |
| 1 | Polygon | Draw polygon wide styled border | Yes |
| 1 | Polygon | Draw winding-fill polygons | Yes |
| 1 | Raster | Requires banding support | No |
| 1 | Raster | Can transfer bitmaps | Yes |
| 1 | Raster | Support bitmaps over 64 KB | Yes |
| 1 | Raster | Set/get bits in DI bitmap | Yes |
| 1 | Raster | Set DI bits to device | Yes |
| 1 | Raster | Can perform flood fills | Yes |
| 1 | Raster | Specifies a palette-based device | No |
| 1 | Raster | Capable of scaling | No |
| 1 | Raster | Can copy and stretch bitmap | Yes |
| 1 | Raster | Can copy and stretch DI bitmap | Yes |
| 1 | Text | Capable of character output precision | Yes |
| 1 | Text | Capable of stroke output precision | Yes |
| 1 | Text | Capable of stroke clip precision | Yes |
| 1 | Text | Capable of 90-degree character rotation | No |

| | | | |
|---|------|---|-----|
| 1 | Text | Capable of any character rotation | No |
| 1 | Text | Scale independently x and y directions | No |
| 1 | Text | Capable of doubled character for scaling | No |
| 1 | Text | Integer multiples character scaling | No |
| 1 | Text | Any multiples for exact character scaling | No |
| 1 | Text | Draw double-weight characters | No |
| 1 | Text | Able to italicize | No |
| 1 | Text | Able to underline | Yes |
| 1 | Text | Able to strikeouts | Yes |
| 1 | Text | Able to draw raster fonts | Yes |
| 1 | Text | Able to draw vector fonts | Yes |
| 1 | Text | Scroll using a bit-block transfer | No |

Display Adapters

Microsoft Basic Display Driver

| Item | Value |
|----------------------|--------------------------------|
| Adapter Number | 1 |
| Name | Microsoft Basic Display Driver |
| Adapter RAM | 0MB |
| Colour Depth | 32 bit |
| Vertical Resolution | 96dpi |
| Current Refresh Rate | 64Hz |
| Video Processor | |

| | |
|------------------|--|
| Adapter DAC Type | |
| Adapter ID | |
| BIOS | |



Impresoras Instaladas

No Installed Printers Found.



Versión de BIOS

| Name | Value |
|--------------------|---|
| BIOS Version | ALASKA - 1072009 BIOS Date: 06/07/12 21:53:50 Ver: 04.06.05 BIOS Date: 06/07/12 21:53:50 Ver: 04.06.05 |
| Release Date | 06/07/12 |
| Video BIOS Version | Hardware Version 0.0 |
| Video BIOS Date | 12/23/20 |



Gestión del Sistema

BIOS Details

| Item | Value |
|----------------|--------------------------|
| SMBIOS Version | 2.7 |
| BIOS Vendor | American Megatrends Inc. |

| | |
|-----------------------|------------------|
| BIOS Version | F6 |
| Start Address | 0xF000 |
| Release Date | 06/07/2012 |
| ROM Size | 8192KB |
| BIOS Characteristics | 000000013F8B9880 |
| Ext. Characteristic 1 | 3 |
| Ext. Characteristic 2 | 13 |
| System BIOS Major | 4 |
| System BIOS Minor | 6 |
| Firmware Major | 255 |
| Firmware Minor | 255 |
| No Characteristics | No |
| ISA Support | No |
| MCA Support | No |
| EISA Support | No |
| PCI Support | Yes |
| PCMCIA Support | No |
| PnP Support | No |
| APM Support | No |
| BIOS Upgradeable | Yes |
| BIOS Shadowing | Yes |
| VL-VESA Support | No |
| ESCD Support | No |
| CD Boot | Yes |
| Selectable Boot | Yes |
| ROM Socketed | Yes |

| | |
|----------------------|-----|
| PCMCIA Boot | No |
| EDD Support | Yes |
| Floppy NEC 1.2MB | No |
| Floppy Toshiba 1.2MB | No |
| Floppy 360 KB | No |
| Floppy 1.2MB | Yes |
| Floppy 720KB | Yes |
| Floppy 2.88MB | Yes |
| Print Screen | Yes |
| Keyboard 8042 | Yes |
| Serial Services | Yes |
| Printer Services | Yes |
| CGA-Mono Video | No |
| NEC PC-98 | No |
| ACPI Support | Yes |
| USB Support | Yes |
| AGP Support | No |
| I2O Boot | No |
| LS-120 Boot | No |
| ATAPI ZIP Boot | No |
| Firewire Boot | No |
| Smart Battery | No |

System

| Item | Value |
|------|-------|
| | |

| | |
|---------------------|--|
| Manufacturer | |
| Product Name | To be filled by O.E.M. |
| Version | To be filled by O.E.M. |
| Serial Number | To be filled by O.E.M. |
| Universal Unique ID | {032B0290-0434-056A-5D06-820700080009} |
| Wake-Up Type | Power Switch |
| SKU Number | To be filled by O.E.M. |
| Product Family | To be filled by O.E.M. |

Baseboard

| Item | Value |
|---------------|-------------------------------|
| Board Number | 1 |
| Manufacturer | Gigabyte Technology Co., Ltd. |
| Product | B75M-D3V |
| Version | x.x |
| Serial Number | To be filled by O.E.M. |
| Asset Tag | To be filled by O.E.M. |
| Features | Replacable |
| Board Type | Mother Board |

Chassis

| Item | Value |
|--------------|-------------------------------|
| Manufacturer | Gigabyte Technology Co., Ltd. |
| Chassis Type | Desktop |

| | |
|-----------------------|------------------------|
| Version | To Be Filled By O.E.M. |
| Serial Number | To Be Filled By O.E.M. |
| Asset Tag | To Be Filled By O.E.M. |
| Boot Up State | Safe |
| Power State | Safe |
| Thermal State | Safe |
| Security Status | None |
| OEM Defined | |
| Height | |
| Number Of Power Cords | 1 |

Processor

| Item | Value |
|------------------------|---|
| Processor Number | 1 |
| Socket Designation | Intel(R) Core(TM) i3-2120 CPU @ 3.30GHz |
| Processor Type | Central Processor |
| Processor Family | Unknown (code = 198) |
| Processor Manufacturer | Intel |
| Processor ID | BFEBFBFF000206A7 |
| Processor Version | Intel(R) Core(TM) i3-2120 CPU @ 3.30GHz |
| Voltage | 1.100000V |
| External Clock | 100MHz |
| Maximum Speed | 7000MHz |
| Current Speed | 3300MHz |
| Status | CPU Socket Populated, Enabled |

| | |
|---------------------------|----------------|
| Processor Upgrade | Other |
| Serial Number | |
| Asset Tag | Fill By OEM |
| Part Number | Fill By OEM |
| Core Count | 2 |
| Core Enabled | 1 |
| Thread Count | 2 |
| Processor Characteristics | 64-bit Capable |

Memory Controller

No information found, refer to Memory Array and Memory Device sections.

Memory Module

No information found, refer to Memory Array and Memory Device sections.

CPU Cache

CPU Cache #1

| Item | Value |
|---------------------|---|
| Cache Number | 1 |
| Socket Designation | CPU Internal L1 |
| Cache Configuration | Level 1, Internal, Enabled, Write-Through |
| Max. Cache Size | 64KB |
| Installed Cache | 64KB |
| Supported SRAM Type | Unknown |

| | |
|-----------------------|-----------------------|
| Current SRAM Type | Unknown |
| Cache Speed | |
| Error Correction Type | Parity |
| System Cache Type | Other |
| Associativity | 6-way Set-Associative |

CPU Cache #2

| Item | Value |
|-----------------------|---|
| Cache Number | 2 |
| Socket Designation | CPU Internal L2 |
| Cache Configuration | Level 2, Internal, Enabled, Write-Through |
| Max. Cache Size | 512KB |
| Installed Cache | 512KB |
| Supported SRAM Type | Unknown |
| Current SRAM Type | Unknown |
| Cache Speed | |
| Error Correction Type | Multi-Bit ECC |
| System Cache Type | Instruction |
| Associativity | 6-way Set-Associative |

CPU Cache #3

| Item | Value |
|--------------------|-----------------|
| Cache Number | 3 |
| Socket Designation | CPU Internal L3 |

| | |
|-----------------------|--|
| Cache Configuration | Level 2, Internal, Enabled, Write-Back |
| Max. Cache Size | 3072KB |
| Installed Cache | 3072KB |
| Supported SRAM Type | Unknown |
| Current SRAM Type | Unknown |
| Cache Speed | |
| Error Correction Type | Multi-Bit ECC |
| System Cache Type | Instruction |
| Associativity | Unknown (code = 12) |

Port Connector

Port Connector #1

| Item | Value |
|--------------------------|------------|
| Port Number | 1 |
| Internal Designation | J1A1 |
| Internal Connection Type | None |
| External Designation | PS2Mouse |
| External Connection Type | PS/2 |
| Port Type | Mouse Port |

Port Connector #2

| Item | Value |
|----------------------|-------|
| Port Number | 2 |
| Internal Designation | J1A1 |

| | |
|--------------------------|---------------|
| Internal Connection Type | None |
| External Designation | Keyboard |
| External Connection Type | PS/2 |
| Port Type | Keyboard Port |

Port Connector #3

| Item | Value |
|--------------------------|-------------------------|
| Port Number | 3 |
| Internal Designation | J2A1 |
| Internal Connection Type | None |
| External Designation | TV Out |
| External Connection Type | Mini-Centronics Type-14 |
| Port Type | Other (code = 255) |

Port Connector #4

| Item | Value |
|--------------------------|-------------------------------|
| Port Number | 4 |
| Internal Designation | J2A2A |
| Internal Connection Type | None |
| External Designation | COM A |
| External Connection Type | DB-9 pin male |
| Port Type | Serial Port 16550A Compatible |

Port Connector #5

| Item | Value |
|--------------------------|------------------|
| Port Number | 5 |
| Internal Designation | J2A2B |
| Internal Connection Type | None |
| External Designation | Video |
| External Connection Type | DB-15 pin female |
| Port Type | Video Port |

Port Connector #6

| Item | Value |
|--------------------------|------------------|
| Port Number | 6 |
| Internal Designation | J3A1 |
| Internal Connection Type | None |
| External Designation | USB1 |
| External Connection Type | Access Bus (USB) |
| Port Type | USB |

Port Connector #7

| Item | Value |
|--------------------------|-------|
| Port Number | 7 |
| Internal Designation | J3A1 |
| Internal Connection Type | None |

| | |
|--------------------------|------------------|
| External Designation | USB2 |
| External Connection Type | Access Bus (USB) |
| Port Type | USB |

Port Connector #8

| Item | Value |
|--------------------------|------------------|
| Port Number | 8 |
| Internal Designation | J3A1 |
| Internal Connection Type | None |
| External Designation | USB3 |
| External Connection Type | Access Bus (USB) |
| Port Type | USB |

Port Connector #9

| Item | Value |
|--------------------------|--------------------|
| Port Number | 9 |
| Internal Designation | J9A1 - TPM HDR |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #10

| Item | Value |
|--------------------------|--------------------------|
| Port Number | 10 |
| Internal Designation | J9C1 - PCIE DOCKING CONN |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #11

| Item | Value |
|--------------------------|--------------------|
| Port Number | 11 |
| Internal Designation | J2B3 - CPU FAN |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #12

| Item | Value |
|--------------------------|-----------------|
| Port Number | 12 |
| Internal Designation | J6C2 - EXT HDMI |
| Internal Connection Type | Other |
| External Designation | |

| | |
|--------------------------|--------------------|
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #13

| Item | Value |
|--------------------------|--------------------|
| Port Number | 13 |
| Internal Designation | J3C1 - GMCH FAN |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #14

| Item | Value |
|--------------------------|--------------------|
| Port Number | 14 |
| Internal Designation | J1D1 - ITP |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #15

| Item | Value |
|------|-------|
| | |

| | |
|--------------------------|--------------------|
| Port Number | 15 |
| Internal Designation | J9E2 - MDC INTPSR |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #16

| Item | Value |
|--------------------------|--------------------|
| Port Number | 16 |
| Internal Designation | J9E4 - MDC INTPSR |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #17

| Item | Value |
|--------------------------|------------------------|
| Port Number | 17 |
| Internal Designation | J9E3 - LPC HOT DOCKING |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #18

| Item | Value |
|--------------------------|--------------------|
| Port Number | 18 |
| Internal Designation | J9E1 - SCAN MATRIX |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #19

| Item | Value |
|--------------------------|----------------------|
| Port Number | 19 |
| Internal Designation | J9G1 - LPC SIDE BAND |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #20

| Item | Value |
|----------------------|----------------|
| Port Number | 20 |
| Internal Designation | J8F1 - UNIFIED |

| | |
|--------------------------|--------------------|
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #21

| Item | Value |
|--------------------------|--------------------|
| Port Number | 21 |
| Internal Designation | J6F1 - LVDS |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #22

| Item | Value |
|--------------------------|--------------------|
| Port Number | 22 |
| Internal Designation | J2F1 - LAI FAN |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #23

| Item | Value |
|--------------------------|--------------------|
| Port Number | 23 |
| Internal Designation | J2G1 - GFX VID |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #24

| Item | Value |
|--------------------------|--------------------|
| Port Number | 24 |
| Internal Designation | J1G6 - AC JACK |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

System Slot**System Slot #1**

| Item | Value |
|------------------|-------|
| Slot Number | 1 |
| Slot Designation | J6B2 |

| | |
|------------------------|------------------------|
| Slot Type | PCI Express |
| Data Bus Width | 16x |
| Current Usage | In Use |
| Slot Length | Long |
| Slot ID | 0x0000 |
| Slot Characteristics 1 | 3.3 Volts, Shared Slot |
| Slot Characteristics 2 | Supports PME Signal |

System Slot #2

| Item | Value |
|------------------------|------------------------|
| Slot Number | 2 |
| Slot Designation | J6B1 |
| Slot Type | PCI Express |
| Data Bus Width | 1x |
| Current Usage | In Use |
| Slot Length | Short |
| Slot ID | 0x0001 |
| Slot Characteristics 1 | 3.3 Volts, Shared Slot |
| Slot Characteristics 2 | Supports PME Signal |

System Slot #3

| Item | Value |
|------------------|-------|
| Slot Number | 3 |
| Slot Designation | J6D1 |

| | |
|------------------------|------------------------|
| Slot Type | PCI Express |
| Data Bus Width | 8x |
| Current Usage | In Use |
| Slot Length | Short |
| Slot ID | 0x0002 |
| Slot Characteristics 1 | 3.3 Volts, Shared Slot |
| Slot Characteristics 2 | Supports PME Signal |

System Slot #4

| Item | Value |
|------------------------|------------------------|
| Slot Number | 4 |
| Slot Designation | J7B1 |
| Slot Type | PCI Express |
| Data Bus Width | 16x |
| Current Usage | In Use |
| Slot Length | Short |
| Slot ID | 0x0003 |
| Slot Characteristics 1 | 3.3 Volts, Shared Slot |
| Slot Characteristics 2 | Supports PME Signal |

System Slot #5

| Item | Value |
|------------------|-------|
| Slot Number | 5 |
| Slot Designation | J8B4 |

| | |
|------------------------|------------------------|
| Slot Type | PCI Express |
| Data Bus Width | 1x |
| Current Usage | In Use |
| Slot Length | Short |
| Slot ID | 0x0004 |
| Slot Characteristics 1 | 3.3 Volts, Shared Slot |
| Slot Characteristics 2 | Supports PME Signal |

System Slot #6

| Item | Value |
|------------------------|------------------------|
| Slot Number | 6 |
| Slot Designation | J8B3 |
| Slot Type | PCI |
| Data Bus Width | 32-Bit |
| Current Usage | In Use |
| Slot Length | Short |
| Slot ID | 0x0006 |
| Slot Characteristics 1 | 3.3 Volts, Shared Slot |
| Slot Characteristics 2 | Supports PME Signal |

Memory Array

| Item | Value |
|--------------|-----------------------------|
| Array Number | 1 |
| Location | System board or motherboard |

| | |
|-------------------|---------------|
| Use Item | System memory |
| Error Correction | None |
| Error Handle | 0xFFFFE |
| Number of Devices | 2 |

Memory Device

Memory Device #1

| Item | Value |
|--------------------|---------------------|
| Device Number | 1 |
| Error Handle | 0xFFFFE |
| Total Width | 64 bit |
| Data Width | 64 bit |
| Device Size | 8.00GB |
| Form Factor | DIMM |
| Device Set | Unknown |
| Device Locator | ChannelA-DIMM0 |
| Bank Locator | BANK 0 |
| Memory Type | Unknown (code = 24) |
| Memory Type Detail | Synchronous |
| Speed | 1333MHz |
| Manufacturer | Samsung |
| Serial Number | 00000000 |
| Asset Tag | 9876543210 |
| Part Number | 8G1600CL11 |

Memory Device #2

| Item | Value |
|--------------------|----------------|
| Device Number | 2 |
| Error Handle | 0xFFFFE |
| Total Width | 0 bit |
| Data Width | 0 bit |
| Device Size | 0 Bytes |
| Form Factor | DIMM |
| Device Set | Unknown |
| Device Locator | ChannelA-DIMM1 |
| Bank Locator | BANK 1 |
| Memory Type | Unknown |
| Memory Type Detail | Not Specified |
| Speed | 0MHz |
| Manufacturer | [Empty] |
| Serial Number | [Empty] |
| Asset Tag | 9876543210 |
| Part Number | [Empty] |

Memory Device #3

| Item | Value |
|---------------|---------|
| Device Number | 3 |
| Error Handle | 0xFFFFE |

| | |
|--------------------|---------------------|
| Total Width | 64 bit |
| Data Width | 64 bit |
| Device Size | 8.00GB |
| Form Factor | DIMM |
| Device Set | Unknown |
| Device Locator | ChannelB-DIMM0 |
| Bank Locator | BANK 2 |
| Memory Type | Unknown (code = 24) |
| Memory Type Detail | Synchronous |
| Speed | 1333MHz |
| Manufacturer | Samsung |
| Serial Number | 00000000 |
| Asset Tag | 9876543210 |
| Part Number | 8G1600CL11 |

Memory Device #4

| Item | Value |
|----------------|----------------|
| Device Number | 4 |
| Error Handle | 0xFFFFE |
| Total Width | 0 bit |
| Data Width | 0 bit |
| Device Size | 0 Bytes |
| Form Factor | DIMM |
| Device Set | Unknown |
| Device Locator | ChannelB-DIMM1 |

| | |
|--------------------|---------------|
| Bank Locator | BANK 3 |
| Memory Type | Unknown |
| Memory Type Detail | Not Specified |
| Speed | 0MHz |
| Manufacturer | [Empty] |
| Serial Number | [Empty] |
| Asset Tag | 9876543210 |
| Part Number | [Empty] |



Procesadores

Processor #1

Basic Information

| Item | Value |
|-------------------|---|
| Processor Number | 1 |
| Name | Intel(R) Core(TM) i3-2120 CPU @ 3.30GHz |
| Short Name | P3 |
| Speed - Estimated | 3292MHz |
| Speed - Registry | 3293MHz |
| Processor Type | OEM Primary |
| Manufacturer | Intel(R) Corporation |
| Serial Number | |
| APIC Physical ID | 0x00, 0x01, 0x02, 0x03 |

Detailed Information

| Item | Value |
|--------------------------------|--------------|
| Processor Number | 1 |
| Logical Processors | 4 |
| Number Cores | 2 |
| Vendor String | GenuineIntel |
| Family | 6 |
| Model | 10 |
| Stepping | 7 |
| Extended Family | 0x00 |
| Extended Model | 0x02 |
| Brand ID | 0x00 |
| FPU - Floating Point Unit | Yes |
| VME - Virtual Mode Extensions | Yes |
| DE - Debugging Extensions | Yes |
| PSE - Page Size Extensions | Yes |
| TSC - Time Stamp Counter | Yes |
| MSR - Model Specific Registers | Yes |
| PAE - Physical Address Exts. | Yes |
| MCE - Machine Check Exceptions | Yes |
| CX8 - Compare Exchange 8 Byte | Yes |
| APIC - On Chip APIC present | Yes |
| SEP - Fast System Calls | Yes |
| MTRR - Memory Type Range Regs. | Yes |
| PGE - Page Global Enable | Yes |


| | |
|----------------------------------|-----|
| MCA - Machine Check Architecture | Yes |
| CMOV - Conditional Move | Yes |
| PAT - Page Attribute Table | Yes |
| PSE36 - 36bit Page Size Exts | Yes |
| PSN - Processor Serial Number | No |
| CLFL - CLFLUSH Instruction | Yes |
| DTES - Debug Trace EMON Store | Yes |
| ACPI - ACPI Supported | Yes |
| MMX - MMX Technology | Yes |
| FXFR - Fast Save/Restore | Yes |
| SSE - Streaming SIMD Exts. | Yes |
| SSE2 - Streaming SIMD Exts. 2 | Yes |
| SS - Selfsnoop | Yes |
| HTT - Hyper-Threading Technology | Yes |
| TM1 - Thermal Interrupt Status | Yes |
| IA64 - 64-bit Intel | No |
| PBE - Pending Break Event | Yes |
| MMEXT - MMX+ Technology | No |
| NOW3D - Support 3DNow! | No |
| NOW3DEXT - Support 3DNow!+ | No |
| SSE3 - Streaming SIMD Exts. 3 | Yes |
| EST - Enhanced SpeedStep(R) | Yes |
| CX16 - Compare Exchange 16 Byte | Yes |

[Cache - TLB](#)

| Item | Value |
|----------------------------|-------|
| Processor Number | 1 |
| Unified Cache | No |
| Code Entries - 4K | 0 |
| Code Associativity - 4K | 0 |
| Code Entries - 4M | 0 |
| Code Associativity - 4M | 0 |
| Data Entries - 4K | 64 |
| Data Associativity - 4K | 4 |
| Data Entries - 4M | 0 |
| Data Associativity - 4M | 0 |
| Unified Entries - 4K | 0 |
| Unified Associativity - 4K | 0 |
| Unified Entries - 4M | 0 |
| Unified Associativity - 4M | 0 |



Memoria



| Item | Value |
|-------------------|---------|
| Total Memory | 16272MB |
| Free Memory | 15186MB |
| Maximum Swap File | 16261MB |
| Free Swap File | 15206MB |



Discos Físicos

WDC WDS120G2G0A-00JH30

| Item | Value |
|------|-------|
| | |

| | |
|-------------------|------------------------|
| Disk Number | 1 |
| Capacity | 114480MB |
| Disk Type | Fixed |
| Manufacturer | Western Digital |
| Model | WDC WDS120G2G0A-00JH30 |
| Serial Number | €g |
| Firmware Revision | UE360000 |
| Controller Rank | Primary |
| Master/Slave | Master |
| Total Cylinders | 14594 |
| Total Heads | 16 |
| Sectors Per Track | 63 |
| Buffer Size | |
| SMART Supported | Yes |
| SMART Enabled | Yes |
| SMART Self Test | OK |

WDC WD5000AAKX-00ERMA0

| Item | Value |
|---------------|------------------------|
| Disk Number | 3 |
| Capacity | 476940MB |
| Disk Type | Fixed |
| Manufacturer | Western Digital |
| Model | WDC WD5000AAKX-00ERMA0 |
| Serial Number | W -DMW2C0E338596 |

| | |
|-------------------|-----------|
| Firmware Revision | 15.01H15 |
| Controller Rank | Secondary |
| Master/Slave | Master |
| Total Cylinders | 60801 |
| Total Heads | 16 |
| Sectors Per Track | 63 |
| Buffer Size | 32768KB |
| SMART Supported | Yes |
| SMART Enabled | Yes |
| SMART Self Test | |

USB Mass Storage Device

| Item | Value |
|-------------------|-------------------------|
| Disk Number | 3 |
| Capacity | 0MB |
| Disk Type | Removeable |
| Manufacturer | |
| Model | USB Mass Storage Device |
| Serial Number | h•\$ |
| Firmware Revision | |
| Controller Rank | |
| Master/Slave | |
| Total Cylinders | |
| Total Heads | |
| Sectors Per Track | |


| | |
|-----------------|--|
| Buffer Size | |
| SMART Supported | |
| SMART Enabled | |
| SMART Self Test | |

General UDisk

| Item | Value |
|-------------------|---------------|
| Disk Number | 4 |
| Capacity | 7680MB |
| Disk Type | Removeable |
| Manufacturer | |
| Model | General UDisk |
| Serial Number | |
| Firmware Revision | 5.00 |
| Controller Rank | |
| Master/Slave | |
| Total Cylinders | 979 |
| Total Heads | |
| Sectors Per Track | 63 |
| Buffer Size | |
| SMART Supported | |
| SMART Enabled | |
| SMART Self Test | |



Discos Lógicos



Drive C

| Item | Value |
|--------------|-----------------|
| Letter | C |
| Drive Type | Removable Drive |
| Percent Used | 22% |
| Used Space | 1.72GB |
| Free Space | 5.76GB |
| Total Space | 7.48GB |
| Volume Name | |
| File System | FAT32 |

| | |
|----------------------|-----------|
| Volume Serial Number | 8C24-41F2 |
| Sectors Per Cluster | 8 |
| Bytes Per Sector | 512 |
| Free Clusters | 1510920 |
| Total Clusters | 1961984 |

Drive E

| Item | Value |
|----------------------|-----------|
| Letter | E |
| Drive Type | CD-ROM |
| Percent Used | 100% |
| Used Space | 2.89GB |
| Free Space | 0 Bytes |
| Total Space | 2.89GB |
| Volume Name | DLC Boot |
| File System | CDFS |
| Volume Serial Number | 38EE-CC15 |
| Sectors Per Cluster | 1 |
| Bytes Per Sector | 2048 |
| Free Clusters | 0 |
| Total Clusters | 1517294 |

Drive F

| Item | Value |
|------|-------|
| | |

| | |
|------------|-----------------|
| Letter | F |
| Drive Type | Removable Drive |

Drive X

| Item | Value |
|----------------------|-------------|
| Letter | X |
| Drive Type | Fixed Drive |
| Percent Used | 0% |
| Used Space | 2.43MB |
| Free Space | 492MB |
| Total Space | 495MB |
| Volume Name | Boot |
| File System | NTFS |
| Volume Serial Number | D60A-0DC2 |
| Sectors Per Cluster | 1 |
| Bytes Per Sector | 512 |
| Free Clusters | 1008272 |
| Total Clusters | 1013250 |

**Programas de arranque**

| Name | Settings Folder | Startup Command |
|-------------|---|-----------------|
| desktop.ini | X:\ProgramData\Microsoft\Windows\Start Menu\Programs\Startup\ | |

| | |
|-------------|--|
| desktop.ini | X:\Users\Default\AppData\Roaming\\Microsoft\Windows\Start Menu\Programs\Startup\ |
|-------------|--|



ODBC Information

Data Sources

No information found.

No ODBC data sources found.

Drivers

Driver da Microsoft para arquivos texto (*.txt; *.csv)

| Item | Value |
|-----------------|--|
| Name | Driver da Microsoft para arquivos texto (*.txt; *.csv) |
| Company | |
| File_Name | odbcjt32.dll |
| File_Version | |
| Driver_ODBC_Ver | 02.50 |

Driver do Microsoft Access (*.mdb)

| Item | Value |
|------|------------------------------------|
| Name | Driver do Microsoft Access (*.mdb) |

| | |
|-----------------|--------------|
| Company | |
| File_Name | odbcjt32.dll |
| File_Version | |
| Driver_ODBC_Ver | 02.50 |

Driver do Microsoft dBase (*.dbf)

| Item | Value |
|-----------------|-----------------------------------|
| Name | Driver do Microsoft dBase (*.dbf) |
| Company | |
| File_Name | odbcjt32.dll |
| File_Version | |
| Driver_ODBC_Ver | 02.50 |

Driver do Microsoft Excel(*.xls)

| Item | Value |
|-----------------|----------------------------------|
| Name | Driver do Microsoft Excel(*.xls) |
| Company | |
| File_Name | odbcjt32.dll |
| File_Version | |
| Driver_ODBC_Ver | 02.50 |

Driver do Microsoft Paradox (*.db)

| Item | Value |
|------|-------|
| | |

| | |
|-----------------|------------------------------------|
| Name | Driver do Microsoft Paradox (*.db) |
| Company | |
| File_Name | odbcjt32.dll |
| File_Version | |
| Driver_ODBC_Ver | 02.50 |

Microsoft Access Driver (*.mdb)

| Item | Value |
|-----------------|---------------------------------|
| Name | Microsoft Access Driver (*.mdb) |
| Company | |
| File_Name | odbcjt32.dll |
| File_Version | |
| Driver_ODBC_Ver | 02.50 |

Microsoft Access-Treiber (*.mdb)

| Item | Value |
|-----------------|----------------------------------|
| Name | Microsoft Access-Treiber (*.mdb) |
| Company | |
| File_Name | odbcjt32.dll |
| File_Version | |
| Driver_ODBC_Ver | 02.50 |

Microsoft dBase Driver (*.dbf)

| Item | Value |
|-----------------|--------------------------------|
| Name | Microsoft dBase Driver (*.dbf) |
| Company | |
| File_Name | odbcjt32.dll |
| File_Version | |
| Driver_ODBC_Ver | 02.50 |

Microsoft dBase-Treiber (*.dbf)

| Item | Value |
|-----------------|---------------------------------|
| Name | Microsoft dBase-Treiber (*.dbf) |
| Company | |
| File_Name | odbcjt32.dll |
| File_Version | |
| Driver_ODBC_Ver | 02.50 |

Microsoft Excel Driver (*.xls)

| Item | Value |
|-----------------|--------------------------------|
| Name | Microsoft Excel Driver (*.xls) |
| Company | |
| File_Name | odbcjt32.dll |
| File_Version | |
| Driver_ODBC_Ver | 02.50 |

Microsoft Excel-Treiber (*.xls)

| Item | Value |
|-----------------|---------------------------------|
| Name | Microsoft Excel-Treiber (*.xls) |
| Company | |
| File_Name | odbcjt32.dll |
| File_Version | |
| Driver_ODBC_Ver | 02.50 |

Microsoft ODBC for Oracle

| Item | Value |
|-----------------|---------------------------|
| Name | Microsoft ODBC for Oracle |
| Company | |
| File_Name | msorcl32.dll |
| File_Version | |
| Driver_ODBC_Ver | 02.50 |

Microsoft Paradox Driver (*.db)

| Item | Value |
|-----------------|----------------------------------|
| Name | Microsoft Paradox Driver (*.db) |
| Company | |
| File_Name | odbcjt32.dll |
| File_Version | |
| Driver_ODBC_Ver | 02.50 |

Microsoft Paradox-Treiber (*.db)

| Item | Value |
|-----------------|-----------------------------------|
| Name | Microsoft Paradox-Treiber (*.db) |
| Company | |
| File_Name | odbcjt32.dll |
| File_Version | |
| Driver_ODBC_Ver | 02.50 |

Microsoft Text Driver (*.txt; *.csv)

| Item | Value |
|-----------------|--------------------------------------|
| Name | Microsoft Text Driver (*.txt; *.csv) |
| Company | |
| File_Name | odbcjt32.dll |
| File_Version | |
| Driver_ODBC_Ver | 02.50 |

Microsoft Text-Treiber (*.txt; *.csv)

| Item | Value |
|--------------|---------------------------------------|
| Name | Microsoft Text-Treiber (*.txt; *.csv) |
| Company | |
| File_Name | odbcjt32.dll |
| File_Version | |

| | |
|-----------------|-------|
| Driver_ODBC_Ver | 02.50 |
|-----------------|-------|

SQL Server

| Item | Value |
|-----------------|--------------|
| Name | SQL Server |
| Company | |
| File_Name | SQLSRV32.dll |
| File_Version | |
| Driver_ODBC_Ver | 03.50 |



Names mentioned herein maybe trademarks or service marks of their respective holders.

Errors and Omissions Excepted

Generated by WinAudit Freeware v2.29

<http://www.pxserver.com>