



Computer Audit :: 20/07/2021 12:11:13 p.m.

Vista General


| Item | Value |
|-----------------------|--|
| Computer Name | WS55518 |
| Domain Name | GOBIERNOCBA |
| Site Name | |
| Roles | Workstation, Server |
| Description | |
| Operating System | Microsoft Windows 7 Professional 64-bit |
| Manufacturer | System manufacturer |
| Model | System Product Name |
| Serial Number | System Serial Number |
| Asset Tag | Asset-1234567890 |
| Number Of Processors | 1 |
| Processor Description | Intel(R) Core(TM) i3-3220 CPU @ 3.30GHz |
| Total Memory | 7888MB |
| Total Hard Drive | 541GB |
| Display | S19D300, 18.5" (41cm x 23cm) |
| BIOS Version | ALASKA - 1072009 BIOS Date: 01/28/13 16:34:10 Ver: 03.06 |
| User Account | 20141773098 |
| System Uptime | 0 Days, 0 Hours, 4 Minutes |

Local Time

2021-07-20 12:11:02



Software instalado



Active Setup

| Name | Version | Installed |
|----------------|-------------|-----------|
| .NET Framework | 2,0,50727,0 | |
| .NET Framework | 2,0,50727,1 | |
| .NET Framework | 4,0,30319,0 | |
| .NET Framework | 4,0,30319,0 | |

| | | |
|-------------------------------------|-----------------|-----|
| .NET Framework | 4,0,30319,0 | |
| Active Directory Service Interface | 5,0,00,0 | Yes |
| Address Book 7 | 6,1,7601,17514 | Yes |
| Browsing Enhancements | 11,0,9600,19540 | Yes |
| DirectDrawEx | 4,71,1113,0 | Yes |
| Dynamic HTML Data Binding | 11,0,9600,19540 | Yes |
| Google Chrome | 43,0,0,0 | Yes |
| HTML Help | 6,3,9600,19540 | Yes |
| Internet Explorer Core Fonts | 11,0,9600,0 | Yes |
| Internet Explorer Help | 11,0,9600,19540 | Yes |
| Internet Explorer Setup Tools | 11,0,9600,19540 | Yes |
| Microsoft Windows Media Player 12.0 | 12,0,7601,24499 | Yes |
| Microsoft Windows Media Player | 12,0,7601,24499 | No |
| Microsoft Windows Media Player | 12,0,7601,24499 | Yes |
| Microsoft Windows Script 5.6 | 5,6,0,8833 | Yes |
| Microsoft Windows | 6,1,7601,17514 | Yes |
| MSN Site Access | 4,9,9,2 | Yes |
| Offline Browsing Pack | 11,0,9600,19540 | Yes |
| RevokedRootsUpdate | 5,0,2195,0 | Yes |
| Themes Setup | 1,1,1,9 | Yes |
| Windows Desktop Update | 6,1,7601,24468 | Yes |

Installed Programs

A360 Desktop

| Item | Value |
|------------------------|--|
| Name | A360 Desktop |
| Vendor | Autodesk |
| Version | 8.2.3.1800 |
| Product Language | Spanish |
| Install Date | 20180816 |
| Install Location | |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\x64\Components\Cloudsync\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {95DB060B-6825-47A2-930E-49016A718F5A} |
| Package Name | AdSync.msi |
| Local Package | C:\Windows\Installer\344e54.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {B65CD59E-A771-4354-AA4B-C3E01B496BCD} |

ACA & MEP 2018 Object Enabler

| Item | Value |
|------------------------|---|
| Name | ACA & MEP 2018 Object Enabler |
| Vendor | Autodesk |
| Version | 8.0.40.0 |
| Product Language | English |
| Install Date | 20180816 |
| Install Location | C:\Program Files\Autodesk\AutoCAD 2018\ |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\x64\ACAOE\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {AB9CE6BF-D203-4444-B0A9-B24FACBC55D1} |
| Package Name | ACAOE.msi |
| Local Package | C:\Windows\Installer\344e14.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |

| | |
|-------------|--|
| Software ID | {28B89EEF-1004-0000-5102-CF3F3A09B77D} |
|-------------|--|

ACAD Private

| Item | Value |
|--------------------|---|
| Name | ACAD Private |
| Vendor | Autodesk |
| Version | 22.0.49.0 |
| Product Language | English |
| Install Date | 20180816 |
| Install Location | C:\Program Files\Autodesk\AutoCAD 2018\ |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\x64\ACADPRIVATE\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {4DB592E8-D5B1-4025-A0ED-66C21519B900} |
| Package Name | AcadPrivate.msi |
| Local Package | C:\Windows\Installer\344e1b.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |

| | |
|------------------------|--|
| Executable Description | |
| Software ID | {28B89EEF-1001-0000-3102-CF3F3A09B77D} |

Adobe Reader XI (11.0.23) MUI

| Item | Value |
|--------------------|--|
| Name | Adobe Reader XI (11.0.23) MUI |
| Vendor | Adobe Systems Incorporated |
| Version | 11.0.23 |
| Product Language | Neutral |
| Install Date | 20171214 |
| Install Location | C:\Program Files (x86)\Adobe\Reader 11.0\Reader\ |
| Install Source | \ws46178\c\$\software\soft\Acrobat reader XI\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {1494870C-9912-4E7D-845D-0CB390B1FE8F} |
| Package Name | AcroRead.msi |
| Local Package | C:\Windows\Installer\1a7b8f.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |

| | |
|------------------------|--|
| Executable Version | |
| Executable Description | |
| Software ID | {AC76BA86-7AD7-FFFF-7B44-AB0000000001} |

Adobe Refresh Manager

| Item | Value |
|--------------------|---|
| Name | Adobe Refresh Manager |
| Vendor | Adobe Systems Incorporated |
| Version | 1.8.0 |
| Product Language | English |
| Install Date | 20210304 |
| Install Location | C:\Program Files (x86)\Common Files\Adobe\ARM\1.0\ |
| Install Source | C:\Program Files (x86)\Common Files\Adobe\ARM\1.0\Cache\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {5B555C9E-6840-4EB6-916B-D3D9BF3483D2} |
| Package Name | Arm_000182442176_203539587180649 73851626194734111432702.msi |
| Local Package | C:\Windows\Installer\148725.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |

| | |
|------------------------|--|
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {AC76BA86-0804-1033-1959-000182442176} |

Aplicaciones destacadas de Autodesk 2016-2018

| Item | Value |
|--------------------|---|
| Name | Aplicaciones destacadas de Autodesk 2016-2018 |
| Vendor | Autodesk |
| Version | 2.4.0 |
| Product Language | Spanish |
| Install Date | 20180816 |
| Install Location | C:\Program Files (x86)\Autodesk\ApplicationPlugins\ |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\x64\ACADExtApps\ |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |

| | |
|------------------------|--|
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {384C4B74-B749-4AB6-9367-4D51A6AA9CB8} |

AutoCAD 2018 - English

| Item | Value |
|--------------------|---|
| Name | AutoCAD 2018 - English |
| Vendor | Autodesk |
| Version | 22.0.49.0 |
| Product Language | English |
| Install Date | 20180816 |
| Install Location | C:\Program Files\Autodesk\AutoCAD 2018\ |
| Install Source | C:\Autodesk\AutoCAD_2018_English_LP_Win_64bit_dlm\AcadPS\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {67362691-3B38-4DBE-8787-E578C6B5D699} |
| Package Name | AcadPS.msi |
| Local Package | C:\Windows\Installer\344ec0.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |

| | |
|------------------------|--|
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {28B89EEF-1001-0409-2102-CF3F3A09B77D} |

AutoCAD 2018 - Español (Spanish)

| Item | Value |
|--------------------|---|
| Name | AutoCAD 2018 - Español (Spanish) |
| Vendor | Autodesk |
| Version | 22.0.49.0 |
| Product Language | Spanish |
| Install Date | 20180816 |
| Install Location | C:\Program Files\Autodesk\AutoCAD 2018\ |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\x64\es-es\acad\AcadPS\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {C35A7DF9-3D16-4E3E-BF37-2E4691336774} |
| Package Name | AcadPS.msi |
| Local Package | C:\Windows\Installer\344e2c.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |

| | |
|------------------------|--|
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {28B89EEF-1001-040A-2102-CF3F3A09B77D} |

AutoCAD 2018 Language Pack - Español (Spanish)

| Item | Value |
|------------------|---|
| Name | AutoCAD 2018 Language Pack - Español (Spanish) |
| Vendor | Autodesk |
| Version | 22.0.49.0 |
| Product Language | Spanish |
| Install Date | 20180816 |
| Install Location | C:\Program Files\Autodesk\AutoCAD 2018\ |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\x64\es-es\acad\AcadLP\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {E443672F-AB87-45B2-A2A0-A27A122C4E31} |
| Package Name | acadLP.msi |
| Local Package | C:\Windows\Installer\344e0c.msi |
| Product ID | |

| | |
|------------------------|--|
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {28B89EEF-1001-040A-1102-CF3F3A09B77D} |

AutoCAD 2018 Language Pack - English

| Item | Value |
|------------------|---|
| Name | AutoCAD 2018 Language Pack - English |
| Vendor | Autodesk |
| Version | 22.0.49.0 |
| Product Language | English |
| Install Date | 20180816 |
| Install Location | C:\Program Files\Autodesk\AutoCAD 2018\ |
| Install Source | C:\Autodesk\AutoCAD_2018_English_LP_Win_64bit_dlm\AcadLP\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {FD04F6E0-F771-4D64-8B78-ACC3067C8497} |
| Package Name | AcadLP.msi |
| Local Package | C:\Windows\Installer\344e6b.msi |

| | |
|------------------------|--|
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {28B89EEF-1001-0409-1102-CF3F3A09B77D} |

AutoCAD 2018

| Item | Value |
|------------------|--|
| Name | AutoCAD 2018 |
| Vendor | Autodesk |
| Version | 22.0.49.0 |
| Product Language | English |
| Install Date | 20180816 |
| Install Location | C:\Program Files\Autodesk\AutoCAD 2018\ |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish_Win_64bit_dlm\x64\acad\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {5FE9B62C-FD99-4A6B-A4F0-D92DAC39D5A3} |
| Package Name | acad.msi |

| | |
|------------------------|--|
| Local Package | C:\Windows\Installer\344e04.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {28B89EEF-1001-0000-0102-CF3F3A09B77D} |

Autodesk Advanced Material Library Image Library 2018

| Item | Value |
|------------------|--|
| Name | Autodesk Advanced Material Library Image Library 2018 |
| Vendor | Autodesk |
| Version | 16.11.1.0 |
| Product Language | English |
| Install Date | 20180816 |
| Install Location | |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\Content\ADSKMaterials\2018\AIL\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {06C72DE6-C23D-4072-B9D1-B5BFC653A712} |

| | |
|------------------------|--|
| Package Name | AdvancedImageLibrary2018.msi |
| Local Package | C:\Windows\Installer\344dfd.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {177AD7F6-9C77-4E50-BA53-B7259C5F282D} |

Autodesk App Manager 2016-2018

| Item | Value |
|------------------|---|
| Name | Autodesk App Manager 2016-2018 |
| Vendor | Autodesk |
| Version | 2.4.0 |
| Product Language | Spanish |
| Install Date | 20180816 |
| Install Location | C:\Program Files (x86)\Autodesk\ApplicationPlugins\ |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\x64\ACADExtApps\ |
| Install State | |
| Assignment Type | |

| | |
|------------------------|--|
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {20EC0CA2-346E-4660-9903-51B278DF15F6} |

Autodesk AutoCAD Performance Feedback Tool 1.2.8

| Item | Value |
|------------------|---|
| Name | Autodesk AutoCAD Performance Feedback Tool 1.2.8 |
| Vendor | Autodesk |
| Version | 1.2.8.0 |
| Product Language | English |
| Install Date | 20180816 |
| Install Location | |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\Tools\PerformanceTool\ |
| Install State | Installed |

| | |
|------------------------|--|
| Assignment Type | Per Machine |
| Package Code | {990F46EB-8B45-4346-A3BB-02B482D25AF4} |
| Package Name | AcPerfMon.msi |
| Local Package | C:\Windows\Installer\344e4c.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {214D3370-746E-4886-8EAA-5769EB87D044} |

Autodesk Desktop App

| Item | Value |
|------------------|--|
| Name | Autodesk Desktop App |
| Vendor | Autodesk |
| Version | 7.0.4.332 |
| Product Language | |
| Install Date | |
| Install Location | C:\Program Files (x86)\Autodesk\Autodesk Desktop App |
| Install Source | |

| | |
|------------------------|----------------------|
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | Autodesk Desktop App |

Autodesk License Service (x64) - 5.1.4

| Item | Value |
|------------------|--|
| Name | Autodesk License Service (x64) - 5.1.4 |
| Vendor | Autodesk |
| Version | 5.1.4.0 |
| Product Language | English |
| Install Date | 20180816 |
| Install Location | |

| | |
|------------------------|---|
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish_Win_64bit_dlm\x64\CLM\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {CD647FF9-B07F-4745-A6DB-84992037D809} |
| Package Name | CLIC_x64_release.msi |
| Local Package | C:\Windows\Installer\344e21.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {3609A8D9-FC0C-4C9B-9F58-0B1D1A4FE556} |

Autodesk Material Library 2018

| Item | Value |
|------------------|--------------------------------|
| Name | Autodesk Material Library 2018 |
| Vendor | Autodesk |
| Version | 16.11.1.0 |
| Product Language | English |
| Install Date | 20180816 |

| | |
|------------------------|---|
| Install Location | |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\Content\ADSKMaterials\2018\CM\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {4CD1DC5E-2B8B-4CB9-A1B3-656441C4C692} |
| Package Name | MaterialLibrary2018.msi |
| Local Package | C:\Windows\Installer\344def.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {7847611E-92E9-4917-B395-71C91D523104} |

Autodesk Material Library Base Resolution Image Library 2018

| Item | Value |
|------------------|--|
| Name | Autodesk Material Library Base Resolution Image Library 2018 |
| Vendor | Autodesk |
| Version | 16.11.1.0 |
| Product Language | English |

| | |
|------------------------|--|
| Install Date | 20180816 |
| Install Location | |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\Content\ADSKMaterials\2018\ILB\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {B29DE691-C0E3-416D-AC91-C19349DB2FE6} |
| Package Name | BaselImageLibrary2018.msi |
| Local Package | C:\Windows\Installer\344df6.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {FCDED119-A969-4E48-8A32-D21AD6B03253} |

Autodesk ReCap

| Item | Value |
|---------|----------------|
| Name | Autodesk ReCap |
| Vendor | Autodesk |
| Version | 4.0.0.28 |

| | |
|------------------------|--|
| Product Language | English |
| Install Date | 20180816 |
| Install Location | C:\Program Files\Autodesk\Autodesk ReCap\ |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\x64\RC2018\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {1D6C9B5A-4CED-46EE-ACD4-968B38028CD1} |
| Package Name | AutodeskReCap.msi |
| Local Package | C:\Windows\Installer\344e3a.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {6ED27C84-0000-1033-0102-D4DAE7C23C2} |

Brother MFL-Pro Suite DCP-8085DN

| Item | Value |
|--------|----------------------------------|
| Name | Brother MFL-Pro Suite DCP-8085DN |
| Vendor | Brother Industries, Ltd. |

| | |
|------------------------|---|
| Version | 1.0.5.0 |
| Product Language | Spanish |
| Install Date | 20190612 |
| Install Location | C:\Program Files (x86)\Brother\Brmf08i |
| Install Source | Y:\Sistemas\Drivers\Drivers varios\Impresoras\Brother\Brother 8085DN W7 64\mfipro\Data\Disk1\ |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {004B8D14-7E3A-490A-ABB3-753535E169E3} |

Compresor WinRAR

| Item | Value |
|------|------------------|
| Name | Compresor WinRAR |

| | |
|------------------------|-----------------|
| Vendor | |
| Version | |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | WinRAR archiver |

Configuration Manager Client

| Item | Value |
|------|-------|
| | |

| | |
|------------------------|---|
| Name | Configuration Manager Client |
| Vendor | Microsoft Corporation |
| Version | 5.00.8692.1000 |
| Product Language | English |
| Install Date | 20191001 |
| Install Location | |
| Install Source | C:\Windows\ccmsetup\{FA97697A-D4C1-4900-8F62-690808122A9C}\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {FA97697A-D4C1-4900-8F62-690808122A9C} |
| Package Name | client.msi |
| Local Package | C:\Windows\Installer\f0dd56.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {0203DB7A-DB5B-42A2-808C-66B980297314} |

Corel Shell Extension - 64Bit

| Item | Value |
|------------------------|---|
| Name | Corel Shell Extension - 64Bit |
| Vendor | Corel Corporation |
| Version | 14.0 |
| Product Language | English |
| Install Date | 20180326 |
| Install Location | c:\Program Files (x86)\Common Files\Corel\Shared\Shell Extension\ |
| Install Source | c:\program files (x86)\corel\coreldraw graphics suite x4\setup\cgs14\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {0CA6D208-0F51-4B7D-9A54-8F4B0EA46D78} |
| Package Name | 64BitKey.msi |
| Local Package | c:\Windows\Installer\54216.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {7F05E704-30A6-421A-97A7-8EEB1C7FF011} |

CorelDRAW Graphics Suite X4 - Capture

| Item | Value |
|------------------------|---|
| Name | CorelDRAW Graphics Suite X4 - Capture |
| Vendor | Corel Corporation |
| Version | 14.0 |
| Product Language | English |
| Install Date | 20180326 |
| Install Location | c:\Program Files (x86)\Corel\CorelDRAW Graphics Suite X4\ |
| Install Source | c:\program files (x86)\corel\coreldraw graphics suite x4\setup\cgs14\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {3E20B9ED-C73F-491A-9CE7-D054949E3643} |
| Package Name | Capture.msi |
| Local Package | c:\Windows\Installer\541c6.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |

| | |
|-------------|--|
| Software ID | {7F05E704-30A6-421A-97A7-8EEB1C7FF012} |
|-------------|--|

CorelDRAW Graphics Suite X4 - Content

| Item | Value |
|--------------------|---|
| Name | CorelDRAW Graphics Suite X4 - Content |
| Vendor | Corel Corporation |
| Version | 14.0 |
| Product Language | English |
| Install Date | 20180326 |
| Install Location | c:\Program Files (x86)\Corel\CorelDRAW Graphics Suite X4\ |
| Install Source | c:\program files (x86)\corel\coreldraw graphics suite x4\setup\cgs14\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {DB17C76A-3FC5-4C39-BC35-BC5C9C80E3A6} |
| Package Name | Content.msi |
| Local Package | c:\Windows\Installer\541de.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |

| | |
|------------------------|--|
| Executable Description | |
| Software ID | {7F05E704-30A6-421A-97A7-8EEB1C7FF016} |

CorelDRAW Graphics Suite X4 - Draw

| Item | Value |
|--------------------|---|
| Name | CorelDRAW Graphics Suite X4 - Draw |
| Vendor | Corel Corporation |
| Version | 14.0 |
| Product Language | English |
| Install Date | 20180326 |
| Install Location | c:\Program Files (x86)\Corel\CorelDRAW Graphics Suite X4\ |
| Install Source | c:\program files (x86)\corel\coreldraw graphics suite x4\setup\cgs14\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {B45437C9-6277-43F5-B6A3-1E5BD8C1564D} |
| Package Name | Draw.msi |
| Local Package | c:\Windows\Installer\541ce.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |

| | |
|------------------------|--|
| Executable Version | |
| Executable Description | |
| Software ID | {7F05E704-30A6-421A-97A7-8EEB1C7FF013} |

CorelDRAW Graphics Suite X4 - Filters

| Item | Value |
|--------------------|---|
| Name | CorelDRAW Graphics Suite X4 - Filters |
| Vendor | Corel Corporation |
| Version | 14.0 |
| Product Language | English |
| Install Date | 20180326 |
| Install Location | c:\Program Files (x86)\Corel\CorelDRAW Graphics Suite X4\ |
| Install Source | c:\program files (x86)\corel\coreldraw graphics suite x4\setup\cgs14\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {E9B86F1E-EE6D-465D-AE1D-F4242BE12765} |
| Package Name | Filters.msi |
| Local Package | c:\Windows\Installer\541e6.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |

| | |
|------------------------|--|
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {7F05E704-30A6-421A-97A7-8EEB1C7FF017} |

CorelDRAW Graphics Suite X4 - FontNav

| Item | Value |
|--------------------|---|
| Name | CorelDRAW Graphics Suite X4 - FontNav |
| Vendor | Corel Corporation |
| Version | 14.0 |
| Product Language | English |
| Install Date | 20180326 |
| Install Location | c:\Program Files (x86)\Corel\CorelDRAW Graphics Suite X4\ |
| Install Source | c:\program files (x86)\corel\coreldraw graphics suite x4\setup\cgs14\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {E17B9EBA-AB0E-4955-9667-D80B92B576E8} |
| Package Name | FontNav.msi |
| Local Package | c:\Windows\Installer\541fe.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |

| | |
|------------------------|--|
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {7F05E704-30A6-421A-97A7-8EEB1C7FF019} |

CorelDRAW Graphics SUite X4 - ICA

| Item | Value |
|------------------|--|
| Name | CorelDRAW Graphics SUite X4 - ICA |
| Vendor | Corel Corporation |
| Version | 14.0 |
| Product Language | English |
| Install Date | 20180326 |
| Install Location | c:\Program Files (x86)\Corel\CorelDRAW Graphics Suite X4\ |
| Install Source | c:\users\27181758835\appdata\local\temp\{154ce5b5-a81a-4cbc-bb69-36a9328644af}\{5a51c731-a877-4c6e-8d51-cd16cdc46c9b}\coreldraw graphics suite x4 setup files\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {F073C92C-249E-4F99-A603-3AE57FCB431E} |
| Package Name | ICA.msi |
| Local Package | c:\Windows\Installer\541be.msi |
| Product ID | |

| | |
|------------------------|--|
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {7F05E704-30A6-421A-97A7-8EEB1C7FF010} |

CorelDRAW Graphics Suite X4 - IPM

| Item | Value |
|------------------|---|
| Name | CorelDRAW Graphics Suite X4 - IPM |
| Vendor | Corel Corporation |
| Version | 14.0 |
| Product Language | English |
| Install Date | 20180326 |
| Install Location | c:\Program Files (x86)\Corel\CorelDRAW Graphics Suite X4\ |
| Install Source | c:\program files (x86)\corel\coreldraw graphics suite x4\setup\cgs14\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {7440A1D0-B525-4F3D-AC08-8C03473ADCDC} |
| Package Name | IPM.msi |
| Local Package | c:\Windows\Installer\541f6.msi |

| | |
|------------------------|--|
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {9D0798D0-AF6C-4E62-94B1-AEBF1A43E00A} |

CorelDRAW Graphics Suite X4 - Lang ES

| Item | Value |
|------------------|---|
| Name | CorelDRAW Graphics Suite X4 - Lang ES |
| Vendor | Corel Corporation |
| Version | 14.0 |
| Product Language | Spanish |
| Install Date | 20180326 |
| Install Location | c:\Program Files (x86)\Corel\CorelDRAW Graphics Suite X4\ |
| Install Source | c:\program files (x86)\corel\coreldraw graphics suite x4\setup\cgs14\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {2826C7F3-6E5D-4A94-B82B-E427A2A46CD9} |
| Package Name | ES.msi |

| | |
|------------------------|--|
| Local Package | c:\Windows\Installer\541ee.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {D2827848-7D2A-4547-9AD1-C965FB3E6344} |

CorelDRAW Graphics Suite X4 - PP

| Item | Value |
|------------------|---|
| Name | CorelDRAW Graphics Suite X4 - PP |
| Vendor | Corel Corporation |
| Version | 14.0 |
| Product Language | English |
| Install Date | 20180326 |
| Install Location | c:\Program Files (x86)\Corel\CorelDRAW Graphics Suite X4\ |
| Install Source | c:\program files (x86)\corel\coreldraw graphics suite x4\setup\cgs14\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {2134CC51-6B6D-47E8-B49B-56541CDF6490} |

| | |
|------------------------|--|
| Package Name | PP.msi |
| Local Package | c:\Windows\Installer\541d6.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {7F05E704-30A6-421A-97A7-8EEB1C7FF014} |

CorelDRAW Graphics Suite X4 - VBA

| Item | Value |
|------------------|---|
| Name | CorelDRAW Graphics Suite X4 - VBA |
| Vendor | Corel Corporation |
| Version | 14.0 |
| Product Language | English |
| Install Date | 20180326 |
| Install Location | c:\Program Files (x86)\Corel\CorelDRAW Graphics Suite X4\ |
| Install Source | c:\program files (x86)\corel\coreldraw graphics suite x4\setup\cgs14\ |
| Install State | Installed |
| Assignment Type | Per Machine |

| | |
|------------------------|--|
| Package Code | {30DA29B2-D2D0-4FD7-9CE6-4CCD938586FF} |
| Package Name | VBA.msi |
| Local Package | c:\Windows\Installer\54206.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {BF439B41-0252-48DE-8B8B-0430CB26A181} |

CorelDRAW Graphics Suite X4

| Item | Value |
|------------------|---|
| Name | CorelDRAW Graphics Suite X4 |
| Vendor | Corel Corporation |
| Version | 14.0 |
| Product Language | English |
| Install Date | 20180326 |
| Install Location | c:\Program Files (x86)\Corel\CorelDRAW Graphics Suite X4\ |
| Install Source | c:\program files (x86)\corel\coreldraw graphics suite x4\setup\cgs14\ |
| Install State | Installed |

| | |
|------------------------|--|
| Assignment Type | Per Machine |
| Package Code | {9CA32548-1C49-454E-A652-0438CC5DDB95} |
| Package Name | Setup.msi |
| Local Package | c:\Windows\Installer\541b6.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {44A27085-0616-4181-A0C3-81C7ECA17F73} |

CorelDRAW(R) Graphics Suite X4 - Windows Shell Extension

| Item | Value |
|------------------|---|
| Name | CorelDRAW(R) Graphics Suite X4 - Windows Shell Extension |
| Vendor | Corel Corporation |
| Version | 1.0 |
| Product Language | English |
| Install Date | 20180326 |
| Install Location | c:\Program Files (x86)\Common Files\Corel\Shared\Shell Extension\ |

| | |
|------------------------|---|
| Install Source | c:\program files (x86)\corel\coreldraw graphics suite x4\setup\cgs14\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {207D98BF-A050-4CD2-A86A-A6B0D9C0D36F} |
| Package Name | ShellExt.msi |
| Local Package | c:\Windows\Installer\5420e.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {CE2DA11A-917F-4CF5-AB55-755EC115DD10} |

CorelDRAW(R) Graphics Suite X4

| Item | Value |
|------------------|--------------------------------|
| Name | CorelDRAW(R) Graphics Suite X4 |
| Vendor | Corel Corporation |
| Version | |
| Product Language | |
| Install Date | |

| | |
|------------------------|---|
| Install Location | c:\Program Files (x86)\Corel\CorelDRAW Graphics Suite X4\ |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | _7F05E704-30A6-421A-97A7-8EEB1C7FF010} |

Eines de correcció del Microsoft Office 2013: català

| Item | Value |
|------------------|--|
| Name | Eines de correcció del Microsoft Office 2013: català |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Catalan |

| | |
|------------------------|---|
| Install Date | 20160614 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-002C-0C0A-1000-000000FF1CE}-C\Proof.ca\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {9D493041-6F0F-4F9B-A006-11B041FB8DDE} |
| Package Name | Proof.msi |
| Local Package | C:\Windows\Installer\176466.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-001F-0403-1000-0000000FF1CE} |

FARO LS 1.1.406.58

| Item | Value |
|---------|-------------------------|
| Name | FARO LS 1.1.406.58 |
| Vendor | FARO Scanner Production |
| Version | 4.6.58.2 |

| | |
|------------------------|---|
| Product Language | English |
| Install Date | 20170907 |
| Install Location | |
| Install Source | D:\AUTOCAD 2012 64 bits\3rdParty\FaroSDK\ |
| Install State | Installed |
| Assignment Type | Per User |
| Package Code | {DA86A7C6-6959-4FFD-BC40-21BBA2552254} |
| Package Name | faro_ls.msi |
| Local Package | C:\Windows\Installer\7042e.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {951B0F30-9F1A-4BF6-B3DA-99EB0E917B1C} |

FARO LS 1.1.600.6 (64bit)

| Item | Value |
|--------|---------------------------|
| Name | FARO LS 1.1.600.6 (64bit) |
| Vendor | FARO Scanner Production |

| | |
|------------------------|--|
| Version | 6.0.6.5 |
| Product Language | English |
| Install Date | 20180816 |
| Install Location | |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\3rdParty\x64\FaroSDK\ |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {510A08AF-1649-4844-94E5-EAC43A023685} |

Ferramentas de verificación de Microsoft Office 2013 - Galego

| Item | Value |
|------|---|
| Name | Ferramentas de verificación de Microsoft Office 2013 - Galego |

| | |
|------------------------|---|
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Galician |
| Install Date | 20160614 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-002C-0C0A-1000-000000FF1CE}-C\Proof.gl\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {AD05E4CC-EF16-4663-AAAF-9E2AEE4E7217} |
| Package Name | Proof.msi |
| Local Package | C:\Windows\Installer\17645a.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-001F-0456-1000-0000000FF1CE} |

FortiClient

| Item | Value |
|------|-------|
|------|-------|

| | |
|------------------------|--|
| Name | FortiClient |
| Vendor | Fortinet Technologies Inc |
| Version | 6.0.9.0277 |
| Product Language | English |
| Install Date | 20210407 |
| Install Location | C:\Program Files\Fortinet\FortiClient\ |
| Install Source | C:\ProgramData\Applications\Cache\{6C0A3C5E-7725-49D8-A016-B3ADCACF61C2}\6.0.9.0277\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {35BD9E63-251E-4864-9DB3-9D34551E42CE} |
| Package Name | FortiClient.msi |
| Local Package | C:\Windows\Installer\1fbee.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {6C0A3C5E-7725-49D8-A016-B3ADCACF61C2} |



Google Chrome

| Item | Value |
|------------------------|--|
| Name | Google Chrome |
| Vendor | Google LLC |
| Version | 91.0.4472.124 |
| Product Language | |
| Install Date | 20210707 |
| Install Location | C:\Program Files (x86)\Google\Chrome\Application |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | Google Chrome |

Google Update Helper

| Item | Value |
|------------------------|---|
| Name | Google Update Helper |
| Vendor | Google Inc. |
| Version | 1.3.24.15 |
| Product Language | English |
| Install Date | 20140704 |
| Install Location | |
| Install Source | C:\Program Files (x86)\Google\Update\1.3.24.15\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {ADDF4EFC-316E-4840-8E96-5CE4F2C538CE} |
| Package Name | GoogleUpdateHelper.msi |
| Local Package | C:\Windows\Installer\15b957.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {A92DAB39-4E2C-4304-9AB6-BC44E68B55E2} |

Intel(R) Management Engine Components

| Item | Value |
|------------------------|---|
| Name | Intel(R) Management Engine Components |
| Vendor | Intel Corporation |
| Version | 1.0.0.0 |
| Product Language | English |
| Install Date | 20150511 |
| Install Location | |
| Install Source | C:\Users\ADMINI~1\AppData\Local\Temp\IIF20EA.tmp\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {FEA1B36F-E7EA-4D97-AB0F-D049F536ADA5} |
| Package Name | ME_App_x64.msi |
| Local Package | C:\Windows\Installer\179c8e.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |

| | |
|-------------|--|
| Software ID | {71E896B1-C4E0-4FF5-A09B-974CF9298962} |
|-------------|--|

Intel(R) Management Engine Components

| Item | Value |
|--------------------|---|
| Name | Intel(R) Management Engine Components |
| Vendor | Intel Corporation |
| Version | 10.0.27.1012 |
| Product Language | English |
| Install Date | 20150511 |
| Install Location | |
| Install Source | C:\Users\ADMINI~1\AppData\Local\Temp\IIF20EA.tmp\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {E8BD50A5-417C-4ACF-90E0-FC4E15BB86A9} |
| Package Name | ME_MEI_Drivers_x64.msi |
| Local Package | C:\Windows\Installer\179c88.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |

| | |
|------------------------|--|
| Executable Description | |
| Software ID | {400C8731-632F-496B-ACDC-2F1FD98689FE} |

Intel(R) ME UninstallLegacy

| Item | Value |
|--------------------|---|
| Name | Intel(R) ME UninstallLegacy |
| Vendor | Intel Corporation |
| Version | 1.0.1.0 |
| Product Language | English |
| Install Date | 20150511 |
| Install Location | C:\Program Files (x86)\Intel\Intel(R) Management Engine Components\ |
| Install Source | C:\Users\ADMINI~1\AppData\Local\Temp\IIF20EA.tmp\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {10369D5A-F995-43AC-9582-A12E8E1A39D6} |
| Package Name | ME_UnLegacy_x64.msi |
| Local Package | C:\Windows\Installer\179c82.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |

| | |
|------------------------|--|
| Executable Version | |
| Executable Description | |
| Software ID | {C9A90201-B2DE-44D0-A618-EF8C9060D318} |

Intel(R) Processor Graphics

| Item | Value |
|--------------------|--|
| Name | Intel(R) Processor Graphics |
| Vendor | Intel Corporation |
| Version | 9.17.10.4229 |
| Product Language | |
| Install Date | |
| Install Location | C:\Program Files (x86)\Intel\Intel(R) Processor Graphics |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |

| | |
|------------------------|--|
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {F0E3AD40-2BBD-4360-9C76-B9AC9A5886EA} |

Intel(R) USB 3.0 eXtensible Host Controller Driver

| Item | Value |
|--------------------|---|
| Name | Intel(R) USB 3.0 eXtensible Host Controller Driver |
| Vendor | Intel Corporation |
| Version | 2.5.0.19 |
| Product Language | |
| Install Date | |
| Install Location | C:\Program Files (x86)\Intel\Intel(R) USB 3.0 eXtensible Host Controller Driver |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |

| | |
|------------------------|--|
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {240C3DDD-C5E9-4029-9DF7-95650D040CF2} |

Intel® Trusted Connect Service Client

| Item | Value |
|--------------------|---|
| Name | Intel® Trusted Connect Service Client |
| Vendor | Intel Corporation |
| Version | 1.35.133.1 |
| Product Language | English |
| Install Date | 20150511 |
| Install Location | |
| Install Source | C:\Users\ADMINI~1\AppData\Local\Temp\IIF20EA.tmp\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {3071CC94-5ED5-44AC-8922-C7C1371D77F4} |
| Package Name | iclsClientInstaller_x64.msi |
| Local Package | C:\Windows\Installer\179c94.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |

| | |
|------------------------|--|
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {1B444AF9-1DBE-4884-8F35-969BEFCF69A8} |

Lotus Notes 8.5.2

| Item | Value |
|--------------------|--|
| Name | Lotus Notes 8.5.2 |
| Vendor | IBM |
| Version | 8.52.10222 |
| Product Language | Neutral |
| Install Date | 20140704 |
| Install Location | |
| Install Source | z:\soft\inst\lotus notes\lotus 8.5\instalador cliente 8\lotus notes\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {2ED2530E-EA19-48BA-99F8-131DB81F61AD} |
| Package Name | Lotus Notes 8.5.2.msi |
| Local Package | C:\Windows\Installer\5af9d.msi |
| Product ID | |
| Registered Company | |

| | |
|------------------------|--|
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {E11DFB27-BAF4-46D6-AD76-D5519C0E6786} |

Microsoft .NET Framework 4.6.1 (ESN)

| Item | Value |
|------------------|--|
| Name | Microsoft .NET Framework 4.6.1 (ESN) |
| Vendor | Microsoft Corporation |
| Version | 4.6.01055 |
| Product Language | Spanish |
| Install Date | 20160518 |
| Install Location | |
| Install Source | C:\61b14059c1441b804c3e\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {33CB9C00-5B60-4DD9-87C3-D7625A350DC9} |
| Package Name | netfx_FullLP_x64.msi |
| Local Package | C:\Windows\Installer\1113fb.msi |
| Product ID | |

| | |
|------------------------|--|
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {CA19F6B7-937B-30FF-A2D6-D796C5DDA9A7} |

Microsoft .NET Framework 4.6.1

| Item | Value |
|------------------|--|
| Name | Microsoft .NET Framework 4.6.1 |
| Vendor | Microsoft Corporation |
| Version | 4.6.01055 |
| Product Language | Neutral |
| Install Date | 20191008 |
| Install Location | |
| Install Source | C:\d94d0f64acdab9a5b32e\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {2E7EA2B1-3747-45CC-90EB-C06BF12F6C46} |
| Package Name | netfx_Full_x64.msi |
| Local Package | C:\Windows\Installer\69353.msi |

| | |
|------------------------|--|
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {BD6F5371-DAC1-30F0-9DDE-CAC6791E28C3} |

Microsoft Access MUI (Spanish) 2013

| Item | Value |
|------------------|--|
| Name | Microsoft Access MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20160614 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-0015-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {177DA5EF-EB52-4120-B848-B62BF17B781D} |
| Package Name | AccessMUI.msi |

| | |
|------------------------|--|
| Local Package | C:\Windows\Installer\17641c.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-0015-0C0A-1000-0000000FF1CE} |

Microsoft DCF MUI (Spanish) 2013

| Item | Value |
|------------------|---|
| Name | Microsoft DCF MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20160614 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-0090-0C0A-1000-0000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {1BFC5CFC-1D7C-4D27-9157-77F4F0EB9B5E} |

| | |
|------------------------|--|
| Package Name | DCFMUI.msi |
| Local Package | C:\Windows\Installer\17643a.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-0090-0C0A-1000-0000000FF1CE} |

Microsoft Excel MUI (Spanish) 2013

| Item | Value |
|------------------|---|
| Name | Microsoft Excel MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20160614 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-0016-0C0A-1000-0000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |

| | |
|------------------------|--|
| Package Code | {F37FE962-7F81-43C1-8806-CC497E612B7A} |
| Package Name | ExcelMUI.msi |
| Local Package | C:\Windows\Installer\176448.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-0016-0C0A-1000-0000000FF1CE} |

Microsoft Groove MUI (Spanish) 2013

| Item | Value |
|------------------|---|
| Name | Microsoft Groove MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20160614 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-00BA-0C0A-1000-0000000FF1CE}-C\ |
| Install State | Installed |

| | |
|------------------------|--|
| Assignment Type | Per Machine |
| Package Code | {6960F7D8-41F8-4497-B020-61422FBE41C3} |
| Package Name | GrooveMUI.msi |
| Local Package | C:\Windows\Installer\176454.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-00BA-0C0A-1000-0000000FF1CE} |

Microsoft InfoPath MUI (Spanish) 2013

| Item | Value |
|------------------|--|
| Name | Microsoft InfoPath MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20160614 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-0044-0C0A-1000-000000FF1CE}-C\ |

| | |
|------------------------|--|
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {F03B257F-FF94-457C-979E-908B58FD2A7B} |
| Package Name | InfoPathMUI.msi |
| Local Package | C:\Windows\Installer\176422.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-0044-0C0A-1000-0000000FF1CE} |

Microsoft Lync MUI (Spanish) 2013

| Item | Value |
|------------------|------------------------------------|
| Name | Microsoft Lync MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20160614 |
| Install Location | C:\Program Files\Microsoft Office\ |

| | |
|------------------------|--|
| Install Source | C:\MSOCache\All Users\{90150000-012B-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {9C7DFE7A-1B91-493D-A854-641E30097AF2} |
| Package Name | LyncMUI.msi |
| Local Package | C:\Windows\Installer\17642e.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-012B-0C0A-1000-0000000FF1CE} |

Microsoft Office 32-bit Components 2013

| Item | Value |
|------------------|---|
| Name | Microsoft Office 32-bit Components 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Neutral |
| Install Date | 20160614 |

| | |
|------------------------|--|
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-0011-0000-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {F4DF0CDD-D36F-409F-9C65-328B797BE617} |
| Package Name | Office32WW.msi |
| Local Package | C:\Windows\Installer\1764c2.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-00C1-0000-1000-0000000FF1CE} |

Microsoft Office OSM MUI (Spanish) 2013

| Item | Value |
|------------------|---|
| Name | Microsoft Office OSM MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |

| | |
|------------------------|--|
| Install Date | 20160614 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-00E1-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {AE378228-DA40-4437-8360-E67E892E63AD} |
| Package Name | OSMMUI.msi |
| Local Package | C:\Windows\Installer\17648c.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-00E1-0C0A-1000-0000000FF1CE} |

Microsoft Office OSM UX MUI (Spanish) 2013

| Item | Value |
|---------|--|
| Name | Microsoft Office OSM UX MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |

| | |
|------------------------|--|
| Product Language | Spanish |
| Install Date | 20160614 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-00E2-0C0A-1000-000000FF1CE}\C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {86687012-CE89-4C2B-99EB-376675BBD977} |
| Package Name | OSMUXMUI.msi |
| Local Package | C:\Windows\Installer\176492.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-00E2-0C0A-1000-0000000FF1CE} |

Microsoft Office Professional Plus 2013

| Item | Value |
|--------|---|
| Name | Microsoft Office Professional Plus 2013 |
| Vendor | Microsoft Corporation |

| | |
|------------------------|--|
| Version | 15.0.4569.1506 |
| Product Language | Neutral |
| Install Date | 20160614 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-0011-0000-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {E4B1E9CA-45CB-4A71-8221-FFA8794676C0} |
| Package Name | ProPlusWW.msi |
| Local Package | C:\Windows\Installer\177131.msi |
| Product ID | 00216-40000-00000-AA554 |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-0011-0000-1000-0000000FF1CE} |

Microsoft Office Proofing (Spanish) 2013

| Item | Value |
|------|--|
| Name | Microsoft Office Proofing (Spanish) 2013 |

| | |
|------------------------|--|
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20160614 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-002C-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {17D57BF2-B437-4F9A-A9DF-B1175EC62BCE} |
| Package Name | Proofing.msi |
| Local Package | C:\Windows\Installer\176486.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-002C-0C0A-1000-0000000FF1CE} |

Microsoft Office Proofing Tools 2013 - English

| Item | Value |
|------|-------|
|------|-------|

| | |
|------------------------|---|
| Name | Microsoft Office Proofing Tools 2013 - English |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | English |
| Install Date | 20160614 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-002C-0C0A-1000-000000FF1CE}-C\Proof.en\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {1BC161FB-DBD9-42FF-AF7E-7BA518895323} |
| Package Name | Proof.msi |
| Local Package | C:\Windows\Installer\176480.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-001F-0409-1000-0000000FF1CE} |

Microsoft Office Proofing Tools 2013 - Español

| Item | Value |
|------------------------|---|
| Name | Microsoft Office Proofing Tools 2013 - Español |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20160614 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-002C-0C0A-1000-000000FF1CE}-C\Proof.es\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {11B59E8E-CC80-4E71-97AD-D8F11B717C8D} |
| Package Name | Proof.msi |
| Local Package | C:\Windows\Installer\176473.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-001F-0C0A-1000-0000000FF1CE} |

Microsoft Office Shared 32-bit MUI (Spanish) 2013

| Item | Value |
|------------------------|--|
| Name | Microsoft Office Shared 32-bit MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20160614 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-00C1-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {A596CD35-0995-4CED-A986-B02B08CB4F81} |
| Package Name | Office32MUI.msi |
| Local Package | C:\Windows\Installer\176428.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-00C1-0C0A-1000-0000000FF1CE} |

Microsoft Office Shared MUI (Spanish) 2013

| Item | Value |
|------------------------|--|
| Name | Microsoft Office Shared MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20160614 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-006E-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {5C0A1C70-66CD-441E-9898-7C5F86B08CE2} |
| Package Name | OfficeMUI.msi |
| Local Package | C:\Windows\Installer\1763fe.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |

| | |
|-------------|--|
| Software ID | {90150000-006E-0C0A-1000-0000000FF1CE} |
|-------------|--|

Microsoft Office zuzenketa-tresnak 2013 - Euskara

| Item | Value |
|--------------------|---|
| Name | Microsoft Office zuzenketa-tresnak 2013 - Euskara |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Basque |
| Install Date | 20160614 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-002C-0C0A-1000-000000FF1CE}-C\Proof.eu\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {7F739607-9AC6-439A-9ECB-BBCF450A3EA0} |
| Package Name | Proof.msi |
| Local Package | C:\Windows\Installer\176460.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |

| | |
|------------------------|--|
| Executable Description | |
| Software ID | {90150000-001F-042D-1000-0000000FF1CE} |

Microsoft OneNote MUI (Spanish) 2013

| Item | Value |
|--------------------|--|
| Name | Microsoft OneNote MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20160614 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-00A1-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {805289D6-AFB2-4577-8ED9-F2F1DEAE0DB6} |
| Package Name | OneNoteMUI.msi |
| Local Package | C:\Windows\Installer\17644e.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |

| | |
|------------------------|--|
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-00A1-0C0A-1000-0000000FF1CE} |

Microsoft Outlook MUI (Spanish) 2013

| Item | Value |
|--------------------|---|
| Name | Microsoft Outlook MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20160614 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-001A-0C0A-1000-0000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {FD0662CF-53D3-41A2-B091-586F437E65D4} |
| Package Name | OutlookMUI.msi |
| Local Package | C:\Windows\Installer\176499.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |

| | |
|------------------------|--|
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-001A-0C0A-1000-0000000FF1CE} |

Microsoft Policy Platform

| Item | Value |
|--------------------|--|
| Name | Microsoft Policy Platform |
| Vendor | Microsoft Corporation |
| Version | 68.1.1010.0 |
| Product Language | English |
| Install Date | 20180727 |
| Install Location | |
| Install Source | C:\Windows\ccmsetup\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {DD924E8D-215C-4DDE-A661-E88575B134B7} |
| Package Name | MicrosoftPolicyPlatformSetup.msi |
| Local Package | C:\Windows\Installer\2dcf2f.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |

| | |
|------------------------|--|
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {6549B04F-E826-4E0A-8C3F-388540F08541} |

Microsoft PowerPoint MUI (Spanish) 2013

| Item | Value |
|--------------------|---|
| Name | Microsoft PowerPoint MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20160614 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-0018-0C0A-1000-00000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {AFCB3DE3-9399-421F-9BEB-A6EA8F27C452} |
| Package Name | PowerPointMUI.msi |
| Local Package | C:\Windows\Installer\1764a7.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |

| | |
|------------------------|--|
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-0018-0C0A-1000-0000000FF1CE} |

Microsoft Publisher MUI (Spanish) 2013

| Item | Value |
|--------------------|---|
| Name | Microsoft Publisher MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20160614 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-0019-0C0A-1000-0000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {EE455AC3-0731-43FD-9DAE-0346B3D20327} |
| Package Name | PublisherMUI.msi |
| Local Package | C:\Windows\Installer\176434.msi |
| Product ID | |
| Registered Company | |

| | |
|------------------------|--|
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-0019-0C0A-1000-0000000FF1CE} |

Microsoft Silverlight

| Item | Value |
|------------------|---|
| Name | Microsoft Silverlight |
| Vendor | Microsoft Corporation |
| Version | 5.1.50907.0 |
| Product Language | English |
| Install Date | 20180727 |
| Install Location | c:\Program Files (x86)\Microsoft Silverlight\ |
| Install Source | c:\464f52c6d20eadf39e007c67fc6cd3\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {8DD7B23F-7639-46ED-9AE2-87B9B8DDA902} |
| Package Name | silverlight.msi |
| Local Package | c:\Windows\Installer\2dcf35.msi |
| Product ID | |

| | |
|------------------------|--|
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {89F4137D-6C26-4A84-BDB8-2E5A4BB71E00} |

Microsoft Visual C++ 2005 Redistributable (x64)

| Item | Value |
|------------------|--|
| Name | Microsoft Visual C++ 2005 Redistributable (x64) |
| Vendor | Microsoft Corporation |
| Version | 8.0.56336 |
| Product Language | Neutral |
| Install Date | 20150519 |
| Install Location | |
| Install Source | C:\Users\202843~1\AppData\Local\Temp\IXP001.TMP\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {4C4724ED-EE14-4DB6-B996-8F3E8FBA675C} |
| Package Name | vcredist.msi |
| Local Package | C:\Windows\Installer\1a7b8a.msi |

| | |
|------------------------|--|
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {071c9b48-7c32-4621-a0ac-3f809523288f} |

Microsoft Visual C++ 2005 Redistributable

| Item | Value |
|------------------|--|
| Name | Microsoft Visual C++ 2005 Redistributable |
| Vendor | Microsoft Corporation |
| Version | 8.0.56336 |
| Product Language | Neutral |
| Install Date | 20170907 |
| Install Location | |
| Install Source | C:\Users\201417~1\AppData\Local\Temp\IXP000.TMP\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {675C0FCE-58D9-435D-9AD8-ACDCB5808A3A} |
| Package Name | vcredist.msi |

| | |
|------------------------|--|
| Local Package | C:\Windows\Installer\70440.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {7299052b-02a4-4627-81f2-1818da5d550d} |

Microsoft Visual C++ 2008 Redistributable - x64 9.0.30729.4148

| Item | Value |
|------------------|--|
| Name | Microsoft Visual C++ 2008 Redistributable - x64 9.0.30729.4148 |
| Vendor | Microsoft Corporation |
| Version | 9.0.30729.4148 |
| Product Language | English |
| Install Date | 20170907 |
| Install Location | |
| Install Source | C:\295fef54e7201471f8cd\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {40AA714A-18B8-472E-AC39-6EB27EC4B5A0} |

| | |
|------------------------|--|
| Package Name | vc_red.msi |
| Local Package | C:\Windows\Installer\70428.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {4B6C7001-C7D6-3710-913E-5BC23FCE91E6} |

Microsoft Visual C++ 2008 Redistributable - x86 9.0.30729.4148

| Item | Value |
|------------------|--|
| Name | Microsoft Visual C++ 2008 Redistributable - x86 9.0.30729.4148 |
| Vendor | Microsoft Corporation |
| Version | 9.0.30729.4148 |
| Product Language | English |
| Install Date | 20170907 |
| Install Location | |
| Install Source | C:\7a70e8a21d7137c72280cd\ |
| Install State | Installed |
| Assignment Type | Per Machine |

| | |
|------------------------|--|
| Package Code | {B870907F-D8C0-4418-816F-4D2873511B28} |
| Package Name | vc_red.msi |
| Local Package | C:\Windows\Installer\70422.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {1F1C2DFC-2D24-3E06-BCB8-725134ADF989} |

Microsoft Visual C++ 2010 x64 Redistributable - 10.0.40219

| Item | Value |
|------------------|--|
| Name | Microsoft Visual C++ 2010 x64 Redistributable - 10.0.40219 |
| Vendor | Microsoft Corporation |
| Version | 10.0.40219 |
| Product Language | Neutral |
| Install Date | 20180816 |
| Install Location | |
| Install Source | c:\da36c8ffbcf5e0ab3cf439\ |
| Install State | Installed |

| | |
|------------------------|--|
| Assignment Type | Per Machine |
| Package Code | {80902F2D-E1EF-43CA-B366-74496197E004} |
| Package Name | vc_red.msi |
| Local Package | c:\Windows\Installer\342254.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {1D8E6291-B0D5-35EC-8441-6616F567A0F7} |

Microsoft Visual C++ 2010 x86 Redistributable - 10.0.40219

| Item | Value |
|------------------|--|
| Name | Microsoft Visual C++ 2010 x86 Redistributable - 10.0.40219 |
| Vendor | Microsoft Corporation |
| Version | 10.0.40219 |
| Product Language | Neutral |
| Install Date | 20180816 |
| Install Location | |
| Install Source | c:\bf7a499261b59451a27f0632aac601b1\ |

| | |
|------------------------|--|
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {461C455E-DA40-49B3-871B-14308CC7CEFF} |
| Package Name | vc_red.msi |
| Local Package | c:\Windows\Installer\33f5f8.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {F0C3E5D1-1ADE-321E-8167-68EF0DE699A5} |

Microsoft Visual C++ 2012 Redistributable (x64) - 11.0.61030

| Item | Value |
|------------------|--|
| Name | Microsoft Visual C++ 2012 Redistributable (x64) - 11.0.61030 |
| Vendor | Microsoft Corporation |
| Version | 11.0.61030.0 |
| Product Language | |
| Install Date | |
| Install Location | |

| | |
|------------------------|--|
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {ca67548a-5ebe-413a-b50c-4b9ceb6d66c6} |

Microsoft Visual C++ 2012 Redistributable (x86) - 11.0.61030

| Item | Value |
|------------------|--|
| Name | Microsoft Visual C++ 2012 Redistributable (x86) - 11.0.61030 |
| Vendor | Microsoft Corporation |
| Version | 11.0.61030.0 |
| Product Language | |
| Install Date | |

| | |
|------------------------|--|
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {33d1fd90-4274-48a1-9bc1-97e33d9c2d6f} |

Microsoft Visual C++ 2012 x64 Additional Runtime - 11.0.61030

| Item | Value |
|------------------|---|
| Name | Microsoft Visual C++ 2012 x64 Additional Runtime - 11.0.61030 |
| Vendor | Microsoft Corporation |
| Version | 11.0.61030 |
| Product Language | English |

| | |
|------------------------|---|
| Install Date | 20180816 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{37B8F9C7-03FB-3253-8781-2517C99D7C00}\v11.0.61030\packages\vcRuntimeAdditional_amd64\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {DD6B6D0F-6159-4613-9EEC-504FD63398BC} |
| Package Name | vc_runtimeAdditional_x64.msi |
| Local Package | C:\Windows\Installer\344ddd.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {37B8F9C7-03FB-3253-8781-2517C99D7C00} |

Microsoft Visual C++ 2012 x64 Minimum Runtime - 11.0.61030

| Item | Value |
|--------|--|
| Name | Microsoft Visual C++ 2012 x64 Minimum Runtime - 11.0.61030 |
| Vendor | Microsoft Corporation |

| | |
|------------------------|---|
| Version | 11.0.61030 |
| Product Language | English |
| Install Date | 20180816 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{CF2BEA3C-26EA-32F8-AA9B-31F7E34BA97}\v11.0.61030\packages\vcRuntimeMinimum_amd64\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {5C1BCEFD-6479-404B-9035-A3EE75095F6A} |
| Package Name | vc_runtimeMinimum_x64.msi |
| Local Package | C:\Windows\Installer\344dd7.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {CF2BEA3C-26EA-32F8-AA9B-31F7E34BA97} |



Microsoft Visual C++ 2012 x86 Additional Runtime - 11.0.61030

| Item | Value |
|------------------------|---|
| Name | Microsoft Visual C++ 2012 x86 Additional Runtime - 11.0.61030 |
| Vendor | Microsoft Corporation |
| Version | 11.0.61030 |
| Product Language | English |
| Install Date | 20180816 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{B175520C-86A2-35A7-8619-86DC379688B9}\v11.0.61030\packages\vcRuntimeAdditional_x86\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {4A44C12C-61E5-4883-A3D5-CB1B89DC2074} |
| Package Name | vc_runtimeAdditional_x86.msi |
| Local Package | C:\Windows\Installer\344dcd.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {B175520C-86A2-35A7-8619-86DC379688B9} |

Microsoft Visual C++ 2012 x86 Minimum Runtime - 11.0.61030

| Item | Value |
|------------------------|--|
| Name | Microsoft Visual C++ 2012 x86 Minimum Runtime - 11.0.61030 |
| Vendor | Microsoft Corporation |
| Version | 11.0.61030 |
| Product Language | English |
| Install Date | 20180816 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{BD95A8CD-1D9F-35AD-981A-3E7925026EBB}\v11.0.61030\packages\vcRuntimeMinimum_x86\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {13B38BE3-59B9-463F-B577-B3FE71A3AD3A} |
| Package Name | vc_runtimeMinimum_x86.msi |
| Local Package | C:\Windows\Installer\344dc7.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |

| | |
|-------------|--|
| Software ID | {BD95A8CD-1D9F-35AD-981A-3E7925026EBB} |
|-------------|--|

Microsoft Visual C++ 2013 Redistributable (x64) - 12.0.40660

| Item | Value |
|--------------------|--|
| Name | Microsoft Visual C++ 2013 Redistributable (x64) - 12.0.40660 |
| Vendor | Microsoft Corporation |
| Version | 12.0.40660.0 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |

| | |
|------------------------|--|
| Executable Description | |
| Software ID | {ef6b00ec-13e1-4c25-9064-b2f383cb8412} |

Microsoft Visual C++ 2013 Redistributable (x86) - 12.0.40660

| Item | Value |
|--------------------|--|
| Name | Microsoft Visual C++ 2013 Redistributable (x86) - 12.0.40660 |
| Vendor | Microsoft Corporation |
| Version | 12.0.40660.0 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |

| | |
|------------------------|--|
| Executable Version | |
| Executable Description | |
| Software ID | {61087a79-ac85-455c-934d-1fa22cc64f36} |

Microsoft Visual C++ 2013 x64 Additional Runtime - 12.0.40660

| Item | Value |
|--------------------|---|
| Name | Microsoft Visual C++ 2013 x64 Additional Runtime - 12.0.40660 |
| Vendor | Microsoft Corporation |
| Version | 12.0.40660 |
| Product Language | English |
| Install Date | 20180727 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{5740BD44-B58D-321A-AFC0-6D3D4556DD6C}\v12.0.40660\packages\vcRuntimeAdditional_amd64\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {B43E5DFA-2339-4405-898F-A877E05BE053} |
| Package Name | vc_runtimeAdditional_x64.msi |
| Local Package | C:\Windows\Installer\2dcf29.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |

| | |
|------------------------|--|
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {5740BD44-B58D-321A-AFC0-6D3D4556DD6C} |

Microsoft Visual C++ 2013 x64 Minimum Runtime - 12.0.40660

| Item | Value |
|--------------------|--|
| Name | Microsoft Visual C++ 2013 x64 Minimum Runtime - 12.0.40660 |
| Vendor | Microsoft Corporation |
| Version | 12.0.40660 |
| Product Language | English |
| Install Date | 20180727 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{CB0836EC-B072-368D-82B2-D3470BF95707}v12.0.40660\packages \\vcRuntimeMinimum_amd64\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {3C8099A6-EC47-4A12-84E4-9FA4472A6395} |
| Package Name | vc_runtimeMinimum_x64.msi |
| Local Package | C:\Windows\Installer\2dcf23.msi |
| Product ID | |
| Registered Company | |

| | |
|------------------------|--|
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {CB0836EC-B072-368D-82B2-D3470BF95707} |

Microsoft Visual C++ 2013 x86 Additional Runtime - 12.0.40660

| Item | Value |
|------------------|---|
| Name | Microsoft Visual C++ 2013 x86 Additional Runtime - 12.0.40660 |
| Vendor | Microsoft Corporation |
| Version | 12.0.40660 |
| Product Language | English |
| Install Date | 20180727 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{7DAD0258-515C-3DD4-8964-BD714199E0F7}\v12.0.40660\packages\vcRuntimeAdditional_x86\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {ECF7B346-705F-4652-9451-4A0D79480FBD} |
| Package Name | vc_runtimeAdditional_x86.msi |
| Local Package | C:\Windows\Installer\2dcf1d.msi |
| Product ID | |

| | |
|------------------------|--|
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {7DAD0258-515C-3DD4-8964-BD714199E0F7} |

Microsoft Visual C++ 2013 x86 Minimum Runtime - 12.0.40660

| Item | Value |
|------------------|--|
| Name | Microsoft Visual C++ 2013 x86 Minimum Runtime - 12.0.40660 |
| Vendor | Microsoft Corporation |
| Version | 12.0.40660 |
| Product Language | English |
| Install Date | 20180727 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{E30D8B21-D82D-3211-82CC-0F0A5D1495E8}\v12.0.40660\packages\vcRuntimeMinimum_x86\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {32708A00-6EE9-4612-89E1-AF165165AE29} |
| Package Name | vc_runtimeMinimum_x86.msi |
| Local Package | C:\Windows\Installer\2dcf17.msi |

| | |
|------------------------|--|
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {E30D8B21-D82D-3211-82CC-0F0A5D1495E8} |

Microsoft Visual C++ 2015 Redistributable (x64) - 14.0.24215

| Item | Value |
|------------------|--|
| Name | Microsoft Visual C++ 2015 Redistributable (x64) - 14.0.24215 |
| Vendor | Microsoft Corporation |
| Version | 14.0.24215.1 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |

| | |
|------------------------|--|
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {d992c12e-cab2-426f-bde3-fb8c53950b0d} |

Microsoft Visual C++ 2015 Redistributable (x86) - 14.0.24212

| Item | Value |
|------------------|--|
| Name | Microsoft Visual C++ 2015 Redistributable (x86) - 14.0.24212 |
| Vendor | Microsoft Corporation |
| Version | 14.0.24212.0 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |

| | |
|------------------------|--|
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {462f63a8-6347-4894-a1b3-dbfe3a4c981d} |

Microsoft Visual C++ 2015 x64 Additional Runtime - 14.0.24215

| Item | Value |
|------------------|---|
| Name | Microsoft Visual C++ 2015 x64 Additional Runtime - 14.0.24215 |
| Vendor | Microsoft Corporation |
| Version | 14.0.24215 |
| Product Language | English |
| Install Date | 20180326 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{EF1EC6A9-17DE-3DA9-B040-686A1E8A8B04}\v14.0.24215\packages\vcRuntimeAdditional_amd64\ |
| Install State | Installed |

| | |
|------------------------|--|
| Assignment Type | Per Machine |
| Package Code | {2F8046B6-924A-4624-BB8F-A708F8E7DAD3} |
| Package Name | vc_runtimeAdditional_x64.msi |
| Local Package | C:\Windows\Installer\1012e08e.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {EF1EC6A9-17DE-3DA9-B040-686A1E8A8B04} |

Microsoft Visual C++ 2015 x64 Minimum Runtime - 14.0.24215

| Item | Value |
|------------------|--|
| Name | Microsoft Visual C++ 2015 x64 Minimum Runtime - 14.0.24215 |
| Vendor | Microsoft Corporation |
| Version | 14.0.24215 |
| Product Language | English |
| Install Date | 20180326 |
| Install Location | |

| | |
|------------------------|---|
| Install Source | C:\ProgramData\Package Cache\{50A2BC33-C9CD-3BF1-A8FF-53C10A0B183C}v14.0.24215\packages\vcRuntimeMinimum_amd64\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {9424290F-5253-43B3-82AC-20E043295A91} |
| Package Name | vc_runtimeMinimum_x64.msi |
| Local Package | C:\Windows\Installer\1012e088.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {50A2BC33-C9CD-3BF1-A8FF-53C10A0B183C} |

Microsoft Visual C++ 2015 x86 Additional Runtime - 14.0.24212

| Item | Value |
|------------------|---|
| Name | Microsoft Visual C++ 2015 x86 Additional Runtime - 14.0.24212 |
| Vendor | Microsoft Corporation |
| Version | 14.0.24212 |
| Product Language | English |

| | |
|------------------------|---|
| Install Date | 20180816 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{844ECB74-9B63-3D5C-958C-30BD23F19EE4}\v14.0.24212\packages\vcRuntimeAdditional_x86\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {2F389DFE-8C3B-4F06-AEED-A18D91814871} |
| Package Name | vc_runtimeAdditional_x86.msi |
| Local Package | C:\Windows\Installer\344de9.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {844ECB74-9B63-3D5C-958C-30BD23F19EE4} |

Microsoft Visual C++ 2015 x86 Minimum Runtime - 14.0.24212

| Item | Value |
|---------|--|
| Name | Microsoft Visual C++ 2015 x86 Minimum Runtime - 14.0.24212 |
| Vendor | Microsoft Corporation |
| Version | 14.0.24212 |

| | |
|------------------------|--|
| Product Language | English |
| Install Date | 20180816 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{37B55901-995A-3650-80B1-BBFD047E2911}\v14.0.24212\packages\vcRuntimeMinimum_x86\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {ADBA463F-23EE-4E9C-8A6A-775550D77195} |
| Package Name | vc_runtimeMinimum_x86.msi |
| Local Package | C:\Windows\Installer\344de3.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {37B55901-995A-3650-80B1-BBFD047E2911} |

Microsoft Word MUI (Spanish) 2013

| Item | Value |
|--------|-----------------------------------|
| Name | Microsoft Word MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |

| | |
|------------------------|--|
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20160614 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-001B-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {83633C93-5BCA-45E8-9171-C0764566B5C8} |
| Package Name | WordMUI.msi |
| Local Package | C:\Windows\Installer\1764ba.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-001B-0C0A-1000-0000000FF1CE} |

Mozilla Firefox 43.0.1 (x86 es-AR)

| Item | Value |
|------|------------------------------------|
| Name | Mozilla Firefox 43.0.1 (x86 es-AR) |

| | |
|------------------------|--|
| Vendor | Mozilla |
| Version | 43.0.1 |
| Product Language | |
| Install Date | |
| Install Location | C:\Program Files (x86)\Mozilla Firefox |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | Mozilla Firefox 43.0.1 (x86 es-AR) |

Mozilla Maintenance Service

| Item | Value |
|------|-------|
| | |

| | |
|------------------------|-----------------------------|
| Name | Mozilla Maintenance Service |
| Vendor | Mozilla |
| Version | 43.0.1.5828 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | MozillaMaintenanceService |

Outils de vérification linguistique 2013 de Microsoft Office - Français

| Item | Value |
|------------------------|---|
| Name | Outils de vérification linguistique 2013 de Microsoft Office - Français |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | French |
| Install Date | 20160614 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-002C-0C0A-1000-000000FF1CE}-C\Proof.fr\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {C84A0B07-4BEA-4059-ABD7-A67E5E204470} |
| Package Name | Proof.msi |
| Local Package | C:\Windows\Installer\17647a.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-001F-040C-1000-0000000FF1CE} |

Revisores de Texto do Microsoft Office 2013 – Português do Brasil

| Item | Value |
|------------------------|--|
| Name | Revisores de Texto do Microsoft Office 2013 – Português do Brasil |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Portuguese |
| Install Date | 20160614 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-002C-0C0A-1000-000000FF1CE}-C\Proof.pt-br\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {B7344999-5642-4A6C-9099-F8EE5175291F} |
| Package Name | Proof.msi |
| Local Package | C:\Windows\Installer\17646c.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |

| | |
|-------------|--|
| Software ID | {90150000-001F-0416-1000-0000000FF1CE} |
|-------------|--|

Security Update for Microsoft .NET Framework 4.6.1 (KB3122661)

| Item | Value |
|--------------------|--|
| Name | Security Update for Microsoft .NET Framework 4.6.1 (KB3122661) |
| Vendor | Microsoft Corporation |
| Version | 1 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |

| | |
|------------------------|--|
| Executable Description | |
| Software ID | {92FB6C44-E685-45AD-9B20-CADF4CABA132}.KB3122661 |

Security Update for Microsoft .NET Framework 4.6.1 (KB3127233)

| Item | Value |
|--------------------|--|
| Name | Security Update for Microsoft .NET Framework 4.6.1 (KB3127233) |
| Vendor | Microsoft Corporation |
| Version | 1 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |

| | |
|------------------------|--|
| Executable Version | |
| Executable Description | |
| Software ID | {92FB6C44-E685-45AD-9B20-CADF4CABA132}.KB3127233 |

Security Update for Microsoft .NET Framework 4.6.1 (KB3136000v2)

| Item | Value |
|--------------------|--|
| Name | Security Update for Microsoft .NET Framework 4.6.1 (KB3136000v2) |
| Vendor | Microsoft Corporation |
| Version | 2 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |

| | |
|------------------------|--|
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {92FB6C44-E685-45AD-9B20-CADF4CABA132}.KB3136000v2 |

Security Update for Microsoft .NET Framework 4.6.1 (KB3142037)

| Item | Value |
|--------------------|--|
| Name | Security Update for Microsoft .NET Framework 4.6.1 (KB3142037) |
| Vendor | Microsoft Corporation |
| Version | 1 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |

| | |
|------------------------|--|
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {92FB6C44-E685-45AD-9B20-CADF4CABA132}.KB3142037 |

Security Update for Microsoft .NET Framework 4.6.1 (KB3143693)

| Item | Value |
|--------------------|--|
| Name | Security Update for Microsoft .NET Framework 4.6.1 (KB3143693) |
| Vendor | Microsoft Corporation |
| Version | 1 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |

| | |
|------------------------|--|
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {92FB6C44-E685-45AD-9B20-CADF4CABA132}.KB3143693 |

Security Update for Microsoft .NET Framework 4.6.1 (KB4506963)

| Item | Value |
|--------------------|--|
| Name | Security Update for Microsoft .NET Framework 4.6.1 (KB4506963) |
| Vendor | Microsoft Corporation |
| Version | 1 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |

| | |
|------------------------|--|
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {92FB6C44-E685-45AD-9B20-CADF4CABA132}.KB4506963 |

SketchUp 2017

| Item | Value |
|------------------|--|
| Name | SketchUp 2017 |
| Vendor | Trimble Navigation Limited |
| Version | 17.2.2555 |
| Product Language | Spanish |
| Install Date | 20190219 |
| Install Location | C:\Program Files\SketchUp\SketchUp 2017\ |
| Install Source | C:\Users\201240~1\AppData\Local\Temp\sketchup_install\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {975D5F5A-E08D-47F2-914D-C3CE60AF0892} |
| Package Name | SketchUp2017-x64.msi |
| Local Package | C:\Windows\Installer\5d62ccf.msi |
| Product ID | |

| | |
|------------------------|--|
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {31645965-D0A5-4D0B-98C8-48A2C804AD7A} |

Update for Microsoft .NET Framework 4.6.1 (KB4506997)

| Item | Value |
|------------------|---|
| Name | Update for Microsoft .NET Framework 4.6.1 (KB4506997) |
| Vendor | Microsoft Corporation |
| Version | 1 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |

| | |
|------------------------|--|
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {92FB6C44-E685-45AD-9B20-CADF4CABA132}.KB4506997 |

Update for Microsoft .NET Framework 4.6.1 (KB4511516)

| Item | Value |
|------------------|---|
| Name | Update for Microsoft .NET Framework 4.6.1 (KB4511516) |
| Vendor | Microsoft Corporation |
| Version | 1 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |

| | |
|------------------------|--|
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {92FB6C44-E685-45AD-9B20-CADF4CABA132}.KB4511516 |

Visual Basic for Applications (R) Core - English

| Item | Value |
|------------------|---|
| Name | Visual Basic for Applications (R) Core - English |
| Vendor | Microsoft Corporation |
| Version | 6.4.99.69 |
| Product Language | English |
| Install Date | 20180326 |
| Install Location | c:\Program Files (x86)\Common Files\Microsoft Shared\ |
| Install Source | c:\program files (x86)\core\coreldraw graphics suite x4\setup\cgs14\vba\1033\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {8214A80B-9D0F-4F4D-99E9-C38AF4497DDD} |

| | |
|------------------------|--|
| Package Name | VBAOF11I.MSI |
| Local Package | c:\Windows\Installer\54226.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {B61D21B6-469D-4423-B161-62DB20B8A70E} |

Visual Basic for Applications (R) Core - Spanish

| Item | Value |
|------------------|--|
| Name | Visual Basic for Applications (R) Core - Spanish |
| Vendor | Microsoft Corporation |
| Version | 6.4.99.69 |
| Product Language | Spanish |
| Install Date | 20180326 |
| Install Location | c:\Program Files (x86)\Common Files\Microsoft Shared\ |
| Install Source | c:\program files (x86)\corel\coreldraw graphics suite x4\setup\cgs14\vba\3082\ |
| Install State | Installed |
| Assignment Type | Per Machine |

| | |
|------------------------|--|
| Package Code | {4DA8BCAB-AFF5-4D3C-BE92-01E670888A75} |
| Package Name | VBAOF11I.MSI |
| Local Package | c:\Windows\Installer\5422d.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {DFDB0358-3CAC-4796-B031-4D99A3B70B8E} |

Visual Basic for Applications (R) Core

| Item | Value |
|------------------|---|
| Name | Visual Basic for Applications (R) Core |
| Vendor | Microsoft Corporation |
| Version | 6.4.99.69 |
| Product Language | English |
| Install Date | 20180326 |
| Install Location | c:\Program Files (x86)\Common Files\Microsoft Shared\ |
| Install Source | c:\program files (x86)\corel\coreldraw graphics suite x4\setup\cgs14\vba\ |
| Install State | Installed |

| | |
|------------------------|--|
| Assignment Type | Per Machine |
| Package Code | {0BC4F98A-77C2-4033-BDB0-F010A5C7F9CB} |
| Package Name | VBAOF11.MSI |
| Local Package | c:\Windows\Installer\5421e.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {DB81779E-7CC5-4630-BCFC-754004956444} |

Software Updates

| Update ID | Installed On | Description |
|-----------|--------------|-----------------|
| KB982018 | 7/7/2014 | Update |
| KB976902 | 11/21/2010 | Update |
| KB971033 | 5/12/2015 | Update |
| KB4525106 | 12/5/2019 | Security Update |
| KB4519974 | 11/14/2019 | Security Update |

| | | | |
|--|-----------|------------|--|
| | KB451460 | 2019-10- | 2019-09 Paquete de actualizaciones de calidad y seguridad de .NET Framework 3.5.1, 4.5.2, 4.6, 4.6.1, 4.6.2, 4.7, 4.7.1, 4.7.2, 4.8 en Windows 7 y Server 2008 R2 para x64 (KB4514602) |
| | KB451151 | 20191008 | KB4511516 |
| | KB4507456 | 9/2/2019 | Security Update |
| | KB450742 | 2019-08- | 2019-07 Security and Quality Rollup for .NET Framework 3.5.1, 4.5.2, 4.6, 4.6.1, 4.6.2, 4.7, 4.7.1, 4.7.2, 4.8 for Windows 7 and Server 2008 R2 for x64 (KB4507420) |
| | KB450741 | 2019-08- | 2019-07 Security Only Update for .NET Framework 3.5.1, 4.5.2, 4.6, 4.6.1, 4.6.2, 4.7, 4.7.1, 4.7.2, 4.8 for Windows 7 and Server 2008 R2 for x64 (KB4507411) |
| | KB4507004 | 8/27/2019 | Update |
| | KB450699 | 20190826 | KB4506997 |
| | KB4506976 | 8/26/2019 | Security Update |
| | KB450696 | 20190826 | KB4506963 |
| | KB4503269 | 7/26/2019 | Security Update |
| | KB4499175 | 5/24/2019 | Security Update |
| | KB4474419 | 10/9/2019 | Security Update |
| | KB4019990 | 8/26/2019 | Update |
| | KB4019263 | 12/25/2019 | Security Update |
| | KB3164035 | 6/15/2016 | Security Update |
| | KB3164033 | 6/15/2016 | Security Update |
| | KB3162835 | 6/15/2016 | Update |
| | KB3161958 | 6/15/2016 | Security Update |
| | KB3161949 | 6/15/2016 | Security Update |
| | KB3161664 | 6/15/2016 | Security Update |

| | | |
|-----------|-----------|-----------------|
| KB3161561 | 6/15/2016 | Security Update |
| KB3160005 | 6/15/2016 | Security Update |
| KB3159398 | 6/15/2016 | Security Update |
| KB3156019 | 5/13/2016 | Security Update |
| KB3156017 | 5/13/2016 | Security Update |
| KB3156016 | 5/13/2016 | Security Update |
| KB3156013 | 5/13/2016 | Security Update |
| KB3155178 | 5/13/2016 | Security Update |
| KB3154070 | 5/13/2016 | Security Update |
| KB3153731 | 5/13/2016 | Update |
| KB3153199 | 5/13/2016 | Security Update |
| KB3153171 | 5/13/2016 | Security Update |
| KB3150513 | 5/18/2016 | Update |
| KB3150220 | 5/13/2016 | Security Update |
| KB3149090 | 5/13/2016 | Security Update |
| KB3147071 | 5/13/2016 | Update |
| KB3146963 | 5/13/2016 | Security Update |
| KB3146706 | 5/13/2016 | Security Update |
| KB3145739 | 5/13/2016 | Security Update |
| KB314369 | 20160518 | KB3143693 |
| KB3142042 | 5/13/2016 | Security Update |
| KB314203 | 20160518 | KB3142037 |
| KB3142024 | 5/13/2016 | Security Update |
| KB3140735 | 5/13/2016 | Security Update |

| | | |
|-----------|-----------|-----------------|
| KB3140245 | 5/18/2016 | Update |
| KB3139940 | 5/13/2016 | Security Update |
| KB3139923 | 6/15/2016 | Update |
| KB3139914 | 5/13/2016 | Security Update |
| KB3139398 | 5/13/2016 | Security Update |
| KB3138962 | 5/13/2016 | Security Update |
| KB3138910 | 5/13/2016 | Security Update |
| KB3138901 | 5/13/2016 | Update |
| KB3138612 | 5/13/2016 | Update |
| KB3138378 | 5/13/2016 | Update |
| KB3137061 | 5/13/2016 | Update |
| KB313600 | 20160518 | KB3136000v2 |
| KB3135983 | 5/13/2016 | Security Update |
| KB3133977 | 5/13/2016 | Update |
| KB312723 | 20160518 | KB3127233 |
| KB3127220 | 5/13/2016 | Security Update |
| KB3126587 | 5/13/2016 | Security Update |
| KB3126446 | 5/13/2016 | Security Update |
| KB3124280 | 5/13/2016 | Security Update |
| KB3123862 | 6/15/2016 | Update |
| KB3123479 | 5/13/2016 | Security Update |
| KB312266 | 20160518 | KB3122661 |
| KB3122648 | 5/13/2016 | Security Update |
| KB3121461 | 5/13/2016 | Security Update |

| | | |
|-----------|-----------|-----------------|
| KB3121255 | 5/13/2016 | Update |
| KB3118401 | 5/13/2016 | Update |
| KB3115858 | 5/13/2016 | Security Update |
| KB3110329 | 5/13/2016 | Security Update |
| KB3109560 | 5/13/2016 | Security Update |
| KB3109103 | 5/13/2016 | Security Update |
| KB3109094 | 5/13/2016 | Security Update |
| KB3108670 | 5/13/2016 | Security Update |
| KB3108664 | 5/13/2016 | Security Update |
| KB3108381 | 5/13/2016 | Security Update |
| KB3108371 | 5/13/2016 | Security Update |
| KB3107998 | 5/13/2016 | Update |
| KB3102429 | 5/18/2016 | Update |
| KB3101722 | 5/13/2016 | Security Update |
| KB3097989 | 5/13/2016 | Security Update |
| KB3093513 | 5/13/2016 | Security Update |
| KB3092627 | 5/13/2016 | Update |
| KB3092601 | 5/13/2016 | Security Update |
| KB3087985 | 8/27/2015 | Hotfix |
| KB3087039 | 5/13/2016 | Security Update |
| KB3086255 | 5/13/2016 | Security Update |
| KB3084135 | 5/13/2016 | Security Update |
| KB3080446 | 5/13/2016 | Security Update |
| KB3080149 | 5/13/2016 | Update |

| | | |
|-----------|-----------|-----------------|
| KB3080079 | 5/18/2016 | Update |
| KB3079757 | 8/27/2015 | Security Update |
| KB3078667 | 5/13/2016 | Update |

| Update ID | Installed On | Description |
|-----------|--------------|-----------------|
| KB3078601 | 8/27/2015 | Security Update |
| KB3078071 | 8/27/2015 | Security Update |
| KB3076949 | 8/27/2015 | Security Update |
| KB3076895 | 8/27/2015 | Security Update |
| KB3075851 | 8/27/2015 | Update |
| KB3075249 | 5/13/2016 | Update |
| KB3075226 | 5/18/2016 | Security Update |
| KB3075222 | 8/27/2015 | Security Update |
| KB3074543 | 5/13/2016 | Security Update |
| KB3072633 | 8/27/2015 | Security Update |
| KB3072630 | 8/27/2015 | Security Update |
| KB3072305 | 8/27/2015 | Security Update |
| KB3071756 | 8/27/2015 | Security Update |
| KB3069762 | 8/27/2015 | Security Update |
| KB3069392 | 8/27/2015 | Security Update |
| KB3068708 | 8/27/2015 | Update |
| KB3067903 | 8/27/2015 | Security Update |
| KB3061518 | 8/27/2015 | Security Update |
| KB3060716 | 8/27/2015 | Security Update |

| | | |
|-----------|-----------|-----------------|
| KB3059317 | 8/27/2015 | Security Update |
| KB3057154 | 8/27/2015 | Security Update |
| KB3055642 | 8/27/2015 | Security Update |
| KB3054476 | 8/27/2015 | Update |
| KB3046482 | 5/11/2015 | Security Update |
| KB3046306 | 5/11/2015 | Security Update |
| KB3046269 | 5/11/2015 | Security Update |
| KB3046017 | 8/27/2015 | Security Update |
| KB3046002 | 8/27/2015 | Security Update |
| KB3045999 | 5/11/2015 | Security Update |
| KB3045685 | 5/11/2015 | Security Update |
| KB3045645 | 8/27/2015 | Update |
| KB3042553 | 5/11/2015 | Security Update |
| KB3042058 | 5/13/2016 | Security Update |
| KB3040272 | 8/27/2015 | Update |
| KB3039066 | 5/11/2015 | Security Update |
| KB3038314 | 5/12/2015 | Security Update |
| KB3037574 | 5/11/2015 | Security Update |
| KB3036493 | 5/11/2015 | Security Update |
| KB3035132 | 5/11/2015 | Security Update |
| KB3035126 | 5/11/2015 | Security Update |
| KB3034344 | 5/11/2015 | Security Update |
| KB3033929 | 5/11/2015 | Security Update |
| KB3033890 | 8/27/2015 | Security Update |

| | | |
|-----------|-----------|-----------------|
| KB3033889 | 5/11/2015 | Security Update |
| KB3032655 | 8/27/2015 | Security Update |
| KB3032323 | 5/11/2015 | Security Update |
| KB3031432 | 5/11/2015 | Security Update |
| KB3030377 | 5/11/2015 | Security Update |
| KB3023607 | 5/12/2015 | Update |
| KB3023215 | 8/27/2015 | Security Update |
| KB3022777 | 5/11/2015 | Security Update |
| KB3021952 | 5/12/2015 | Security Update |
| KB3021917 | 5/12/2015 | Update |
| KB3021674 | 5/11/2015 | Security Update |
| KB3020388 | 5/18/2016 | Security Update |
| KB3020387 | 5/11/2015 | Security Update |
| KB3020370 | 8/27/2015 | Update |
| KB3020369 | 8/27/2015 | Update |
| KB3020338 | 5/11/2015 | Update |
| KB3019215 | 5/11/2015 | Security Update |
| KB3014406 | 5/11/2015 | Update |
| KB3013531 | 8/27/2015 | Update |
| KB3013410 | 5/11/2015 | Update |
| KB3011780 | 5/11/2015 | Security Update |
| KB3010788 | 5/11/2015 | Security Update |
| KB3008627 | 5/11/2015 | Update |
| KB3006625 | 5/11/2015 | Update |

| | | |
|-----------|-----------|-----------------|
| KB3006226 | 5/11/2015 | Security Update |
| KB3006137 | 5/11/2015 | Hotfix |
| KB3006121 | 5/11/2015 | Update |
| KB3005607 | 5/11/2015 | Security Update |
| KB3004375 | 5/11/2015 | Security Update |
| KB3004361 | 5/11/2015 | Security Update |
| KB3003743 | 5/11/2015 | Security Update |
| KB3000483 | 8/27/2015 | Security Update |
| KB2993651 | 5/11/2015 | Update |
| KB2992611 | 5/11/2015 | Security Update |
| KB2991963 | 5/11/2015 | Security Update |
| KB2990214 | 5/11/2015 | Update |
| KB2985461 | 5/11/2015 | Update |
| KB2984976 | 5/11/2015 | Security Update |
| KB2984972 | 5/11/2015 | Security Update |
| KB2979570 | 5/11/2015 | Security Update |
| KB2978742 | 5/11/2015 | Security Update |
| KB2978668 | 5/11/2015 | Security Update |
| KB2978120 | 5/11/2015 | Security Update |
| KB2978092 | 5/12/2015 | Update |
| KB2977728 | 5/12/2015 | Hotfix |
| KB2977292 | 5/11/2015 | Security Update |
| KB2976897 | 5/11/2015 | Security Update |
| KB2973351 | 5/11/2015 | Security Update |

| | | |
|-----------|-----------|-----------------|
| KB2973201 | 5/11/2015 | Security Update |
| KB2973112 | 5/11/2015 | Security Update |
| KB2972280 | 5/11/2015 | Security Update |
| KB2972211 | 5/11/2015 | Security Update |
| KB2972100 | 5/11/2015 | Security Update |
| KB2971850 | 5/11/2015 | Security Update |
| KB2970228 | 5/12/2015 | Update |
| KB2968294 | 5/11/2015 | Security Update |
| KB2966583 | 5/11/2015 | Update |

| Update ID | Installed On | Description |
|-----------|--------------|-----------------|
| KB2965788 | 7/7/2014 | Security Update |
| KB2961072 | 5/11/2015 | Security Update |
| KB2957689 | 7/4/2014 | Security Update |
| KB2957509 | 7/4/2014 | Security Update |
| KB2957503 | 7/4/2014 | Security Update |
| KB2957189 | 7/4/2014 | Security Update |
| KB2952664 | 6/15/2016 | Update |
| KB2943357 | 5/11/2015 | Security Update |
| KB2939576 | 7/4/2014 | Security Update |
| KB2937610 | 5/11/2015 | Security Update |
| KB2931356 | 5/11/2015 | Security Update |
| KB2930275 | 7/4/2014 | Security Update |
| KB2929961 | 7/4/2014 | Security Update |

| | | |
|-----------|-----------|-----------------|
| KB2929733 | 7/4/2014 | Update |
| KB2928562 | 5/11/2015 | Update |
| KB2926765 | 7/4/2014 | Security Update |
| KB2923545 | 5/18/2016 | Update |
| KB2922229 | 7/4/2014 | Security Update |
| KB2919469 | 5/11/2015 | Update |
| KB2918614 | 5/11/2015 | Security Update |
| KB2918077 | 5/11/2015 | Update |
| KB2912390 | 5/12/2015 | Security Update |
| KB2911501 | 5/11/2015 | Security Update |
| KB2909210 | 7/4/2014 | Security Update |
| KB2908783 | 5/11/2015 | Update |
| KB2900986 | 7/4/2014 | Security Update |
| KB2894844 | 5/11/2015 | Security Update |
| KB2893519 | 7/4/2014 | Update |
| KB2893294 | 7/4/2014 | Security Update |
| KB2892074 | 7/4/2014 | Security Update |
| KB2891804 | 5/11/2015 | Update |
| KB2888049 | 7/4/2014 | Update |
| KB2887069 | 7/4/2014 | Security Update |
| KB2884256 | 7/4/2014 | Security Update |
| KB2882822 | 7/4/2014 | Update |
| KB2876331 | 7/4/2014 | Security Update |
| KB2876284 | 7/4/2014 | Security Update |

| | | |
|-----------|-----------|-----------------|
| KB2875783 | 7/4/2014 | Security Update |
| KB2872339 | 7/4/2014 | Security Update |
| KB2871997 | 7/4/2014 | Security Update |
| KB2868626 | 7/4/2014 | Security Update |
| KB2868116 | 7/4/2014 | Update |
| KB2868038 | 7/4/2014 | Security Update |
| KB2864202 | 7/4/2014 | Security Update |
| KB2864058 | 7/4/2014 | Security Update |
| KB2863058 | 7/4/2014 | Update |
| KB2862973 | 7/4/2014 | Security Update |
| KB2862966 | 7/4/2014 | Security Update |
| KB2862335 | 7/4/2014 | Security Update |
| KB2862330 | 7/4/2014 | Security Update |
| KB2862152 | 7/4/2014 | Security Update |
| KB2861855 | 7/4/2014 | Security Update |
| KB2861698 | 5/11/2015 | Security Update |
| KB2861191 | 5/11/2015 | Security Update |
| KB2857650 | 5/18/2016 | Update |
| KB2855844 | 7/4/2014 | Security Update |
| KB2853952 | 7/4/2014 | Update |
| KB2852386 | 7/4/2014 | Update |
| KB2849697 | 5/11/2015 | Update |
| KB2849696 | 5/11/2015 | Update |
| KB2849470 | 7/4/2014 | Security Update |

| | | |
|-----------|-----------|---|
| KB2847927 | 7/4/2014 | Security Update |
| KB2847311 | 7/4/2014 | Security Update |
| KB2846960 | 7/4/2014 | Update |
| KB2843630 | 5/11/2015 | Update |
| KB2841134 | 5/11/2015 | Update |
| KB2840631 | 5/11/2015 | Security Update |
| KB2840149 | 7/4/2014 | Security Update |
| KB2839894 | 7/4/2014 | Security Update |
| KB2836943 | 5/11/2015 | Update |
| KB2836942 | 5/11/2015 | Update |
| KB2835364 | 7/4/2014 | Security Update |
| KB2834140 | 7/4/2014 | Update |
| KB2832414 | 5/11/2015 | Security Update |
| KB2830477 | 5/18/2016 | Update |
| KB2820331 | 7/4/2014 | Update |
| KB281744 | 20160614 | Service Pack 1 for Microsoft Visio 2013 (KB2817443) 64-Bit Edition |
| KB281743 | 20160614 | Service Pack 1 for Microsoft Office 2013 (KB2817430) 64-Bit Edition |
| KB2813956 | 7/4/2014 | Update |
| KB2813430 | 7/4/2014 | Security Update |
| KB2813347 | 7/4/2014 | Security Update |
| KB2808679 | 7/4/2014 | Update |
| KB2807986 | 7/4/2014 | Security Update |
| KB2803821 | 7/4/2014 | Security Update |

| | | |
|-----------|-----------|-----------------|
| KB2800095 | 5/11/2015 | Update |
| KB2799926 | 7/4/2014 | Update |
| KB2798162 | 7/4/2014 | Update |
| KB2791765 | 7/4/2014 | Update |
| KB2789645 | 5/11/2015 | Security Update |
| KB2786081 | 7/4/2014 | Update |
| KB2785220 | 7/4/2014 | Security Update |
| KB2773072 | 7/4/2014 | Update |
| KB2770660 | 7/4/2014 | Security Update |
| KB2763523 | 7/4/2014 | Update |
| KB2761217 | 7/4/2014 | Update |
| KB2758857 | 7/4/2014 | Security Update |
| KB2750841 | 7/4/2014 | Update |
| KB2743555 | 7/4/2014 | Security Update |
| KB2742599 | 5/11/2015 | Security Update |
| KB2741355 | 7/4/2014 | Update |

| Update ID | Installed On | Description |
|-----------|--------------|-----------------|
| KB2736422 | 5/11/2015 | Security Update |
| KB2732500 | 7/4/2014 | Update |
| KB2732487 | 7/7/2014 | Update |
| KB2732059 | 7/4/2014 | Update |
| KB2729452 | 5/11/2015 | Security Update |
| KB2729094 | 7/4/2014 | Update |

| | | |
|-----------|-----------|-----------------|
| KB2727528 | 7/4/2014 | Security Update |
| KB2726535 | 7/4/2014 | Update |
| KB2719857 | 7/4/2014 | Update |
| KB2718704 | 7/4/2014 | Update |
| KB2712808 | 7/4/2014 | Security Update |
| KB2709981 | 7/4/2014 | Update |
| KB2709630 | 7/4/2014 | Update |
| KB2706045 | 7/4/2014 | Security Update |
| KB2705219 | 7/4/2014 | Security Update |
| KB2699779 | 7/4/2014 | Update |
| KB2698365 | 7/4/2014 | Security Update |
| KB2690533 | 7/4/2014 | Security Update |
| KB2685939 | 7/4/2014 | Security Update |
| KB2685813 | 5/11/2015 | Update |
| KB2685811 | 5/11/2015 | Update |
| KB2676562 | 7/4/2014 | Security Update |
| KB2670838 | 5/11/2015 | Update |
| KB2667402 | 7/4/2014 | Security Update |
| KB2660075 | 7/4/2014 | Update |
| KB2656356 | 5/11/2015 | Security Update |
| KB2655992 | 7/4/2014 | Security Update |
| KB2654428 | 7/4/2014 | Security Update |
| KB2653956 | 7/4/2014 | Security Update |
| KB2647753 | 7/7/2014 | Update |

| | | |
|-----------|-----------|-----------------|
| KB2640148 | 7/4/2014 | Update |
| KB2631813 | 7/4/2014 | Security Update |
| KB2621440 | 7/4/2014 | Security Update |
| KB2620704 | 7/4/2014 | Security Update |
| KB2619339 | 7/4/2014 | Security Update |
| KB2604115 | 5/11/2015 | Security Update |
| KB2603229 | 7/4/2014 | Update |
| KB2592687 | 7/4/2014 | Update |
| KB2585542 | 7/4/2014 | Security Update |
| KB2584146 | 7/4/2014 | Security Update |
| KB2579686 | 7/4/2014 | Security Update |
| KB2574819 | 7/4/2014 | Update |
| KB2570947 | 7/4/2014 | Security Update |
| KB2564958 | 7/4/2014 | Security Update |
| KB2563227 | 7/4/2014 | Update |
| KB2560656 | 7/4/2014 | Security Update |
| KB2552343 | 7/4/2014 | Update |
| KB2547666 | 7/4/2014 | Update |
| KB2545698 | 7/4/2014 | Update |
| KB2544893 | 7/4/2014 | Security Update |
| KB2541014 | 7/4/2014 | Update |
| KB2536276 | 7/4/2014 | Security Update |
| KB2536275 | 7/4/2014 | Security Update |
| KB2534111 | 7/4/2014 | Hotfix |

| | | |
|-----------|-----------|-----------------------------------|
| KB2533552 | 5/11/2015 | Update |
| KB2532531 | 7/7/2014 | Security Update |
| KB2522422 | 7/4/2014 | Update |
| KB2515325 | 7/7/2014 | Update |
| KB2511455 | 7/4/2014 | Security Update |
| KB2511250 | 7/4/2014 | Update |
| KB2509553 | 7/4/2014 | Security Update |
| KB2506928 | 7/4/2014 | Update |
| KB2506212 | 7/4/2014 | Security Update |
| KB2506014 | 5/11/2015 | Update |
| KB2505438 | 7/4/2014 | Update |
| KB2491683 | 7/4/2014 | Security Update |
| KB2488113 | 7/4/2014 | Update |
| KB2484033 | 7/4/2014 | Update |
| KB2479943 | 7/4/2014 | Security Update |
| | 20191001 | CLP3082 |
| | 20180727 | Microsoft Silverlight 5.1.50907.0 |
| | 20171214 | Adobe Reader XI (11.0.23) |



Sistema Operativo

| Name | Value |
|------|-------|
| Name | 7 |

| | |
|---------------------------|---------------------------------------|
| Edition | Professional 64-bit |
| Install Date | 21/06/2016 |
| Registered Owner | usuario |
| Registered Organization | |
| Product ID | |
| Major Version Number | 6 |
| Minor Version Number | 1 |
| Build Number | 7601 |
| Service Pack | Service Pack 1 |
| Service Pack Version | 1.0 |
| Plus! Version Number | |
| DirectX Version | 9.0c |
| Windows Directory | C:\Windows\ |
| System Directory | C:\Windows\system32\ |
| Temporary Directory | C:\Users\201417~1\AppData\Local\Temp\ |
| Operating System Language | Spanish - Argentina |
| Number Of Bits | 64 |



Periféricos

| Name | Description |
|----------|--|
| Mouse | 3 Button Mouse, has wheel |
| Keyboard | IBM enhanced (101- or 102-key), 12 function keys |

| | |
|---------------------|-------------------------------|
| Display Description | S19D300, 18.5" (41cm x 23cm) |
| Printer | KONICA MINOLTA 423_Taller1 |
| Printer | HP Designjet 500 42 by HP |
| Printer | Fax |
| Printer | Enviar a OneNote 2013 |
| Printer | Brother DCP-8085DN Printer |
| Printer | Brother DCP-8080DN Printer |
| Mapped Drive | m: [\\d250isinfs01\Grupos2] |
| Mapped Drive | q: [\\d030nfs01\Publica030] |
| Mapped Drive | r: [\\d030nfs01\Grupos030] |
| Network Installed | Yes |



Seguridad

Internet Software

| Type | Name | Version | Data Update? |
|---------|-----------------------|--------------------|--------------|
| Browser | Internet Explorer(TM) | 9.11.9600.19540 | |
| Browser | Mozilla FireFox(TM) | 43.0.1 (x86 es-AR) | |
| E-mail | Windows Mail(TM) | 6.1.7601.17514 | |

Open Ports

TCP 0.0.0.0:135

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 135 |
| Caption | TCP 0.0.0.0:135 |
| Service Name | epmap |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | svchost.exe |
| Process ID | 780 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:445

| Item | Value |
|----------------|-----------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 445 |
| Caption | TCP 0.0.0.0:445 |
| Service Name | microsoft-ds |
| Remote Address | 0.0.0.0 |

| | |
|----------------------|--------------------|
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | System |
| Process ID | 4 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:2701

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 2701 |
| Caption | TCP 0.0.0.0:2701 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | CmRcService.exe |
| Process ID | 1136 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:3389

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 3389 |
| Caption | TCP 0.0.0.0:3389 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | svchost.exe |
| Process ID | 1040 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:5357

| Item | Value |
|----------------|------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 5357 |
| Caption | TCP 0.0.0.0:5357 |
| Service Name | |
| Remote Address | 0.0.0.0 |

| | |
|----------------------|--------------------|
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | System |
| Process ID | 4 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:49152

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 49152 |
| Caption | TCP 0.0.0.0:49152 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | wininit.exe |
| Process ID | 464 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:49153

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 49153 |
| Caption | TCP 0.0.0.0:49153 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | svchost.exe |
| Process ID | 856 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:49154

| Item | Value |
|----------------|-------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 49154 |
| Caption | TCP 0.0.0.0:49154 |
| Service Name | |
| Remote Address | 0.0.0.0 |

| | |
|----------------------|--------------------|
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | svchost.exe |
| Process ID | 168 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:49155

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 49155 |
| Caption | TCP 0.0.0.0:49155 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | spoolsv.exe |
| Process ID | 1436 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:49156

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 49156 |
| Caption | TCP 0.0.0.0:49156 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | services.exe |
| Process ID | 528 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:49157

| Item | Value |
|----------------|-------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 49157 |
| Caption | TCP 0.0.0.0:49157 |
| Service Name | |
| Remote Address | 0.0.0.0 |

| | |
|----------------------|--------------------|
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | svchost.exe |
| Process ID | 2432 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:49158

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 49158 |
| Caption | TCP 0.0.0.0:49158 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | lsass.exe |
| Process ID | 576 |
| Process Description | |
| Process Manufacturer | |

TCP 127.0.0.1:3156

| Item | Value |
|----------------------|--|
| Port Protocol | TCP |
| Local Address | 127.0.0.1 |
| Local Port | 3156 |
| Caption | TCP 127.0.0.1:3156 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | C:\Program Files (x86)\Autodesk\Autodesk Desktop App\acwebbrowser\acwebbrowser.exe |
| Process ID | 3156 |
| Process Description | Chromium host executable |
| Process Manufacturer | Autodesk |

TCP 127.0.0.1:49163

| Item | Value |
|----------------|---------------------|
| Port Protocol | TCP |
| Local Address | 127.0.0.1 |
| Local Port | 49163 |
| Caption | TCP 127.0.0.1:49163 |
| Service Name | |
| Remote Address | 0.0.0.0 |

| | |
|----------------------|--------------------|
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | SCNotification.exe |
| Process ID | 4964 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:123

| Item | Value |
|----------------------|-----------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 123 |
| Caption | UDP 0.0.0.0:123 |
| Service Name | ntp |
| Process Name | svchost.exe |
| Process ID | 972 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:500

| Item | Value |
|---------------|-------|
| Port Protocol | UDP |

| | |
|----------------------|-----------------|
| Local Address | 0.0.0.0 |
| Local Port | 500 |
| Caption | UDP 0.0.0.0:500 |
| Service Name | isakmp |
| Process Name | svchost.exe |
| Process ID | 168 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:3702

| Item | Value |
|----------------------|------------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 3702 |
| Caption | UDP 0.0.0.0:3702 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 1996 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:3702

| Item | Value |
|----------------------|------------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 3702 |
| Caption | UDP 0.0.0.0:3702 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 972 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:3702

| Item | Value |
|----------------------|------------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 3702 |
| Caption | UDP 0.0.0.0:3702 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 972 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:3702

| Item | Value |
|----------------------|------------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 3702 |
| Caption | UDP 0.0.0.0:3702 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 1996 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:4500

| Item | Value |
|---------------|------------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 4500 |
| Caption | UDP 0.0.0.0:4500 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 168 |

| | |
|----------------------|--|
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:49152

| Item | Value |
|----------------------|-------------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 49152 |
| Caption | UDP 0.0.0.0:49152 |
| Service Name | |
| Process Name | spoolsv.exe |
| Process ID | 1436 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:49153

| Item | Value |
|---------------|-------------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 49153 |
| Caption | UDP 0.0.0.0:49153 |
| Service Name | |

| | |
|----------------------|-------------|
| Process Name | svchost.exe |
| Process ID | 1996 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:54925

| Item | Value |
|----------------------|-------------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 54925 |
| Caption | UDP 0.0.0.0:54925 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 940 |
| Process Description | |
| Process Manufacturer | |

UDP 127.0.0.1:1900

| Item | Value |
|---------------|-----------|
| Port Protocol | UDP |
| Local Address | 127.0.0.1 |
| Local Port | 1900 |

| | |
|----------------------|--------------------|
| Caption | UDP 127.0.0.1:1900 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 1996 |
| Process Description | |
| Process Manufacturer | |

UDP 127.0.0.1:49164

| Item | Value |
|----------------------|---------------------|
| Port Protocol | UDP |
| Local Address | 127.0.0.1 |
| Local Port | 49164 |
| Caption | UDP 127.0.0.1:49164 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 1996 |
| Process Description | |
| Process Manufacturer | |

Printer Permissions**Brother DCP-8080DN Printer****No Trustee**

| Name | Value |
|-------------|--|
| Name | Brother DCP-8080DN Printer |
| Object Type | Printer |
| Trustee | No Trustee |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

No Trustee

| Name | Value |
|-------------|--|
| Name | Brother DCP-8080DN Printer |
| Object Type | Printer |
| Trustee | No Trustee |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 0000000000001111000000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

CREATOR OWNER

| Name | Value |
|-------------|----------------------------------|
| Name | Brother DCP-8080DN Printer |
| Object Type | Printer |
| Trustee | CREATOR OWNER |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|--------------------------------------|
| Name | Brother DCP-8080DN Printer |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 000000000000000010000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|----------------------------------|
| Name | Brother DCP-8080DN Printer |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|--|
| Name | Brother DCP-8080DN Printer |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|---|
| Name | Brother DCP-8080DN Printer |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Container Inherit, Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Brother DCP-8085DN Printer**No Trustee**

| Name | Value |
|-------------|--|
| Name | Brother DCP-8085DN Printer |
| Object Type | Printer |
| Trustee | No Trustee |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |

| | |
|-------------|----------------------------------|
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

No Trustee

| Name | Value |
|-------------|--|
| Name | Brother DCP-8085DN Printer |
| Object Type | Printer |
| Trustee | No Trustee |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 0000000000001111000000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

CREATOR OWNER

| Name | Value |
|-------------|----------------------------|
| Name | Brother DCP-8085DN Printer |
| Object Type | Printer |
| Trustee | CREATOR OWNER |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |

| | |
|-------------|----------------------------------|
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|-------------------------------------|
| Name | Brother DCP-8085DN Printer |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 00000000000000010000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|----------------------------|
| Name | Brother DCP-8085DN Printer |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |

| | |
|-------------|----------------------------------|
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|--|
| Name | Brother DCP-8085DN Printer |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|----------------------------|
| Name | Brother DCP-8085DN Printer |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |

| | |
|-------------|---|
| Permissions | GENERIC_ALL |
| ACE Flags | Container Inherit, Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Enviar a OneNote 2013**ws55518\Administrador**

| Name | Value |
|-------------|--|
| Name | Enviar a OneNote 2013 |
| Object Type | Printer |
| Trustee | ws55518\Administrador |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

ws55518\Administrador

| Name | Value |
|-------------|-----------------------|
| Name | Enviar a OneNote 2013 |
| Object Type | Printer |

| | |
|-------------|--|
| Trustee | ws55518\Administrador |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 0000000000001111000000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

CREATOR OWNER

| Name | Value |
|-------------|----------------------------------|
| Name | Enviar a OneNote 2013 |
| Object Type | Printer |
| Trustee | CREATOR OWNER |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|------|-----------------------|
| Name | Enviar a OneNote 2013 |

| | |
|-------------|--------------------------------------|
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 000000000000000010000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|----------------------------------|
| Name | Enviar a OneNote 2013 |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|------|-----------------------|
| Name | Enviar a OneNote 2013 |

| | |
|-------------|--|
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|---|
| Name | Enviar a OneNote 2013 |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Container Inherit, Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Fax

ws55518\Administrador

| Name | Value |
|-------------|--|
| Name | Fax |
| Object Type | Printer |
| Trustee | ws55518\Administrador |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

ws55518\Administrador

| Name | Value |
|-------------|--|
| Name | Fax |
| Object Type | Printer |
| Trustee | ws55518\Administrador |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 0000000000001111000000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

CREATOR OWNER

| Name | Value |
|-------------|----------------------------------|
| Name | Fax |
| Object Type | Printer |
| Trustee | CREATOR OWNER |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|--------------------------------------|
| Name | Fax |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 000000000000000010000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|----------------------------------|
| Name | Fax |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|--|
| Name | Fax |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|---|
| Name | Fax |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Container Inherit, Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

HP Designjet 500 42 by HP**No Trustee**

| Name | Value |
|-------------|--|
| Name | HP Designjet 500 42 by HP |
| Object Type | Printer |
| Trustee | No Trustee |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |

| | |
|-------------|----------------------------------|
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

No Trustee

| Name | Value |
|-------------|--|
| Name | HP Designjet 500 42 by HP |
| Object Type | Printer |
| Trustee | No Trustee |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 0000000000001111000000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

CREATOR OWNER

| Name | Value |
|-------------|---------------------------|
| Name | HP Designjet 500 42 by HP |
| Object Type | Printer |
| Trustee | CREATOR OWNER |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |

| | |
|-------------|----------------------------------|
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|-------------------------------------|
| Name | HP Designjet 500 42 by HP |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 00000000000000010000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|---------------------------|
| Name | HP Designjet 500 42 by HP |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |

| | |
|-------------|----------------------------------|
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|--|
| Name | HP Designjet 500 42 by HP |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|---------------------------|
| Name | HP Designjet 500 42 by HP |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |

| | |
|-------------|---|
| Permissions | GENERIC_ALL |
| ACE Flags | Container Inherit, Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

KONICA MINOLTA 423_Taller1**No Trustee**

| Name | Value |
|-------------|--|
| Name | KONICA MINOLTA 423_Taller1 |
| Object Type | Printer |
| Trustee | No Trustee |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

No Trustee

| Name | Value |
|-------------|----------------------------|
| Name | KONICA MINOLTA 423_Taller1 |
| Object Type | Printer |

| | |
|-------------|--|
| Trustee | No Trustee |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 0000000000001111000000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

CREATOR OWNER

| Name | Value |
|-------------|----------------------------------|
| Name | KONICA MINOLTA 423_Taller1 |
| Object Type | Printer |
| Trustee | CREATOR OWNER |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|------|----------------------------|
| Name | KONICA MINOLTA 423_Taller1 |

| | |
|-------------|--------------------------------------|
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 000000000000000010000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|----------------------------------|
| Name | KONICA MINOLTA 423_Taller1 |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|------|----------------------------|
| Name | KONICA MINOLTA 423_Taller1 |

| | |
|-------------|--|
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 000000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|---|
| Name | KONICA MINOLTA 423_Taller1 |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Container Inherit, Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

[Security Log](#)

| Time Generated | Log File | Source Name | Description |
|----------------|----------|-------------|-------------|
| | | | |

| | | | |
|--------------------------|----------|-------------------------------------|--|
| 20/07/2021 12:07:29 p.m. | Security | Microsoft-Windows-Security-Auditing | Error de una cuenta al iniciar sesión. Sujeto: Id. de seguridad: S-1-5-18 Nombre de cuenta: WS55518\$ Dominio de cuenta: GOBIERNOCBA Id. de inicio de sesión: 0x3e7 Tipo de inicio de sesión: S-1-5-181 Cuenta con error de inicio de sesión: Id. de seguridad: S-1-0-0 Nombre de cuenta: 2014177309 Dominio de cuenta: GOBIERNOCBA Información de error: Motivo del error: <unknown parameter: %%2304> Estado: 0xc000005e Subestado: S-1-5-180 Información de proceso: Id. de proceso del autor de la llamada: S-1-5-188 Nombre de proceso del autor de la llamada: S-1-5-189 Información de red: Nombre de estación de trabajo: S-1-5-184 Dirección de red de origen: WS55518\$0 Puerto de origen: WS55518\$1 Información de autenticación detallada: Proceso de inicio de sesión: S-1-5-182 Paquete de autenticación: |
|--------------------------|----------|-------------------------------------|--|

| | | | |
|--|--|--|---|
| | | | <p>S-1-5-183 Servicios transitados: S-1-5-185 Nombre de paquete (sólo NTLM): S-1-5-186 Longitud de clave: S-1-5-187 Este evento se genera cuando se produce un error en una solicitud de inicio de sesión. Lo genera el equipo al que se intentó tener acceso. Los campos de sujeto indican la cuenta del sistema local que solicitó el inicio de sesión. Suele ser un servicio como el servicio de servidor o un proceso local como Winlogon.exe o Services.exe. El campo Tipo de inicio de sesión indica la clase de inicio de sesión que se solicitó. Los tipos más comunes son 2 (interactivo) y 3 (red). Los campos Información de proceso indican la cuenta y el proceso en el sistema que solicitó el inicio de sesión. Los campos Información de red indican dónde se originó una solicitud de inicio de sesión remota. Nombre de estación de trabajo no está siempre disponible y se puede</p> |
|--|--|--|---|

| | | | |
|--------------------------|----------|-------------------------------------|---|
| | | | dejar en blanco en algunos casos. Los campos de información de autenticación proporcionan información detallada sobre esta solicitud de inicio de sesión específica. - Servicios transitados indica los servicios intermedios que participaron en esta solicitud de inicio de sesión. - Nombre de paquete indica el subprotocolo que se usó entre los protocolos NTLM. - Longitud de clave indica la longitud de la clave de sesión generada. Será 0 si no se solicitó una clave de sesión. Event ID 4625 |
| 20/07/2021 09:34:00 a.m. | Security | Microsoft-Windows-Security-Auditing | Error de una cuenta al iniciar sesión. Sujeto: Id. de seguridad: S-1-5-18 Nombre de cuenta: WS55518\$ Dominio de cuenta: GOBIERNOCBA Id. de inicio de sesión: 0x3e7 Tipo de inicio de sesión: S-1-5-181 Cuenta con error de inicio de sesión: Id. de seguridad: S-1-0-0 Nombre de cuenta: 20141773098 Dominio de cuenta: GOBIERNOCBA Información de error: Motivo del error: |

| | | | |
|--|--|--|--|
| | | | <p>«unknown parameter: %%2313» Estado: 0xc000006d Subestado: S-1-5-180 Información de proceso: Id. de proceso del autor de la llamada: S-1-5-188 Nombre de proceso del autor de la llamada: S-1-5-189 Información de red: Nombre de estación de trabajo: S-1-5-184 Dirección de red de origen: WS55518\$0 Puerto de origen: WS55518\$1 Información de autenticación detallada: Proceso de inicio de sesión: S-1-5-182 Paquete de autenticación: S-1-5-183 Servicios transitados: S-1-5-185 Nombre de paquete (sólo NTLM): S-1-5-186 Longitud de clave: S-1-5-187 Este evento se genera cuando se produce un error en una solicitud de inicio de sesión. Lo genera el equipo al que se intentó tener acceso. Los campos de sujeto indican la cuenta del sistema local que solicitó el inicio de sesión. Suele ser un servicio como el</p> |
|--|--|--|--|

| | | | |
|--|--|--|---|
| | | | <p>servicio de servidor o un proceso local como Winlogon.exe o Services.exe. El campo Tipo de inicio de sesión indica la clase de inicio de sesión que se solicitó. Los tipos más comunes son 2 (interactivo) y 3 (red). Los campos Información de proceso indican la cuenta y el proceso en el sistema que solicitó el inicio de sesión. Los campos Información de red indican dónde se originó una solicitud de inicio de sesión remota. Nombre de estación de trabajo no está siempre disponible y se puede dejar en blanco en algunos casos. Los campos de información de autenticación proporcionan información detallada sobre esta solicitud de inicio de sesión específica. - Servicios transitados indica los servicios intermedios que participaron en esta solicitud de inicio de sesión. - Nombre de paquete indica el subprotocolo que se usó entre los protocolos NTLM. - Longitud de</p> |
|--|--|--|---|

| | | | |
|--------------------------|----------|-------------------------------------|---|
| | | | clave indica la longitud de la clave de sesión generada. Será 0 si no se solicitó una clave de sesión. Event ID 4625 |
| 08/04/2021 09:46:53 a.m. | Security | Microsoft-Windows-Security-Auditing | Error de una cuenta al iniciar sesión. Sujeto: Id. de seguridad: S-1-5-18 Nombre de cuenta: WS55518\$ Dominio de cuenta: GOBIERNOCBA Id. de inicio de sesión: 0x3e7 Tipo de inicio de sesión: S-1-5-181 Cuenta con error de inicio de sesión: Id. de seguridad: S-1-0-0 Nombre de cuenta: 20148215864 Dominio de cuenta: GOBIERNOCBA Información de error: Motivo del error: <unknown parameter: %%2313> Estado: 0xc000006d Subestado: S-1-5-180 Información de proceso: Id. de proceso del autor de la llamada: S-1-5-188 Nombre de proceso del autor de la llamada: S-1-5-189 Información de red: Nombre de estación de trabajo: S-1-5-184 Dirección de red de origen: WS55518\$0 Puerto de origen: WS55518\$1 Información de |

| | | | |
|--|--|--|---|
| | | | <p>autenticación detallada: Proceso de inicio de sesión: S-1-5-182 Paquete de autenticación: S-1-5-183 Servicios transitados: S-1-5-185 Nombre de paquete (sólo NTLM): S-1-5-186 Longitud de clave: S-1-5-187 Este evento se genera cuando se produce un error en una solicitud de inicio de sesión. Lo genera el equipo al que se intentó tener acceso. Los campos de sujeto indican la cuenta del sistema local que solicitó el inicio de sesión. Suele ser un servicio como el servicio de servidor o un proceso local como Winlogon.exe o Services.exe. El campo Tipo de inicio de sesión indica la clase de inicio de sesión que se solicitó. Los tipos más comunes son 2 (interactivo) y 3 (red). Los campos Información de proceso indican la cuenta y el proceso en el sistema que solicitó el inicio de sesión. Los campos Información de red indican dónde se</p> |
|--|--|--|---|

| | | | |
|--------------------------|----------|-------------------------------------|---|
| | | | originó una solicitud de inicio de sesión remota. Nombre de estación de trabajo no está siempre disponible y se puede dejar en blanco en algunos casos. Los campos de información de autenticación proporcionan información detallada sobre esta solicitud de inicio de sesión específica. - Servicios transitados indica los servicios intermedios que participaron en esta solicitud de inicio de sesión. - Nombre de paquete indica el subprotocolo que se usó entre los protocolos NTLM. - Longitud de clave indica la longitud de la clave de sesión generada. Será 0 si no se solicitó una clave de sesión. Event ID 4625 |
| 07/04/2021 08:50:43 a.m. | Security | Microsoft-Windows-Security-Auditing | Error de una cuenta al iniciar sesión. Sujeto: Id. de seguridad: S-1-5-18 Nombre de cuenta: WS55518\$ Dominio de cuenta: GOBIERNOCBA Id. de inicio de sesión: 0x3e7 Tipo de inicio de sesión: S-1-5-181 Cuenta con error de inicio de sesión: Id. de seguridad: 0x3e7 |

S-1-U-U Nombre de cuenta: 20124063109
Dominio de cuenta: GOBIERNOCBA
Información de error:
Motivo del error:
<unknown parameter:
%%2313> Estado:
0xc000006d
Subestado: S-1-5-180
Información de proceso: Id. de proceso del autor de la llamada: S-1-5-188 Nombre de proceso del autor de la llamada: S-1-5-189
Información de red:
Nombre de estación de trabajo: S-1-5-184
Dirección de red de origen: WS55518\$0
Puerto de origen: WS55518\$1
Información de autenticación detallada:
Proceso de inicio de sesión: S-1-5-182
Paquete de autenticación:
S-1-5-183 Servicios transitados: S-1-5-185
Nombre de paquete (sólo NTLM): S-1-5-186
Longitud de clave:
S-1-5-187 Este evento se genera cuando se produce un error en una solicitud de inicio de sesión. Lo genera el equipo al que se intentó tener acceso. Los campos de sujeción

| | | | |
|--|--|--|---|
| | | | <p>campos de sujeto indican la cuenta del sistema local que solicitó el inicio de sesión. Suele ser un servicio como el servicio de servidor o un proceso local como Winlogon.exe o Services.exe. El campo Tipo de inicio de sesión indica la clase de inicio de sesión que se solicitó. Los tipos más comunes son 2 (interactivo) y 3 (red). Los campos Información de proceso indican la cuenta y el proceso en el sistema que solicitó el inicio de sesión. Los campos Información de red indican dónde se originó una solicitud de inicio de sesión remota. Nombre de estación de trabajo no está siempre disponible y se puede dejar en blanco en algunos casos. Los campos de información de autenticación proporcionan información detallada sobre esta solicitud de inicio de sesión específica. - Servicios transitados indica los servicios intermedios que participaron en esta solicitud de inicio de</p> |
|--|--|--|---|

| | | | |
|--------------------------|----------|-------------------------------------|---|
| | | | sesión. - Nombre de paquete indica el subprotocolo que se usó entre los protocolos NTLM. - Longitud de clave indica la longitud de la clave de sesión generada. Será 0 si no se solicitó una clave de sesión. Event ID 4625 |
| 22/12/2020 10:16:04 a.m. | Security | Microsoft-Windows-Security-Auditing | Error de una cuenta al iniciar sesión. Sujeto: Id. de seguridad: S-1-5-18 Nombre de cuenta: WS55518\$ Dominio de cuenta: GOBIERNOCBA Id. de inicio de sesión: 0x3e7 Tipo de inicio de sesión: S-1-5-181 Cuenta con error de inicio de sesión: Id. de seguridad: S-1-0-0 Nombre de cuenta: 20148215864 Dominio de cuenta: GOBIERNOCBA Información de error: Motivo del error: <unknown parameter: %%2309> Estado: 0xc0000224 Subestado: S-1-5-180 Información de proceso: Id. de proceso del autor de la llamada: S-1-5-188 Nombre de proceso del autor de la llamada: S-1-5-189 Información de red: |

| | | | |
|--|--|--|--|
| | | | <p>Nombre de estación de trabajo: S-1-5-184 Dirección de red de origen: WS55518\$0 Puerto de origen: WS55518\$1 Información de autenticación detallada: Proceso de inicio de sesión: S-1-5-182 Paquete de autenticación: S-1-5-183 Servicios transitados: S-1-5-185 Nombre de paquete (sólo NTLM): S-1-5-186 Longitud de clave: S-1-5-187 Este evento se genera cuando se produce un error en una solicitud de inicio de sesión. Lo genera el equipo al que se intentó tener acceso. Los campos de sujeto indican la cuenta del sistema local que solicitó el inicio de sesión. Suele ser un servicio como el servicio de servidor o un proceso local como Winlogon.exe o Services.exe. El campo Tipo de inicio de sesión indica la clase de inicio de sesión que se solicitó. Los tipos más comunes son 2 (interactivo) y 3 (red)</p> |
|--|--|--|--|

| | | | | |
|--|--|--|--|--|
| | | | (interactivo) y (redu). | |
| | | | Los campos Información de proceso indican la cuenta y el proceso en el sistema que solicitó el inicio de sesión. Los campos Información de red indican dónde se originó una solicitud de inicio de sesión remota. Nombre de estación de trabajo no está siempre disponible y se puede dejar en blanco en algunos casos. Los campos de información de autenticación proporcionan información detallada sobre esta solicitud de inicio de sesión específica. - Servicios transitados indica los servicios intermedios que participaron en esta solicitud de inicio de sesión. - Nombre de paquete indica el subprotocolo que se usó entre los protocolos NTLM. - Longitud de clave indica la longitud de la clave de sesión generada. Será 0 si no se solicitó una clave de sesión. Event ID 4625 | |

Security Settings

| Item | Name | Setting |
|-------------------|-------------------------|------------------------|
| AutoLogon | Enabled | No |
| Screen Saver | Enabled | Yes |
| Screen Saver | Timeout | 0 Seconds |
| Screen Saver | Password Protected | No |
| All Accounts | Force Network Logoff | Never |
| All Accounts | Minimum Password Length | 8 Characters |
| All Accounts | Maximum Password Age | 180 Days |
| All Accounts | Historical Passwords | 5 remembered |
| All Accounts | Lockout Threshold | 5 Attempts |
| Automatic Updates | Update Status | Scheduled installation |
| Automatic Updates | Update Schedule | Every day |
| Internet Explorer | Run Script | Allow |
| Internet Explorer | Run ActiveX | Allow |
| Internet Explorer | Run Java | Allow |
| Internet Explorer | Download Files | Allow |
| Internet Explorer | Install Desktop Items | Unknown |
| Internet Explorer | Launch Applications | Prompt user |

Share Permissions**ADMIN\$****No Trabajos**

NO TRUSTEE

| Name | Value |
|-------------|-----------------------------|
| Name | ADMIN\$ |
| Object Type | Share |
| Trustee | No Trustee |
| ACE Type | |
| Permissions | No security |
| ACE Flags | |
| Access Mask | |
| Owner | NT SERVICE\TrustedInstaller |

C\$**No Trustee**

| Name | Value |
|-------------|-----------------------------|
| Name | C\$ |
| Object Type | Share |
| Trustee | No Trustee |
| ACE Type | |
| Permissions | No security |
| ACE Flags | |
| Access Mask | |
| Owner | NT SERVICE\TrustedInstaller |

D\$

No Trustee

| Name | Value |
|-------------|---------------------|
| Name | D\$ |
| Object Type | Share |
| Trustee | No Trustee |
| ACE Type | |
| Permissions | No security |
| ACE Flags | |
| Access Mask | |
| Owner | NT AUTHORITY\SYSTEM |

HP Designjet 500 42 by HP

No Trustee

| Name | Value |
|-------------|---------------------------|
| Name | HP Designjet 500 42 by HP |
| Object Type | Share |
| Trustee | No Trustee |
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |

| | |
|-------------|--------------------------------|
| Access Mask | 000000000001111000000011111111 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|--------------------------------|
| Name | HP Designjet 500 42 by HP |
| Object Type | Share |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |
| Access Mask | 000000000001111000000011111111 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|---------------------------|
| Name | HP Designjet 500 42 by HP |
| Object Type | Share |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |

| | |
|-------------|--------------------------------|
| Access Mask | 000000000001111000000011111111 |
| Owner | NT AUTHORITY\SYSTEM |

IPC\$

No Trustee

| Name | Value |
|-------------|-------------|
| Name | IPC\$ |
| Object Type | Share |
| Trustee | No Trustee |
| ACE Type | |
| Permissions | No security |
| ACE Flags | |
| Access Mask | |
| Owner | |

KONICA MINOLTA 423_Taller1

No Trustee

| Name | Value |
|-------------|----------------------------|
| Name | KONICA MINOLTA 423_Taller1 |
| Object Type | Share |
| Trustee | No Trustee |

| | |
|-------------|--------------------------------|
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |
| Access Mask | 000000000001111000000011111111 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|--------------------------------|
| Name | KONICA MINOLTA 423_Taller1 |
| Object Type | Share |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |
| Access Mask | 000000000001111000000011111111 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|----------------------------|
| Name | KONICA MINOLTA 423_Taller1 |
| Object Type | Share |
| Trustee | BUILTIN\Administradores |

| | |
|-------------|-------------------------------|
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |
| Access Mask | 00000000000111100000011111111 |
| Owner | NT AUTHORITY\SYSTEM |

print\$

Todos

| Name | Value |
|-------------|---------------------------------|
| Name | print\$ |
| Object Type | Share |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Read |
| ACE Flags | |
| Access Mask | 0000000000010010000000010101001 |
| Owner | BUILTIN\Administradores |

BUILTIN\Administradores

| Name | Value |
|------|---------|
| Name | print\$ |

| | |
|-------------|---------------------------------|
| Object Type | Share |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |
| Access Mask | 0000000000001111000000011111111 |
| Owner | BUILTIN\Administradores |

System Restore

No restore points found, requires at least XP and the WMI service running.

User Privileges

| Privilege Name |
|---|
| Ajustar las cuotas de la memoria para un proceso |
| Administrar registro de seguridad y auditoría |
| Tomar posesión de archivos y otros objetos |
| Cargar y descargar controladores de dispositivo |
| Analizar el rendimiento del sistema |
| Cambiar la hora del sistema |
| Analizar un solo proceso |
| Aumentar prioridad de programación |
| Crear un archivo de paginación |
| Hacer copias de seguridad de archivos y directorios |

Hacer copias de seguridad de archivos y directorios

Restaurar archivos y directorios

Apagar el sistema

Depurar programas

Modificar valores de entorno firmware

Omitir comprobación de recorrido

Forzar cierre desde un sistema remoto

Quitar equipo de la estación de acoplamiento

Realizar tareas de mantenimiento del volumen

Suplantar a un cliente tras la autenticación

Crear objetos globales

Aumentar el espacio de trabajo de un proceso

Cambiar la zona horaria

Crear vínculos simbólicos

[Windows Firewall](#)

| Name | Setting |
|--------------------|---------------------------------|
| Firewall Enabled | No |
| Authorised Service | Compartir archivos e impresoras |
| Authorised Service | Detección de redes |
| Authorised Service | Escritorio remoto |

Grupos y Usuarios

Local Groups

Administradores

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Administradores |
| Comment Item | Los administradores tienen acceso completo y sin restricciones al equipo o dominio |

Members

| Group Name | Member Name |
|-----------------|---------------|
| Administradores | Administrador |

Policy

| Group Name | Privilege Name |
|-----------------|---|
| Administradores | Administrar registro de seguridad y auditoría |
| Administradores | Hacer copias de seguridad de archivos y directorios |
| Administradores | Restaurar archivos y directorios |
| Administradores | Cambiar la hora del sistema |
| Administradores | Apagar el sistema |
| Administradores | Forzar cierre desde un sistema remoto |

| | |
|-----------------|--|
| Administradores | Tomar posesión de archivos y otros objetos |
| Administradores | Depurar programas |
| Administradores | Modificar valores de entorno firmware |
| Administradores | Analizar el rendimiento del sistema |
| Administradores | Analizar un solo proceso |
| Administradores | Aumentar prioridad de programación |
| Administradores | Cargar y descargar controladores de dispositivo |
| Administradores | Crear un archivo de paginación |
| Administradores | Ajustar las cuotas de la memoria para un proceso |
| Administradores | Omitir comprobación de recorrido |
| Administradores | Quitar equipo de la estación de acoplamiento |
| Administradores | Realizar tareas de mantenimiento del volumen |
| Administradores | Suplantar a un cliente tras la autenticación |
| Administradores | Crear objetos globales |
| Administradores | Cambiar la zona horaria |
| Administradores | Crear vínculos simbólicos |
| Administradores | SeInteractiveLogonRight |
| Administradores | SeBatchLogonRight |
| Administradores | SeRemoteInteractiveLogonRight |

Debugger Users

| Name | Value |
|------------|-------|
| Group Type | Local |

| | |
|--------------|--|
| Group Name | Debugger Users |
| Comment Item | Debugger Users are non administrators who are allowed to use Visual Studio to debug processes, both locally and remotely. Only trusted users should be added to this group |

Members**No information found.****Policy****No information found.****Duplicadores**

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Duplicadores |
| Comment Item | Pueden replicar archivos en un dominio |

Members**No information found.****Policy****No information found.**

IIS_IUSRS

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | IIS_IUSRS |
| Comment Item | Grupo integrado usado por Internet Information Services. |

Members

| Group Name | Member Name |
|------------|-------------|
| IIS_IUSRS | IUSR |

Policy

No information found.

Invitados

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Invitados |
| Comment Item | De forma predeterminada, los invitados tienen el mismo acceso que los miembros del grupo Usuarios, excepto la cuenta de invitado que tiene más restricciones |

Members

| Group Name | Member Name |
|------------|-------------|
| Invitados | Invitado |

Policy

No information found.

Lectores del registro de eventos

| Name | Value |
|--------------|---|
| Group Type | Local |
| Group Name | Lectores del registro de eventos |
| Comment Item | Los miembros de este grupo pueden leer registros de eventos del equipo local. |

Members

No information found.

Policy

No information found.

Ofrecer aplicaciones auxiliares de asistencia remota

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Ofrecer aplicaciones auxiliares de asistencia remota |
| Comment Item | Los miembros de este grupo pueden ofrecer asistencia remota a los usuarios de este equipo. |

Members

No information found.

Policy

No information found.

Operadores criptográficos

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Operadores criptográficos |
| Comment Item | Los miembros tienen autorización para realizar operaciones criptográficas. |

Members

No information found.

Policy

No information found.

Operadores de configuración de red

| Name | Value |
|--------------|---|
| Group Type | Local |
| Group Name | Operadores de configuración de red |
| Comment Item | Los miembros en este equipo pueden tener algunos privilegios administrativos para administrar la configuración de las características de la red |

Members

No information found.

Policy

No information found.

Operadores de copia de seguridad

| Name | Value |
|------------|----------------------------------|
| Group Type | Local |
| Group Name | Operadores de copia de seguridad |

| | |
|--------------|--|
| Comment Item | Los operadores de copia de seguridad pueden invalidar restricciones de seguridad con el único propósito de hacer copias de seguridad o restaurar archivos. |
|--------------|--|

Members

No information found.

Policy

| Group Name | Privilege Name |
|----------------------------------|---|
| Operadores de copia de seguridad | Hacer copias de seguridad de archivos y directorios |
| Operadores de copia de seguridad | Restaurar archivos y directorios |
| Operadores de copia de seguridad | Apagar el sistema |
| Operadores de copia de seguridad | Omitir comprobación de recorrido |
| Operadores de copia de seguridad | SeInteractiveLogonRight |
| Operadores de copia de seguridad | SeBatchLogonRight |

Usuarios

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Usuarios |
| Comment Item | Los usuarios no pueden hacer cambios accidentales o intencionados en el sistema y pueden ejecutar la mayoría de aplicaciones |

Members

| Group Name | Member Name |
|-------------------|-------------------------|
| Usuarios | INTERACTIVE |
| Usuarios | usuario |
| Usuarios | Usuarios autentificados |

Policy

| Group Name | Privilege Name |
|-------------------|--|
| Usuarios | Apagar el sistema |
| Usuarios | Omitir comprobación de recorrido |
| Usuarios | Quitar equipo de la estación de acoplamiento |
| Usuarios | Aumentar el espacio de trabajo de un proceso |
| Usuarios | Cambiar la zona horaria |
| Usuarios | SelinteractiveLogonRight |

Usuarios avanzados

| Name | Value |
|--------------|---|
| Group Type | Local |
| Group Name | Usuarios avanzados |
| Comment Item | Los usuarios avanzados se incluyen para la compatibilidad con versiones |

anteriores y poseen derechos administrativos limitados

Members

No information found.

Policy

No information found.

Usuarios COM distribuidos

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Usuarios COM distribuidos |
| Comment Item | Los miembros pueden iniciar, activar y usar objetos de COM distribuido en este equipo. |

Members

No information found.

Policy

No information found.

Usuarios de escritorio remoto

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Usuarios de escritorio remoto |
| Comment Item | A los miembros de este grupo se les concede el derecho de iniciar sesión remotamente |

Members

No information found.

Policy

| Group Name | Privilege Name |
|-------------------------------|-------------------------------|
| Usuarios de escritorio remoto | SeRemoteInteractiveLogonRight |

Usuarios del control remoto de ConfigMgr

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Usuarios del control remoto de ConfigMgr |
| Comment Item | Los miembros de este grupo pueden ver y controlar este equipo con el control remoto de Configuration Manager |

Members

No information found.

Policy

No information found.

Usuarios del monitor de sistema

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Usuarios del monitor de sistema |
| Comment Item | Los miembros de este grupo tienen acceso a los datos del contador de rendimiento de forma local y remota |

Members

No information found.

Policy

No information found.

Usuarios del registro de rendimiento

| Name | Value |
|------------|--------------------------------------|
| Group Type | Local |
| Group Name | Usuarios del registro de rendimiento |

| | |
|--------------|--|
| Comment Item | Los miembros de este grupo pueden programar contadores de registro y rendimiento, habilitar proveedores de seguimiento y recopilar seguimientos de eventos localmente y a través del acceso remoto a este equipo |
|--------------|--|

Members**No information found.****Policy**

| Group Name | Privilege Name |
|--------------------------------------|-------------------|
| Usuarios del registro de rendimiento | SeBatchLogonRight |

Global Groups**None**

| Name | Value |
|--------------|----------------|
| Group Type | Global |
| Group Name | None |
| Comment Item | Ordinary users |

Members

| Group Name | Member Name |
|------------|---------------|
| None | Administrador |

| | |
|------|----------|
| None | Invitado |
| None | usuario |

Policy

No information found.

User Accounts

Administrador

| Item | Value |
|--------------------|--|
| User Account | Administrador |
| Full Name | |
| Description | Cuenta integrada para la administración del equipo o dominio |
| Account Status | Enabled, Not Locked |
| Local Groups | Administradores |
| Global Groups | None |
| Last Logon | 03/02/2020 12:05:35 p.m. |
| Last Logoff | |
| Number Of Logons | 82 |
| Bad Password Count | 0 |
| Password Age | 1855 Days |
| Password Expired | No |
| Account Expires | |

Invitado

| Item | Value |
|--------------------|---|
| User Account | Invitado |
| Full Name | |
| Description | Cuenta integrada para el acceso como invitado al equipo o dominio |
| Account Status | Disabled, Not Locked |
| Local Groups | Invitados |
| Global Groups | None |
| Last Logon | |
| Last Logoff | |
| Number Of Logons | 0 |
| Bad Password Count | 0 |
| Password Age | 0 Days |
| Password Expired | No |
| Account Expires | |

usuario

| Item | Value |
|--------------|---------|
| User Account | usuario |
| Full Name | usuario |
| Description | usuario |

| | |
|--------------------|----------------------|
| Account Status | Disabled, Not Locked |
| Local Groups | Usuarios |
| Global Groups | None |
| Last Logon | |
| Last Logoff | |
| Number Of Logons | 0 |
| Bad Password Count | 0 |
| Password Age | 2260 Days |
| Password Expired | Yes |
| Account Expires | |



Red Windows

Network Files

No information found.

Network Sessions

| Client Name | User Name | Connected | Idle |
|-------------|-------------|-----------|-----------|
| \[::1] | 20141773098 | 0 Minutes | 0 Minutes |

Network Shares

| Share Name | Share Type | Connections | Share Path |
|----------------------------|----------------------------------|-------------|---|
| ADMIN\$ | Disk Drive Admin | 1 | C:\Windows |
| C\$ | Disk Drive Admin | 1 | C:\ |
| D\$ | Disk Drive Admin | 1 | D:\ |
| HP Designjet 500 42 by HP | Print Queue | 0 | HP Designjet 500 42 by HP,LocalsplOnly |
| IPC\$ | Interprocess Communication Admin | 0 | |
| KONICA MINOLTA 423_Taller1 | Print Queue | 0 | KONICA MINOLTA 423_Taller1,LocalsplOnly |
| print\$ | Disk Drive | 0 | C:\Windows\system32\spool\drivers |



Red TCP/IP

Realtek PCIe GBE Family Controller

| Item | Value |
|--------------------|------------------------------------|
| Adapter Number | 1 |
| Adapter Name | Realtek PCIe GBE Family Controller |
| DNS Host Name | ws55518 |
| DNS Servers | |
| IP Address | |
| IP Subnet | 255.0.0.0 |
| Default IP Gateway | |

| | |
|---------------------|----------------------------------|
| DHCP Enabled | Yes |
| DHCP Server | 255.255.255.255 |
| DHCP IP Address | 0.0.0.0 |
| DHCP Lease Obtained | 20/07/2021 09:36:29 a.m. |
| DHCP Lease Expires | 28/07/2021 09:36:29 a.m. |
| Status Code | 0 |
| Adapter Status | This device is working properly. |
| Adapter Type | Ethernet 802.3 |
| MAC Address | 74:D0:2B:2A:0B:63 |
| Connection Status | Media disconnected |
| Connection Speed | 1000 Mbps |



NetBIOS

No NetBios Configurations Found.



Dispositivos

Adaptadores de pantalla

Intel(R) HD Graphics

| Item | Value |
|------|-------|
| | |

| | |
|-----------------|--|
| Device Type | Adaptadores de pantalla |
| Device Name | |
| Description | Intel(R) HD Graphics |
| Manufacturer | Intel Corporation |
| Location | Bus PCI 0, dispositivo 2, función 0 |
| Driver Provider | Intel Corporation |
| Driver Version | 9.17.10.4229 |
| Driver Date | 5-26-2015 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E968-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_0152&SUBSYS_844 D1043&REV_09\3&11583659&1&10 |

Adaptadores de red

Adaptador asínc. de RAS

| Item | Value |
|-----------------|-------------------------|
| Device Type | Adaptadores de red |
| Device Name | |
| Description | Adaptador asínc. de RAS |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |

| | |
|----------------|--|
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | SW\{EEAB7790-C514-11D1-B42B-00805FC1270E}\ASYNCMAC |

Adaptador ISATAP de Microsoft

| Item | Value |
|-----------------|--|
| Device Type | Adaptadores de red |
| Device Name | |
| Description | Adaptador ISATAP de Microsoft |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7600.16385 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT*ISATAP\0000 |

Fortinet SSL VPN Virtual Ethernet Adapter

| Item | Value |
|-----------------|---|
| Device Type | Adaptadores de red |
| Device Name | |
| Description | Fortinet SSL VPN Virtual Ethernet Adapter |
| Manufacturer | Fortinet Inc. |
| Location | |
| Driver Provider | Fortinet |
| Driver Version | 2018.8.22.0 |
| Driver Date | 8-22-2018 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\NET\0000 |

Fortinet virtual adapter

| Item | Value |
|-----------------|--------------------------|
| Device Type | Adaptadores de red |
| Device Name | |
| Description | Fortinet virtual adapter |
| Manufacturer | Fortinet |
| Location | |
| Driver Provider | Fortinet |

| | |
|----------------|--|
| Driver Version | 2009.2.12.0 |
| Driver Date | 2-12-2009 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\FT_VNIC\0000 |

Minipuerto WAN (IP)

| Item | Value |
|-----------------|--|
| Device Type | Adaptadores de red |
| Device Name | |
| Description | Minipuerto WAN (IP) |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\MS_NDISWANIP\0000 |

Minipuerto WAN (IPv6)

| Item | Value |
|-----------------|--|
| Device Type | Adaptadores de red |
| Device Name | |
| Description | Minipuerto WAN (IPv6) |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\MS_NDISWANIPV6\0000 |

Minipuerto WAN (L2TP)

| Item | Value |
|-----------------|-----------------------|
| Device Type | Adaptadores de red |
| Device Name | |
| Description | Minipuerto WAN (L2TP) |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |

| | |
|----------------|--|
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\MS_L2TPMINIPORT\0000 |

Minipuerto WAN (Monitor de red)

| Item | Value |
|-----------------|--|
| Device Type | Adaptadores de red |
| Device Name | |
| Description | Minipuerto WAN (Monitor de red) |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\MS_NDISWANBH\0000 |

Minipuerto WAN (PPPOE)

| Item | Value |
|-----------------|--|
| Device Type | Adaptadores de red |
| Device Name | |
| Description | Minipuerto WAN (PPPOE) |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\MS_PPPOEMINIPORT\0000 |

Minipuerto WAN (PPTP)

| Item | Value |
|-----------------|-----------------------|
| Device Type | Adaptadores de red |
| Device Name | |
| Description | Minipuerto WAN (PPTP) |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |

| | |
|----------------|--|
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\MS_PPTPMINIPORT\0000 |

Minipuerto WAN (SSTP)

| Item | Value |
|-----------------|--|
| Device Type | Adaptadores de red |
| Device Name | |
| Description | Minipuerto WAN (SSTP) |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\MS_SSTPMINIPORT\0000 |

PPPoP WAN Adapter

| Item | Value |
|-----------------|--|
| Device Type | Adaptadores de red |
| Device Name | |
| Description | PPPoP WAN Adapter |
| Manufacturer | Fortinet Inc. |
| Location | |
| Driver Provider | Fortinet |
| Driver Version | 2016.3.22.0 |
| Driver Date | 3-22-2016 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\NET\0001 |

Realtek PCIe GBE Family Controller

| Item | Value |
|-----------------|-------------------------------------|
| Device Type | Adaptadores de red |
| Device Name | |
| Description | Realtek PCIe GBE Family Controller |
| Manufacturer | Realtek |
| Location | Bus PCI 3, dispositivo 0, función 0 |
| Driver Provider | Realtek |
| Driver Version | 7.79.108.2014 |

| | |
|----------------|--|
| Driver Date | 1-8-2014 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_10EC&DEV_8168&SUBSYS_850 51043&REV_09\4&34DBA784&1&00E5 |

WAN Miniport (IKEv2)

| Item | Value |
|-----------------|--|
| Device Type | Adaptadores de red |
| Device Name | |
| Description | WAN Miniport (IKEv2) |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\MS_ISATAP\0000 |

Adantador ISATAP de Microsoft #2

| Item | Value |
|-----------------|--|
| Device Type | Adaptadores de red |
| Device Name | Adaptador ISATAP de Microsoft #2 |
| Description | Adaptador ISATAP de Microsoft |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7600.16385 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT*ISATAP\0001 |

Adaptador ISATAP de Microsoft #3

| Item | Value |
|-----------------|----------------------------------|
| Device Type | Adaptadores de red |
| Device Name | Adaptador ISATAP de Microsoft #3 |
| Description | Adaptador ISATAP de Microsoft |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7600.16385 |

| | |
|----------------|--|
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT*ISATAP\0002 |

Controladoras ATA/ATAPI IDE

Controladora ATA de serie AHCI 1.0 estándar

| Item | Value |
|-----------------|--|
| Device Type | Controladoras ATA/ATAPI IDE |
| Device Name | |
| Description | Controladora ATA de serie AHCI 1.0 estándar |
| Manufacturer | Controladora ATA de serie AHCI 1.0 estándar |
| Location | Bus PCI 0, dispositivo 31, función 2 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.18231 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96A-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_1C02&SUBSYS_844D1043&REV_05\3&11583659&1&FA |

ATA Channel 0

| Item | Value |
|-----------------|---|
| Device Type | Controladoras ATA/ATAPI IDE |
| Device Name | ATA Channel 0 |
| Description | Canal IDE |
| Manufacturer | (Tarjetas controladoras estándar IDE ATA/ATAPI) |
| Location | Channel 0 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.18231 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96A-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCIIDE\IDECHANNEL\4&24E9A58D&1&0 |

ATA Channel 1

| Item | Value |
|--------------|---|
| Device Type | Controladoras ATA/ATAPI IDE |
| Device Name | ATA Channel 1 |
| Description | Canal IDE |
| Manufacturer | (Tarjetas controladoras estándar IDE ATA/ATAPI) |

| | |
|-----------------|--|
| Location | Channel 1 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.18231 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96A-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCIIDE\IDECHANNEL\4&24E9A58D&1&1 |

ATA Channel 5

| Item | Value |
|-----------------|---|
| Device Type | Controladoras ATA/ATAPI IDE |
| Device Name | ATA Channel 5 |
| Description | Canal IDE |
| Manufacturer | (Tarjetas controladoras estándar IDE ATA/ATAPI) |
| Location | Channel 5 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.18231 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96A-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCIIDE\IDECHANNEL\4&24E9A58D&1&5 |

Controladoras de bus serie universal

Concentrador raíz USB

| Item | Value |
|-----------------|--|
| Device Type | Controladoras de bus serie universal |
| Device Name | |
| Description | Concentrador raíz USB |
| Manufacturer | (Controladora de host USB estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.18328 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |
| Device ID | USB\ROOT_HUB20\4&21D77A37&1 |

Concentrador raíz USB

| Item | Value |
|-------------|--------------------------------------|
| Device Type | Controladoras de bus serie universal |
| Device Name | |
| Description | Concentrador raíz USB |

| | |
|-----------------|--|
| Manufacturer | (Controladora de host USB estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.18328 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |
| Device ID | USB\ROOT_HUB20\4&26E3F77D&1 |

Controlador de host de PCI a USB mejorado

| Item | Value |
|-----------------|---|
| Device Type | Controladoras de bus serie universal |
| Device Name | |
| Description | Controlador de host de PCI a USB mejorado |
| Manufacturer | (Controladora de host USB estándar) |
| Location | Bus PCI 0, dispositivo 26, función 0 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.18328 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |

| | |
|-----------|--|
| Device ID | PCI\VEN_8086&DEV_1C2D&SUBSYS_844 D1043&REV_05\3&11583659&1&D0 |
|-----------|--|

Controlador de host de PCI a USB mejorado

| Item | Value |
|-----------------|--|
| Device Type | Controladoras de bus serie universal |
| Device Name | |
| Description | Controlador de host de PCI a USB mejorado |
| Manufacturer | (Controladora de host USB estándar) |
| Location | Bus PCI 0, dispositivo 29, función 0 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.18328 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |
| Device ID | PCI\VEN_8086&DEV_1C26&SUBSYS_844 D1043&REV_05\3&11583659&1&E8 |

Dispositivo compuesto USB

| Item | Value |
|-------------|--------------------------------------|
| Device Type | Controladoras de bus serie universal |

| | |
|-----------------|--|
| Device Name | |
| Description | Dispositivo compuesto USB |
| Manufacturer | (Controladora de host USB estándar) |
| Location | Port_#0001.Hub_#0004 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.18328 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |
| Device ID | USB\VID_1A2C&PID_2D23\6&1899DD96&0&1 |

Dispositivo de almacenamiento USB

| Item | Value |
|-----------------|--|
| Device Type | Controladoras de bus serie universal |
| Device Name | |
| Description | Dispositivo de almacenamiento USB |
| Manufacturer | Dispositivo de almacenamiento USB compatible |
| Location | Port_#0002.Hub_#0003 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.19144 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |

| | |
|------------|--|
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |
| Device ID | USB\VID_048D&PID_1336\0000000000000006 |

Dispositivo de almacenamiento USB

| Item | Value |
|-----------------|--|
| Device Type | Controladoras de bus serie universal |
| Device Name | |
| Description | Dispositivo de almacenamiento USB |
| Manufacturer | Dispositivo de almacenamiento USB compatible |
| Location | Port_#0006.Hub_#0004 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.19144 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |
| Device ID | USB\VID_ABCD&PID_1234\6&1899DD96&0&6 |

Generic USB Hub

| Item | Value |
|-------------|--------------------------------------|
| Device Type | Controladoras de bus serie universal |
| Device Name | |

| Device Name | |
|-----------------|--|
| Description | Generic USB Hub |
| Manufacturer | (Generic USB Hub) |
| Location | Port_#0001.Hub_#0001 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.18328 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |
| Device ID | USB\VID_8087&PID_0024\5&20FF04B3&0&1 |

Generic USB Hub

| Item | Value |
|-----------------|--------------------------------------|
| Device Type | Controladoras de bus serie universal |
| Device Name | |
| Description | Generic USB Hub |
| Manufacturer | (Generic USB Hub) |
| Location | Port_#0001.Hub_#0002 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.18328 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |

| | |
|------------|--|
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |
| Device ID | USB\VID_8087&PID_0024\5&19F0036B&0&1 |

Controladoras de sonido y vídeo y dispositivos de juego

Dispositivo de High Definition Audio

| Item | Value |
|-----------------|---|
| Device Type | Controladoras de sonido y vídeo y dispositivos de juego |
| Device Name | |
| Description | Dispositivo de High Definition Audio |
| Manufacturer | Microsoft |
| Location | Bus interno de High Definition Audio |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 11-19-2010 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96C-E325-11CE-BFC1-08002BE10318} |
| Device ID | HDAUDIO\FUNC_01&VEN_10EC&DEV_088 7&SUBSYS_10438445&REV_1003\4&EC7AB9B&1&0001 |

Controladores que no son Plug and Play

Administrador de punto de montaje

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Administrador de punto de montaje |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_MOUNTMGR\0000 |

Administrador de volúmenes dinámicos

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Administrador de volúmenes dinámicos |
| Manufacturer | |
| Location | |
| Driver Provider | |

| | |
|----------------|--|
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_VOLMGRX\0000 |

Ancillary Function Driver for Winsock

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Ancillary Function Driver for Winsock |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_AFD\0000 |

Beep

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Beep |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_BEEP\0000 |

Canal IDE

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Canal IDE |
| Manufacturer | |
| Location | |
| Driver Provider | |

| | |
|----------------|--|
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_ATAPI\0000 |

CNG

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | CNG |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_CNG\0000 |

Controlador ARP IPv6 de acceso remoto

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Controlador ARP IPv6 de acceso remoto |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_WANARPV6\0000 |

Controlador de archivos sin conexión

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Controlador de archivos sin conexión |
| Manufacturer | |
| Location | |
| Driver Provider | |

| | |
|----------------|--|
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_CSC\0000 |

Controlador de autorización de Firewall de Windows

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Controlador de autorización de Firewall de Windows |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_MPSDRV\0000 |

Controlador de filtro de aceleración de bus de máquina virtual

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Controlador de filtro de aceleración de bus de máquina virtual |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_STORFLT\0000 |

Controlador de protocolo TCP/IP

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Controlador de protocolo TCP/IP |
| Manufacturer | |
| Location | |
| Driver Provider | |

| | |
|----------------|--|
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_TCPIP\0000 |

Controlador de QWAVE

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Controlador de QWAVE |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_QWAVEDRV\0000 |

Controlador de sistema NDIS

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Controlador de sistema NDIS |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_NDIS\0000 |

Controlador de soporte TDI heredado NetIO

| Item | Value |
|-----------------|---|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Controlador de soporte TDI heredado NetIO |
| Manufacturer | |
| Location | |
| Driver Provider | |

| | |
|----------------|--|
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_TDX\0000 |

Controlador del filtro de Cifrado de unidad BitLocker

| Item | Value |
|-----------------|---|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Controlador del filtro de Cifrado de unidad BitLocker |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_FVEVOL\0000 |

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | fortiapd |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_FORTIAPD\0000 |

Fortinet NDIS6 Packet Filter Service

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Fortinet NDIS6 Packet Filter Service |
| Manufacturer | |
| Location | |
| Driver Provider | |

| | |
|----------------|--|
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_FORTIFILTER\0000 |

Hardware Policy Driver

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Hardware Policy Driver |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_HWPOLICY\0000 |

HTTP

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | HTTP |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_HTTP\0000 |

KSecDD

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | KSecDD |
| Manufacturer | |
| Location | |
| Driver Provider | |

| | |
|----------------|--|
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_KSECDD\0000 |

KSecPkg

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | KSecPkg |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_KSECPKG\0000 |

LDDM Graphics Subsvstem

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | LDDM Graphics Subsystem |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_DXGKRNL\0000 |

Link-Layer Topology Discovery Mapper I/O Driver

| Item | Value |
|-----------------|---|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Link-Layer Topology Discovery Mapper I/O Driver |
| Manufacturer | |
| Location | |
| Driver Provider | |

| | |
|----------------|--|
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_LLTDIO\0000 |

Link-Layer Topology Discovery Responder

| Item | Value |
|-----------------|---|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Link-Layer Topology Discovery Responder |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_RSPNDR\0000 |

modem

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | modem |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_MODEM\0000 |

msisadrv

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | msisadrv |
| Manufacturer | |
| Location | |
| Driver Provider | |

| | |
|----------------|--|
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_MSISDRV\0000 |

NDProxy

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | NDProxy |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_NDPROXY\0000 |

NETBT

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | NETBT |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_NETBT\0000 |

NSI proxy service driver.

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | NSI proxy service driver. |
| Manufacturer | |
| Location | |
| Driver Provider | |

| | |
|----------------|--|
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_NSIPROXY\0000 |

Null

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Null |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_NULL\0000 |

PEAUTH

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | PEAUTH |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_PEAUTH\0000 |

Performance Counters for Windows Driver

| Item | Value |
|-----------------|---|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Performance Counters for Windows Driver |
| Manufacturer | |
| Location | |
| Driver Provider | |

| | |
|----------------|--|
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_PCW\0000 |

Programador de paquetes QoS

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Programador de paquetes QoS |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_PSCHED\0000 |

RDP Encoder Mirror Driver

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | RDP Encoder Mirror Driver |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_RDPENCDD\0000 |

RDP Winstation Driver

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | RDP Winstation Driver |
| Manufacturer | |
| Location | |
| Driver Provider | |

| | |
|----------------|--|
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_RDPWD\0000 |

RDP CDD

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | RDP CDD |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_RDP CDD\0000 |

Reflector Display Driver used to gain access to graphics data

| Item | Value |
|-----------------|---|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Reflector Display Driver used to gain access to graphics data |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_RDPREFMP\0000 |

Registro común (CLFS)

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Registro común (CLFS) |
| Manufacturer | |
| Location | |
| Driver Provider | |

| | |
|----------------|--|
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_CLFS\0000 |

Remote Desktop Services Security Filter Driver

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Remote Desktop Services Security Filter Driver |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_TSSECSR\0000 |

Security Driver

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Security Driver |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_SECDRV\0000 |

Security Processor Loader Driver

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Security Processor Loader Driver |
| Manufacturer | |
| Location | |
| Driver Provider | |

| | |
|----------------|--|
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_SPLDR\0000 |

Servicio de marcos de controlador en modo Kernel

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Servicio de marcos de controlador en modo Kernel |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_WDF01000\0000 |

SMS Process Event Driver

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | SMS Process Event Driver |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_PREPDRV\0000 |

System Attribute Cache

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | System Attribute Cache |
| Manufacturer | |
| Location | |
| Driver Provider | |

| | |
|----------------|--|
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_DISCACHE\0000 |

TCP/IP Registry Compatibility

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | TCP/IP Registry Compatibility |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_TCPIPREG\0000 |

TDTCP

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | TDTCP |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_TDTCP\0000 |

Terminal Server Device Redirector Driver

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Terminal Server Device Redirector Driver |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |

| | |
|----------------|--|
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_RDPDR\0000 |

User Mode Driver Frameworks Platform Driver

| Item | Value |
|-----------------|---|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | User Mode Driver Frameworks Platform Driver |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_WUDFPF\0000 |

VgaSave

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | VgaSave |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_VGASAVE\0000 |

Volúmenes de almacenamiento

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Volúmenes de almacenamiento |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |

| | |
|----------------|--|
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_VOLSNAP\0000 |

WFP Lightweight Filter

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | WFP Lightweight Filter |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_WFPLWF\0000 |

Dispositivos de imagen

Brother DCP-8085DN LAN

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos de imagen |
| Device Name | |
| Description | Brother DCP-8085DN LAN |
| Manufacturer | Brother |
| Location | |
| Driver Provider | Brother |
| Driver Version | 1.0.0.0 |
| Driver Date | 4-21-2009 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {6BDD1FC6-810F-11D0-BEC7-08002BE2092F} |
| Device ID | ROOT\IMAGE\0000 |

Brother DCP-8085DN LAN

| Item | Value |
|-----------------|------------------------|
| Device Type | Dispositivos de imagen |
| Device Name | |
| Description | Brother DCP-8085DN LAN |
| Manufacturer | Brother |
| Location | |
| Driver Provider | Brother |

| | |
|----------------|--|
| Driver Version | 1.0.0.0 |
| Driver Date | 4-21-2009 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {6BDD1FC6-810F-11D0-BEC7-08002BE2092F} |
| Device ID | ROOT\IMAGE\0001 |

Dispositivos de interfaz de usuario (HID)

Dispositivo compatible con HID

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos de interfaz de usuario (HID) |
| Device Name | |
| Description | Dispositivo compatible con HID |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.18199 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {745A17A0-74D3-11D0-B6FE-00A0C90F57DA} |
| Device ID | HID\VID_1A2C&PID_2D23&MI_01&COL02\8&50F1C37&0&0001 |

Dispositivo de control del consumidor compatible con HID

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos de interfaz de usuario (HID) |
| Device Name | |
| Description | Dispositivo de control del consumidor compatible con HID |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7600.16385 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {745A17A0-74D3-11D0-B6FE-00A0C90F57DA} |
| Device ID | HID\VID_1A2C&PID_2D23&MI_01&COL01\8&50F1C37&0&0000 |

Dispositivo de entrada USB

| Item | Value |
|--------------|---|
| Device Type | Dispositivos de interfaz de usuario (HID) |
| Device Name | |
| Description | Dispositivo de entrada USB |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | 0000.001d.0000.001.001.000.000.000.000 |

| | |
|-----------------|---|
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.18199 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {745A17A0-74D3-11D0-B6FE-00A0C90F57DA} |
| Device ID | USB\VID_1A2C&PID_2D23&MI_00\7&1CA90162&0&0000 |

Dispositivo de entrada USB

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos de interfaz de usuario (HID) |
| Device Name | |
| Description | Dispositivo de entrada USB |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | 0000.001d.0000.001.001.000.000.000.000 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.18199 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {745A17A0-74D3-11D0-B6FE-00A0C90F57DA} |
| Device ID | USB\VID_1A2C&PID_2D23&MI_01\7&1CA90162&0&0001 |

Dispositivo de entrada USB

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos de interfaz de usuario (HID) |
| Device Name | |
| Description | Dispositivo de entrada USB |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | Port_#0002.Hub_#0004 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.18199 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {745A17A0-74D3-11D0-B6FE-00A0C90F57DA} |
| Device ID | USB\VID_093A&PID_2510\6&1899DD96&0&2 |

Dispositivos del sistema

Administrador de volúmenes

| Item | Value |
|-------------|----------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Administrador de volúmenes |

| | |
|-----------------|--|
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\VOLMGR\0000 |

Archivar como controlador de volumen

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Archivar como controlador de volumen |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7600.16385 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |

| | |
|-----------|--------------------|
| Device ID | ROOT\BLBDRIVE\0000 |
|-----------|--------------------|

Botón de característica fija ACPI

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Botón de característica fija ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\FIXEDBUTTON\2&DABA3FF&3 |

Botón de encendido ACPI

| Item | Value |
|-------------|--------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Botón de encendido ACPI |

| | |
|-----------------|--|
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C0CVA |

Bus PCI

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Bus PCI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Intel |
| Driver Version | 2.5.0.19 |
| Driver Date | 3-29-2013 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |

| | |
|-----------|----------------|
| Device ID | ACPI\PNP0A08\0 |
|-----------|----------------|

Controlador BIOS de Microsoft System Management

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Controlador BIOS de Microsoft System Management |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\MSSMBIOS\0000 |

Controlador de enumerador de unidades virtuales de Microsoft

| Item | Value |
|-------------|--------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |

| | |
|-----------------|--|
| Description | Controlador de enumerador de unidades virtuales de Microsoft |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\VDRVROOT\0000 |

Controlador de mouse de Terminal Server

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Controlador de mouse de Terminal Server |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |

| | |
|------------|--|
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\RDP_MOU\0000 |

Controlador de teclado de Terminal Server

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Controlador de teclado de Terminal Server |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\RDP_KBD\0000 |

Controladora de acceso directo a memoria

| Item | Value |
|-------------|--------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |

| | |
|-----------------|--|
| Description | Controladora de acceso directo a memoria |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0200\4&7ABCAF&1 |

Controladora de High Definition Audio

| Item | Value |
|-----------------|---------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Controladora de High Definition Audio |
| Manufacturer | Microsoft |
| Location | Bus PCI 0, dispositivo 27, función 0 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 11-19-2010 |
| Status Code | 0 |
| Status Message | OK |

| | |
|------------|--|
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_1C20&SUBSYS_844 51043&REV_05\3&11583659&1&D8 |

Controladora programable de interrupciones

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Controladora programable de interrupciones |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0000\4&7ABCAF&1 |

Cronómetro del sistema

| Item | Value |
|-------------|--------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |

| | |
|-----------------|--|
| Description | Cronómetro del sistema |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0100\4&7ABCAF&1 |

Dispositivo concentrador de firmware Intel(R) 82802

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Dispositivo concentrador de firmware Intel(R) 82802 |
| Manufacturer | Intel |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |

| | |
|----------------|--|
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\INT0800\4&7ABCAF&1 |

Enumerador de bus compuesto

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Enumerador de bus compuesto |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\COMPOSITEBUS\0000 |

Enumerador de bus raíz de UMBus

| Item | Value |
|-------------|--------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |

| | |
|-----------------|--|
| Description | Enumerador de bus raíz de UMBus |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\UMBUS\0000 |

Enumerador de dispositivos de software Plug and Play

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Enumerador de dispositivos de software Plug and Play |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |

| Status Message | OK |
|----------------|--|
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\SYSTEM\0000 |

Enumerador de UMBus

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Enumerador de UMBus |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | UMB\UMB\1&841921D&0&PRINTERBUSENUMERATOR |

Enumerador de UMBus

| Item | Value |
|-------------|--------------------------|
| Device Type | Dispositivos del sistema |

| | |
|-----------------|--|
| Device Name | |
| Description | Enumerador de UMBus |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | UMB\UMB\1&841921D&0&WPDBUSENUMROOT |

Intel(R) 6 Series/C200 Series Chipset Family SMBus Controller -

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Intel(R) 6 Series/C200 Series Chipset Family SMBus Controller - |
| Manufacturer | Intel |
| Location | Bus PCI 0, dispositivo 31, función 3 |
| Driver Provider | Intel |
| Driver Version | 9.2.0.1035 |
| Driver Date | 7-25-2013 |
| Status Code | 0 |

| | |
|----------------|--|
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_1C22&SUBSYS_844 D1043&REV_05\3&11583659&1&FB |

Intel(R) Management Engine Interface

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Intel(R) Management Engine Interface |
| Manufacturer | Intel |
| Location | Bus PCI 0, dispositivo 22, función 0 |
| Driver Provider | Intel |
| Driver Version | 10.0.27.1012 |
| Driver Date | 8-5-2014 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_1C3A&SUBSYS_844 D1043&REV_04\3&11583659&1&B0 |

Interfaz de administración para ACPI de Microsoft Windows

| Item | Value |
|------|-------|
|------|-------|

| | |
|-----------------|---|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Interfaz de administración para ACPI de Microsoft Windows |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C14\ASUSWMI |

Procesador de datos numéricos

| Item | Value |
|-----------------|------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Procesador de datos numéricos |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |

| | |
|----------------|--|
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C04\4&7ABCAF&1 |

Puente PCI de CPU host estándar

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Puente PCI de CPU host estándar |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | Bus PCI 0, dispositivo 0, función 0 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_0150&SUBSYS_844 D1043&REV_09\3&11583659&1&00 |

Puente PCI estándar de PCI a PCI

| Item | Value |
|------|-------|
|------|-------|

| | |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Puente PCI estándar de PCI a PCI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | Bus PCI 0, dispositivo 1, función 0 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_0151&SUBSYS_844 D1043&REV_09\3&11583659&1&08 |

Puente PCI estándar de PCI a PCI

| Item | Value |
|-----------------|--------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Puente PCI estándar de PCI a PCI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | Bus PCI 0, dispositivo 28, función 0 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |

| | |
|----------------|--|
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_1C10&SUBSYS_844 D1043&REV_B5\3&11583659&1&E0 |

Puente PCI estándar de PCI a PCI

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Puente PCI estándar de PCI a PCI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | Bus PCI 0, dispositivo 28, función 5 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_1C1A&SUBSYS_844 D1043&REV_B5\3&11583659&1&E5 |

Puente PCI ISA estándar

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Puente PCI ISA estándar |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | Bus PCI 0, dispositivo 31, función 0 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_1C5C&SUBSYS_844 D1043&REV_05\3&11583659&1&F8 |

Recursos de la placa base

| Item | Value |
|--------------|------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Recursos de la placa base |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |

| | |
|-----------------|--|
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\INT3F0D\4&7ABCAF&1 |

Recursos de la placa base

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Recursos de la placa base |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C02\1 |

Recursos de la placa base

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Recursos de la placa base |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C02\10 |

Recursos de la placa base

| Item | Value |
|--------------|------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Recursos de la placa base |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |

| | |
|-----------------|--|
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C02\111 |

Recursos de la placa base

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Recursos de la placa base |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C02\2 |

Remote Desktop Device Redirector Bus

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Remote Desktop Device Redirector Bus |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7600.16385 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\RDPBUS\0000 |

Sistema CMOS/reloj en tiempo real

| Item | Value |
|--------------|------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Sistema CMOS/reloj en tiempo real |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |

| | |
|-----------------|--|
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0B00\4&7ABCAF&1 |

Sistema Microsoft compatible con ACPI

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Sistema Microsoft compatible con ACPI |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI_HAL\PNP0C08\0 |

Tarjeta de sistema

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Tarjeta de sistema |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C01\1 |

Tarjeta de sistema

| Item | Value |
|--------------|------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Tarjeta de sistema |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |

| | |
|-----------------|--|
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C01\2 |

Temporizador de eventos de alta precisión

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Temporizador de eventos de alta precisión |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0103\0 |

Ventilador ACPI

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Ventilador ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C0B\0 |

Ventilador ACPI

| Item | Value |
|--------------|------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Ventilador ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |

| | |
|-----------------|--|
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C0B\1 |

Ventilador ACPI

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Ventilador ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C0B\2 |

Ventilador ACPI

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Ventilador ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C0B\3 |

Ventilador ACPI

| Item | Value |
|-----------------|------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Ventilador ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |

| | |
|----------------|--|
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C0B\4 |

Zona térmica ACPI

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Zona térmica ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\THERMALZONE\TZ00 |

Zona térmica ACPI

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Zona térmica ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\THERMALZONE\TZ01 |

IPBusEnum Root Enumerator

| Item | Value |
|-----------------|---------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | IPBusEnum Root Enumerator |
| Description | Enumerador de UMBus |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |

| | |
|----------------|--|
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | UMB\UMB\1&841921D&0&IPBUSENUMROOT |

Dispositivos portátiles

F:\

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos portátiles |
| Device Name | F:\ |
| Description | UDisk |
| Manufacturer | General |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7600.16385 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {EEC5AD98-8080-425F-922A-DABF3DE3F69A} |
| Device ID | WPDBUSENUMROOT\UMB\2&37C186B&2&STORAGE#VOLUME#_??_USBSTOR#DISK&VEN_GENERAL&PROD_UDISK&REV_5.00#7&49E11EB&0&_0# |

G:

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos portátiles |
| Device Name | G:\ |
| Description | Storage Device |
| Manufacturer | Generic |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7600.16385 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {EEC5AD98-8080-425F-922A-DABF3DE3F69A} |
| Device ID | WPDBUSENUMROOT\UMB\2&37C186B&2&STORAGE#VOLUME#_??_USBSTOR#DISK&VEN_GENERIC&PROD_STORAGE_DEVICE&REV_0.00#00000000000006&0# |

Equipo**ACPI x64-based PC**

| Item | Value |
|-------------|--------------|
| Device Type | Equipo |

| | |
|-----------------|--|
| Device Name | |
| Description | ACPI x64-based PC |
| Manufacturer | (Equipos estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7600.16385 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E966-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\ACPI_HAL\0000 |

Monitores

Monitor PnP genérico

| Item | Value |
|-----------------|----------------------------|
| Device Type | Monitores |
| Device Name | |
| Description | Monitor PnP genérico |
| Manufacturer | (Tipo de monitor estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7600.16385 |

| | |
|----------------|---|
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96E-E325-11CE-BFC1-08002BE10318} |
| Device ID | DISPLAY\SAM0B35\4&A4D0739&0&UID16843008 |

Mouse y otros dispositivos señaladores

Mouse compatible con HID

| Item | Value |
|-----------------|--|
| Device Type | Mouse y otros dispositivos señaladores |
| Device Name | |
| Description | Mouse compatible con HID |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7600.16385 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96F-E325-11CE-BFC1-08002BE10318} |
| Device ID | HID\VID_093A&PID_2510\7&9F1590C&0&0000 |

Procesadores

Intel(R) Core(TM) i3-3220 CPU @ 3.30GHz

| Item | Value |
|-----------------|---|
| Device Type | Procesadores |
| Device Name | Intel(R) Core(TM) i3-3220 CPU @ 3.30GHz |
| Description | Procesador Intel |
| Manufacturer | Intel |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24499 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {50127DC3-0F36-415E-A6CC-4CB3BE910B65} |
| Device ID | ACPI\GENUINEINTEL_-_INTEL64_FAMILY_6_MODEL_58_-_INTEL(R)_CORE(TM)_I3-3220_CPU_@_3.30GHZ_1 |

Intel(R) Core(TM) i3-3220 CPU @ 3.30GHz

| Item | Value |
|-------------|---|
| Device Type | Procesadores |
| Device Name | Intel(R) Core(TM) i3-3220 CPU @ 3.30GHz |
| Description | Procesador Intel |

| | |
|-----------------|--|
| Manufacturer | Intel |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24499 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {50127DC3-0F36-415E-A6CC-4CB3BE910B65} |
| Device ID | ACPI\GENUINEINTEL_-_INTEL64_FAMI LY_6_MODEL_58_-______INTEL(R) _CORE(TM)_I3-3220_CPU_@_3.30GHz\2 |

Intel(R) Core(TM) i3-3220 CPU @ 3.30GHz

| Item | Value |
|-----------------|---|
| Device Type | Procesadores |
| Device Name | Intel(R) Core(TM) i3-3220 CPU @ 3.30GHz |
| Description | Procesador Intel |
| Manufacturer | Intel |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24499 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |

| | |
|------------|---|
| Class GUID | {50127DC3-0F36-415E-A6CC-4CB3BE910B65} |
| Device ID | ACPI\GENUINEINTEL_-_INTEL64_FAMILY_6_MODEL_58_-_INTEL(R)_CORE(TM)_I3-3220_CPU_@_3.30GHZ_3 |

Intel(R) Core(TM) i3-3220 CPU @ 3.30GHz

| Item | Value |
|-----------------|---|
| Device Type | Procesadores |
| Device Name | Intel(R) Core(TM) i3-3220 CPU @ 3.30GHz |
| Description | Procesador Intel |
| Manufacturer | Intel |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24499 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {50127DC3-0F36-415E-A6CC-4CB3BE910B65} |
| Device ID | ACPI\GENUINEINTEL_-_INTEL64_FAMILY_6_MODEL_58_-_INTEL(R)_CORE(TM)_I3-3220_CPU_@_3.30GHZ_4 |

Teclados

Dispositivo de teclado HID

| Item | Value |
|-----------------|---|
| Device Type | Teclados |
| Device Name | |
| Description | Dispositivo de teclado HID |
| Manufacturer | (Teclados estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96B-E325-11CE-BFC1-08002BE10318} |
| Device ID | HID\VID_1A2C&PID_2D23&MI_00\8&1CD2A87C&0&0000 |

Unidades de disco

General UDisk USB Device

| Item | Value |
|--------------|------------------------------|
| Device Type | Unidades de disco |
| Device Name | General UDisk USB Device |
| Description | Unidad de disco |
| Manufacturer | (Unidades de disco estándar) |

| | |
|-----------------|--|
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.19133 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E967-E325-11CE-BFC1-08002BE10318} |
| Device ID | USBSTOR\DISK&VEN_GENERAL&PROD_UD ISK&REV_5.00\7&49E11EB&0&_&0 |

Generic Storage Device USB Device

| Item | Value |
|-----------------|--|
| Device Type | Unidades de disco |
| Device Name | Generic Storage Device USB Device |
| Description | Unidad de disco |
| Manufacturer | (Unidades de disco estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.19133 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E967-E325-11CE-BFC1-08002BE10318} |
| Device ID | USBSTOR\DISK&VEN_GENERAL&PROD_UD ISK&REV_5.00\7&49E11EB&0&_&0 |

| | |
|-----------|--|
| Device ID | USBSTOR\DISK&VEN_GENERIC&PROD_51 ORAGE_DEVICE&REV_0.00\0000000000000006&0 |
|-----------|--|

KINGSTON SA400S37240G ATA Device

| Item | Value |
|-----------------|--|
| Device Type | Unidades de disco |
| Device Name | KINGSTON SA400S37240G ATA Device |
| Description | Unidad de disco |
| Manufacturer | (Unidades de disco estándar) |
| Location | Channel 0, Target 0, Lun 0 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.19133 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E967-E325-11CE-BFC1-08002BE10318} |
| Device ID | IDE\DISKKINGSTON_SA400S37240G_____ _____SBFKJ4.3\5&16AD27E6&0&0.0.0 |

WDC WD5000AAKX-08U6AA0 ATA Device

| Item | Value |
|-------------|-----------------------------------|
| Device Type | Unidades de disco |
| Device Name | WDC WD5000AAKX-08U6AA0 ATA Device |
| Description | Unidad de disco |

| | |
|-----------------|---|
| Manufacturer | (Unidades de disco estándar) |
| Location | Channel 1, Target 0, Lun 0 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.19133 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E967-E325-11CE-BFC1-08002BE10318} |
| Device ID | IDE\DISKWDC_WD5000AAKX-08U6AA0__ _____19.01H19\5&3F37741&0&1.0.0 |

Unidades de DVD o CD-ROM

HL-DT-ST DVDRAM GH24NS95 ATA Device

| Item | Value |
|-----------------|-------------------------------------|
| Device Type | Unidades de DVD o CD-ROM |
| Device Name | HL-DT-ST DVDRAM GH24NS95 ATA Device |
| Description | Unidad de CD-ROM |
| Manufacturer | (Unidades de CD-ROM estándar) |
| Location | Channel 5, Target 0, Lun 0 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |

| | |
|----------------|--|
| Status Message | OK |
| Class GUID | {4D36E965-E325-11CE-BFC1-08002BE10318} |
| Device ID | IDE\CDROMHL-DT-ST_DVDRAM_GH24NS9 5_____BOOT____\5&B58814C&0&5.0.0 |

Volúmenes de almacenamiento

Volumen genérico

| Item | Value |
|-----------------|--|
| Device Type | Volúmenes de almacenamiento |
| Device Name | |
| Description | Volumen genérico |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {71A27CDD-812A-11D0-BEC7-08002BE2092F} |
| Device ID | STORAGE\VOLUME_??_USBSTOR#DISK& VEN_GENERAL&PROD_UDISK&REV_5.00# 7&49E11EB&0&_0#{5F56307-B6BF-11D0-94F2-00A0C91EFB8B} |

Volumen genérico

| Item | Value |
|-----------------|--|
| Device Type | Volúmenes de almacenamiento |
| Device Name | |
| Description | Volumen genérico |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {71A27CDD-812A-11D0-BEC7-08002BE2092F} |
| Device ID | STORAGE\Volume_\?_USBSTOR#DISK& VEN_GENERIC&PROD_STORAGE_DEVICE& REV_0.00#00000000000006&0#{53F56 307-B6BF-11D0-94F2-00A0C91EFB8B |

Volumen genérico

| Item | Value |
|--------------|-----------------------------|
| Device Type | Volúmenes de almacenamiento |
| Device Name | |
| Description | Volumen genérico |
| Manufacturer | Microsoft |

| | |
|-----------------|--|
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {71A27CDD-812A-11D0-BEC7-08002BE2092F} |
| Device ID | STORAGE\VOLUME\{48F5C5C0-E964-11EB-8E49-806E6F6E6963}\#00000000000007E00 |

Volumen genérico

| Item | Value |
|-----------------|--|
| Device Type | Volúmenes de almacenamiento |
| Device Name | |
| Description | Volumen genérico |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {71A27CDD-812A-11D0-BEC7-08002BE2092F} |

| | |
|-----------|---|
| Device ID | STORAGE\VOLUME\{48F5C5C0-E964-11 EB-8E49-806E6F6E6963}\#000000251E50EA00 |
|-----------|---|

Volumen genérico

| Item | Value |
|-----------------|---|
| Device Type | Volúmenes de almacenamiento |
| Device Name | |
| Description | Volumen genérico |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {71A27CDD-812A-11D0-BEC7-08002BE2092F} |
| Device ID | STORAGE\VOLUME\{BF45F840-E963-11 EB-89AF-806E6F6E6963}\#0000000000100000 |



Características Pantalla

Display #1

Identification

| Name | Value |
|--------------------|---------------------|
| Display Number | 1 |
| Display Name | S19D300 |
| Manufacturer | Samsung |
| Manufacture Date | Week 46, Year 2013 |
| Serial Number | H1AK500000 |
| Product ID | SAM0B35 |
| Display Size | 18.5" (41cm x 23cm) |
| Display Type | Analog, RGB Colour |
| Supported Features | Active-Off |
| Display Resolution | 1366 x 768 pixels |

Capabilities

| Display | Type | Description | Capable |
|---------|-------|-------------------------|---------|
| 1 | Curve | Draw chord arcs | Yes |
| 1 | Curve | Draw circles | Yes |
| 1 | Curve | Draw chord ellipses | Yes |
| 1 | Curve | Draw chord interiors | Yes |
| 1 | Curve | Draw pie wedges | Yes |
| 1 | Curve | Draw rounded rectangles | Yes |
| 1 | Curve | Draw styled borders | Yes |

| | | | |
|---|---------|----------------------------------|-----|
| 1 | Curve | Draw wide borders | Yes |
| 1 | Curve | Draw wide styled borders | Yes |
| 1 | Line | Draw a polyline | Yes |
| 1 | Line | Draw styled lines | Yes |
| 1 | Line | Draw wide lines | Yes |
| 1 | Line | Draw wide styled lines | Yes |
| 1 | Line | Draw interiors | Yes |
| 1 | Line | Draw a marker | Yes |
| 1 | Line | Draw multiple markers | Yes |
| 1 | Polygon | Draw interior polygon | Yes |
| 1 | Polygon | Draw alternate-fill polygons | Yes |
| 1 | Polygon | Draw rectangles | Yes |
| 1 | Polygon | Draw a single scanline | Yes |
| 1 | Polygon | Draw polygon styled border | Yes |
| 1 | Polygon | Draw polygon wide border | Yes |
| 1 | Polygon | Draw polygon wide styled border | Yes |
| 1 | Polygon | Draw winding-fill polygons | Yes |
| 1 | Raster | Requires banding support | No |
| 1 | Raster | Can transfer bitmaps | Yes |
| 1 | Raster | Support bitmaps over 64 KB | Yes |
| 1 | Raster | Set/get bits in DI bitmap | Yes |
| 1 | Raster | Set DI bits to device | Yes |
| 1 | Raster | Can perform flood fills | Yes |
| 1 | Raster | Specifies a palette-based device | No |
| 1 | Raster | Capable of scaling | No |

| I | Raster | Capable of scaling | NU |
|---|--------|---|-----|
| 1 | Raster | Can copy and stretch bitmap | Yes |
| 1 | Raster | Can copy and stretch DI bitmap | Yes |
| 1 | Text | Capable of character output precision | Yes |
| 1 | Text | Capable of stroke output precision | Yes |
| 1 | Text | Capable of stroke clip precision | Yes |
| 1 | Text | Capable of 90-degree character rotation | No |
| 1 | Text | Capable of any character rotation | No |
| 1 | Text | Scale independently x and y directions | No |
| 1 | Text | Capable of doubled character for scaling | No |
| 1 | Text | Integer multiples character scaling | No |
| 1 | Text | Any multiples for exact character scaling | No |
| 1 | Text | Draw double-weight characters | No |
| 1 | Text | Able to italicize | No |
| 1 | Text | Able to underline | Yes |
| 1 | Text | Able to strikeouts | Yes |
| 1 | Text | Able to draw raster fonts | Yes |
| 1 | Text | Able to draw vector fonts | Yes |
| 1 | Text | Scroll using a bit-block transfer | No |

Display Adapters

Intel(R) HD Graphics

| Item | Value |
|------|-------|
| | |

| | |
|----------------------|-----------------------------|
| Adapter Number | 1 |
| Name | Intel(R) HD Graphics |
| Adapter RAM | 2304MB |
| Colour Depth | 32 bit |
| Vertical Resolution | 96dpi |
| Current Refresh Rate | 60Hz |
| Video Processor | Intel(R) HD Graphics Family |
| Adapter DAC Type | Internal |
| Adapter ID | Intel(R) HD Graphics 2500 |
| BIOS | Intel Video BIOS |



Impresoras Instaladas

KONICA MINOLTA 423_Taller1

| Item | Value |
|------------------|----------------------------|
| Printer Number | 1 |
| Printer Name | KONICA MINOLTA 423_Taller1 |
| Share Name | KONICA MINOLTA 423_Taller1 |
| Port Name | 10.29.2.35 |
| Location | |
| Pages Per Minute | |
| Attributes | Shared, Local Printer |

| | |
|---------------------------|--|
| Printer Status | Offline |
| Paper Size | A4 sheet, 210- by 297-millimeters |
| Orientation | Portrait |
| Print Quality | 600 Dots Per Inch |
| Driver Name | KONICA MINOLTA 423SeriesPCL-8 |
| Driver File | C:\Windows\system32\spool\DRIVERS\x64\3\KOAYFJ_G.DLL |
| Driver Version | 1,0,0,1 |
| Driver Manufacturer | KONICA MINOLTA, INC. |
| Driver Description | Rendering Export |
| Driver Data File | C:\Windows\system32\spool\DRIVERS\x64\3\KOAYFJ_G.DLL |
| Driver Configuration File | C:\Windows\system32\spool\DRIVERS\x64\3\KOAYFJ_C.DLL |

HP Designjet 500 42 by HP

| Item | Value |
|------------------|-----------------------------------|
| Printer Number | 2 |
| Printer Name | HP Designjet 500 42 by HP |
| Share Name | HP Designjet 500 42 by HP |
| Port Name | 10.29.11.140 |
| Location | |
| Pages Per Minute | |
| Attributes | Shared, Local Printer |
| Printer Status | |
| Paper Size | A4 sheet, 210- by 297-millimeters |

| | |
|---------------------------|--|
| Orientation | Portrait |
| Print Quality | Medium |
| Driver Name | HP Designjet 500 42 by HP |
| Driver File | C:\Windows\system32\spool\DRIVERS\x64\3\hpltdrv7.dll |
| Driver Version | v6.08 |
| Driver Manufacturer | Hewlett-Packard Corporation, Microsoft Corporation |
| Driver Description | Printer driver for HP DesignJet printers in Windows NT |
| Driver Data File | C:\Windows\system32\spool\DRIVERS\x64\3\hpdj542.dat |
| Driver Configuration File | C:\Windows\system32\spool\DRIVERS\x64\3\hpltume5.dll |

Fax

| Item | Value |
|------------------|-----------------------------|
| Printer Number | 3 |
| Printer Name | Fax |
| Share Name | |
| Port Name | SHRFAX: |
| Location | |
| Pages Per Minute | |
| Attributes | Local Printer |
| Printer Status | |
| Paper Size | Letter, 8 1/2- by 11-inches |
| Orientation | Portrait |
| Print Quality | 200 Dots Per Inch |

| | |
|---------------------------|--|
| Driver Name | Microsoft Shared Fax Driver |
| Driver File | C:\Windows\system32\spool\DRIVERS\x64\3\FXSDRV.DLL |
| Driver Version | 6.1.7601.17514 |
| Driver Manufacturer | Microsoft Corporation |
| Driver Description | Microsoft Fax Printer Driver |
| Driver Data File | C:\Windows\system32\spool\DRIVERS\x64\3\FXSUI.DLL |
| Driver Configuration File | C:\Windows\system32\spool\DRIVERS\x64\3\FXSUI.DLL |

Enviar a OneNote 2013

| Item | Value |
|------------------|--|
| Printer Number | 4 |
| Printer Name | Enviar a OneNote 2013 |
| Share Name | |
| Port Name | nul: |
| Location | |
| Pages Per Minute | |
| Attributes | Local Printer |
| Printer Status | |
| Paper Size | Letter, 8 1/2- by 11-inches |
| Orientation | Portrait |
| Print Quality | 600 Dots Per Inch |
| Driver Name | Send to Microsoft OneNote 15 Driver |
| Driver File | C:\Windows\system32\spool\DRIVERS\x64\3\mxwdwdrv.dll |

| | |
|---------------------------|---|
| Driver Version | 6.2.9200.20562 |
| Driver Manufacturer | Microsoft Corporation |
| Driver Description | Microsoft XPS Document Writer |
| Driver Data File | C:\Windows\system32\spool\DRIVER S\x64\3\SendToOneNote.GPD |
| Driver Configuration File | C:\Windows\system32\spool\DRIVERS\x64\3\UniDrvUI.dll |

Brother DCP-8085DN Printer

| Item | Value |
|---------------------|--|
| Printer Number | 5 |
| Printer Name | Brother DCP-8085DN Printer |
| Share Name | |
| Port Name | BDCP8085UCI |
| Location | |
| Pages Per Minute | |
| Attributes | Local Printer |
| Printer Status | |
| Paper Size | Letter, 8 1/2- by 11-inches |
| Orientation | Portrait |
| Print Quality | 600 Dots Per Inch |
| Driver Name | Brother DCP-8085DN Printer |
| Driver File | C:\Windows\system32\spool\DRIVERS\x64\3\BROHLA8A.DLL |
| Driver Version | 1.03 |
| Driver Manufacturer | Brother Industries, Ltd. |

| | |
|---------------------------|--|
| Driver Manufacturer | Brother Industries, Ltd. |
| Driver Description | Brother Printer Driver |
| Driver Data File | C:\Windows\system32\spool\DRIVERS\x64\3\BP8085DN.DSI |
| Driver Configuration File | C:\Windows\system32\spool\DRIVERS\x64\3\BRUIMA8A.DLL |

Brother DCP-8080DN Printer

| Item | Value |
|---------------------|--|
| Printer Number | 6 |
| Printer Name | Brother DCP-8080DN Printer |
| Share Name | |
| Port Name | WSD-a73079ce-6dae-4b11-bd52-eefb690015a5.006a |
| Location | |
| Pages Per Minute | |
| Attributes | Local Printer |
| Printer Status | Offline |
| Paper Size | Letter, 8 1/2- by 11-inches |
| Orientation | Portrait |
| Print Quality | 600 Dots Per Inch |
| Driver Name | Brother DCP-8080DN Printer |
| Driver File | C:\Windows\system32\spool\DRIVERS\x64\3\BROHLA8A.DLL |
| Driver Version | 1.03 |
| Driver Manufacturer | Brother Industries, Ltd. |
| Driver Description | Brother Printer Driver |
| Driver Data File | C:\Windows\system32\spool\DRIVERS\x64\3\BP8080DN.DSI |

| | |
|---------------------------|--|
| Driver Configuration File | C:\Windows\system32\spool\DRIVERS\x64\3\BRUIMA8A.DLL |
|---------------------------|--|



Versión de BIOS

| Name | Value |
|--------------------|--|
| BIOS Version | ALASKA - 1072009 BIOS Date: 01/28/13 16:34:10 Ver: 03.06 |
| Release Date | 01/28/13 |
| Video BIOS Version | Hardware Version 0.0 Date: 01/28/13 16:34:10 Ver: 03.06 |
| Video BIOS Date | 05/22/20 |



Gestión del Sistema

BIOS Details

| Item | Value |
|----------------|--------------------------|
| SMBIOS Version | 2.7 |
| BIOS Vendor | American Megatrends Inc. |
| BIOS Version | 0306 |
| Start Address | 0xF000 |
| Release Date | 01/28/2013 |
| ROM Size | 8192KB |

| | |
|-----------------------|------------------|
| BIOS Characteristics | 000000013F8B9880 |
| Ext. Characteristic 1 | 3 |
| Ext. Characteristic 2 | 13 |
| System BIOS Major | 4 |
| System BIOS Minor | 6 |
| Firmware Major | 255 |
| Firmware Minor | 255 |
| No Characteristics | No |
| ISA Support | No |
| MCA Support | No |
| EISA Support | No |
| PCI Support | Yes |
| PCMCIA Support | No |
| PnP Support | No |
| APM Support | No |
| BIOS Upgradeable | Yes |
| BIOS Shadowing | Yes |
| VL-VESA Support | No |
| ESCD Support | No |
| CD Boot | Yes |
| Selectable Boot | Yes |
| ROM Socketed | Yes |
| PCMCIA Boot | No |
| EDD Support | Yes |
| Floppy NEC 1.2MB | No |

| Floppy NEC 1.2MB | NO |
|----------------------|-----|
| Floppy Toshiba 1.2MB | No |
| Floppy 360 KB | No |
| Floppy 1.2MB | Yes |
| Floppy 720KB | Yes |
| Floppy 2.88MB | Yes |
| Print Screen | Yes |
| Keyboard 8042 | Yes |
| Serial Services | Yes |
| Printer Services | Yes |
| CGA-Mono Video | No |
| NEC PC-98 | No |
| ACPI Support | Yes |
| USB Support | Yes |
| AGP Support | No |
| I2O Boot | No |
| LS-120 Boot | No |
| ATAPI ZIP Boot | No |
| Firewire Boot | No |
| Smart Battery | No |

System

| Item | Value |
|-----------|-------|
| Monitoreo | |

| | |
|---------------------|--|
| Manufacturer | |
| Product Name | System Product Name |
| Version | System Version |
| Serial Number | System Serial Number |
| Universal Unique ID | {108B337B-54B2-35FB-172B-74D02B2A0B63} |
| Wake-Up Type | Power Switch |
| SKU Number | SKU |
| Product Family | To be filled by O.E.M. |

Baseboard

| Item | Value |
|---------------|------------------------|
| Board Number | 1 |
| Manufacturer | ASUSTeK COMPUTER INC. |
| Product | H61M-K |
| Version | Rev X.0x |
| Serial Number | 130410404001061 |
| Asset Tag | To be filled by O.E.M. |
| Features | Replacable |
| Board Type | Mother Board |

Chassis

| Item | Value |
|------|-------|
| | |

| | |
|-----------------------|-----------------------|
| Manufacturer | Chassis Manufacture |
| Chassis Type | Desktop |
| Version | Chassis Version |
| Serial Number | Chassis Serial Number |
| Asset Tag | Asset-1234567890 |
| Boot Up State | Safe |
| Power State | Safe |
| Thermal State | Safe |
| Security Status | None |
| OEM Defined | |
| Height | |
| Number Of Power Cords | 1 |

Processor

| Item | Value |
|------------------------|---|
| Processor Number | 1 |
| Socket Designation | LGA1155 |
| Processor Type | Central Processor |
| Processor Family | Unknown (code = 191) |
| Processor Manufacturer | Intel |
| Processor ID | BFEBFBFF000306A9 |
| Processor Version | Intel(R) Core(TM) i3-3220 CPU @ 3.30GHz |
| Voltage | 1.000000V |

| | |
|---------------------------|-------------------------------|
| External Clock | 100MHz |
| Maximum Speed | 3800MHz |
| Current Speed | 3300MHz |
| Status | CPU Socket Populated, Enabled |
| Processor Upgrade | Other |
| Serial Number | To Be Filled By O.E.M. |
| Asset Tag | To Be Filled By O.E.M. |
| Part Number | To Be Filled By O.E.M. |
| Core Count | 2 |
| Core Enabled | 1 |
| Thread Count | 2 |
| Processor Characteristics | 64-bit Capable |

Memory Controller

No information found, refer to Memory Array and Memory Device sections.

Memory Module

No information found, refer to Memory Array and Memory Device sections.

CPU Cache

CPU Cache #1

| Item | Value |
|------|-------|
| | |

| | |
|-----------------------|--|
| Cache Number | 1 |
| Socket Designation | L1-Cache |
| Cache Configuration | Level 1, Internal, Enabled, Write-Back |
| Max. Cache Size | 128KB |
| Installed Cache | 128KB |
| Supported SRAM Type | Other |
| Current SRAM Type | Other |
| Cache Speed | |
| Error Correction Type | None |
| System Cache Type | Unified |
| Associativity | 8-way Set-Associative |

CPU Cache #2

| Item | Value |
|-----------------------|--|
| Cache Number | 2 |
| Socket Designation | L2-Cache |
| Cache Configuration | Level 2, Internal, Enabled, Write-Back |
| Max. Cache Size | 512KB |
| Installed Cache | 512KB |
| Supported SRAM Type | Other |
| Current SRAM Type | Other |
| Cache Speed | |
| Error Correction Type | None |

| | |
|-------------------|-----------------------|
| System Cache Type | Unified |
| Associativity | 8-way Set-Associative |

CPU Cache #3

| Item | Value |
|-----------------------|--|
| Cache Number | 3 |
| Socket Designation | L3-Cache |
| Cache Configuration | Level 2, Internal, Disabled, Varies with memory access |
| Max. Cache Size | 3072KB |
| Installed Cache | 3072KB |
| Supported SRAM Type | Other |
| Current SRAM Type | Other |
| Cache Speed | |
| Error Correction Type | None |
| System Cache Type | Unified |
| Associativity | Other |

Port Connector**Port Connector #1**

| Item | Value |
|----------------------|---------------------|
| Port Number | 1 |
| Internal Designation | PS/2 Keyboard/Mouse |

| | |
|--------------------------|---------------------|
| Internal Connection Type | None |
| External Designation | PS/2 Keyboard/Mouse |
| External Connection Type | PS/2 |
| Port Type | Keyboard Port |

Port Connector #2

| Item | Value |
|--------------------------|------------------|
| Port Number | 2 |
| Internal Designation | USB_12 |
| Internal Connection Type | None |
| External Designation | USB_12 |
| External Connection Type | Access Bus (USB) |
| Port Type | USB |

Port Connector #3

| Item | Value |
|--------------------------|------------------|
| Port Number | 3 |
| Internal Designation | USB_34 |
| Internal Connection Type | None |
| External Designation | USB_34 |
| External Connection Type | Access Bus (USB) |
| Port Type | USB |

Port Connector #4

| Item | Value |
|--------------------------|------------------|
| Port Number | 4 |
| Internal Designation | USB_56 |
| Internal Connection Type | None |
| External Designation | USB_56 |
| External Connection Type | Access Bus (USB) |
| Port Type | USB |

Port Connector #5

| Item | Value |
|--------------------------|--------------|
| Port Number | 5 |
| Internal Designation | GbE LAN |
| Internal Connection Type | None |
| External Designation | GbE LAN |
| External Connection Type | RJ-45 |
| Port Type | Network Port |

Port Connector #6

| Item | Value |
|------|-------|
| | |

| | |
|--------------------------|------------|
| Port Number | 6 |
| Internal Designation | AUDIO |
| Internal Connection Type | None |
| External Designation | AUDIO |
| External Connection Type | Other |
| Port Type | Audio Port |

Port Connector #7

| Item | Value |
|--------------------------|--------------------|
| Port Number | 7 |
| Internal Designation | DVI |
| Internal Connection Type | None |
| External Designation | DVI port |
| External Connection Type | Other |
| Port Type | Other (code = 255) |

Port Connector #8

| Item | Value |
|--------------------------|---------------------|
| Port Number | 8 |
| Internal Designation | SATA3G_1 |
| Internal Connection Type | Unknown (code = 34) |
| External Designation | |

| | |
|--------------------------|------|
| External Connection Type | None |
| Port Type | SATA |

Port Connector #9

| Item | Value |
|--------------------------|---------------------|
| Port Number | 9 |
| Internal Designation | SATA3G_2 |
| Internal Connection Type | Unknown (code = 34) |
| External Designation | |
| External Connection Type | None |
| Port Type | SATA |

Port Connector #10

| Item | Value |
|--------------------------|---------------------|
| Port Number | 10 |
| Internal Designation | SATA3G_3 |
| Internal Connection Type | Unknown (code = 34) |
| External Designation | |
| External Connection Type | None |
| Port Type | SATA |

Port Connector #11

| Item | Value |
|--------------------------|---------------------|
| Port Number | 11 |
| Internal Designation | SATA3G_4 |
| Internal Connection Type | Unknown (code = 34) |
| External Designation | |
| External Connection Type | None |
| Port Type | SATA |

Port Connector #12

| Item | Value |
|--------------------------|------------------|
| Port Number | 12 |
| Internal Designation | USB_78 |
| Internal Connection Type | Access Bus (USB) |
| External Designation | |
| External Connection Type | None |
| Port Type | USB |

Port Connector #13

| Item | Value |
|----------------------|-------|
| Port Number | 13 |
| Internal Designation | AAFP |

| | |
|--------------------------|------------------------|
| Internal Connection Type | Mini-jack (headphones) |
| External Designation | |
| External Connection Type | None |
| Port Type | Audio Port |

Port Connector #14

| Item | Value |
|--------------------------|--------------------|
| Port Number | 14 |
| Internal Designation | CPU_FAN |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #15

| Item | Value |
|--------------------------|----------|
| Port Number | 15 |
| Internal Designation | CHA_FAN1 |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |

| | |
|-----------|--------------------|
| Port Type | Other (code = 255) |
|-----------|--------------------|

Port Connector #16

| Item | Value |
|--------------------------|--------------------|
| Port Number | 16 |
| Internal Designation | CHA_FAN2 |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #17

| Item | Value |
|--------------------------|--------------------|
| Port Number | 17 |
| Internal Designation | VGA |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

System Slot

System Slot #1

| Item | Value |
|------------------------|------------------------|
| Slot Number | 1 |
| Slot Designation | PCIEX16 |
| Slot Type | PCI Express |
| Data Bus Width | 32-Bit |
| Current Usage | Available |
| Slot Length | Short |
| Slot ID | 0x0001 |
| Slot Characteristics 1 | 3.3 Volts, Shared Slot |
| Slot Characteristics 2 | Supports PME Signal |

System Slot #2

| Item | Value |
|------------------------|------------------------|
| Slot Number | 2 |
| Slot Designation | PCIEX1_1 |
| Slot Type | PCI Express |
| Data Bus Width | 32-Bit |
| Current Usage | Available |
| Slot Length | Short |
| Slot ID | 0x0002 |
| Slot Characteristics 1 | 3.3 Volts, Shared Slot |
| Slot Characteristics 2 | Supports PME Signal |

System Slot #3

| Item | Value |
|------------------------|------------------------|
| Slot Number | 3 |
| Slot Designation | PCIEX1_2 |
| Slot Type | PCI Express |
| Data Bus Width | 32-Bit |
| Current Usage | Available |
| Slot Length | Short |
| Slot ID | 0x0003 |
| Slot Characteristics 1 | 3.3 Volts, Shared Slot |
| Slot Characteristics 2 | Supports PME Signal |

Memory Array

| Item | Value |
|-------------------|-----------------------------|
| Array Number | 1 |
| Location | System board or motherboard |
| Use Item | System memory |
| Error Correction | None |
| Error Handle | 0x0054 |
| Number of Devices | 2 |

Memory Device

Memory Device #1

| Item | Value |
|--------------------|---------------------|
| Device Number | 1 |
| Error Handle | 0x0057 |
| Total Width | 64 bit |
| Data Width | 64 bit |
| Device Size | 4.00GB |
| Form Factor | DIMM |
| Device Set | Unknown |
| Device Locator | ChannelA-DIMM0 |
| Bank Locator | BANK 0 |
| Memory Type | Unknown (code = 24) |
| Memory Type Detail | Synchronous |
| Speed | 1333MHz |
| Manufacturer | Kingston |
| Serial Number | 7116E5B5 |
| Asset Tag | 9876543210 |
| Part Number | 99U5474-026.A00LF |

Memory Device #2

| Item | Value |
|--------------------|---------------------|
| Device Number | 2 |
| Error Handle | 0xFFFF |
| Total Width | 64 bit |
| Data Width | 64 bit |
| Device Size | 4.00GB |
| Form Factor | DIMM |
| Device Set | Unknown |
| Device Locator | ChannelB-DIMM0 |
| Bank Locator | BANK 2 |
| Memory Type | Unknown (code = 24) |
| Memory Type Detail | Synchronous |
| Speed | 1333MHz |

| | |
|---------------|-------------------|
| Manufacturer | Kingston |
| Serial Number | 9829BA78 |
| Asset Tag | 9876543210 |
| Part Number | 99U5474-028.A00LF |



Procesadores

Processor #1

Basic Information

| Item | Value |
|-------------------|---|
| Processor Number | 1 |
| Name | Intel(R) Core(TM) i3-3220 CPU @ 3.30GHz |
| Short Name | P3 |
| Speed - Estimated | 3292MHz |
| Speed - Registry | 3292MHz |
| Processor Type | OEM Primary |
| Manufacturer | Intel(R) Corporation |
| Serial Number | |
| APIC Physical ID | 0x00, 0x01, 0x02, 0x03 |

Detailed Information


| Item | Value |
|--------------------------------|--------------|
| Processor Number | 1 |
| Logical Processors | 4 |
| Number Cores | 2 |
| Vendor String | GenuineIntel |
| Family | 6 |
| Model | 10 |
| Stepping | 9 |
| Extended Family | 0x00 |
| Extended Model | 0x03 |
| Brand ID | 0x00 |
| FPU - Floating Point Unit | Yes |
| VME - Virtual Mode Extensions | Yes |
| DE - Debugging Extensions | Yes |
| PSE - Page Size Extensions | Yes |
| TSC - Time Stamp Counter | Yes |
| MSR - Model Specific Registers | Yes |
| PAE - Physical Address Exts. | Yes |
| MCE - Machine Check Exceptions | Yes |
| CX8 - Compare Exchange 8 Byte | Yes |
| APIC - On Chip APIC present | Yes |
| SEP - Fast System Calls | Yes |
| MTRR - Memory Type Range Regs. | Yes |
| DCE - Page Global Enable | No |

| | |
|----------------------------------|-----|
| PGE - Page Global Enable | Yes |
| MCA - Machine Check Architecture | Yes |
| CMOV - Conditional Move | Yes |
| PAT - Page Attribute Table | Yes |
| PSE36 - 36bit Page Size Exts | Yes |
| PSN - Processor Serial Number | No |
| CLFL - CLFLUSH Instruction | Yes |
| DTES - Debug Trace EMON Store | Yes |
| ACPI - ACPI Supported | Yes |
| MMX - MMX Technology | Yes |
| FXFR - Fast Save/Restore | Yes |
| SSE - Streaming SIMD Exts. | Yes |
| SSE2 - Streaming SIMD Exts. 2 | Yes |
| SS - Selfsnoop | Yes |
| HTT - Hyper-Threading Technology | Yes |
| TM1 - Thermal Interrupt Status | Yes |
| IA64 - 64-bit Intel | No |
| PBE - Pending Break Event | Yes |
| MMEXT - MMX+ Technology | No |
| NOW3D - Support 3DNow! | No |
| NOW3DEXT - Support 3DNow!+ | No |
| SSE3 - Streaming SIMD Exts. 3 | Yes |
| EST - Enhanced SpeedStep(R) | Yes |
| CX16 - Compare Exchange 16 Byte | Yes |

Cache - TLB

| Item | Value |
|----------------------------|-------|
| Processor Number | 1 |
| Unified Cache | No |
| Code Entries - 4K | 0 |
| Code Associativity - 4K | 0 |
| Code Entries - 4M | 0 |
| Code Associativity - 4M | 0 |
| Data Entries - 4K | 64 |
| Data Associativity - 4K | 4 |
| Data Entries - 4M | 0 |
| Data Associativity - 4M | 0 |
| Unified Entries - 4K | 0 |
| Unified Associativity - 4K | 0 |
| Unified Entries - 4M | 0 |
| Unified Associativity - 4M | 0 |

Memoria



| Item | Value |
|-------------------|---------|
| Total Memory | 7888MB |
| Free Memory | 6423MB |
| Maximum Swap File | 15757MB |
| Free Swap File | 14249MB |



Discos Físicos

KINGSTON SA400S37240G

| Item | Value |
|-------------|-------|
| Disk Number | 1 |

| | |
|-------------------|-----------------------|
| Capacity | 228936MB |
| Disk Type | Fixed |
| Manufacturer | |
| Model | KINGSTON SA400S37240G |
| Serial Number | 50026B7783EA83F0 |
| Firmware Revision | SBFKJ4.3 |
| Controller Rank | Primary |
| Master/Slave | Master |
| Total Cylinders | 29185 |
| Total Heads | 255 |
| Sectors Per Track | 63 |
| Buffer Size | |
| SMART Supported | Yes |
| SMART Enabled | Yes |
| SMART Self Test | OK |

WDC WD5000AAKX-08U6AA0

| Item | Value |
|--------------|-----------------|
| Disk Number | 3 |
| Capacity | 476940MB |
| Disk Type | Fixed |
| Manufacturer | Western Digital |

| | |
|-------------------|------------------------|
| Model | WDC WD5000AAKX-08U6AA0 |
| Serial Number | WD-WCC2EANK2643 |
| Firmware Revision | 19.01H19 |
| Controller Rank | Secondary |
| Master/Slave | Master |
| Total Cylinders | 60801 |
| Total Heads | 255 |
| Sectors Per Track | 63 |
| Buffer Size | 32768KB |
| SMART Supported | Yes |
| SMART Enabled | Yes |
| SMART Self Test | |

Generic Storage Device

| Item | Value |
|-------------------|------------------------|
| Disk Number | 3 |
| Capacity | 0MB |
| Disk Type | Removeable |
| Manufacturer | |
| Model | Generic Storage Device |
| Serial Number | |
| Firmware Revision | 0.00 |
| Controller Rank | |
| Master/Slave | |

| Master/Slave | |
|-------------------|--|
| Total Cylinders | |
| Total Heads | |
| Sectors Per Track | |
| Buffer Size | |
| SMART Supported | |
| SMART Enabled | |
| SMART Self Test | |


General UDisk

| Item | Value |
|-------------------|---------------|
| Disk Number | 4 |
| Capacity | 7680MB |
| Disk Type | Removeable |
| Manufacturer | |
| Model | General UDisk |
| Serial Number | |
| Firmware Revision | 5.00 |
| Controller Rank | |
| Master/Slave | |
| Total Cylinders | 979 |
| Total Heads | 255 |
| Sectors Per Track | 63 |

| | |
|-----------------|--|
| Buffer Size | |
| SMART Supported | |
| SMART Enabled | |
| SMART Self Test | |



Discos Lógicos



Drive C

| Item | Value |
|--------|-------|
| Letter | C |

| | |
|----------------------|-------------|
| Drive Type | Fixed Drive |
| Percent Used | 27% |
| Used Space | 62.4GB |
| Free Space | 161GB |
| Total Space | 224GB |
| Volume Name | |
| File System | NTFS |
| Volume Serial Number | 1B75-3A30 |
| Sectors Per Cluster | 8 |
| Bytes Per Sector | 512 |
| Free Clusters | 42243098 |
| Total Clusters | 58607359 |

Drive D

| Item | Value |
|--------------|-------------|
| Letter | D |
| Drive Type | Fixed Drive |
| Percent Used | 2% |
| Used Space | 7.14GB |
| Free Space | 310GB |
| Total Space | 317GB |
| Volume Name | |
| File System | NTFS |

| | |
|----------------------|-----------|
| File System | NTFS |
| Volume Serial Number | 0707-0370 |
| Sectors Per Cluster | 8 |
| Bytes Per Sector | 512 |
| Free Clusters | 81302807 |
| Total Clusters | 83174521 |

Drive E

| Item | Value |
|------------|--------|
| Letter | E |
| Drive Type | CD-ROM |

Drive F

| Item | Value |
|--------------|-----------------|
| Letter | F |
| Drive Type | Removable Drive |
| Percent Used | 22% |
| Used Space | 1.72GB |
| Free Space | 5.77GB |
| Total Space | 7.48GB |
| Volume Name | |
| File System | FAT32 |

| | |
|----------------------|-----------|
| Volume Serial Number | 8C24-41F2 |
| Sectors Per Cluster | 8 |
| Bytes Per Sector | 512 |
| Free Clusters | 1511505 |
| Total Clusters | 1961984 |

Drive G

| Item | Value |
|------------|-----------------|
| Letter | G |
| Drive Type | Removable Drive |



Programas de arranque

| Name | Settings Folder | Startup Command |
|----------------------|--|--|
| USB3MON | HKLM\Software\Microsoft\Windows\CurrentVersion\Run | "C:\Program Files (x86)\Intel\Intel(R) USB 3.0 eXtensible Host Controller Driver\Application\iusb3mon.exe" |
| BrMfcWnd | HKLM\Software\Microsoft\Windows\CurrentVersion\Run | C:\Program Files (x86)\Brother\Brmfcm\BrMfcWnd.exe /AUTORUN |
| ControlCenter3 | HKLM\Software\Microsoft\Windows\CurrentVersion\Run | C:\Program Files (x86)\Brother\ControlCenter3\brctrcen.exe /autorun |
| Autodesk Desktop App | HKLM\Software\Microsoft\Windows\ | "C:\Program Files |

| | | |
|-------------|---|--|
| | CurrentVersion\Run | (x86)\Autodesk\Autodesk Desktop App\AutodeskDesktopApp.exe"-tray |
| desktop.ini | C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Startup\ | |
| desktop.ini | C:\Users\20141773098\AppData\Roaming\Microsoft\Windows\Start Menu\Programs\Startup\ | |



ODBC Information

Data Sources

No information found.

No ODBC data sources found.

Drivers

Driver da Microsoft para arquivos texto (*.txt; *.csv)

| Item | Value |
|-----------------|--|
| Name | Driver da Microsoft para arquivos texto (*.txt; *.csv) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 6.1.7601.17632 |
| Driver_ODBC_Ver | 02.50 |

Driver do Microsoft Access (*.mdb)

| Item | Value |
|-----------------|------------------------------------|
| Name | Driver do Microsoft Access (*.mdb) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 6.1.7601.17632 |
| Driver_ODBC_Ver | 02.50 |

Driver do Microsoft dBase (*.dbf)

| Item | Value |
|-----------------|-----------------------------------|
| Name | Driver do Microsoft dBase (*.dbf) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 6.1.7601.17632 |
| Driver_ODBC_Ver | 02.50 |

Driver do Microsoft Excel (*.xls)

| Item | Value |
|---------|-----------------------------------|
| Name | Driver do Microsoft Excel (*.xls) |
| Company | Microsoft Corporation |

| | |
|-----------------|----------------|
| File_Name | odbcjt32.dll |
| File_Version | 6.1.7601.17632 |
| Driver_ODBC_Ver | 02.50 |

Driver do Microsoft Paradox (*.db)

| Item | Value |
|-----------------|-------------------------------------|
| Name | Driver do Microsoft Paradox (*.db) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 6.1.7601.17632 |
| Driver_ODBC_Ver | 02.50 |

Driver para o Microsoft Visual FoxPro

| Item | Value |
|-----------------|---------------------------------------|
| Name | Driver para o Microsoft Visual FoxPro |
| Company | Microsoft Corporation |
| File_Name | vfpodbc.dll |
| File_Version | 1, 0, 2, 0 |
| Driver_ODBC_Ver | 02.50 |

Microsoft Access Driver (*.mdb)

| Item | Value |
|-----------------|---------------------------------|
| Name | Microsoft Access Driver (*.mdb) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 6.1.7601.17632 |
| Driver_ODBC_Ver | 02.50 |

Microsoft Access-Treiber (*.mdb)

| Item | Value |
|-----------------|----------------------------------|
| Name | Microsoft Access-Treiber (*.mdb) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 6.1.7601.17632 |
| Driver_ODBC_Ver | 02.50 |

Microsoft dBase Driver (*.dbf)

| Item | Value |
|-----------------|--------------------------------|
| Name | Microsoft dBase Driver (*.dbf) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 6.1.7601.17632 |
| Driver_ODBC_Ver | 02.50 |

Microsoft dBase VFP Driver (*.dbf)

| Item | Value |
|-----------------|------------------------------------|
| Name | Microsoft dBase VFP Driver (*.dbf) |
| Company | Microsoft Corporation |
| File_Name | vfpodbc.dll |
| File_Version | 1, 0, 2, 0 |
| Driver_ODBC_Ver | 02.50 |

Microsoft dBase-Treiber (*.dbf)

| Item | Value |
|-----------------|---------------------------------|
| Name | Microsoft dBase-Treiber (*.dbf) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 6.1.7601.17632 |
| Driver_ODBC_Ver | 02.50 |

Microsoft Excel Driver (*.xls)

| Item | Value |
|-------------|--------------------------------|
| Name | Microsoft Excel Driver (*.xls) |
| Company | Microsoft Corporation |

| | |
|-----------------|----------------|
| File_Name | odbcjt32.dll |
| File_Version | 6.1.7601.17632 |
| Driver_ODBC_Ver | 02.50 |

Microsoft Excel-Treiber (*.xls)