



Computer Audit :: 11/08/2021 12:02:19 p.m.

Vista General


| Item | Value |
|-----------------------|---|
| Computer Name | WS57550 |
| Domain Name | GOBIERNOCBA |
| Site Name | Supercentro |
| Roles | Workstation, Server, Potential Browser |
| Description | |
| Operating System | Microsoft Windows 7 Professional 64-bit |
| Manufacturer | Gigabyte Technology Co., Ltd. |
| Model | B250M-D3H |
| Serial Number | Default string |
| Asset Tag | Default string |
| Number Of Processors | 1 |
| Processor Description | Intel(R) Core(TM) i5-7400 CPU @ 3.00GHz |
| Total Memory | 16352MB |
| Total Hard Drive | 890GB |
| Display | S19D300, 18.5" (41cm x 23cm) |
| BIOS Version | ALASKA - 1072009 BIOS Date: 11/25/16 14:39:26 Ver: 05.0000C |
| User Account | 20141773098 |
| System Uptime | 0 Days, 0 Hours, 4 Minutes |

Local Time

2021-08-11 12:02:01



Software instalado



Active Setup

| Name | Version | Installed |
|----------------|-------------|-----------|
| .NET Framework | 2,0,50727,0 | |
| .NET Framework | 2,0,50727,1 | |
| .NET Framework | 4,0,30319,0 | |
| .NET Framework | 4,0,30319,0 | |

| | | |
|-------------------------------------|-----------------|-----|
| .NET Framework | 4,0,30319,0 | |
| Active Directory Service Interface | 5,0,00,0 | Yes |
| Address Book 7 | 6,1,7601,17514 | Yes |
| Adobe Reader User Settings | 1,2017,7,18 | Yes |
| Browsing Enhancements | 11,0,9600,19377 | Yes |
| DirectDrawEx | 4,71,1113,0 | Yes |
| Dynamic HTML Data Binding | 11,0,9600,19377 | Yes |
| Google Chrome | 43,0,0,0 | Yes |
| HTML Help | 6,3,9600,19377 | Yes |
| Internet Explorer Core Fonts | 11,0,9600,0 | Yes |
| Internet Explorer Help | 11,0,9600,19377 | Yes |
| Internet Explorer Setup Tools | 11,0,9600,19377 | Yes |
| Microsoft Windows Media Player 12.0 | 12,0,7601,24460 | Yes |
| Microsoft Windows Media Player | 12,0,7601,24460 | No |
| Microsoft Windows Media Player | 12,0,7601,24460 | Yes |
| Microsoft Windows Script 5.6 | 5,6,0,8833 | Yes |
| Microsoft Windows | 6,1,7601,17514 | Yes |
| MSN Site Access | 4,9,9,2 | Yes |
| Offline Browsing Pack | 11,0,9600,19377 | Yes |
| RevokedRootsUpdate | 5,0,2195,0 | Yes |
| Themes Setup | 1,1,1,9 | Yes |
| Windows Desktop Update | 6,1,7601,24468 | Yes |

Installed Programs

A360 Desktop

| Item | Value |
|------------------------|--|
| Name | A360 Desktop |
| Vendor | Autodesk |
| Version | 8.2.3.1800 |
| Product Language | Spanish |
| Install Date | 20180821 |
| Install Location | |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\x64\Components\Cloudsync\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {95DB060B-6825-47A2-930E-49016A718F5A} |
| Package Name | AdSync.msi |
| Local Package | C:\Windows\Installer\b1688.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {B65CD59E-A771-4354-AA4B-C3E01B496BCD} |

ACA & MEP 2018 Object Enabler

| Item | Value |
|------------------------|---|
| Name | ACA & MEP 2018 Object Enabler |
| Vendor | Autodesk |
| Version | 8.0.40.0 |
| Product Language | English |
| Install Date | 20180821 |
| Install Location | C:\Program Files\Autodesk\AutoCAD 2018\ |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\x64\ACAOE\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {AB9CE6BF-D203-4444-B0A9-B24FACBC55D1} |
| Package Name | ACAOE.msi |
| Local Package | C:\Windows\Installer\b1648.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |

| | |
|-------------|--|
| Software ID | {28B89EEF-1004-0000-5102-CF3F3A09B77D} |
|-------------|--|

ACAD Private

| Item | Value |
|--------------------|---|
| Name | ACAD Private |
| Vendor | Autodesk |
| Version | 22.0.49.0 |
| Product Language | English |
| Install Date | 20180821 |
| Install Location | C:\Program Files\Autodesk\AutoCAD 2018\ |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\x64\ACADPRIVATE\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {4DB592E8-D5B1-4025-A0ED-66C21519B900} |
| Package Name | AcadPrivate.msi |
| Local Package | C:\Windows\Installer\b164f.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |

| | |
|------------------------|--|
| Executable Description | |
| Software ID | {28B89EEF-1001-0000-3102-CF3F3A09B77D} |

Adobe Acrobat Reader DC

| Item | Value |
|--------------------|--|
| Name | Adobe Acrobat Reader DC |
| Vendor | Adobe Systems Incorporated |
| Version | 21.005.20048 |
| Product Language | English |
| Install Date | 20210608 |
| Install Location | C:\Program Files (x86)\Adobe\Acrobat Reader DC\ |
| Install Source | C:\ProgramData\Adobe\Setup\{AC76BA86-7AD7-1033-7B44-AC0F074E4100}\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {D1523CF4-4315-41D0-B4C0-4B764ECB31EA} |
| Package Name | AcroRead.msi |
| Local Package | C:\Windows\Installer\23a3a7.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |

| | |
|------------------------|--|
| Executable Version | |
| Executable Description | |
| Software ID | {AC76BA86-7AD7-1033-7B44-AC0F074E4100} |

Adobe Refresh Manager

| Item | Value |
|--------------------|--|
| Name | Adobe Refresh Manager |
| Vendor | Adobe Systems Incorporated |
| Version | 1.8.0 |
| Product Language | English |
| Install Date | 20210209 |
| Install Location | C:\Program Files (x86)\Common Files\Adobe\ARM\1.0\ |
| Install Source | C:\Program Files (x86)\Common Files\Adobe\ARM\1.0\Cache\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {5B555C9E-6840-4EB6-916B-D3D9BF3483D2} |
| Package Name | Arm_000182442176_115106226120755 403184602981381282912792.msi |
| Local Package | C:\Windows\Installer\f404a.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |

| | |
|------------------------|--|
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {AC76BA86-0804-1033-1959-000182442176} |

Aplicaciones destacadas de Autodesk 2016-2018

| Item | Value |
|--------------------|---|
| Name | Aplicaciones destacadas de Autodesk 2016-2018 |
| Vendor | Autodesk |
| Version | 2.4.0 |
| Product Language | Spanish |
| Install Date | 20180821 |
| Install Location | C:\Program Files (x86)\Autodesk\ApplicationPlugins\ |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\x64\ACADExtApps\ |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |

| | |
|------------------------|--|
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {384C4B74-B749-4AB6-9367-4D51A6AA9CB8} |

AutoCAD 2018 - English

| Item | Value |
|--------------------|---|
| Name | AutoCAD 2018 - English |
| Vendor | Autodesk |
| Version | 22.0.49.0 |
| Product Language | English |
| Install Date | 20180821 |
| Install Location | C:\Program Files\Autodesk\AutoCAD 2018\ |
| Install Source | C:\Autodesk\AutoCAD_2018_English_LP_Win_64bit_dlm\AcadPS\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {67362691-3B38-4DBE-8787-E578C6B5D699} |
| Package Name | AcadPS.msi |
| Local Package | C:\Windows\Installer\b1700.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |

| | |
|------------------------|--|
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {28B89EEF-1001-0409-2102-CF3F3A09B77D} |

AutoCAD 2018 - Español (Spanish)

| Item | Value |
|--------------------|---|
| Name | AutoCAD 2018 - Español (Spanish) |
| Vendor | Autodesk |
| Version | 22.0.49.0 |
| Product Language | Spanish |
| Install Date | 20180821 |
| Install Location | C:\Program Files\Autodesk\AutoCAD 2018\ |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\x64\es-es\acad\AcadPS\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {C35A7DF9-3D16-4E3E-BF37-2E4691336774} |
| Package Name | AcadPS.msi |
| Local Package | C:\Windows\Installer\b1660.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |

| | |
|------------------------|--|
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {28B89EEF-1001-040A-2102-CF3F3A09B77D} |

AutoCAD 2018 Language Pack - Español (Spanish)

| Item | Value |
|------------------|---|
| Name | AutoCAD 2018 Language Pack - Español (Spanish) |
| Vendor | Autodesk |
| Version | 22.0.49.0 |
| Product Language | Spanish |
| Install Date | 20180821 |
| Install Location | C:\Program Files\Autodesk\AutoCAD 2018\ |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\x64\es-es\acad\AcadLP\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {E443672F-AB87-45B2-A2A0-A27A122C4E31} |
| Package Name | acadLP.msi |
| Local Package | C:\Windows\Installer\b1640.msi |
| Product ID | |

| | |
|------------------------|--|
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {28B89EEF-1001-040A-1102-CF3F3A09B77D} |

AutoCAD 2018 Language Pack - English

| Item | Value |
|------------------|---|
| Name | AutoCAD 2018 Language Pack - English |
| Vendor | Autodesk |
| Version | 22.0.49.0 |
| Product Language | English |
| Install Date | 20180821 |
| Install Location | C:\Program Files\Autodesk\AutoCAD 2018\ |
| Install Source | C:\Autodesk\AutoCAD_2018_English_LP_Win_64bit_dlm\AcadLP\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {FD04F6E0-F771-4D64-8B78-ACC3067C8497} |
| Package Name | AcadLP.msi |
| Local Package | C:\Windows\Installer\b16ab.msi |

| | |
|------------------------|--|
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {28B89EEF-1001-0409-1102-CF3F3A09B77D} |

AutoCAD 2018

| Item | Value |
|------------------|--|
| Name | AutoCAD 2018 |
| Vendor | Autodesk |
| Version | 22.0.49.0 |
| Product Language | English |
| Install Date | 20180821 |
| Install Location | C:\Program Files\Autodesk\AutoCAD 2018\ |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish_Win_64bit_dlm\x64\acad\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {5FE9B62C-FD99-4A6B-A4F0-D92DAC39D5A3} |
| Package Name | acad.msi |

| | |
|------------------------|--|
| Local Package | C:\Windows\Installer\b1638.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {28B89EEF-1001-0000-0102-CF3F3A09B77D} |

Autodesk Advanced Material Library Image Library 2018

| Item | Value |
|------------------|--|
| Name | Autodesk Advanced Material Library Image Library 2018 |
| Vendor | Autodesk |
| Version | 16.11.1.0 |
| Product Language | English |
| Install Date | 20180821 |
| Install Location | |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\Content\ADSKMaterials\2018\AIL\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {06C72DE6-C23D-4072-B9D1-B5BFC653A712} |

| | |
|------------------------|--|
| Package Name | AdvancedImageLibrary2018.msi |
| Local Package | C:\Windows\Installer\b1630.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {177AD7F6-9C77-4E50-BA53-B7259C5F282D} |

Autodesk App Manager 2016-2018

| Item | Value |
|------------------|---|
| Name | Autodesk App Manager 2016-2018 |
| Vendor | Autodesk |
| Version | 2.4.0 |
| Product Language | Spanish |
| Install Date | 20180821 |
| Install Location | C:\Program Files (x86)\Autodesk\ApplicationPlugins\ |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\x64\ACADExtApps\ |
| Install State | |
| Assignment Type | |

| | |
|------------------------|--|
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {20EC0CA2-346E-4660-9903-51B278DF15F6} |

Autodesk AutoCAD Performance Feedback Tool 1.2.8

| Item | Value |
|------------------|---|
| Name | Autodesk AutoCAD Performance Feedback Tool 1.2.8 |
| Vendor | Autodesk |
| Version | 1.2.8.0 |
| Product Language | English |
| Install Date | 20180821 |
| Install Location | |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\Tools\PerformanceTool\ |
| Install State | Installed |

| | |
|------------------------|--|
| Assignment Type | Per Machine |
| Package Code | {990F46EB-8B45-4346-A3BB-02B482D25AF4} |
| Package Name | AcPerfMon.msi |
| Local Package | C:\Windows\Installer\b1680.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {214D3370-746E-4886-8EAA-5769EB87D044} |

Autodesk Content Service

| Item | Value |
|------------------|--|
| Name | Autodesk Content Service |
| Vendor | Autodesk |
| Version | 2.0.90 |
| Product Language | English |
| Install Date | 20170622 |
| Install Location | C:\Program Files (x86)\Autodesk\Content Service\ |
| Install Source | C:\Autodesk\AutoCAD_2012_English _Win_64bit\x64\en-US\Tools\snap\ |

| | |
|------------------------|--|
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {EB96F8CC-0E90-48EC-B018-B9169C1FD1BE} |
| Package Name | ContentService.msi |
| Local Package | C:\Windows\Installer\16f8f8.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {086F9A69-CD39-4893-A9FB-D3A0634CE3F7} |

Autodesk Desktop App

| Item | Value |
|------------------|--|
| Name | Autodesk Desktop App |
| Vendor | Autodesk |
| Version | 7.0.4.332 |
| Product Language | |
| Install Date | |
| Install Location | C:\Program Files (x86)\Autodesk\Autodesk Desktop App |

| | |
|------------------------|----------------------|
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | Autodesk Desktop App |

Autodesk Inventor Fusion 2012 Language Pack

| Item | Value |
|------------------|---|
| Name | Autodesk Inventor Fusion 2012 Language Pack |
| Vendor | Autodesk, Inc. |
| Version | 1.0.0.79 |
| Product Language | English |
| Install Date | 20170622 |

| | |
|------------------------|--|
| Install Location | |
| Install Source | C:\Autodesk\AutoCAD_2012_English _Win_64bit\x64\en-us\InventorFusion\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {0FE5BE87-341C-4A7A-A1EE-0E320FF4DC7C} |
| Package Name | InventorFusionLP.msi |
| Local Package | C:\Windows\Installer\16f9a4.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {FFF7F80F-929E-497F-A112-B070DE816128} |

Autodesk Inventor Fusion 2012

| Item | Value |
|------------------|-------------------------------|
| Name | Autodesk Inventor Fusion 2012 |
| Vendor | Autodesk, Inc. |
| Version | 1.0.0.79 |
| Product Language | English |

| | |
|------------------------|--|
| Install Date | 20170622 |
| Install Location | C:\Program Files\Autodesk\Inventor Fusion 2012\ |
| Install Source | C:\Autodesk\AutoCAD_2012_English _Win_64bit\x64\InventorFusion\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {36AB709E-598E-4EC0-BEA8-12E12932AB80} |
| Package Name | InventorFusion.msi |
| Local Package | C:\Windows\Installer\16f99d.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {FFF5619F-6669-4EC5-A85E-9994F70A9E5D} |

Autodesk Inventor Fusion plug-in for AutoCAD 2012

| Item | Value |
|---------|---|
| Name | Autodesk Inventor Fusion plug-in for AutoCAD 2012 |
| Vendor | Autodesk |
| Version | 0.0.1.138 |

| | |
|------------------------|--|
| Product Language | English |
| Install Date | 20170622 |
| Install Location | |
| Install Source | C:\Autodesk\AutoCAD_2012_English_Win_64bit\x64\AcFusion\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {F25FDDBC7-8852-4A57-8D8B-FBF1935EF00F} |
| Package Name | AcFusion.msi |
| Local Package | C:\Windows\Installer\16f9ab.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {EAB3AC1A-68FF-486B-9C6B-E48EBB4B05CC} |

Autodesk Inventor Fusion plug-in language pack for AutoCAD 2012

| Item | Value |
|--------|---|
| Name | Autodesk Inventor Fusion plug-in language pack for AutoCAD 2012 |
| Vendor | Autodesk |

| | |
|------------------------|--|
| Version | 0.0.1.138 |
| Product Language | English |
| Install Date | 20170622 |
| Install Location | |
| Install Source | C:\Autodesk\AutoCAD_2012_English _Win_64bit\x64\en-us\AcFusion\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {07F6AEB5-1459-4C6E-A390-7AFC82ADC097} |
| Package Name | AcFusionLP.msi |
| Local Package | C:\Windows\Installer\16f9b1.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {E552C39C-C70E-464F-9733-8311331BDD90} |

Autodesk License Service (x64) - 5.1.4

| Item | Value |
|------|--|
| Name | Autodesk License Service (x64) - 5.1.4 |

| | |
|------------------------|---|
| Vendor | Autodesk |
| Version | 5.1.4.0 |
| Product Language | English |
| Install Date | 20180821 |
| Install Location | |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish_Win_64bit_dlm\x64\CLM\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {CD647FF9-B07F-4745-A6DB-84992037D809} |
| Package Name | CLIC_x64_release.msi |
| Local Package | C:\Windows\Installer\b1655.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {3609A8D9-FC0C-4C9B-9F58-0B1D1A4FE556} |

Autodesk Material Library 2012

| Item | Value |
|------|-------|
| | |

| | |
|------------------------|---|
| Name | Autodesk Material Library 2012 |
| Vendor | Autodesk |
| Version | 2.5.0.8 |
| Product Language | English |
| Install Date | 20170622 |
| Install Location | C:\Program Files (x86)\Common Files\Autodesk Shared\Materials\ |
| Install Source | C:\Autodesk\AutoCAD_2012_English _Win_64bit\Content\ADSKMaterials\2012\CM\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {22D00343-E946-4294-B2D5-209BB6521F84} |
| Package Name | MaterialLibrary2012.msi |
| Local Package | C:\Windows\Installer\16f8e6.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {8F0837C2-EE09-4903-88F3-1976FE7FFF4E} |



Autodesk Material Library 2018

| Item | Value |
|------------------------|---|
| Name | Autodesk Material Library 2018 |
| Vendor | Autodesk |
| Version | 16.11.1.0 |
| Product Language | English |
| Install Date | 20180821 |
| Install Location | |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\Content\ADSKMaterials\2018\CM\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {4CD1DC5E-2B8B-4CB9-A1B3-656441C4C692} |
| Package Name | MaterialLibrary2018.msi |
| Local Package | C:\Windows\Installer\b1622.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {7847611E-92E9-4917-B395-71C91D523104} |

Autodesk Material Library Base Resolution Image Library 2012

| Item | Value |
|------------------------|--|
| Name | Autodesk Material Library Base Resolution Image Library 2012 |
| Vendor | Autodesk |
| Version | 2.5.0.8 |
| Product Language | English |
| Install Date | 20170622 |
| Install Location | C:\Program Files (x86)\Common Files\Autodesk Shared\Materials\ |
| Install Source | C:\Autodesk\AutoCAD_2012_English _Win_64bit\Content\ADSKMaterials\2012\ILB\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {AB051D40-1113-4D17-805A-0579A9C66CA1} |
| Package Name | BaseImageLibrary.msi |
| Local Package | C:\Windows\Installer\16f8ec.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {65420DC9-306E-4371-905F-F4DC3B418E52} |

Autodesk Material Library Base Resolution Image Library 2018

| Item | Value |
|------------------------|--|
| Name | Autodesk Material Library Base Resolution Image Library 2018 |
| Vendor | Autodesk |
| Version | 16.11.1.0 |
| Product Language | English |
| Install Date | 20180821 |
| Install Location | |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\Content\ADSKMaterials\2018\ILB\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {B29DE691-C0E3-416D-AC91-C19349DB2FE6} |
| Package Name | BaselImageLibrary2018.msi |
| Local Package | C:\Windows\Installer\b1629.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |

| | |
|-------------|--|
| Software ID | {FCDED119-A969-4E48-8A32-D21AD6B03253} |
|-------------|--|

Autodesk ReCap

| Item | Value |
|--------------------|--|
| Name | Autodesk ReCap |
| Vendor | Autodesk |
| Version | 4.0.0.28 |
| Product Language | English |
| Install Date | 20180821 |
| Install Location | C:\Program Files\Autodesk\Autodesk ReCap\ |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\x64\RC2018\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {1D6C9B5A-4CED-46EE-ACD4-968B38028CD1} |
| Package Name | AutodeskReCap.msi |
| Local Package | C:\Windows\Installer\b166e.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |

| | |
|------------------------|--|
| Executable Description | |
| Software ID | {6ED27C84-0000-1033-0102-D4DAEFFF23C2} |

CDBurnerXP

| Item | Value |
|--------------------|------------------------------------|
| Name | CDBurnerXP |
| Vendor | CDBurnerXP |
| Version | 4.5.7.6623 |
| Product Language | |
| Install Date | 20170720 |
| Install Location | C:\Program Files (x86)\CDBurnerXP\ |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |

| | |
|------------------------|--|
| Executable Version | |
| Executable Description | |
| Software ID | {7E265513-8CDA-4631-B696-F40D983F3B07}_is1 |

Compresor WinRAR

| Item | Value |
|--------------------|------------------|
| Name | Compresor WinRAR |
| Vendor | |
| Version | |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |

| | |
|------------------------|-----------------|
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | WinRAR archiver |

Configuration Manager Client

| Item | Value |
|--------------------|---|
| Name | Configuration Manager Client |
| Vendor | Microsoft Corporation |
| Version | 5.00.8692.1000 |
| Product Language | English |
| Install Date | 20191205 |
| Install Location | |
| Install Source | C:\Windows\ccmsetup\{FA97697A-D4C1-4900-8F62-690808122A9C}\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {FA97697A-D4C1-4900-8F62-690808122A9C} |
| Package Name | client.msi |
| Local Package | C:\Windows\Installer\412f0.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |

| | |
|------------------------|--|
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {0203DB7A-DB5B-42A2-808C-66B980297314} |

Corel Graphics - Windows Shell Extension 32 Bit Keys

| Item | Value |
|--------------------|---|
| Name | Corel Graphics - Windows Shell Extension 32 Bit Keys |
| Vendor | Corel Corporation |
| Version | 18.0.448 |
| Product Language | Neutral |
| Install Date | 20170720 |
| Install Location | C:\Program Files\Common Files\Corel\Shared\Shell Extension\ |
| Install Source | f:\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\cdgsx8\x64\msis\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {EBC9AA15-FC82-42D0-BE1D-7E434C75EEB4} |
| Package Name | 32BitKey.msi |
| Local Package | C:\Windows\Installer\9fc98a.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |

| | |
|------------------------|--|
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {C8730B1A-133D-4546-8E21-9EC186341F20} |

Corel Graphics - Windows Shell Extension

| Item | Value |
|------------------|---|
| Name | Corel Graphics - Windows Shell Extension |
| Vendor | Corel Corporation |
| Version | 18.0.448 |
| Product Language | Neutral |
| Install Date | 20170720 |
| Install Location | C:\Program Files\Common Files\Corel\Shared\Shell Extension\ |
| Install Source | f:\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\cdgsx8\x64\msis\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {E2D458C8-D700-40F9-9C17-E179BE33EFF3} |
| Package Name | ShellExt.msi |
| Local Package | C:\Windows\Installer\9fc983.msi |

| | |
|------------------------|--|
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {3CAAE169-6001-48ED-B2C6-5B6F511552FD} |

CorelDRAW Graphics Suite X5 - Windows Shell Extension 64 Bit

| Item | Value |
|------------------|---|
| Name | CorelDRAW Graphics Suite X5 - Windows Shell Extension 64 Bit |
| Vendor | Corel Corporation |
| Version | 15.0.487 |
| Product Language | English |
| Install Date | 20170719 |
| Install Location | c:\Program Files (x86)\Common Files\Corel\Shared\Shell Extension\ |
| Install Source | c:\program files (x86)\corel\coreldraw graphics suite x5\setup\cgs15\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {B68DB3AE-13FB-419F-8F67-B3C5FE883226} |

| | |
|------------------------|--|
| Package Name | 64BitKey.msi |
| Local Package | c:\Windows\Installer\74c9e.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {66C10F29-31F0-4A9B-B2CF-465F488AE086} |

CorelDRAW Graphics Suite X8 - BR (x64)

| Item | Value |
|------------------|---|
| Name | CorelDRAW Graphics Suite X8 - BR (x64) |
| Vendor | Corel Corporation |
| Version | 18.0 |
| Product Language | Neutral |
| Install Date | 20170720 |
| Install Location | |
| Install Source | f:\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\cdgsx8\x64\msis\ |
| Install State | Installed |

| | |
|------------------------|--|
| Assignment Type | Per Machine |
| Package Code | {814FB9B9-B001-463A-ABDD-C9B3E5826B26} |
| Package Name | BR_x64.msi |
| Local Package | C:\Windows\Installer\9fc90c.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {67D57366-EFCC-46DA-BB1F-BBE89B377177} |

CorelDRAW Graphics Suite X8 - Capture (x64)

| Item | Value |
|------------------|---|
| Name | CorelDRAW Graphics Suite X8 - Capture (x64) |
| Vendor | Corel Corporation |
| Version | 18.0 |
| Product Language | Neutral |
| Install Date | 20170720 |
| Install Location | |

| | |
|------------------------|---|
| Install Source | f:\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\cdgsx8\x64\msis\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {B6E9847F-664E-48C8-8959-73A3978409CC} |
| Package Name | Capture_x64.msi |
| Local Package | C:\Windows\Installer\9fc8e2.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {1253ED86-69FD-4A7B-BDF2-96A522583A88} |

CorelDRAW Graphics Suite X8 - Common (x64)

| Item | Value |
|------------------|--|
| Name | CorelDRAW Graphics Suite X8 - Common (x64) |
| Vendor | Corel Corporation |
| Version | 18.0 |
| Product Language | Neutral |

| | |
|------------------------|---|
| Install Date | 20170720 |
| Install Location | |
| Install Source | f:\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\cdgsx8\x64\msis\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {FC61A78D-DD60-4BD4-8DDD-A888302ACBEF} |
| Package Name | Common_x64.msi |
| Local Package | C:\Windows\Installer\9fc8bf.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {72922AB6-F920-4C98-985D-EC90CE0918D4} |

CorelDRAW Graphics Suite X8 - Connect (x64)

| Item | Value |
|--------|---|
| Name | CorelDRAW Graphics Suite X8 - Connect (x64) |
| Vendor | Corel Corporation |

| | |
|------------------------|---|
| Version | 18.0 |
| Product Language | Neutral |
| Install Date | 20170720 |
| Install Location | |
| Install Source | f:\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\cdgsx8\x64\msis\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {9A54C5E7-EDFA-4CB9-BD64-1DFF6B46EFEA} |
| Package Name | Connect_x64.msi |
| Local Package | C:\Windows\Installer\9fc8e9.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {9782A612-03A7-488F-A598-33558163D8F8} |

CorelDRAW Graphics Suite X8 - CS (x64)

| Item | Value |
|------|-------|
| | |

| | |
|------------------------|---|
| Name | CorelDRAW Graphics Suite X8 - CS (x64) |
| Vendor | Corel Corporation |
| Version | 18.0 |
| Product Language | Neutral |
| Install Date | 20170720 |
| Install Location | |
| Install Source | f:\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\cdgsx8\x64\msis\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {BC73EA20-D5E4-460D-BC4B-9FEA7830EA6E} |
| Package Name | CS_x64.msi |
| Local Package | C:\Windows\Installer\9fc936.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {300DB480-7301-436A-A312-B695B2BC6D71} |

CorelDRAW Graphics Suite X8 - CT (x64)

| Item | Value |
|------------------------|---|
| Name | CorelDRAW Graphics Suite X8 - CT (x64) |
| Vendor | Corel Corporation |
| Version | 18.0 |
| Product Language | Neutral |
| Install Date | 20170720 |
| Install Location | |
| Install Source | f:\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\cdgsx8\x64\msis\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {999DAA40-3AA8-482C-9EF1-1B87FCD462F3} |
| Package Name | CT_x64.msi |
| Local Package | C:\Windows\Installer\9fc93d.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {43C4A17D-93D9-41C6-8ACA-370EA390ED2A} |

CorelDRAW Graphics Suite X8 - Custom Data (x64)

| Item | Value |
|--------------------|---|
| Name | CorelDRAW Graphics Suite X8 - Custom Data (x64) |
| Vendor | Corel Corporation |
| Version | 18.0 |
| Product Language | Neutral |
| Install Date | 20170720 |
| Install Location | |
| Install Source | f:\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\cdgsx8\x64\msis\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {F0A5732A-9455-48D8-A9C6-783911FE53F0} |
| Package Name | CustomData_x64.msi |
| Local Package | C:\Windows\Installer\9fc8f7.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |

| | |
|------------------------|--|
| Executable Description | |
| Software ID | {02C85FBD-87D3-4352-BF2E-AFE897CD5559} |

CorelDRAW Graphics Suite X8 - CZ (x64)

| Item | Value |
|--------------------|---|
| Name | CorelDRAW Graphics Suite X8 - CZ (x64) |
| Vendor | Corel Corporation |
| Version | 18.0 |
| Product Language | Neutral |
| Install Date | 20170720 |
| Install Location | |
| Install Source | f:\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\cdgsx8\x64\msis\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {31E261A5-5500-4672-8DDA-15F4A43D593E} |
| Package Name | CZ_x64.msi |
| Local Package | C:\Windows\Installer\9fc944.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |

| | |
|------------------------|--|
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {A67AEE14-0435-4B8C-A367-F5EDE6CAF9F6} |

CorelDRAW Graphics Suite X8 - DE (x64)

| Item | Value |
|--------------------|---|
| Name | CorelDRAW Graphics Suite X8 - DE (x64) |
| Vendor | Corel Corporation |
| Version | 18.0 |
| Product Language | Neutral |
| Install Date | 20170720 |
| Install Location | |
| Install Source | f:\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\cdgsx8\x64\msis\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {8D016A87-5FAF-4E4F-8196-9230B2ABD579} |
| Package Name | DE_x64.msi |
| Local Package | C:\Windows\Installer\9fc913.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |

| | |
|------------------------|--|
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {4AA43BE3-D21B-44D7-B9CD-86692DEF3706} |

CorelDRAW Graphics Suite X8 - Draw (x64)

| Item | Value |
|------------------|---|
| Name | CorelDRAW Graphics Suite X8 - Draw (x64) |
| Vendor | Corel Corporation |
| Version | 18.0 |
| Product Language | Neutral |
| Install Date | 20170720 |
| Install Location | |
| Install Source | f:\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\cdgsx8\x64\msis\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {C5AF8D5E-8D05-438B-8220-366D47C55DEF} |
| Package Name | Draw_x64.msi |
| Local Package | C:\Windows\Installer\9fc8c6.msi |
| Product ID | |

| | |
|------------------------|--|
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {A66E09BB-9892-421D-9EB9-311D12AA5244} |

CorelDRAW Graphics Suite X8 - EN (x64)

| Item | Value |
|------------------|---|
| Name | CorelDRAW Graphics Suite X8 - EN (x64) |
| Vendor | Corel Corporation |
| Version | 18.0 |
| Product Language | Neutral |
| Install Date | 20170720 |
| Install Location | |
| Install Source | f:\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\cdgsx8\x64\msis\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {BDB80CC9-0FB0-436C-A9FE-F50AB66B3E6D} |
| Package Name | EN_x64.msi |

| | |
|------------------------|--|
| Local Package | C:\Windows\Installer\9fc905.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {A0845CAD-ED13-46A4-A050-5ACE4631FDEC} |

CorelDRAW Graphics Suite X8 - ES (x64)

| Item | Value |
|------------------|---|
| Name | CorelDRAW Graphics Suite X8 - ES (x64) |
| Vendor | Corel Corporation |
| Version | 18.0 |
| Product Language | Neutral |
| Install Date | 20170720 |
| Install Location | |
| Install Source | f:\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\cdgsx8\x64\msis\ |
| Install State | Installed |
| Assignment Type | Per Machine |

| | |
|------------------------|--|
| Package Code | {8AB3B806-7619-4180-9CFB-CDB1B6807CE9} |
| Package Name | ES_x64.msi |
| Local Package | C:\Windows\Installer\9fc91a.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {B1452C41-DC90-4B58-8320-ABB515E87FFB} |

CorelDRAW Graphics Suite X8 - Filters (x64)

| Item | Value |
|------------------|---|
| Name | CorelDRAW Graphics Suite X8 - Filters (x64) |
| Vendor | Corel Corporation |
| Version | 18.0 |
| Product Language | Neutral |
| Install Date | 20170720 |
| Install Location | |
| Install Source | f:\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\cdgsx8\x64\msis\ |

| | |
|------------------------|--|
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {2B1E6880-0231-44F8-8402-397D584E4546} |
| Package Name | Filters_x64.msi |
| Local Package | C:\Windows\Installer\9fc8db.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {6E6D1438-33CC-413B-BC96-3497B1271CDD} |

CorelDRAW Graphics Suite X8 - Font Manager (x64)

| Item | Value |
|------------------|--|
| Name | CorelDRAW Graphics Suite X8 - Font Manager (x64) |
| Vendor | Corel Corporation |
| Version | 18.0 |
| Product Language | Neutral |
| Install Date | 20170720 |
| Install Location | |

| | |
|------------------------|---|
| Install Source | f:\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\cdgsx8\x64\msis\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {279F4126-BC10-4465-952C-E9471F2CCCA8} |
| Package Name | FontManager_x64.msi |
| Local Package | C:\Windows\Installer\9fc8d4.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {5FB5FF89-0938-49D9-850B-53B78B84A7E4} |

CorelDRAW Graphics Suite X8 - FR (x64)

| Item | Value |
|------------------|--|
| Name | CorelDRAW Graphics Suite X8 - FR (x64) |
| Vendor | Corel Corporation |
| Version | 18.0 |
| Product Language | Neutral |

| | |
|------------------------|---|
| Install Date | 20170720 |
| Install Location | |
| Install Source | f:\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\cdgsx8\x64\msis\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {6BAF2AC2-0FBC-4664-937D-872C9884B443} |
| Package Name | FR_x64.msi |
| Local Package | C:\Windows\Installer\9fc921.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {0A182180-3BAF-4B94-BFD0-CF082CC5FF0D} |

CorelDRAW Graphics Suite X8 - IPM (x64)

| Item | Value |
|--------|---|
| Name | CorelDRAW Graphics Suite X8 - IPM (x64) |
| Vendor | Corel Corporation |

| | |
|------------------------|---|
| Version | 18.0 |
| Product Language | Neutral |
| Install Date | 20170720 |
| Install Location | C:\Program Files\Corel\CorelDRAW Graphics Suite X8\ |
| Install Source | f:\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\cdgsx8\x64\msis\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {80E08286-CB53-4938-9D09-E698B43FCE90} |
| Package Name | IPM_x64.msi |
| Local Package | C:\Windows\Installer\9fc967.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {A040C72A-0ADC-4FB9-9DB4-19B18F6053F1} |

CorelDRAW Graphics Suite X8 - IPM Content (x64)

| Item | Value |
|------|-------|
| | |

| | |
|------------------------|---|
| Name | CorelDRAW Graphics Suite X8 - IPM Content (x64) |
| Vendor | Corel Corporation |
| Version | 18.0 |
| Product Language | Neutral |
| Install Date | 20170720 |
| Install Location | C:\Program Files\Corel\CorelDRAW Graphics Suite X8\ |
| Install Source | f:\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\cdgsx8\x64\msis\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {1B90FFDE-5C44-46EE-BCE4-945E9B605BFD} |
| Package Name | IPM_Content_x64.msi |
| Local Package | C:\Windows\Installer\9fc96e.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {FB081BA0-08D2-4C8C-9E55-788A90430BE3} |

CorelDRAW Graphics Suite X8 - IT (x64)

| Item | Value |
|------------------------|---|
| Name | CorelDRAW Graphics Suite X8 - IT (x64) |
| Vendor | Corel Corporation |
| Version | 18.0 |
| Product Language | Neutral |
| Install Date | 20170720 |
| Install Location | |
| Install Source | f:\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\cdgsx8\x64\msis\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {B4AAA326-5CA5-4B0C-8796-0A6E9E8D68FD} |
| Package Name | IT_x64.msi |
| Local Package | C:\Windows\Installer\9fc928.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {8285FEBA-D373-493F-BC78-934F84A0A298} |

CorelDRAW Graphics Suite X8 - JP (x64)

| Item | Value |
|--------------------|---|
| Name | CorelDRAW Graphics Suite X8 - JP (x64) |
| Vendor | Corel Corporation |
| Version | 18.0 |
| Product Language | Neutral |
| Install Date | 20170720 |
| Install Location | |
| Install Source | f:\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\cdgsx8\x64\msis\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {F99C611D-8FCE-47B6-8F21-4A55A6D79D42} |
| Package Name | JP_x64.msi |
| Local Package | C:\Windows\Installer\9fc94b.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |

| | |
|------------------------|--|
| Executable Description | |
| Software ID | {F5A1D3E4-416E-4723-AD35-86A372B99174} |

CorelDRAW Graphics Suite X8 - NL (x64)

| Item | Value |
|--------------------|---|
| Name | CorelDRAW Graphics Suite X8 - NL (x64) |
| Vendor | Corel Corporation |
| Version | 18.0 |
| Product Language | Neutral |
| Install Date | 20170720 |
| Install Location | |
| Install Source | f:\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\cdgsx8\x64\msis\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {288C0967-BFC9-4AFE-B753-1B1FA561DBDA} |
| Package Name | NL_x64.msi |
| Local Package | C:\Windows\Installer\9fc92f.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |

| | |
|------------------------|--|
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {A7922CC8-0EBD-497B-B381-5B3992905327} |

CorelDRAW Graphics Suite X8 - PHOTO-PAINT (x64)

| Item | Value |
|--------------------|---|
| Name | CorelDRAW Graphics Suite X8 - PHOTO-PAINT (x64) |
| Vendor | Corel Corporation |
| Version | 18.0 |
| Product Language | Neutral |
| Install Date | 20170720 |
| Install Location | |
| Install Source | f:\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\cdgsx8\x64\msis\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {2DFDE44F-0DDA-4DF1-B4D9-830BE6059CAD} |
| Package Name | PHOTO-PAINT_x64.msi |
| Local Package | C:\Windows\Installer\9fc8cd.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |

| | |
|------------------------|--|
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {04D8C47E-C0FE-4CA5-8878-91ECD9552109} |

CorelDRAW Graphics Suite X8 - PL (x64)

| Item | Value |
|------------------|---|
| Name | CorelDRAW Graphics Suite X8 - PL (x64) |
| Vendor | Corel Corporation |
| Version | 18.0 |
| Product Language | Neutral |
| Install Date | 20170720 |
| Install Location | |
| Install Source | f:\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\cdgsx8\x64\msis\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {5AC48DD7-A9B5-423B-9615-053408F6F607} |
| Package Name | PL_x64.msi |
| Local Package | C:\Windows\Installer\9fc952.msi |
| Product ID | |

| | |
|------------------------|--|
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {6F03D92C-48DB-4182-8A51-BEF8FE64B72C} |

CorelDRAW Graphics Suite X8 - Redist (x64)

| Item | Value |
|------------------|---|
| Name | CorelDRAW Graphics Suite X8 - Redist (x64) |
| Vendor | Corel Corporation |
| Version | 18.0 |
| Product Language | Neutral |
| Install Date | 20170720 |
| Install Location | |
| Install Source | f:\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\cdgsx8\x64\msis\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {E0BC3559-69EC-45FA-8596-DB0AA02DB72E} |
| Package Name | Redist_x64.msi |

| | |
|------------------------|--|
| Local Package | C:\Windows\Installer\9fc8b8.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {50D1BD2D-6D8C-45A8-9DB5-CDAB7227DB36} |

CorelDRAW Graphics Suite X8 - RU (x64)

| Item | Value |
|------------------|---|
| Name | CorelDRAW Graphics Suite X8 - RU (x64) |
| Vendor | Corel Corporation |
| Version | 18.0 |
| Product Language | Neutral |
| Install Date | 20170720 |
| Install Location | |
| Install Source | f:\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\cdgsx8\x64\msis\ |
| Install State | Installed |
| Assignment Type | Per Machine |

| | |
|------------------------|--|
| Package Code | {6ECFC2A5-94E5-4D30-880D-9320C31F2767} |
| Package Name | RU_x64.msi |
| Local Package | C:\Windows\Installer\9fc959.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {B83D220A-33AB-4AF5-963A-887BD971270E} |

CorelDRAW Graphics Suite X8 - Setup Files (x64)

| Item | Value |
|------------------|--|
| Name | CorelDRAW Graphics Suite X8 - Setup Files (x64) |
| Vendor | Corel Corporation |
| Version | 18.0 |
| Product Language | Neutral |
| Install Date | 20170720 |
| Install Location | |
| Install Source | f:\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\cdgsx8\x64\ |

| | |
|------------------------|--|
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {0E15899F-91DE-4AE0-9746-1664394BDA25} |
| Package Name | ICA_x64.msi |
| Local Package | C:\Windows\Installer\9fc9a6.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {4B3FC55D-E999-4BEC-AF29-1091E574961F} |

CorelDRAW Graphics Suite X8 - VBA (x64)

| Item | Value |
|------------------|---|
| Name | CorelDRAW Graphics Suite X8 - VBA (x64) |
| Vendor | Corel Corporation |
| Version | 18.0 |
| Product Language | Neutral |
| Install Date | 20170720 |
| Install Location | |

| | |
|------------------------|---|
| Install Source | f:\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\cdgsx8\x64\msis\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {D96B4B0C-EFFE-4332-8043-17E9BB2518EF} |
| Package Name | VBA_x64.msi |
| Local Package | C:\Windows\Installer\9fc97c.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {48DD8181-A983-447B-9660-A55A935CA751} |

CorelDRAW Graphics Suite X8 - VideoBrowser (x64)

| Item | Value |
|------------------|--|
| Name | CorelDRAW Graphics Suite X8 - VideoBrowser (x64) |
| Vendor | Corel Corporation |
| Version | 18.0 |
| Product Language | Neutral |

| | |
|------------------------|---|
| Install Date | 20170720 |
| Install Location | |
| Install Source | f:\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\cdgsx8\x64\msis\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {9E5B0465-B19B-4BB7-A551-C6F7CB5D42D6} |
| Package Name | VideoBrowser_x64.msi |
| Local Package | C:\Windows\Installer\9fc8f0.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {81EBD8D4-9142-4D33-BF34-D99EFC1180F5} |

CorelDRAW Graphics Suite X8 - Workspaces (x64)

| Item | Value |
|--------|--|
| Name | CorelDRAW Graphics Suite X8 - Workspaces (x64) |
| Vendor | Corel Corporation |

| | |
|------------------------|---|
| Version | 18.0 |
| Product Language | Neutral |
| Install Date | 20170720 |
| Install Location | |
| Install Source | f:\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\cdgsx8\x64\msis\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {49321B9B-ADD8-4AC5-B77E-D7A6BAD24465} |
| Package Name | Workspaces_x64.msi |
| Local Package | C:\Windows\Installer\9fc8fe.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {1D4B870D-A5A8-4B88-9520-ED8EFD545AA1} |

CorelDRAW Graphics Suite X8 - Writing Tools (x64)

| Item | Value |
|------|-------|
| | |

| | |
|------------------------|---|
| Name | CorelDRAW Graphics Suite X8 - Writing Tools (x64) |
| Vendor | Corel Corporation |
| Version | 18.0 |
| Product Language | Neutral |
| Install Date | 20170720 |
| Install Location | C:\Program Files\Corel\CorelDRAW Graphics Suite X8\ |
| Install Source | f:\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\cdgsx8\x64\msis\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {AED9886F-946D-4DAE-BBCC-F61266DB6368} |
| Package Name | WT_x64.msi |
| Local Package | C:\Windows\Installer\9fc975.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {23A2ABD8-8231-48AD-AD71-FF0566A7DD8F} |

CorelDRAW Graphics Suite X8 -TR (x64)

| Item | Value |
|------------------------|---|
| Name | CorelDRAW Graphics Suite X8 -TR (x64) |
| Vendor | Corel Corporation |
| Version | 18.0 |
| Product Language | Neutral |
| Install Date | 20170720 |
| Install Location | |
| Install Source | f:\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\cdgsx8\x64\msis\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {841A0F29-FADC-490F-954C-18DDDA802860} |
| Package Name | TR_x64.msi |
| Local Package | C:\Windows\Installer\9fc960.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {ACC8C1B0-E560-4B42-AA52-9CAD14883B29} |

CorelDRAW Graphics Suite X8

| Item | Value |
|--------------------|---|
| Name | CorelDRAW Graphics Suite X8 |
| Vendor | Corel Corporation |
| Version | 18.0 |
| Product Language | English |
| Install Date | 20170720 |
| Install Location | C:\Program Files\Corel\CorelDRAW Graphics Suite X8\ |
| Install Source | f:\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\cdgsx8\x64\msis\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {7EBAD1B4-2627-43A1-AE9B-9C3490055C65} |
| Package Name | Setup_x64.msi |
| Local Package | C:\Windows\Installer\9fc8b1.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |

| | |
|------------------------|--|
| Executable Description | |
| Software ID | {ECFAF1D6-342D-4AE2-B6BF-82B22F9FE8DE} |

Cortex XDR 7.4.1.31675

| Item | Value |
|--------------------|---|
| Name | Cortex XDR 7.4.1.31675 |
| Vendor | Palo Alto Networks, Inc. |
| Version | 7.4.1.31675 |
| Product Language | English |
| Install Date | 20210727 |
| Install Location | |
| Install Source | C:\ProgramData\Cyvera\LocalSystem\Download\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {51EC91CC-079C-49B6-8AB3-1E25BCF9FCC8} |
| Package Name | Traps.pkg |
| Local Package | C:\Windows\Installer\123bdea.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |

| | |
|------------------------|--|
| Executable Version | |
| Executable Description | |
| Software ID | {B2D18530-E950-4826-8ACA-3D16268E272F} |

Eines de correcció del Microsoft Office 2013: català

| Item | Value |
|--------------------|---|
| Name | Eines de correcció del Microsoft Office 2013: català |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Catalan |
| Install Date | 20161213 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-002C-0C0A-1000-000000FF1CE}-C\Proof.ca\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {9D493041-6F0F-4F9B-A006-11B041FB8DDE} |
| Package Name | Proof.msi |
| Local Package | C:\Windows\Installer\176466.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |

| | |
|------------------------|--|
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-001F-0403-1000-0000000FF1CE} |

FARO LS 1.1.406.58

| Item | Value |
|--------------------|--|
| Name | FARO LS 1.1.406.58 |
| Vendor | FARO Scanner Production |
| Version | 4.6.58.2 |
| Product Language | English |
| Install Date | 20170622 |
| Install Location | |
| Install Source | C:\Autodesk\AutoCAD_2012_English _Win_64bit\3rdParty\FaroSDK\ |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |

| | |
|------------------------|--|
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {951B0F30-9F1A-4BF6-B3DA-99EB0E917B1C} |

FARO LS 1.1.600.6 (64bit)

| Item | Value |
|--------------------|--|
| Name | FARO LS 1.1.600.6 (64bit) |
| Vendor | FARO Scanner Production |
| Version | 6.0.6.5 |
| Product Language | English |
| Install Date | 20180821 |
| Install Location | |
| Install Source | C:\Autodesk\AutoCAD_2018_Spanish _Win_64bit_dlm\3rdParty\x64\FaroSDK\ |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |

| | |
|------------------------|--|
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {510A08AF-1649-4844-94E5-EAC43A023685} |

Ferramentas de verificación de Microsoft Office 2013 - Galego

| Item | Value |
|--------------------|--|
| Name | Ferramentas de verificación de Microsoft Office 2013 - Galego |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Galician |
| Install Date | 20161213 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-002C-0C0A-1000-000000FF1CE}-C\Proof.g\l\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {AD05E4CC-EF16-4663-AAAF-9E2AEE4E7217} |
| Package Name | Proof.msi |
| Local Package | C:\Windows\Installer\17645a.msi |
| Product ID | |
| Registered Company | |

| | |
|------------------------|---------------------------------------|
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-001F-0456-1000-000000FF1CE} |

Ghostscript GPL 8.64 (Msi Setup)

| Item | Value |
|------------------|---|
| Name | Ghostscript GPL 8.64 (Msi Setup) |
| Vendor | Corel Corporation |
| Version | 8.64 |
| Product Language | English |
| Install Date | 20170720 |
| Install Location | C:\Program Files (x86)\gs\gs8.64\ |
| Install Source | f:\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\cdgsx8\x64\msis\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {D6B25241-2642-4818-8A6F-CF834C7EF26E} |
| Package Name | Ghostscript.msi |
| Local Package | C:\Windows\Installer\9fc9b4.msi |

| | |
|------------------------|--|
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {06CD45E6-FF5E-4D8E-BC01-B276A90DADF2} |

Google Chrome

| Item | Value |
|------------------|--|
| Name | Google Chrome |
| Vendor | Google LLC |
| Version | 92.0.4515.131 |
| Product Language | |
| Install Date | 20210805 |
| Install Location | C:\Program Files (x86)\Google\Chrome\Application |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |

| | |
|------------------------|---------------|
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | Google Chrome |

Google Update Helper

| Item | Value |
|------------------|---|
| Name | Google Update Helper |
| Vendor | Google Inc. |
| Version | 1.3.24.15 |
| Product Language | English |
| Install Date | 20140704 |
| Install Location | |
| Install Source | C:\Program Files (x86)\Google\Update\1.3.24.15\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {ADDFAEFC-316E-4840-8E96-5CE4F2C538CE} |

| | |
|------------------------|--|
| Package Name | GoogleUpdateHelper.msi |
| Local Package | C:\Windows\Installer\15b957.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {A92DAB39-4E2C-4304-9AB6-BC44E68B55E2} |

Impresoras HP Designjet ePrinter de las series T120 y T520

| Item | Value |
|------------------|---|
| Name | Impresoras HP Designjet ePrinter de las series T120 y T520 |
| Vendor | Hewlett-Packard Co. |
| Version | |
| Product Language | |
| Install Date | |
| Install Location | "C:\Program Files (x86)\Hewlett-Packard\Install Engines\HP Designjet T120 and T520 ePrinter Series" |
| Install Source | |
| Install State | |
| Assignment Type | |

| | |
|------------------------|------------|
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | HPAmpereXL |

Intel(R) C++ Redistributables for Windows* on Intel(R) 64

| Item | Value |
|------------------|--|
| Name | Intel(R) C++ Redistributables for Windows* on Intel(R) 64 |
| Vendor | Intel Corporation |
| Version | 11.1.048 |
| Product Language | English |
| Install Date | 20170714 |
| Install Location | C:\Program Files (x86)\Common Files\Intel\Shared Files\cpp\ |
| Install Source | C:\Users\271817~1\AppData\Local\Temp\{C36A48C4-48EF-46F6-9A4C-013777AF3CCD}\ |
| Install State | Installed |

| | |
|------------------------|--|
| Assignment Type | Per Machine |
| Package Code | {4AEB4F67-6A9A-49A2-9620-3CEAC70AD86B} |
| Package Name | Intel(R) C++ Redistributables for Windows on Intel(R) 64.msi |
| Local Package | C:\Windows\Installer\73bab.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {D2437C5C-2D8C-40D2-8059-689AD7239FA3} |

Intel(R) Management Engine Components

| Item | Value |
|------------------|---|
| Name | Intel(R) Management Engine Components |
| Vendor | Intel Corporation |
| Version | 1.0.0.0 |
| Product Language | English |
| Install Date | 20150511 |
| Install Location | |
| Install Source | C:\Users\ADMINI~1\AppData\Local\Temp\IIF20EA.tmp\ |

| | |
|------------------------|--|
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {FEA1B36F-E7EA-4D97-AB0F-D049F536ADA5} |
| Package Name | ME_App_x64.msi |
| Local Package | C:\Windows\Installer\179c8e.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {71E896B1-C4E0-4FF5-A09B-974CF9298962} |

Intel(R) Management Engine Components

| Item | Value |
|------------------|---------------------------------------|
| Name | Intel(R) Management Engine Components |
| Vendor | Intel Corporation |
| Version | 10.0.27.1012 |
| Product Language | English |
| Install Date | 20150511 |
| Install Location | |

| | |
|------------------------|---|
| Install Source | C:\Users\ADMINI~1\AppData\Local\Temp\IIF20EA.tmp\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {E8BD50A5-417C-4ACF-90E0-FC4E15BB86A9} |
| Package Name | ME_MEI_Drivers_x64.msi |
| Local Package | C:\Windows\Installer\179c88.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {400C8731-632F-496B-ACDC-2F1FD98689FE} |

Intel(R) ME UninstallLegacy

| Item | Value |
|------------------|-----------------------------|
| Name | Intel(R) ME UninstallLegacy |
| Vendor | Intel Corporation |
| Version | 1.0.1.0 |
| Product Language | English |
| Install Date | 20150511 |

| | |
|------------------------|---|
| Install Location | C:\Program Files (x86)\Intel\Intel(R) Management Engine Components\ |
| Install Source | C:\Users\ADMINI~1\AppData\Local\Temp\IIF20EA.tmp\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {10369D5A-F995-43AC-9582-A12E8E1A39D6} |
| Package Name | ME_UnLegacy_x64.msi |
| Local Package | C:\Windows\Installer\179c82.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {C9A90201-B2DE-44D0-A618-EF8C9060D318} |

Intel(R) Network Connections

| Item | Value |
|------------------|------------------------------|
| Name | Intel(R) Network Connections |
| Vendor | Intel |
| Version | 21.1.0.0 |
| Product Language | Neutral |

| | |
|------------------------|--|
| Install Date | 20170617 |
| Install Location | C:\Program Files\Intel\ |
| Install Source | C:\Users\Administrador.ws57550\ApplData\Local\Temp\Rar\$EX01.591\intel\APPS\PROSETDX\Winx64\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {17EA82D3-B789-4F64-9F86-3CC1F105C782} |
| Package Name | PROSETDX.msi |
| Local Package | C:\Windows\Installer\ed3b6.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {1E5EDF73-13EC-4211-820D-1900B8BD7951} |

Intel(R) USB 3.0\3.1 eXtensible Host Controller Driver

| Item | Value |
|--------|--|
| Name | Intel(R) USB 3.0\3.1 eXtensible Host Controller Driver |
| Vendor | Intel Corporation |

| | |
|------------------------|---|
| Version | 5.0.0.32 |
| Product Language | |
| Install Date | |
| Install Location | C:\Program Files (x86)\Intel\Intel(R) USB 3.0 3.1 eXtensible Host Controller Driver |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {240C3DDD-C5E9-4029-9DF7-95650D040CF2} |

Intel® Trusted Connect Service Client

| Item | Value |
|------|---------------------------------------|
| Name | Intel® Trusted Connect Service Client |

| | |
|------------------------|---|
| Vendor | Intel Corporation |
| Version | 1.35.133.1 |
| Product Language | English |
| Install Date | 20150511 |
| Install Location | |
| Install Source | C:\Users\ADMINI~1\AppData\Local\Temp\IIF20EA.tmp\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {3071CC94-5ED5-44AC-8922-C7C1371D77F4} |
| Package Name | iclsClientInstaller_x64.msi |
| Local Package | C:\Windows\Installer\179c94.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {1B444AF9-1DBE-4884-8F35-969BEFCF69A8} |

IPM_Installer

| Item | Value |
|------|-------|
| | |

| | |
|------------------------|---|
| Name | IPM_Installer |
| Vendor | Your Company Name |
| Version | 2.1 |
| Product Language | English |
| Install Date | 20170720 |
| Install Location | C:\Program Files\Corel\CUH\v2\ |
| Install Source | f:\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\cdgsx8\x64\msis\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {0E9E1228-0700-4FF6-A012-51FBF5973FB5} |
| Package Name | IPM_Common_x64.msi |
| Local Package | C:\Windows\Installer\9fc9ad.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {B8C05FFE-C36F-4F17-AD20-739E4BC65AC9} |

| Item | Value |
|------------------------|--|
| Name | Lotus Notes 8.5.2 |
| Vendor | IBM |
| Version | 8.52.10222 |
| Product Language | Neutral |
| Install Date | 20140704 |
| Install Location | |
| Install Source | z:\soft\inst\lotus notes\lotus 8.5\instalador cliente 8\lotus notes\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {2ED2530E-EA19-48BA-99F8-131DB81F61AD} |
| Package Name | Lotus Notes 8.5.2.msi |
| Local Package | C:\Windows\Installer\5af9d.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {E11DFB27-BAF4-46D6-AD76-D5519C0E6786} |

Microsoft .NET Framework 4.6.1 (ESN)

| Item | Value |
|------------------------|--|
| Name | Microsoft .NET Framework 4.6.1 (ESN) |
| Vendor | Microsoft Corporation |
| Version | 4.6.01055 |
| Product Language | Spanish |
| Install Date | 20160518 |
| Install Location | |
| Install Source | C:\61b14059c1441b804c3e\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {33CB9C00-5B60-4DD9-87C3-D7625A350DC9} |
| Package Name | netfx_FullLP_x64.msi |
| Local Package | C:\Windows\Installer\1113fb.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {CA19F6B7-937B-30FF-A2D6-D796C5DDA9A7} |

Microsoft .NET Framework 4.6.1

| Item | Value |
|------------------------|--|
| Name | Microsoft .NET Framework 4.6.1 |
| Vendor | Microsoft Corporation |
| Version | 4.6.01055 |
| Product Language | Neutral |
| Install Date | 20161213 |
| Install Location | |
| Install Source | C:\d94d0f64acdab9a5b32e\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {2E7EA2B1-3747-45CC-90EB-C06BF12F6C46} |
| Package Name | netfx_Full_x64.msi |
| Local Package | C:\Windows\Installer\69353.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |

| | |
|-------------|--|
| Software ID | {BD6F5371-DAC1-30F0-9DDE-CAC6791E28C3} |
|-------------|--|

Microsoft Access MUI (Spanish) 2013

| Item | Value |
|--------------------|--|
| Name | Microsoft Access MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20161213 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-0015-0C0A-1000-000000FF1CE}\C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {177DA5EF-EB52-4120-B848-B62BF17B781D} |
| Package Name | AccessMUI.msi |
| Local Package | C:\Windows\Installer\17641c.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |

| | |
|------------------------|--|
| Executable Description | |
| Software ID | {90150000-0015-0C0A-1000-0000000FF1CE} |

Microsoft DCF MUI (Spanish) 2013

| Item | Value |
|--------------------|--|
| Name | Microsoft DCF MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20161213 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-0090-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {1BFC5CFC-1D7C-4D27-9157-77F4F0EB9B5E} |
| Package Name | DCFMUI.msi |
| Local Package | C:\Windows\Installer\17643a.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |

| | |
|------------------------|--|
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-0090-0C0A-1000-0000000FF1CE} |

Microsoft Excel MUI (Spanish) 2013

| Item | Value |
|--------------------|--|
| Name | Microsoft Excel MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20161213 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-0016-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {F37FE962-7F81-43C1-8806-CC497E612B7A} |
| Package Name | ExcelMUI.msi |
| Local Package | C:\Windows\Installer\176448.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |

| | |
|------------------------|--|
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-0016-0C0A-1000-0000000FF1CE} |

Microsoft Groove MUI (Spanish) 2013

| Item | Value |
|--------------------|---|
| Name | Microsoft Groove MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20161213 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-00BA-0C0A-1000-0000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {6960F7D8-41F8-4497-B020-61422FBE41C3} |
| Package Name | GrooveMUI.msi |
| Local Package | C:\Windows\Installer\176454.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |

| | |
|------------------------|--|
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-00BA-0C0A-1000-0000000FF1CE} |

Microsoft InfoPath MUI (Spanish) 2013

| Item | Value |
|--------------------|---|
| Name | Microsoft InfoPath MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20161213 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-0044-0C0A-1000-0000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {F03B257F-FF94-457C-979E-908B58FD2A7B} |
| Package Name | InfoPathMUI.msi |
| Local Package | C:\Windows\Installer\176422.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |

| | |
|------------------------|--|
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-0044-0C0A-1000-0000000FF1CE} |

Microsoft Lync MUI (Spanish) 2013

| Item | Value |
|--------------------|---|
| Name | Microsoft Lync MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20161213 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-012B-0C0A-1000-0000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {9C7DFE7A-1B91-493D-A854-641E30097AF2} |
| Package Name | LyncMUI.msi |
| Local Package | C:\Windows\Installer\17642e.msi |
| Product ID | |
| Registered Company | |

| | |
|------------------------|--|
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-012B-0C0A-1000-0000000FF1CE} |

Microsoft Office 32-bit Components 2013

| Item | Value |
|------------------|--|
| Name | Microsoft Office 32-bit Components 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Neutral |
| Install Date | 20161213 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-0011-0000-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {F4DF0CDD-D36F-409F-9C65-328B797BE617} |
| Package Name | Office32WW.msi |
| Local Package | C:\Windows\Installer\1764c2.msi |
| Product ID | |

| | |
|------------------------|--|
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-00C1-0000-1000-0000000FF1CE} |

Microsoft Office OSM MUI (Spanish) 2013

| Item | Value |
|------------------|---|
| Name | Microsoft Office OSM MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20161213 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-00E1-0C0A-1000-0000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {AE378228-DA40-4437-8360-E67E892E63AD} |
| Package Name | OSMMUI.msi |
| Local Package | C:\Windows\Installer\17648c.msi |

| | |
|------------------------|--|
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-00E1-0C0A-1000-0000000FF1CE} |

Microsoft Office OSM UX MUI (Spanish) 2013

| Item | Value |
|------------------|---|
| Name | Microsoft Office OSM UX MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20161213 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-00E2-0C0A-1000-0000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {86687012-CE89-4C2B-99EB-376675BBD977} |
| Package Name | OSMUXMUI.msi |

| | |
|------------------------|--|
| Local Package | C:\Windows\Installer\176492.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-00E2-0C0A-1000-0000000FF1CE} |

Microsoft Office Professional Plus 2013

| Item | Value |
|------------------|---|
| Name | Microsoft Office Professional Plus 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Neutral |
| Install Date | 20161213 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-0011-0000-1000-0000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {E4B1E9CA-45CB-4A71-8221-FFA8794676C0} |

| | |
|------------------------|--|
| Package Name | ProPlusWW.msi |
| Local Package | C:\Windows\Installer\177131.msi |
| Product ID | 00216-40000-00000-AA554 |
| Registered Company | Gobierno de Cordoba |
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-0011-0000-1000-0000000FF1CE} |

Microsoft Office Proofing (Spanish) 2013

| Item | Value |
|------------------|--|
| Name | Microsoft Office Proofing (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20161213 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-002C-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |

| | |
|------------------------|--|
| Package Code | {17D57BF2-B437-4F9A-A9DF-B1175EC62BCE} |
| Package Name | Proofing.msi |
| Local Package | C:\Windows\Installer\176486.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-002C-0C0A-1000-0000000FF1CE} |

Microsoft Office Proofing Tools 2013 - English

| Item | Value |
|------------------|--|
| Name | Microsoft Office Proofing Tools 2013 - English |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | English |
| Install Date | 20161213 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-002C-0C0A-1000-0000000FF1CE}-C\Proof.en\ |
| Install State | Installed |

| | |
|------------------------|--|
| Assignment Type | Per Machine |
| Package Code | {1BC161FB-DBD9-42FF-AF7E-7BA518895323} |
| Package Name | Proof.msi |
| Local Package | C:\Windows\Installer\176480.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-001F-0409-1000-0000000FF1CE} |

Microsoft Office Proofing Tools 2013 - Español

| Item | Value |
|------------------|---|
| Name | Microsoft Office Proofing Tools 2013 - Español |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20161213 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-002C-0C0A-1000-000000FF1CE}-C\Proof.es\ |

| | |
|------------------------|--|
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {11B59E8E-CC80-4E71-97AD-D8F11B717C8D} |
| Package Name | Proof.msi |
| Local Package | C:\Windows\Installer\176473.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-001F-0C0A-1000-0000000FF1CE} |

Microsoft Office Shared 32-bit MUI (Spanish) 2013

| Item | Value |
|------------------|---|
| Name | Microsoft Office Shared 32-bit MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20161213 |
| Install Location | C:\Program Files\Microsoft Office\ |

| | |
|------------------------|--|
| Install Source | C:\MSOCache\All Users\{90150000-00C1-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {A596CD35-0995-4CED-A986-B02B08CB4F81} |
| Package Name | Office32MUI.msi |
| Local Package | C:\Windows\Installer\176428.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-00C1-0C0A-1000-00000000FF1CE} |

Microsoft Office Shared MUI (Spanish) 2013

| Item | Value |
|------------------|--|
| Name | Microsoft Office Shared MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20161213 |

| | |
|------------------------|--|
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-006E-0C0A-1000-000000FF1CE}\C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {5C0A1C70-66CD-441E-9898-7C5F86B08CE2} |
| Package Name | OfficeMUI.msi |
| Local Package | C:\Windows\Installer\1763fe.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-006E-0C0A-1000-0000000FF1CE} |

Microsoft Office zuzenketa-tresnak 2013 - Euskara

| Item | Value |
|------------------|---|
| Name | Microsoft Office zuzenketa-tresnak 2013 - Euskara |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Basque |

| | |
|------------------------|---|
| Install Date | 20161213 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-002C-0C0A-1000-000000FF1CE}-C\Proof.eu\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {7F739607-9AC6-439A-9ECB-BBCF450A3EA0} |
| Package Name | Proof.msi |
| Local Package | C:\Windows\Installer\176460.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-001F-042D-1000-0000000FF1CE} |

Microsoft OneNote MUI (Spanish) 2013

| Item | Value |
|---------|--------------------------------------|
| Name | Microsoft OneNote MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |

| | |
|------------------------|--|
| Product Language | Spanish |
| Install Date | 20161213 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-00A1-0C0A-1000-000000FF1CE}\C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {805289D6-AFB2-4577-8ED9-F2F1DEAE0DB6} |
| Package Name | OneNoteMUI.msi |
| Local Package | C:\Windows\Installer\17644e.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-00A1-0C0A-1000-0000000FF1CE} |

Microsoft Outlook MUI (Spanish) 2013

| Item | Value |
|--------|--------------------------------------|
| Name | Microsoft Outlook MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |

| | |
|------------------------|--|
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20161213 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-001A-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {FD0662CF-53D3-41A2-B091-586F437E65D4} |
| Package Name | OutlookMUI.msi |
| Local Package | C:\Windows\Installer\176499.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-001A-0C0A-1000-0000000FF1CE} |

Microsoft Policy Platform

| Item | Value |
|------|---------------------------|
| Name | Microsoft Policy Platform |

| | |
|------------------------|--|
| Vendor | Microsoft Corporation |
| Version | 68.1.1010.0 |
| Product Language | English |
| Install Date | 20180725 |
| Install Location | |
| Install Source | C:\Windows\ccmsetup\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {DD924E8D-215C-4DDE-A661-E88575B134B7} |
| Package Name | MicrosoftPolicyPlatformSetup.msi |
| Local Package | C:\Windows\Installer\10fc8e3.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {6549B04F-E826-4E0A-8C3F-388540F08541} |

Microsoft PowerPoint MUI (Spanish) 2013

| Item | Value |
|------|-------|
| | |

| | |
|------------------------|--|
| Name | Microsoft PowerPoint MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20161213 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-0018-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {AFCB3DE3-9399-421F-9BEB-A6EA8F27C452} |
| Package Name | PowerPointMUI.msi |
| Local Package | C:\Windows\Installer\1764a7.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-0018-0C0A-1000-0000000FF1CE} |

Microsoft Publisher MUI (Spanish) 2013

| Item | Value |
|------------------------|--|
| Name | Microsoft Publisher MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20161213 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-0019-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {EE455AC3-0731-43FD-9DAE-0346B3D20327} |
| Package Name | PublisherMUI.msi |
| Local Package | C:\Windows\Installer\176434.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-0019-0C0A-1000-0000000FF1CE} |

Microsoft Silverlight

| Item | Value |
|------------------------|---|
| Name | Microsoft Silverlight |
| Vendor | Microsoft Corporation |
| Version | 5.1.50901.0 |
| Product Language | English |
| Install Date | 20161213 |
| Install Location | C:\Program Files\Microsoft Silverlight\ |
| Install Source | d:\b6f5b84f14689f8089bfc3a9202830\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {E1E4DF14-A167-4911-AE93-355D7D872A13} |
| Package Name | silverlight.msi |
| Local Package | C:\Windows\Installer\2c008.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {89F4137D-6C26-4A84-BDB8-2E5A4BB71E00} |

Microsoft Visual Basic for Applications 7.1 (x64) English

| Item | Value |
|--------------------|---|
| Name | Microsoft Visual Basic for Applications 7.1 (x64) English |
| Vendor | Microsoft Corporation |
| Version | 7.1.0.0 |
| Product Language | English |
| Install Date | 20170720 |
| Install Location | |
| Install Source | f:\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\cdgsx8\x64\msis\VBA\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {BE27CEF9-2F96-4ACE-BE70-63E3523812FD} |
| Package Name | Vba71_1033.MSI |
| Local Package | C:\Windows\Installer\9fc998.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |

| | |
|------------------------|--|
| Executable Description | |
| Software ID | {90F60409-7000-11D3-8CFE-0150048383C9} |

Microsoft Visual Basic for Applications 7.1 (x64) Spanish

| Item | Value |
|--------------------|---|
| Name | Microsoft Visual Basic for Applications 7.1 (x64) Spanish |
| Vendor | Microsoft Corporation |
| Version | 7.1.0.0 |
| Product Language | Spanish |
| Install Date | 20170720 |
| Install Location | |
| Install Source | f:\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\cdgsx8\x64\msis\VBA\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {D36FAC9C-173E-4583-BEA0-3C729868EE3C} |
| Package Name | Vba71_3082.msi |
| Local Package | C:\Windows\Installer\9fc99f.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |

| | |
|------------------------|--|
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90F60C0A-7000-11D3-8CFE-0150048383C9} |

Microsoft Visual Basic for Applications 7.1 (x64)

| Item | Value |
|--------------------|---|
| Name | Microsoft Visual Basic for Applications 7.1 (x64) |
| Vendor | Microsoft Corporation |
| Version | 7.1.00.00 |
| Product Language | English |
| Install Date | 20170720 |
| Install Location | |
| Install Source | f:\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\coreldraw graphics suite x8 18.0.0.448 multilingual + keygen [sadeempc]\cdgsx8\x64\msis\VBA\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {4571D2FC-245B-4941-861C-E14EC14B6810} |
| Package Name | Vba71.msi |
| Local Package | C:\Windows\Installer\9fc991.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |

| | |
|------------------------|--|
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90120064-0070-0000-0000-4000000FF1CE} |

Microsoft Visual C++ 2005 Redistributable (x64)

| Item | Value |
|--------------------|--|
| Name | Microsoft Visual C++ 2005 Redistributable (x64) |
| Vendor | Microsoft Corporation |
| Version | 8.0.56336 |
| Product Language | Neutral |
| Install Date | 20150519 |
| Install Location | |
| Install Source | C:\Users\202843~1\AppData\Local\Temp\IXP001.TMP\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {4C4724ED-EE14-4DB6-B996-8F3E8FBA675C} |
| Package Name | vcredist.msi |
| Local Package | C:\Windows\Installer\1a7b8a.msi |
| Product ID | |
| Registered Company | |

| | |
|------------------------|--|
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {071c9b48-7c32-4621-a0ac-3f809523288f} |

Microsoft Visual C++ 2005 Redistributable (x64)

| Item | Value |
|------------------|--|
| Name | Microsoft Visual C++ 2005 Redistributable (x64) |
| Vendor | Microsoft Corporation |
| Version | 8.0.61000 |
| Product Language | Neutral |
| Install Date | 20161213 |
| Install Location | |
| Install Source | C:\Users\ADMINI~1.WS5\AppData\Local\Temp\IXP000.TMP\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {015A855C-3760-46C5-A5EE-A5F06C3A019C} |
| Package Name | vcredist.msi |
| Local Package | C:\Windows\Installer\1956b4.msi |
| Product ID | |

| | |
|------------------------|--|
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {ad8a2fa1-06e7-4b0d-927d-6e54b3d31028} |

Microsoft Visual C++ 2005 Redistributable

| Item | Value |
|------------------|--|
| Name | Microsoft Visual C++ 2005 Redistributable |
| Vendor | Microsoft Corporation |
| Version | 8.0.56336 |
| Product Language | Neutral |
| Install Date | 20170622 |
| Install Location | |
| Install Source | C:\Users\271817~1\AppData\Local\Temp\IXP000.TMP\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {675C0FCE-58D9-435D-9AD8-ACDCB5808A3A} |
| Package Name | vcredist.msi |
| Local Package | C:\Windows\Installer\16f8f2.msi |

| | |
|------------------------|--|
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {7299052b-02a4-4627-81f2-1818da5d550d} |

Microsoft Visual C++ 2008 Redistributable - x64 9.0.30729.4148

| Item | Value |
|------------------|--|
| Name | Microsoft Visual C++ 2008 Redistributable - x64 9.0.30729.4148 |
| Vendor | Microsoft Corporation |
| Version | 9.0.30729.4148 |
| Product Language | English |
| Install Date | 20170622 |
| Install Location | |
| Install Source | C:\554351b6425aedc0117cb738d0a8\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {40AA714A-18B8-472E-AC39-6EB27EC4B5A0} |
| Package Name | vc_red.msi |

| | |
|------------------------|--|
| Local Package | C:\Windows\Installer\16f8da.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {4B6C7001-C7D6-3710-913E-5BC23FCE91E6} |

Microsoft Visual C++ 2008 Redistributable - x86 9.0.30729.4148

| Item | Value |
|------------------|--|
| Name | Microsoft Visual C++ 2008 Redistributable - x86 9.0.30729.4148 |
| Vendor | Microsoft Corporation |
| Version | 9.0.30729.4148 |
| Product Language | English |
| Install Date | 20170622 |
| Install Location | |
| Install Source | C:\9a7e97f0ea689965d2152c\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {B870907F-D8C0-4418-816F-4D2873511B28} |

| | |
|------------------------|--|
| Package Name | vc_red.msi |
| Local Package | C:\Windows\Installer\16f8d4.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {1F1C2DFC-2D24-3E06-BCB8-725134ADF989} |

Microsoft Visual C++ 2010 x64 Redistributable - 10.0.40219

| Item | Value |
|------------------|--|
| Name | Microsoft Visual C++ 2010 x64 Redistributable - 10.0.40219 |
| Vendor | Microsoft Corporation |
| Version | 10.0.40219 |
| Product Language | Neutral |
| Install Date | 20161213 |
| Install Location | |
| Install Source | c:\d5778ac7d72d04cc73d1e086b589\VC_Red_x64\ |
| Install State | Installed |
| Assignment Type | Per Machine |

| | |
|------------------------|--|
| Package Code | {80902F2D-E1EF-43CA-B366-74496197E004} |
| Package Name | vc_red.msi |
| Local Package | c:\Windows\Installer\221729.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {1D8E6291-B0D5-35EC-8441-6616F567A0F7} |

Microsoft Visual C++ 2010 x86 Redistributable - 10.0.40219

| Item | Value |
|------------------|--|
| Name | Microsoft Visual C++ 2010 x86 Redistributable - 10.0.40219 |
| Vendor | Microsoft Corporation |
| Version | 10.0.40219 |
| Product Language | Neutral |
| Install Date | 20161213 |
| Install Location | |
| Install Source | c:\d5778ac7d72d04cc73d1e086b589\VC_Red_x86\ |
| Install State | Installed |

| | |
|------------------------|--|
| Assignment Type | Per Machine |
| Package Code | {461C455E-DA40-49B3-871B-14308CC7CEFF} |
| Package Name | vc_red.msi |
| Local Package | c:\Windows\Installer\221710.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {F0C3E5D1-1ADE-321E-8167-68EF0DE699A5} |

Microsoft Visual C++ 2012 Redistributable (x64) - 11.0.61030

| Item | Value |
|------------------|--|
| Name | Microsoft Visual C++ 2012 Redistributable (x64) - 11.0.61030 |
| Vendor | Microsoft Corporation |
| Version | 11.0.61030.0 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |

| | |
|------------------------|--|
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {ca67548a-5ebe-413a-b50c-4b9ceb6d66c6} |

Microsoft Visual C++ 2012 Redistributable (x86) - 11.0.60610

| Item | Value |
|------------------|--|
| Name | Microsoft Visual C++ 2012 Redistributable (x86) - 11.0.60610 |
| Vendor | Microsoft Corporation |
| Version | 11.0.60610.1 |
| Product Language | |
| Install Date | |
| Install Location | |

| | |
|------------------------|--|
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {95716cce-fc71-413f-8ad5-56c2892d4b3a} |

Microsoft Visual C++ 2012 x64 Additional Runtime - 11.0.61030

| Item | Value |
|------------------|---|
| Name | Microsoft Visual C++ 2012 x64 Additional Runtime - 11.0.61030 |
| Vendor | Microsoft Corporation |
| Version | 11.0.61030 |
| Product Language | English |
| Install Date | 20180821 |

| | |
|------------------------|---|
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{37B8F9C7-03FB-3253-8781-2517C99D7C00}\v11.0.61030\packages\vcRuntimeAdditional_amd64\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {DD6B6D0F-6159-4613-9EEC-504FD63398BC} |
| Package Name | vc_runtimeAdditional_x64.msi |
| Local Package | C:\Windows\Installer\b15ea.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {37B8F9C7-03FB-3253-8781-2517C99D7C00} |

Microsoft Visual C++ 2012 x64 Minimum Runtime - 11.0.61030

| Item | Value |
|---------|--|
| Name | Microsoft Visual C++ 2012 x64 Minimum Runtime - 11.0.61030 |
| Vendor | Microsoft Corporation |
| Version | 11.0.61030 |

| | |
|------------------------|--|
| Product Language | English |
| Install Date | 20180821 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{CF2BEA3C-26EA-32F8-AA9B-331F7E34BA97}\v11.0.61030\packages\vcRuntimeMinimum_amd64\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {5C1BCEFD-6479-404B-9035-A3EE75095F6A} |
| Package Name | vc_runtimeMinimum_x64.msi |
| Local Package | C:\Windows\Installer\b15e4.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {CF2BEA3C-26EA-32F8-AA9B-331F7E34BA97} |

Microsoft Visual C++ 2012 x86 Additional Runtime - 11.0.60610

| Item | Value |
|------|-------|
| | |

| | |
|------------------------|---|
| Name | Microsoft Visual C++ 2012 x86 Additional Runtime - 11.0.60610 |
| Vendor | Microsoft Corporation |
| Version | 11.0.60610 |
| Product Language | English |
| Install Date | 20180821 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{3D6AD258-61EA-35F5-812C-B7A02152996E}\v11.0.60610\packages\vcRuntimeAdditional_x86\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {882C3C31-BDF6-4959-8582-B4DB0A309DD2} |
| Package Name | vc_runtimeAdditional_x86.msi |
| Local Package | C:\Windows\Installer\b1695.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {3D6AD258-61EA-35F5-812C-B7A02152996E} |

Microsoft Visual C++ 2012 x86 Minimum Runtime - 11.0.60610

| Item | Value |
|------------------------|--|
| Name | Microsoft Visual C++ 2012 x86 Minimum Runtime - 11.0.60610 |
| Vendor | Microsoft Corporation |
| Version | 11.0.60610 |
| Product Language | English |
| Install Date | 20180821 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{E7D4E834-93EB-351F-B8FB-82CDAE623003}\v11.0.60610\packages\vcRuntimeMinimum_x86\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {1EB177D3-E466-42AB-9EB8-CD9D999FB5AC} |
| Package Name | vc_runtimeMinimum_x86.msi |
| Local Package | C:\Windows\Installer\b168f.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {E7D4E834-93EB-351F-B8FB-82CDAE623003} |

Microsoft Visual C++ 2013 Redistributable (x64) - 12.0.40660

| Item | Value |
|------------------------|--|
| Name | Microsoft Visual C++ 2013 Redistributable (x64) - 12.0.40660 |
| Vendor | Microsoft Corporation |
| Version | 12.0.40660.0 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {ef6b00ec-13e1-4c25-9064-b2f383cb8412} |

Microsoft Visual C++ 2013 Redistributable (x86) - 12.0.40660

| Item | Value |
|------------------------|--|
| Name | Microsoft Visual C++ 2013 Redistributable (x86) - 12.0.40660 |
| Vendor | Microsoft Corporation |
| Version | 12.0.40660.0 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |

| | |
|-------------|--|
| Software ID | {61087a79-ac85-455c-934d-1fa22cc64f36} |
|-------------|--|

Microsoft Visual C++ 2013 x64 Additional Runtime - 12.0.40660

| Item | Value |
|--------------------|---|
| Name | Microsoft Visual C++ 2013 x64 Additional Runtime - 12.0.40660 |
| Vendor | Microsoft Corporation |
| Version | 12.0.40660 |
| Product Language | English |
| Install Date | 20180725 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{5740BD44-B58D-321A-AFC0-6D3D4556DD6C}\v12.0.40660\packages\vcRuntimeAdditional_amd64\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {B43E5DFA-2339-4405-898F-A877E05BE053} |
| Package Name | vc_runtimeAdditional_x64.msi |
| Local Package | C:\Windows\Installer\10fc8dd.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |

| | |
|------------------------|--|
| Executable Version | |
| Executable Description | |
| Software ID | {5740BD44-B58D-321A-AFC0-6D3D4556DD6C} |

Microsoft Visual C++ 2013 x64 Minimum Runtime - 12.0.40660

| Item | Value |
|--------------------|--|
| Name | Microsoft Visual C++ 2013 x64 Minimum Runtime - 12.0.40660 |
| Vendor | Microsoft Corporation |
| Version | 12.0.40660 |
| Product Language | English |
| Install Date | 20180725 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{CB0836EC-B072-368D-82B2-D3470BF95707}\v12.0.40660\packages \vcRuntimeMinimum_amd64\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {3C8099A6-EC47-4A12-84E4-9FA4472A6395} |
| Package Name | vc_runtimeMinimum_x64.msi |
| Local Package | C:\Windows\Installer\10fc8c9.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |

| | |
|------------------------|--|
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {CB0836EC-B072-368D-82B2-D3470BF95707} |

Microsoft Visual C++ 2013 x86 Additional Runtime - 12.0.40660

| Item | Value |
|--------------------|---|
| Name | Microsoft Visual C++ 2013 x86 Additional Runtime - 12.0.40660 |
| Vendor | Microsoft Corporation |
| Version | 12.0.40660 |
| Product Language | English |
| Install Date | 20180725 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{7DAD0258-515C-3DD4-8964-BD714199E0F7}\v12.0.40660\packages\vcRuntimeAdditional_x86\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {ECF7B346-705F-4652-9451-4A0D79480FBD} |
| Package Name | vc_runtimeAdditional_x86.msi |
| Local Package | C:\Windows\Installer\10fc8be.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |

| | |
|------------------------|--|
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {7DAD0258-515C-3DD4-8964-BD714199E0F7} |

Microsoft Visual C++ 2013 x86 Minimum Runtime - 12.0.40660

| Item | Value |
|--------------------|--|
| Name | Microsoft Visual C++ 2013 x86 Minimum Runtime - 12.0.40660 |
| Vendor | Microsoft Corporation |
| Version | 12.0.40660 |
| Product Language | English |
| Install Date | 20180725 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{E30D8B21-D82D-3211-82CC-0F0A5D1495E8}\v12.0.40660\packages\vcRuntimeMinimum_x86\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {32708A00-6EE9-4612-89E1-AF165165AE29} |
| Package Name | vc_runtimeMinimum_x86.msi |
| Local Package | C:\Windows\Installer\10fc8aa.msi |
| Product ID | |
| Registered Company | |

| | |
|------------------------|--|
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {E30D8B21-D82D-3211-82CC-0F0A5D1495E8} |

Microsoft Visual C++ 2015 Redistributable (x64) - 14.0.24212

| Item | Value |
|------------------|--|
| Name | Microsoft Visual C++ 2015 Redistributable (x64) - 14.0.24212 |
| Vendor | Microsoft Corporation |
| Version | 14.0.24212.0 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |

| | |
|------------------------|--|
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {323dad84-0974-4d90-a1c1-e006c7fdbb7d} |

Microsoft Visual C++ 2015 Redistributable (x86) - 14.0.24212

| Item | Value |
|------------------|--|
| Name | Microsoft Visual C++ 2015 Redistributable (x86) - 14.0.24212 |
| Vendor | Microsoft Corporation |
| Version | 14.0.24212.0 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |

| | |
|------------------------|--|
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {462f63a8-6347-4894-a1b3-dbfe3a4c981d} |

Microsoft Visual C++ 2015 x64 Additional Runtime - 14.0.24212

| Item | Value |
|------------------|---|
| Name | Microsoft Visual C++ 2015 x64 Additional Runtime - 14.0.24212 |
| Vendor | Microsoft Corporation |
| Version | 14.0.24212 |
| Product Language | English |
| Install Date | 20180821 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{F20396E5-D84E-3505-A7A8-7358F0155F6C}\v14.0.24212\packages\vcRuntimeAdditional_amd64\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {6359ADEF-7A5D-456D-B782-052D2FB30D62} |

| | |
|------------------------|--|
| Package Name | vc_runtimeAdditional_x64.msi |
| Local Package | C:\Windows\Installer\b161c.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {F20396E5-D84E-3505-A7A8-7358F0155F6C} |

Microsoft Visual C++ 2015 x64 Minimum Runtime - 14.0.24212

| Item | Value |
|------------------|--|
| Name | Microsoft Visual C++ 2015 x64 Minimum Runtime - 14.0.24212 |
| Vendor | Microsoft Corporation |
| Version | 14.0.24212 |
| Product Language | English |
| Install Date | 20180821 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{FAAD7243-0141-3987-AA2F-E56B20F80E41}\v14.0.24212\packages\vcRuntimeMinimum_amd64\ |
| Install State | Installed |

| | |
|------------------------|--|
| Assignment Type | Per Machine |
| Package Code | {26B11B1C-FE70-4B16-A0A1-527E494CA82D} |
| Package Name | vc_runtimeMinimum_x64.msi |
| Local Package | C:\Windows\Installer\b1605.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {FAAD7243-0141-3987-AA2F-E56B20F80E41} |

Microsoft Visual C++ 2015 x86 Additional Runtime - 14.0.24212

| Item | Value |
|------------------|---|
| Name | Microsoft Visual C++ 2015 x86 Additional Runtime - 14.0.24212 |
| Vendor | Microsoft Corporation |
| Version | 14.0.24212 |
| Product Language | English |
| Install Date | 20180821 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{844ECB74-9B63-3D5C-958C-30BD23F19EE4}\v14.0.24212\packages\vcRuntimeAdditional_x86\ |

| | |
|------------------------|--|
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {2F389DFE-8C3B-4F06-AEED-A18D91814871} |
| Package Name | vc_runtimeAdditional_x86.msi |
| Local Package | C:\Windows\Installer\b15f6.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {844ECB74-9B63-3D5C-958C-30BD23F19EE4} |

Microsoft Visual C++ 2015 x86 Minimum Runtime - 14.0.24212

| Item | Value |
|------------------|--|
| Name | Microsoft Visual C++ 2015 x86 Minimum Runtime - 14.0.24212 |
| Vendor | Microsoft Corporation |
| Version | 14.0.24212 |
| Product Language | English |
| Install Date | 20180821 |
| Install Location | |

| | |
|------------------------|---|
| Install Source | C:\ProgramData\Package Cache\{37B55901-995A-3650-80B1-B BFD047E2911}v14.0.24212\packages\vcRuntimeMinimum_x86\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {ADBA463F-23EE-4E9C-8A6A-775550D77195} |
| Package Name | vc_runtimeMinimum_x86.msi |
| Local Package | C:\Windows\Installer\b15f0.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {37B55901-995A-3650-80B1-BBFD047E2911} |

Microsoft Visual Studio 2010 Tools for Office Runtime (x64) Language Pack - ESN

| Item | Value |
|------------------|--|
| Name | Microsoft Visual Studio 2010 Tools for Office Runtime (x64) Language Pack - ESN |
| Vendor | Microsoft Corporation |
| Version | 10.0.50903 |
| Product Language | Spanish |

| | |
|------------------------|--|
| Install Date | 20161213 |
| Install Location | |
| Install Source | c:\a0b2f5f5006bceda0e\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {1A6F608B-958A-4D78-A1D8-60A1F9FD6FFE} |
| Package Name | vstor40_LP_x64_esn.msi |
| Local Package | c:\Windows\Installer\2217a5.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {B618B2AA-4B45-3B04-98CA-50466370B650} |

Microsoft Visual Studio 2010 Tools for Office Runtime (x64)

| Item | Value |
|---------|---|
| Name | Microsoft Visual Studio 2010 Tools for Office Runtime (x64) |
| Vendor | Microsoft Corporation |
| Version | 10.0.50908 |

| | |
|------------------------|--|
| Product Language | Neutral |
| Install Date | 20161213 |
| Install Location | |
| Install Source | c:\31f3df6e573462e80b73\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {B540620C-75CA-487E-8D42-314383E9EC0F} |
| Package Name | vstor40_x64.msi |
| Local Package | c:\Windows\Installer\221782.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {9495AEB4-AB97-39DE-8C42-806EEF75ECA7} |

Microsoft Visual Studio Tools for Applications 2.0 Runtime

| Item | Value |
|--------|--|
| Name | Microsoft Visual Studio Tools for Applications 2.0 Runtime |
| Vendor | Microsoft Corporation |

| | |
|------------------------|--|
| Version | 9.0.30729 |
| Product Language | Neutral |
| Install Date | 20170719 |
| Install Location | |
| Install Source | c:\program files (x86)\corel\coreldraw graphics suite x5\setup\cgs15\vsta\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {D889A197-DC7B-4AAA-93E0-829B3F29759D} |
| Package Name | trin_art.msi |
| Local Package | c:\Windows\Installer\{a16a7}.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {299C0434-4F4E-341F-A916-4E07AEB35E79} |

Microsoft Visual Studio Tools for Applications 2015 Finalizer

| Item | Value |
|------|---|
| Name | Microsoft Visual Studio Tools for Applications 2015 Finalizer |

| | |
|------------------------|--|
| Vendor | Microsoft Corporation |
| Version | 14.0.23217 |
| Product Language | English |
| Install Date | 20170714 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{20D2A362-23EB-3BDB-BAD3-F4510B2B32A5}\v14.0.23217\packages\vsta_finalizer\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {77A0D8F6-DD05-41E6-9300-FCB2FC81C742} |
| Package Name | vsta_finalizer.msi |
| Local Package | C:\Windows\Installer\73b9f.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {20D2A362-23EB-3BDB-BAD3-F4510B2B32A5} |

Microsoft Visual Studio Tools for Applications 2015 x64 Hosting Support

| Item | Value |
|------------------------|--|
| Name | Microsoft Visual Studio Tools for Applications 2015 x64 Hosting Support |
| Vendor | Microsoft Corporation |
| Version | 14.0.23217 |
| Product Language | English |
| Install Date | 20170714 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{6D0ED930-AE5C-3289-ADA3-E6C3B13050DE}\v14.0.23217\packages\vsta_hostingcore_amd64\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {09CC1DC1-1077-467F-BC22-0E2EB47027CE} |
| Package Name | vsta_hostingcore_amd64.msi |
| Local Package | C:\Windows\Installer\73b99.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {6D0ED930-AE5C-3289-ADA3-E6C3B13050DE} |

Microsoft Visual Studio Tools for Applications 2015 x86 Hosting Support

| Item | Value |
|--------------------|--|
| Name | Microsoft Visual Studio Tools for Applications 2015 x86 Hosting Support |
| Vendor | Microsoft Corporation |
| Version | 14.0.23217 |
| Product Language | English |
| Install Date | 20170714 |
| Install Location | |
| Install Source | C:\ProgramData\Package Cache\{84DD3A17-A979-39BC-8816-8226CB7DF8A7}\v14.0.23217\packages\vsta_hostingcore_x86\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {AF2D7C8F-219C-48C3-9F45-08BE3CFC217B} |
| Package Name | vsta_hostingcore_x86.msi |
| Local Package | C:\Windows\Installer\73b5d.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |

| | |
|------------------------|--|
| Executable Description | |
| Software ID | {84DD3A17-A979-39BC-8816-8226CB7DF8A7} |

Microsoft Visual Studio Tools for Applications 2015

| Item | Value |
|--------------------|---|
| Name | Microsoft Visual Studio Tools for Applications 2015 |
| Vendor | Microsoft Corporation |
| Version | 14.0.23217 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |

| | |
|------------------------|--|
| Executable Version | |
| Executable Description | |
| Software ID | {dd8b09df-3ef8-49f1-bd1a-65278435860b} |

Microsoft Word MUI (Spanish) 2013

| Item | Value |
|--------------------|--|
| Name | Microsoft Word MUI (Spanish) 2013 |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Spanish |
| Install Date | 20161213 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-001B-0C0A-1000-000000FF1CE}-C\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {83633C93-5BCA-45E8-9171-C0764566B5C8} |
| Package Name | WordMUI.msi |
| Local Package | C:\Windows\Installer\1764ba.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |

| | |
|------------------------|--|
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-001B-0C0A-1000-0000000FF1CE} |

Mozilla Firefox 43.0.1 (x86 es-AR)

| Item | Value |
|--------------------|--|
| Name | Mozilla Firefox 43.0.1 (x86 es-AR) |
| Vendor | Mozilla |
| Version | 43.0.1 |
| Product Language | |
| Install Date | |
| Install Location | C:\Program Files (x86)\Mozilla Firefox |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |

| | |
|------------------------|------------------------------------|
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | Mozilla Firefox 43.0.1 (x86 es-AR) |

Mozilla Maintenance Service

| Item | Value |
|--------------------|-----------------------------|
| Name | Mozilla Maintenance Service |
| Vendor | Mozilla |
| Version | 43.0.1.5828 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |

| | |
|------------------------|---------------------------|
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | MozillaMaintenanceService |

MSXML 4.0 SP2 (KB973688)

| Item | Value |
|--------------------|--|
| Name | MSXML 4.0 SP2 (KB973688) |
| Vendor | Microsoft Corporation |
| Version | 4.20.9876.0 |
| Product Language | English |
| Install Date | 20190416 |
| Install Location | |
| Install Source | c:\d31fd18494f39f984e083057\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {395B6BEF-11EF-4159-8690-72B11AFBB2AC} |
| Package Name | msxml.msi |
| Local Package | c:\Windows\Installer\aa5f35.msi |
| Product ID | |
| Registered Company | Gobierno de Cordoba |

| | |
|------------------------|--|
| Registered Owner | usuario |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {F662A8E6-F4DC-41A2-901E-8C11F044BDEC} |

Nero 8

| Item | Value |
|------------------|--|
| Name | Nero 8 |
| Vendor | Nero AG |
| Version | 8.10.23 |
| Product Language | English |
| Install Date | 20170622 |
| Install Location | C:\Program Files (x86)\Nero\Nero8\ |
| Install Source | C:\Users\271817~1\AppData\Local\Temp\NERO13822\Data\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {C6056832-F740-44AA-87FC-DAFE0F8D62E0} |
| Package Name | Nero.msi |
| Local Package | C:\Windows\Installer\16f9bc.msi |
| Product ID | |

| | |
|------------------------|--|
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {B944FA21-81AF-4A77-8328-CE4F4CC13322} |

neroxml

| Item | Value |
|------------------|---|
| Name | neroxml |
| Vendor | Nero AG |
| Version | 1.0.0 |
| Product Language | English |
| Install Date | 20170622 |
| Install Location | |
| Install Source | C:\Users\271817~1\AppData\Local\Temp\NERO13822\Data\Redist\ |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |

| | |
|------------------------|--|
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {56C049BE-79E9-4502-BEA7-9754A3E60F9B} |

Outils de vérification linguistique 2013 de Microsoft Office - Français

| Item | Value |
|------------------|---|
| Name | Outils de vérification linguistique 2013 de Microsoft Office - Français |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | French |
| Install Date | 20161213 |
| Install Location | C:\Program Files\Microsoft Office\ |
| Install Source | C:\MSOCache\All Users\{90150000-002C-0C0A-1000-000000FF1CE}-C\Proof.fr\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {C84A0B07-4BEA-4059-ABD7-A67E5E204470} |

| | |
|------------------------|--|
| Package Name | Proof.msi |
| Local Package | C:\Windows\Installer\17647a.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-001F-040C-1000-0000000FF1CE} |

PrimoPDF -- brought to you by Nitro PDF Software

| Item | Value |
|------------------|--|
| Name | PrimoPDF -- brought to you by Nitro PDF Software |
| Vendor | Nitro PDF Software |
| Version | 5 |
| Product Language | |
| Install Date | |
| Install Location | "C:\Program Files (x86)\Nitro PDF\PrimoPDF" |
| Install Source | |
| Install State | |
| Assignment Type | |

| | |
|------------------------|----------|
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | PrimoPDF |

Realtek Ethernet Controller Driver

| Item | Value |
|------------------|--|
| Name | Realtek Ethernet Controller Driver |
| Vendor | Realtek |
| Version | 7.101.714.2016 |
| Product Language | |
| Install Date | 20170617 |
| Install Location | C:\Program Files (x86)\Realtek\NICDRV_8169 |
| Install Source | C:\Users\ADMINI~1.WS5\AppData\Local\Temp\Rar\$EX00.953\W7\ |
| Install State | |

| | |
|------------------------|--|
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {8833FFB6-5B0C-4764-81AA-06DFEED9A476} |

Registro web de HP

| Item | Value |
|------------------|---|
| Name | Registro web de HP |
| Vendor | Hewlett Packard, Co. |
| Version | 1.2.0.0 |
| Product Language | Spanish |
| Install Date | 20170622 |
| Install Location | |
| Install Source | C:\Users\271817~1\AppData\Local\Temp\HPDesignjetT520HPGL2\Web Registration\ |

| | |
|------------------------|--|
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {7FE9748A-EA3A-430E-8478-C5BAAC4240DF} |
| Package Name | HP WebReg 1034.msi |
| Local Package | C:\Windows\Installer\82701.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {D2FF897E-4A99-446E-8BB4-DD99CD496838} |

Revisores de Texto do Microsoft Office 2013 – Português do Brasil

| Item | Value |
|------------------|---|
| Name | Revisores de Texto do Microsoft Office 2013 – Português do Brasil |
| Vendor | Microsoft Corporation |
| Version | 15.0.4569.1506 |
| Product Language | Portuguese |
| Install Date | 20161213 |
| Install Location | C:\Program Files\Microsoft Office\ |

| | |
|------------------------|--|
| Install Source | C:\MSOCache\All Users\{90150000-002C-0C0A-1000-000000FF1CE}-C\Proof.pt-br\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {B7344999-5642-4A6C-9099-F8EE5175291F} |
| Package Name | Proof.msi |
| Local Package | C:\Windows\Installer\17646c.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {90150000-001F-0416-1000-0000000FF1CE} |

Security Update for Microsoft .NET Framework 4.6.1 (KB3122661)

| Item | Value |
|------------------|--|
| Name | Security Update for Microsoft .NET Framework 4.6.1 (KB3122661) |
| Vendor | Microsoft Corporation |
| Version | 1 |
| Product Language | |
| Install Date | |

| | |
|------------------------|--|
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {92FB6C44-E685-45AD-9B20-CADF4CABA132}.KB3122661 |

Security Update for Microsoft .NET Framework 4.6.1 (KB3127233)

| Item | Value |
|------------------|--|
| Name | Security Update for Microsoft .NET Framework 4.6.1 (KB3127233) |
| Vendor | Microsoft Corporation |
| Version | 1 |
| Product Language | |

| | |
|------------------------|--|
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {92FB6C44-E685-45AD-9B20-CADF4CABA132}.KB3127233 |

Security Update for Microsoft .NET Framework 4.6.1 (KB3136000v2)

| Item | Value |
|---------|--|
| Name | Security Update for Microsoft .NET Framework 4.6.1 (KB3136000v2) |
| Vendor | Microsoft Corporation |
| Version | 2 |

| | |
|------------------------|--|
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {92FB6C44-E685-45AD-9B20-CADF4CABA132}.KB3136000v2 |

Security Update for Microsoft .NET Framework 4.6.1 (KB3142037)

| Item | Value |
|--------|--|
| Name | Security Update for Microsoft .NET Framework 4.6.1 (KB3142037) |
| Vendor | Microsoft Corporation |

| | |
|------------------------|--|
| Version | 1 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {92FB6C44-E685-45AD-9B20-CADF4CABA132}.KB3142037 |

Security Update for Microsoft .NET Framework 4.6.1 (KB3143693)

| Item | Value |
|------|--|
| Name | Security Update for Microsoft .NET Framework 4.6.1 (KB3143693) |

| | |
|------------------------|--|
| Vendor | Microsoft Corporation |
| Version | 1 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {92FB6C44-E685-45AD-9B20-CADF4CABA132}.KB3143693 |

Security Update for Microsoft .NET Framework 4.6.1 (KB3164025)

| Item | Value |
|------|-------|
| | |

| | |
|------------------------|--|
| Name | Security Update for Microsoft .NET Framework 4.6.1 (KB3164025) |
| Vendor | Microsoft Corporation |
| Version | 1 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {92FB6C44-E685-45AD-9B20-CADF4CABA132}.KB3164025 |

 Skype™ 7.3

| Item | Value |
|------------------------|--|
| Name | Skype™ 7.3 |
| Vendor | Skype Technologies S.A. |
| Version | 7.3.101 |
| Product Language | English |
| Install Date | 20161213 |
| Install Location | C:\Program Files (x86)\Skype\ |
| Install Source | C:\ProgramData\Skype\{24991BA0-F0EE-44AD-9CC8-5EC50AECF6B7}\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {E4F3B66C-1E32-4098-93E6-EB5DC73C2FDD} |
| Package Name | Skype.msi |
| Local Package | C:\Windows\Installer\2c016.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | {24991BA0-F0EE-44AD-9CC8-5EC50AECF6B7} |

Total Commander (Remove or Repair)

| Item | Value |
|------------------------|------------------------------------|
| Name | Total Commander (Remove or Repair) |
| Vendor | Ghisler Software GmbH |
| Version | 8.0 beta 9 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |
| Software ID | Totalcmd |

Update for Microsoft .NET Framework 4.6.1 (KB3195388)

| Item | Value |
|------------------------|---|
| Name | Update for Microsoft .NET Framework 4.6.1 (KB3195388) |
| Vendor | Microsoft Corporation |
| Version | 1 |
| Product Language | |
| Install Date | |
| Install Location | |
| Install Source | |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |
| Executable Description | |

| | |
|-------------|--|
| Software ID | {92FB6C44-E685-45AD-9B20-CADF4CABA132}.KB3195388 |
|-------------|--|

Update Manager

| Item | Value |
|--------------------|---|
| Name | Update Manager |
| Vendor | |
| Version | 4.60 |
| Product Language | English |
| Install Date | 20170623 |
| Install Location | C:\Program Files (x86)\My Company Name\My Product Name\ |
| Install Source | E:\CGS13\ |
| Install State | |
| Assignment Type | |
| Package Code | |
| Package Name | |
| Local Package | |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |
| Executable Version | |

| | |
|------------------------|--|
| Executable Description | |
| Software ID | {F428D0FB-765D-40EB-BDD8-A1E7F5C597FA} |

VCRedistSetup

| Item | Value |
|--------------------|---|
| Name | VCRedistSetup |
| Vendor | Nero AG |
| Version | 1.0.0 |
| Product Language | English |
| Install Date | 20170622 |
| Install Location | |
| Install Source | C:\Users\271817~1\AppData\Local\Temp\NERO13822\Data\Redist\ |
| Install State | Installed |
| Assignment Type | Per Machine |
| Package Code | {14A7BFD3-5DDF-4F85-B95B-4B16AF17430A} |
| Package Name | VCRedistSetup.msi |
| Local Package | C:\Windows\Installer\16f9b7.msi |
| Product ID | |
| Registered Company | |
| Registered Owner | |
| Times Used | |
| Last Used | |
| Executable Path | |

| | |
|------------------------|--|
| Executable Version | |
| Executable Description | |
| Software ID | {3921A67A-5AB1-4E48-9444-C71814CF3027} |

Software Updates

| Update ID | Installed On | Description |
|-----------|--------------|---|
| KB982018 | 7/7/2014 | Update |
| KB976902 | 11/21/2010 | Update |
| KB973688 | 2019-04- | Actualización para Microsoft XML Core Services 4.0 Service Pack 2 para sistemas basados en x64 (KB973688) |
| KB971033 | 5/12/2015 | Update |
| KB4503292 | 7/1/2019 | Security Update |
| KB4503269 | 7/1/2019 | Security Update |
| KB4503259 | 7/1/2019 | Security Update |
| KB4499175 | 5/24/2019 | Security Update |
| KB3195789 | 12/13/2016 | Update |
| KB319538 | 20161213 | KB3195388 |
| KB3188740 | 12/13/2016 | Update |
| KB3185911 | 12/13/2016 | Security Update |
| KB3185319 | 12/13/2016 | Security Update |
| KB3184143 | 12/13/2016 | Update |
| KB3184122 | 12/13/2016 | Security Update |
| KB3182203 | 12/13/2016 | Update |

| | | |
|-----------|------------|-----------------|
| KB3181988 | 12/13/2016 | Update |
| KB3179573 | 12/13/2016 | Update |
| KB3178034 | 9/3/2016 | Security Update |
| KB3177725 | 9/3/2016 | Security Update |
| KB3177723 | 9/3/2016 | Update |
| KB3177467 | 12/13/2016 | Update |
| KB3177186 | 12/13/2016 | Security Update |
| KB3175443 | 9/3/2016 | Security Update |
| KB3172605 | 12/13/2016 | Update |
| KB3170735 | 9/3/2016 | Update |
| KB3170455 | 9/3/2016 | Security Update |
| KB3168965 | 9/3/2016 | Security Update |
| KB3167679 | 9/3/2016 | Security Update |
| KB3164035 | 6/15/2016 | Security Update |
| KB3164033 | 6/15/2016 | Security Update |
| KB316402 | 20160903 | KB3164025 |
| KB3163245 | 9/3/2016 | Security Update |
| KB3162835 | 6/15/2016 | Update |
| KB3161958 | 6/15/2016 | Security Update |
| KB3161949 | 6/15/2016 | Security Update |
| KB3161664 | 6/15/2016 | Security Update |
| KB3161561 | 6/15/2016 | Security Update |
| KB3161102 | 12/13/2016 | Update |
| KB3160005 | 6/15/2016 | Security Update |

| | | |
|-----------|-----------|-----------------|
| KB3159398 | 6/15/2016 | Security Update |
| KB3156019 | 5/13/2016 | Security Update |
| KB3156017 | 5/13/2016 | Security Update |
| KB3156016 | 5/13/2016 | Security Update |
| KB3156013 | 5/13/2016 | Security Update |
| KB3155178 | 5/13/2016 | Security Update |
| KB3154070 | 5/13/2016 | Security Update |
| KB3153731 | 5/13/2016 | Update |
| KB3153199 | 5/13/2016 | Security Update |
| KB3153171 | 5/13/2016 | Security Update |
| KB3150513 | 5/18/2016 | Update |
| KB3150220 | 5/13/2016 | Security Update |
| KB3149090 | 5/13/2016 | Security Update |
| KB3147071 | 5/13/2016 | Update |
| KB3146963 | 5/13/2016 | Security Update |
| KB3146706 | 5/13/2016 | Security Update |
| KB3145739 | 5/13/2016 | Security Update |
| KB314369 | 20160518 | KB3143693 |
| KB3142042 | 5/13/2016 | Security Update |
| KB314203 | 20160518 | KB3142037 |
| KB3142024 | 5/13/2016 | Security Update |
| KB3140735 | 5/13/2016 | Security Update |
| KB3140245 | 5/18/2016 | Update |
| KB3139940 | 5/13/2016 | Security Update |

| | | |
|-----------|-----------|---|
| KB3139923 | 6/15/2016 | Update |
| KB3139914 | 5/13/2016 | Security Update |
| KB3139398 | 5/13/2016 | Security Update |
| KB3138962 | 5/13/2016 | Security Update |
| KB3138910 | 5/13/2016 | Security Update |
| KB3138901 | 5/13/2016 | Update |
| KB3138612 | 5/13/2016 | Update |
| KB3138378 | 5/13/2016 | Update |
| KB3137061 | 5/13/2016 | Update |
| KB313600 | 20160518 | KB3136000v2 |
| KB3135983 | 5/13/2016 | Security Update |
| KB3133977 | 5/13/2016 | Update |
| KB312800 | 20161213 | Update for Microsoft Word 2013 (KB3128004) 64-Bit Edition |
| KB312797 | 20161213 | Update for Skype for Business 2015 (KB3127976) 64-Bit Edition |
| KB312797 | 20161213 | Update for Microsoft Project 2013 (KB3127978) 64-Bit Edition |
| KB312797 | 20161213 | Update for Microsoft Outlook 2013 (KB3127975) 64-Bit Edition |
| KB312797 | 20161213 | Update for Microsoft OneDrive for Business (KB3127977) 64-Bit Edition |
| KB312796 | 20161213 | Update for Microsoft PowerPoint 2013 (KB3127967) 64-Bit Edition |
| KB312792 | 20161213 | Security Update for Microsoft Excel 2013 (KB3127921) 64-Bit Edition |
| KB312791 | 20161213 | Update for Microsoft Office 2013 (KB3127916) 64-Bit Edition |
| KB312791 | 20161213 | Update for Microsoft Office 2013 (KB3127915) 64-Bit Edition |

| | | |
|-----------|-----------|--|
| KB312723 | 20160518 | KB3127233 |
| KB3127220 | 5/13/2016 | Security Update |
| KB3126587 | 5/13/2016 | Security Update |
| KB3126446 | 5/13/2016 | Security Update |
| KB3124280 | 5/13/2016 | Security Update |
| KB3123479 | 5/13/2016 | Security Update |
| KB312266 | 20160518 | KB3122661 |
| KB3122648 | 5/13/2016 | Security Update |
| KB3121461 | 5/13/2016 | Security Update |
| KB3121255 | 5/13/2016 | Update |
| KB3118401 | 5/13/2016 | Update |
| KB311834 | 20161213 | Update for Microsoft Office 2013 (KB3118346) 64-Bit Edition |
| KB311834 | 20161213 | Update for Microsoft Office 2013 (KB3118343) 64-Bit Edition |
| KB311827 | 20161213 | Update for Microsoft OneNote 2013 (KB3118278) 64-Bit Edition |
| KB3115858 | 5/13/2016 | Security Update |

| Update ID | Installed On | Description |
|-----------|--------------|--|
| KB311540 | 20161213 | Definition Update for Microsoft Office 2013 (KB3115404) 64-Bit Edition |
| KB311515 | 20161213 | Update for Microsoft Office 2013 (KB3115156) 64-Bit Edition |
| KB311515 | 20161213 | Security Update for Microsoft Office 2013 (KB3115153) 64-Bit Edition |
| KB311494 | 20161213 | Update for Microsoft InfoPath 2013 (KB3114946) 64-Bit Edition |

| | | |
|-----------|-----------|--|
| KB311494 | 20161213 | Update for Microsoft Access 2013 (KB3114948) 64-Bit Edition |
| KB311483 | 20161213 | Update for Microsoft Office 2013 (KB3114835) 64-Bit Edition |
| KB311482 | 20161213 | Update for Microsoft Office 2013 (KB3114825) 64-Bit Edition |
| KB311481 | 20161213 | Update for Microsoft InfoPath 2013 (KB3114818) 64-Bit Edition |
| KB311449 | 20161213 | Update for Microsoft Office 2013 (KB3114499) 64-Bit Edition |
| KB311449 | 20161213 | Update for Microsoft Office 2013 (KB3114490) 64-Bit Edition |
| KB311448 | 20161213 | Update for Microsoft Office 2013 (KB3114488) 64-Bit Edition |
| KB311434 | 20161213 | Security Update for Microsoft Office 2013 (KB3114340) 64-Bit Edition |
| KB311432 | 20161213 | Update for Microsoft Publisher 2013 (KB3114329) 64-Bit Edition |
| KB3110329 | 5/13/2016 | Security Update |
| KB3109560 | 5/13/2016 | Security Update |
| KB3109103 | 5/13/2016 | Security Update |
| KB3109094 | 5/13/2016 | Security Update |
| KB3108670 | 5/13/2016 | Security Update |
| KB3108664 | 5/13/2016 | Security Update |
| KB3108381 | 5/13/2016 | Security Update |
| KB3108371 | 5/13/2016 | Security Update |
| KB3107998 | 5/13/2016 | Update |
| KB3102429 | 5/18/2016 | Update |
| KB3101722 | 5/13/2016 | Security Update |
| KB310150 | 20161213 | Update for Microsoft Office 2013 (KB3101503) 64-Bit Edition |
| KB310149 | 20161213 | Update for Microsoft Office 2013 (KB3101491) 64-Bit Edition |

| | | |
|-----------|-----------|---|
| KB310148 | 20161213 | Update for Microsoft Office 2013 (KB3101489) 64-Bit Edition |
| KB310148 | 20161213 | Update for Microsoft Office 2013 (KB3101487) 64-Bit Edition |
| KB3097989 | 5/13/2016 | Security Update |
| KB3093513 | 5/13/2016 | Security Update |
| KB3092627 | 5/13/2016 | Update |
| KB3092601 | 5/13/2016 | Security Update |
| KB3087985 | 8/27/2015 | Hotfix |
| KB3087039 | 5/13/2016 | Security Update |
| KB3086255 | 5/13/2016 | Security Update |
| KB308558 | 20161213 | Update for Microsoft Office 2013 (KB3085587) 64-Bit Edition |
| KB308556 | 20161213 | Update for Microsoft Office 2013 (KB3085565) 64-Bit Edition |
| KB3084135 | 5/13/2016 | Security Update |
| KB3080446 | 5/13/2016 | Security Update |
| KB3080149 | 5/13/2016 | Update |
| KB3080079 | 5/18/2016 | Update |
| KB3079757 | 8/27/2015 | Security Update |
| KB3078667 | 5/13/2016 | Update |
| KB3078601 | 8/27/2015 | Security Update |
| KB3078071 | 8/27/2015 | Security Update |
| KB3076949 | 8/27/2015 | Security Update |
| KB3076895 | 8/27/2015 | Security Update |
| KB3075851 | 8/27/2015 | Update |
| KB3075249 | 5/13/2016 | Update |
| KB3075226 | 5/18/2016 | Security Update |

| | | |
|-----------|-----------|---|
| KB3075222 | 8/27/2015 | Security Update |
| KB3074543 | 5/13/2016 | Security Update |
| KB3072633 | 8/27/2015 | Security Update |
| KB3072630 | 8/27/2015 | Security Update |
| KB3072305 | 8/27/2015 | Security Update |
| KB3071756 | 8/27/2015 | Security Update |
| KB3069762 | 8/27/2015 | Security Update |
| KB3069392 | 8/27/2015 | Security Update |
| KB3068708 | 8/27/2015 | Update |
| KB3067903 | 8/27/2015 | Security Update |
| KB3061518 | 8/27/2015 | Security Update |
| KB3060716 | 8/27/2015 | Security Update |
| KB3059317 | 8/27/2015 | Security Update |
| KB3057154 | 8/27/2015 | Security Update |
| KB3055642 | 8/27/2015 | Security Update |
| KB305500 | 20161213 | Update for Microsoft Office 2013 (KB3055007) 64-Bit Edition |
| KB305485 | 20161213 | Update for Microsoft Outlook Social Connector 2013 (KB3054854) 64-Bit Edition |
| KB305485 | 20161213 | Update for Microsoft Office 2013 (KB3054856) 64-Bit Edition |
| KB305481 | 20161213 | Update for Microsoft Office 2013 (KB3054819) 64-Bit Edition |
| KB305481 | 20161213 | Security Update for Microsoft Office 2013 (KB3054816) 64-Bit Edition |
| KB305478 | 20161213 | Update for Microsoft Office 2013 (KB3054785) 64-Bit Edition |
| KB305478 | 20161213 | Update for Microsoft Office 2013 (KB3054783) 64-Bit Edition |
| KB3054476 | 8/27/2015 | Update |

| | | |
|-----------|-----------|--|
| KB3046482 | 5/11/2015 | Security Update |
| KB3046306 | 5/11/2015 | Security Update |
| KB3046269 | 5/11/2015 | Security Update |
| KB3046017 | 8/27/2015 | Security Update |
| KB3046002 | 8/27/2015 | Security Update |
| KB3045999 | 5/11/2015 | Security Update |
| KB3045685 | 5/11/2015 | Security Update |
| KB3045645 | 8/27/2015 | Update |
| KB3042553 | 5/11/2015 | Security Update |
| KB3042058 | 5/13/2016 | Security Update |
| KB3040272 | 8/27/2015 | Update |
| KB303979 | 20161213 | Update for Microsoft Office 2013 (KB3039795) 64-Bit Edition |
| KB303979 | 20161213 | Security Update for Microsoft Office 2013 (KB3039798) 64-Bit Edition |
| KB303977 | 20161213 | Update for Skype for Business 2015 (KB3039776) 64-Bit Edition |
| KB303977 | 20161213 | Update for Microsoft Office 2013 (KB3039778) 64-Bit Edition |
| KB303976 | 20161213 | Update for Microsoft Office 2013 (KB3039766) 64-Bit Edition |
| KB303975 | 20161213 | Update for Microsoft Office 2013 (KB3039756) 64-Bit Edition |
| KB303975 | 20161213 | Update for Microsoft Office 2013 (KB3039750) 64-Bit Edition |
| KB303972 | 20161213 | Update for Microsoft Office 2013 (KB3039720) 64-Bit Edition |
| KB303971 | 20161213 | Update for Microsoft Word 2013 (KB3039719) 64-Bit Edition |
| KB303970 | 20161213 | Update for Microsoft Office 2013 (KB3039701) 64-Bit Edition |
| KB3039066 | 5/11/2015 | Security Update |
| KB3038314 | 5/12/2015 | Security Update |

| | | |
|-----------|-----------|-----------------|
| KB3037574 | 5/11/2015 | Security Update |
| KB3036493 | 5/11/2015 | Security Update |
| KB3035132 | 5/11/2015 | Security Update |
| KB3035126 | 5/11/2015 | Security Update |

| Update ID | Installed On | Description |
|-----------|--------------|---|
| KB3034344 | 5/11/2015 | Security Update |
| KB3033929 | 5/11/2015 | Security Update |
| KB3033890 | 8/27/2015 | Security Update |
| KB3033889 | 5/11/2015 | Security Update |
| KB3032655 | 8/27/2015 | Security Update |
| KB3032323 | 5/11/2015 | Security Update |
| KB3031432 | 5/11/2015 | Security Update |
| KB3030377 | 5/11/2015 | Security Update |
| KB3023607 | 5/12/2015 | Update |
| KB3023215 | 8/27/2015 | Security Update |
| KB302306 | 20161213 | Update for Microsoft Office 2013 (KB3023068) 64-Bit Edition |
| KB302305 | 20161213 | Update for Microsoft Office 2013 (KB3023052) 64-Bit Edition |
| KB302304 | 20161213 | Update for Microsoft Office 2013 (KB3023049) 64-Bit Edition |
| KB3022777 | 5/11/2015 | Security Update |
| KB3021952 | 5/12/2015 | Security Update |
| KB3021917 | 5/12/2015 | Update |
| KB3021674 | 5/11/2015 | Security Update |
| KB3020388 | 5/18/2016 | Security Update |

| | | |
|-----------|-----------|-----------------|
| KB3020387 | 5/11/2015 | Security Update |
| KB3020370 | 8/27/2015 | Update |
| KB3020369 | 8/27/2015 | Update |
| KB3020338 | 5/11/2015 | Update |
| KB3019215 | 5/11/2015 | Security Update |
| KB3014406 | 5/11/2015 | Update |
| KB3013531 | 8/27/2015 | Update |
| KB3013410 | 5/11/2015 | Update |
| KB3011780 | 5/11/2015 | Security Update |
| KB3010788 | 5/11/2015 | Security Update |
| KB3008627 | 5/11/2015 | Update |
| KB3006625 | 5/11/2015 | Update |
| KB3006226 | 5/11/2015 | Security Update |
| KB3006137 | 5/11/2015 | Hotfix |
| KB3006121 | 5/11/2015 | Update |
| KB3005607 | 5/11/2015 | Security Update |
| KB3004375 | 5/11/2015 | Security Update |
| KB3004361 | 5/11/2015 | Security Update |
| KB3003743 | 5/11/2015 | Security Update |
| KB3000483 | 8/27/2015 | Security Update |
| KB2993651 | 5/11/2015 | Update |
| KB2992611 | 5/11/2015 | Security Update |
| KB2991963 | 5/11/2015 | Security Update |
| KB2990214 | 5/11/2015 | Update |

| | | |
|-----------|-----------|-----------------|
| KB2985461 | 5/11/2015 | Update |
| KB2984976 | 5/11/2015 | Security Update |
| KB2984972 | 5/11/2015 | Security Update |
| KB2979570 | 5/11/2015 | Security Update |
| KB2978742 | 5/11/2015 | Security Update |
| KB2978668 | 5/11/2015 | Security Update |
| KB2978120 | 5/11/2015 | Security Update |
| KB2978092 | 5/12/2015 | Update |
| KB2977728 | 5/12/2015 | Hotfix |
| KB2977292 | 5/11/2015 | Security Update |
| KB2976897 | 5/11/2015 | Security Update |
| KB2973351 | 5/11/2015 | Security Update |
| KB2973201 | 5/11/2015 | Security Update |
| KB2973112 | 5/11/2015 | Security Update |
| KB2972280 | 5/11/2015 | Security Update |
| KB2972211 | 5/11/2015 | Security Update |
| KB2972100 | 5/11/2015 | Security Update |
| KB2971850 | 5/11/2015 | Security Update |
| KB2970228 | 5/12/2015 | Update |
| KB2968294 | 5/11/2015 | Security Update |
| KB2966583 | 5/11/2015 | Update |
| KB2965788 | 7/7/2014 | Security Update |
| KB2961072 | 5/11/2015 | Security Update |
| KB2957689 | 7/4/2014 | Security Update |

| | | |
|-----------|------------|--|
| KB2957509 | 7/4/2014 | Security Update |
| KB2957503 | 7/4/2014 | Security Update |
| KB2957189 | 7/4/2014 | Security Update |
| KB2952664 | 12/13/2016 | Update |
| KB2943357 | 5/11/2015 | Security Update |
| KB2939576 | 7/4/2014 | Security Update |
| KB2937610 | 5/11/2015 | Security Update |
| KB2931356 | 5/11/2015 | Security Update |
| KB2930275 | 7/4/2014 | Security Update |
| KB2929961 | 7/4/2014 | Security Update |
| KB2929733 | 7/4/2014 | Update |
| KB2928562 | 5/11/2015 | Update |
| KB2926765 | 7/4/2014 | Security Update |
| KB2923545 | 5/18/2016 | Update |
| KB2922229 | 7/4/2014 | Security Update |
| KB2919469 | 5/11/2015 | Update |
| KB2918614 | 5/11/2015 | Security Update |
| KB2918077 | 5/11/2015 | Update |
| KB2912390 | 5/12/2015 | Security Update |
| KB2911501 | 5/11/2015 | Security Update |
| KB291094 | 20161213 | Security Update for Microsoft Office 2013 (KB2910941) 64-Bit Edition |
| KB2909210 | 7/4/2014 | Security Update |
| KB2908783 | 5/11/2015 | Update |
| KB2900986 | 7/4/2014 | Security Update |

| | | |
|-----------|-----------|---|
| KB289952 | 20161213 | Update for Microsoft Office 2013 (KB2899522) 64-Bit Edition |
| KB2894844 | 5/11/2015 | Security Update |
| KB2893519 | 7/4/2014 | Update |
| KB2893294 | 7/4/2014 | Security Update |
| KB2892074 | 7/4/2014 | Security Update |
| KB2891804 | 5/11/2015 | Update |
| KB288986 | 20161213 | Update for Microsoft Office 2013 (KB2889863) 64-Bit Edition |
| KB2888049 | 7/4/2014 | Update |
| KB2887069 | 7/4/2014 | Security Update |
| KB2884256 | 7/4/2014 | Security Update |

| Update ID | Installed On | Description |
|-----------|--------------|---|
| KB288309 | 20161213 | Update for Microsoft Office 2013 (KB2883095) 64-Bit Edition |
| KB2882822 | 7/4/2014 | Update |
| KB2876331 | 7/4/2014 | Security Update |
| KB2876284 | 7/4/2014 | Security Update |
| KB2875783 | 7/4/2014 | Security Update |
| KB2872339 | 7/4/2014 | Security Update |
| KB2871997 | 7/4/2014 | Security Update |
| KB2868626 | 7/4/2014 | Security Update |
| KB2868116 | 7/4/2014 | Update |
| KB2868038 | 7/4/2014 | Security Update |
| KB2864202 | 7/4/2014 | Security Update |
| KB2864058 | 7/4/2014 | Security Update |

| | | |
|-----------|-----------|-----------------|
| KB2863058 | 7/4/2014 | Update |
| KB2862973 | 7/4/2014 | Security Update |
| KB2862966 | 7/4/2014 | Security Update |
| KB2862335 | 7/4/2014 | Security Update |
| KB2862330 | 7/4/2014 | Security Update |
| KB2862152 | 7/4/2014 | Security Update |
| KB2861855 | 7/4/2014 | Security Update |
| KB2861698 | 5/11/2015 | Security Update |
| KB2861191 | 5/11/2015 | Security Update |
| KB2857650 | 5/18/2016 | Update |
| KB2855844 | 7/4/2014 | Security Update |
| KB2853952 | 7/4/2014 | Update |
| KB2852386 | 7/4/2014 | Update |
| KB2849697 | 5/11/2015 | Update |
| KB2849696 | 5/11/2015 | Update |
| KB2849470 | 7/4/2014 | Security Update |
| KB2847927 | 7/4/2014 | Security Update |
| KB2847311 | 7/4/2014 | Security Update |
| KB2846960 | 7/4/2014 | Update |
| KB2843630 | 5/11/2015 | Update |
| KB2841134 | 5/11/2015 | Update |
| KB2840631 | 5/11/2015 | Security Update |
| KB2840149 | 7/4/2014 | Security Update |
| KB2839894 | 7/4/2014 | Security Update |

| | | |
|-----------|-----------|---|
| KB2836943 | 5/11/2015 | Update |
| KB2836942 | 5/11/2015 | Update |
| KB2835364 | 7/4/2014 | Security Update |
| KB2834140 | 7/4/2014 | Update |
| KB2832414 | 5/11/2015 | Security Update |
| KB2830477 | 5/18/2016 | Update |
| KB2820331 | 7/4/2014 | Update |
| KB281744 | 20160614 | Service Pack 1 for Microsoft Visio 2013 (KB2817443) 64-Bit Edition |
| KB281743 | 20160614 | Service Pack 1 for Microsoft Office 2013 (KB2817430) 64-Bit Edition |
| KB281730 | 20161213 | Update for Microsoft Visio Viewer 2013 (KB2817301) 64-Bit Edition |
| KB2813956 | 7/4/2014 | Update |
| KB2813430 | 7/4/2014 | Security Update |
| KB2813347 | 7/4/2014 | Security Update |
| KB2808679 | 7/4/2014 | Update |
| KB2807986 | 7/4/2014 | Security Update |
| KB2803821 | 7/4/2014 | Security Update |
| KB2800095 | 5/11/2015 | Update |
| KB2799926 | 7/4/2014 | Update |
| KB2798162 | 7/4/2014 | Update |
| KB2791765 | 7/4/2014 | Update |
| KB2789645 | 5/11/2015 | Security Update |
| KB2786081 | 7/4/2014 | Update |

| | | |
|-----------|-----------|---|
| KB2785220 | 7/4/2014 | Security Update |
| KB2773072 | 7/4/2014 | Update |
| KB2770660 | 7/4/2014 | Security Update |
| KB2763523 | 7/4/2014 | Update |
| KB2761217 | 7/4/2014 | Update |
| KB276037 | 20161213 | Update for Microsoft Office 2013 (KB2760371) 64-Bit Edition |
| KB276034 | 20161213 | Update for Microsoft Office 2013 (KB2760344) 64-Bit Edition |
| KB2758857 | 7/4/2014 | Security Update |
| KB2750841 | 7/4/2014 | Update |
| KB2743555 | 7/4/2014 | Security Update |
| KB2742599 | 5/11/2015 | Security Update |
| KB2741355 | 7/4/2014 | Update |
| KB2736422 | 5/11/2015 | Security Update |
| KB2732500 | 7/4/2014 | Update |
| KB2732487 | 7/7/2014 | Update |
| KB2732059 | 7/4/2014 | Update |
| KB2729452 | 5/11/2015 | Security Update |
| KB2729094 | 7/4/2014 | Update |
| KB2727528 | 7/4/2014 | Security Update |
| KB2726535 | 7/4/2014 | Update |
| KB2719857 | 7/4/2014 | Update |
| KB2718704 | 7/4/2014 | Update |
| KB2712808 | 7/4/2014 | Security Update |
| KB2709981 | 7/4/2014 | Update |

| | | |
|-----------|-----------|-----------------|
| KB2709630 | 7/4/2014 | Update |
| KB2706045 | 7/4/2014 | Security Update |
| KB2705219 | 7/4/2014 | Security Update |
| KB2699779 | 7/4/2014 | Update |
| KB2698365 | 7/4/2014 | Security Update |
| KB2690533 | 7/4/2014 | Security Update |
| KB2685939 | 7/4/2014 | Security Update |
| KB2685813 | 5/11/2015 | Update |
| KB2685811 | 5/11/2015 | Update |
| KB2676562 | 7/4/2014 | Security Update |
| KB2670838 | 5/11/2015 | Update |
| KB2667402 | 7/4/2014 | Security Update |
| KB2660075 | 7/4/2014 | Update |
| KB2656356 | 5/11/2015 | Security Update |
| KB2655992 | 7/4/2014 | Security Update |
| KB2654428 | 7/4/2014 | Security Update |
| KB2653956 | 7/4/2014 | Security Update |
| KB2647753 | 7/7/2014 | Update |

| Update ID | Installed On | Description |
|-----------|--------------|-----------------|
| KB2640148 | 7/4/2014 | Update |
| KB2631813 | 7/4/2014 | Security Update |
| KB2621440 | 7/4/2014 | Security Update |
| KB2620704 | 7/4/2014 | Security Update |

| | | |
|-----------|-----------|-----------------|
| KB2619339 | 7/4/2014 | Security Update |
| KB2604115 | 5/11/2015 | Security Update |
| KB2603229 | 7/4/2014 | Update |
| KB2592687 | 7/4/2014 | Update |
| KB2585542 | 7/4/2014 | Security Update |
| KB2584146 | 7/4/2014 | Security Update |
| KB2579686 | 7/4/2014 | Security Update |
| KB2574819 | 7/4/2014 | Update |
| KB2570947 | 7/4/2014 | Security Update |
| KB256506 | 20161213 | KB2565063 |
| KB2564958 | 7/4/2014 | Security Update |
| KB2563227 | 7/4/2014 | Update |
| KB2560656 | 7/4/2014 | Security Update |
| KB2552343 | 7/4/2014 | Update |
| KB2547666 | 7/4/2014 | Update |
| KB2545698 | 7/4/2014 | Update |
| KB2544893 | 7/4/2014 | Security Update |
| KB2541014 | 7/4/2014 | Update |
| KB2536276 | 7/4/2014 | Security Update |
| KB2536275 | 7/4/2014 | Security Update |
| KB2534111 | 7/4/2014 | Hotfix |
| KB2533552 | 5/11/2015 | Update |
| KB2532531 | 7/7/2014 | Security Update |
| KB2522422 | 7/4/2014 | Update |

| | | |
|-----------|-----------|--|
| KB2515325 | 7/7/2014 | Update |
| KB2511455 | 7/4/2014 | Security Update |
| KB2511250 | 7/4/2014 | Update |
| KB2509553 | 7/4/2014 | Security Update |
| KB2506928 | 7/4/2014 | Update |
| KB2506212 | 7/4/2014 | Security Update |
| KB2506014 | 5/11/2015 | Update |
| KB2505438 | 7/4/2014 | Update |
| KB2491683 | 7/4/2014 | Security Update |
| KB2488113 | 7/4/2014 | Update |
| KB2484033 | 7/4/2014 | Update |
| KB2479943 | 7/4/2014 | Security Update |
| | 20210608 | Adobe Acrobat Reader DC (21.005.20048) |
| | 20191205 | CLP3082 |
| | 20170720 | IPM_Installer |
| | 20161213 | Microsoft Silverlight 5.1.50901.0 |



Sistema Operativo

| Name | Value |
|--------------|---------------------|
| Name | 7 |
| Edition | Professional 64-bit |
| Install Date | 15/06/2017 |

| | |
|---------------------------|---------------------------------------|
| Registered Owner | usuario |
| Registered Organization | |
| Product ID | 55041-007-2241032-86272 |
| Major Version Number | 6 |
| Minor Version Number | 1 |
| Build Number | 7601 |
| Service Pack | Service Pack 1 |
| Service Pack Version | 1.0 |
| Plus! Version Number | |
| DirectX Version | 9.0c |
| Windows Directory | C:\Windows\ |
| System Directory | C:\Windows\system32\ |
| Temporary Directory | C:\Users\201417~1\AppData\Local\Temp\ |
| Operating System Language | Spanish - Argentina |
| Number Of Bits | 64 |



Periféricos

| Name | Description |
|---------------------|--|
| Mouse | 3 Button Mouse, has wheel |
| Keyboard | IBM enhanced (101- or 102-key), 12 function keys |
| Display Description | S19D300, 18.5" (41cm x 23cm) |
| Printer | Ricoh Aficio GWD3006 PS |

| | |
|-------------------|-------------------------------|
| Printer | PrimoPDF |
| Printer | HP Designjet T520 36in HPGL2 |
| Printer | HP Designjet 500 42 by HP |
| Printer | Fax |
| Printer | Enviar a OneNote 2013 |
| Printer | doPDF v7 |
| Mapped Drive | m: [\\d250isefs01\Grupos2] |
| Mapped Drive | q: [\\d030nfs01\Publica030] |
| Mapped Drive | r: [\\d030nfs01\Grupos030] |
| Network Installed | Yes |



Seguridad

Internet Software

| Type | Name | Version | Data Update? |
|---------|-----------------------|--------------------|--------------|
| Browser | Internet Explorer(TM) | 9.11.9600.19377 | |
| Browser | Mozilla FireFox(TM) | 43.0.1 (x86 es-AR) | |
| E-mail | Windows Mail(TM) | 6.1.7601.17514 | |

Open Ports

TCP 0.0.0.0:135

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 135 |
| Caption | TCP 0.0.0.0:135 |
| Service Name | epmap |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | svchost.exe |
| Process ID | 848 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:445

| Item | Value |
|----------------|-----------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 445 |
| Caption | TCP 0.0.0.0:445 |
| Service Name | microsoft-ds |
| Remote Address | 0.0.0.0 |

| | |
|----------------------|--------------------|
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | System |
| Process ID | 4 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:2701

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 2701 |
| Caption | TCP 0.0.0.0:2701 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | CmRcService.exe |
| Process ID | 1380 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:3389

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 3389 |
| Caption | TCP 0.0.0.0:3389 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | svchost.exe |
| Process ID | 1252 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:33221

| Item | Value |
|----------------|-------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 33221 |
| Caption | TCP 0.0.0.0:33221 |
| Service Name | |
| Remote Address | 0.0.0.0 |

| | |
|----------------------|--------------------|
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | cyserver.exe |
| Process ID | 2276 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:49152

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 49152 |
| Caption | TCP 0.0.0.0:49152 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | wininit.exe |
| Process ID | 528 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:49153

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 49153 |
| Caption | TCP 0.0.0.0:49153 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | svchost.exe |
| Process ID | 944 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:49154

| Item | Value |
|----------------|-------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 49154 |
| Caption | TCP 0.0.0.0:49154 |
| Service Name | |
| Remote Address | 0.0.0.0 |

| | |
|----------------------|--------------------|
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | svchost.exe |
| Process ID | 500 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:49155

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 49155 |
| Caption | TCP 0.0.0.0:49155 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | spoolsv.exe |
| Process ID | 1400 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:49157

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 49157 |
| Caption | TCP 0.0.0.0:49157 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | services.exe |
| Process ID | 592 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:49158

| Item | Value |
|----------------|-------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 49158 |
| Caption | TCP 0.0.0.0:49158 |
| Service Name | |
| Remote Address | 0.0.0.0 |

| | |
|----------------------|--------------------|
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | svchost.exe |
| Process ID | 3188 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:49159

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 49159 |
| Caption | TCP 0.0.0.0:49159 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | lsass.exe |
| Process ID | 636 |
| Process Description | |
| Process Manufacturer | |

TCP 0.0.0.0:50248

| Item | Value |
|----------------------|--------------------|
| Port Protocol | TCP |
| Local Address | 0.0.0.0 |
| Local Port | 50248 |
| Caption | TCP 0.0.0.0:50248 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | System |
| Process ID | 4 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.16:139

| Item | Value |
|----------------|---------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.16 |
| Local Port | 139 |
| Caption | TCP 10.29.11.16:139 |
| Service Name | netbios-ssn |
| Remote Address | 0.0.0.0 |

| | |
|----------------------|--------------------|
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | System |
| Process ID | 4 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.16:49162

| Item | Value |
|------------------|-----------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.16 |
| Local Port | 49162 |
| Caption | TCP 10.29.11.16:49162 |
| Service Name | |
| Remote Address | 10.250.1.199 |
| Remote Port | 135 |
| Connection State | Closing (TIME-WAIT) |

TCP 10.29.11.16:49163

| Item | Value |
|---------------|-------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.16 |

| | |
|------------------|-----------------------|
| Local Port | 49163 |
| Caption | TCP 10.29.11.16:49163 |
| Service Name | |
| Remote Address | 10.250.1.199 |
| Remote Port | 49158 |
| Connection State | Closing (TIME-WAIT) |

TCP 10.29.11.16:49169

| Item | Value |
|----------------------|--------------------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.16 |
| Local Port | 49169 |
| Caption | TCP 10.29.11.16:49169 |
| Service Name | |
| Remote Address | 10.29.1.15 |
| Remote Port | 445 |
| Connection State | Connection established (ESTABLISHED) |
| Process Name | System |
| Process ID | 4 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.16:49178

| Item | Value |
|------------------|-----------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.16 |
| Local Port | 49178 |
| Caption | TCP 10.29.11.16:49178 |
| Service Name | |
| Remote Address | 10.250.5.1 |
| Remote Port | 8080 |
| Connection State | Closing (TIME-WAIT) |

TCP 10.29.11.16:49181

| Item | Value |
|------------------|-----------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.16 |
| Local Port | 49181 |
| Caption | TCP 10.29.11.16:49181 |
| Service Name | |
| Remote Address | 10.29.11.204 |
| Remote Port | 139 |
| Connection State | Closing (TIME-WAIT) |

TCP 10.29.11.16:49182

| Item | Value |
|------------------|-----------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.16 |
| Local Port | 49182 |
| Caption | TCP 10.29.11.16:49182 |
| Service Name | |
| Remote Address | 10.29.11.204 |
| Remote Port | 139 |
| Connection State | Closing (TIME-WAIT) |

TCP 10.29.11.16:49183

| Item | Value |
|------------------|-----------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.16 |
| Local Port | 49183 |
| Caption | TCP 10.29.11.16:49183 |
| Service Name | |
| Remote Address | 10.29.11.204 |
| Remote Port | 139 |
| Connection State | Closing (TIME-WAIT) |

TCP 10.29.11.16:49187

| Item | Value |
|------------------|-----------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.16 |
| Local Port | 49187 |
| Caption | TCP 10.29.11.16:49187 |
| Service Name | |
| Remote Address | 10.250.1.199 |
| Remote Port | 135 |
| Connection State | Closing (TIME-WAIT) |

TCP 10.29.11.16:49188

| Item | Value |
|------------------|-----------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.16 |
| Local Port | 49188 |
| Caption | TCP 10.29.11.16:49188 |
| Service Name | |
| Remote Address | 10.250.1.199 |
| Remote Port | 135 |
| Connection State | Closing (TIME-WAIT) |

TCP 10.29.11.16:49189

| Item | Value |
|----------------------|--------------------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.16 |
| Local Port | 49189 |
| Caption | TCP 10.29.11.16:49189 |
| Service Name | |
| Remote Address | 10.250.1.199 |
| Remote Port | 49158 |
| Connection State | Connection established (ESTABLISHED) |
| Process Name | lsass.exe |
| Process ID | 636 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.16:49191

| Item | Value |
|----------------|-----------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.16 |
| Local Port | 49191 |
| Caption | TCP 10.29.11.16:49191 |
| Service Name | |
| Remote Address | 10.250.1.199 |

| | |
|------------------|---------------------|
| Remote Port | 49158 |
| Connection State | Closing (TIME-WAIT) |

TCP 10.29.11.16:49195

| Item | Value |
|----------------------|--------------------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.16 |
| Local Port | 49195 |
| Caption | TCP 10.29.11.16:49195 |
| Service Name | |
| Remote Address | 10.29.1.15 |
| Remote Port | 445 |
| Connection State | Connection established (ESTABLISHED) |
| Process Name | System |
| Process ID | 4 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.16:49212

| Item | Value |
|---------------|-------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.16 |

| | |
|----------------------|--------------------------------------|
| Local Port | 49212 |
| Caption | TCP 10.29.11.16:49212 |
| Service Name | |
| Remote Address | 10.250.1.199 |
| Remote Port | 445 |
| Connection State | Connection established (ESTABLISHED) |
| Process Name | System |
| Process ID | 4 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.16:49216

| Item | Value |
|------------------|-----------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.16 |
| Local Port | 49216 |
| Caption | TCP 10.29.11.16:49216 |
| Service Name | |
| Remote Address | 10.29.11.204 |
| Remote Port | 139 |
| Connection State | Closing (TIME-WAIT) |

TCP 10.29.11.16:49217

| Item | Value |
|----------------------|--------------------------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.16 |
| Local Port | 49217 |
| Caption | TCP 10.29.11.16:49217 |
| Service Name | |
| Remote Address | 10.29.11.204 |
| Remote Port | 139 |
| Connection State | Connection established (ESTABLISHED) |
| Process Name | System |
| Process ID | 4 |
| Process Description | |
| Process Manufacturer | |

TCP 10.29.11.16:49218

| Item | Value |
|----------------|-----------------------|
| Port Protocol | TCP |
| Local Address | 10.29.11.16 |
| Local Port | 49218 |
| Caption | TCP 10.29.11.16:49218 |
| Service Name | |
| Remote Address | 10.29.11.204 |

| | |
|------------------|---------------------|
| Remote Port | 139 |
| Connection State | Closing (TIME-WAIT) |

TCP 127.0.0.1:3452

| Item | Value |
|----------------------|--|
| Port Protocol | TCP |
| Local Address | 127.0.0.1 |
| Local Port | 3452 |
| Caption | TCP 127.0.0.1:3452 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | C:\Program Files (x86)\Autodesk\Autodesk Desktop App\acwebbrowser\acwebbrowser.exe |
| Process ID | 3452 |
| Process Description | Chromium host executable |
| Process Manufacturer | Autodesk |

TCP 127.0.0.1:49161

| Item | Value |
|---------------|-------|
| Port Protocol | TCP |

| | |
|----------------------|---------------------|
| Local Address | 127.0.0.1 |
| Local Port | 49161 |
| Caption | TCP 127.0.0.1:49161 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | SCNotification.exe |
| Process ID | 4536 |
| Process Description | |
| Process Manufacturer | |

TCP 127.0.0.1:50001

| Item | Value |
|------------------|---------------------|
| Port Protocol | TCP |
| Local Address | 127.0.0.1 |
| Local Port | 50001 |
| Caption | TCP 127.0.0.1:50001 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | cyserver.exe |

| | |
|----------------------|------|
| Process ID | 2276 |
| Process Description | |
| Process Manufacturer | |

TCP 127.0.0.1:50002

| Item | Value |
|----------------------|---------------------|
| Port Protocol | TCP |
| Local Address | 127.0.0.1 |
| Local Port | 50002 |
| Caption | TCP 127.0.0.1:50002 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | cyserver.exe |
| Process ID | 2276 |
| Process Description | |
| Process Manufacturer | |

TCP 127.0.0.1:50005

| Item | Value |
|---------------|-------|
| Port Protocol | TCP |

| | |
|----------------------|---------------------|
| Local Address | 127.0.0.1 |
| Local Port | 50005 |
| Caption | TCP 127.0.0.1:50005 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | cyserver.exe |
| Process ID | 2276 |
| Process Description | |
| Process Manufacturer | |

TCP 127.0.0.1:50006

| Item | Value |
|------------------|---------------------|
| Port Protocol | TCP |
| Local Address | 127.0.0.1 |
| Local Port | 50006 |
| Caption | TCP 127.0.0.1:50006 |
| Service Name | |
| Remote Address | 0.0.0.0 |
| Remote Port | 0 |
| Connection State | Listening (LISTEN) |
| Process Name | cyserver.exe |

| | |
|----------------------|------|
| Process ID | 2276 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:123

| Item | Value |
|----------------------|-----------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 123 |
| Caption | UDP 0.0.0.0:123 |
| Service Name | ntp |
| Process Name | svchost.exe |
| Process ID | 384 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:500

| Item | Value |
|---------------|-----------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 500 |
| Caption | UDP 0.0.0.0:500 |

| | |
|----------------------|-------------|
| Service Name | isakmp |
| Process Name | svchost.exe |
| Process ID | 500 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:4500

| Item | Value |
|----------------------|------------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 4500 |
| Caption | UDP 0.0.0.0:4500 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 500 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:5355

| Item | Value |
|---------------|---------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |

| | |
|----------------------|------------------|
| Local Port | 5355 |
| Caption | UDP 0.0.0.0:5355 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 1252 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:33221

| Item | Value |
|----------------------|-------------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 33221 |
| Caption | UDP 0.0.0.0:33221 |
| Service Name | |
| Process Name | cyserver.exe |
| Process ID | 2276 |
| Process Description | |
| Process Manufacturer | |

UDP 0.0.0.0:49152

| Item | Value |
|------|-------|
| | |

| | |
|----------------------|-------------------|
| Port Protocol | UDP |
| Local Address | 0.0.0.0 |
| Local Port | 49152 |
| Caption | UDP 0.0.0.0:49152 |
| Service Name | |
| Process Name | spoolsv.exe |
| Process ID | 1400 |
| Process Description | |
| Process Manufacturer | |

UDP 10.29.11.16:137

| Item | Value |
|----------------------|---------------------|
| Port Protocol | UDP |
| Local Address | 10.29.11.16 |
| Local Port | 137 |
| Caption | UDP 10.29.11.16:137 |
| Service Name | netbios-ns |
| Process Name | System |
| Process ID | 4 |
| Process Description | |
| Process Manufacturer | |

UDP 10.29.11.16:138

| Item | Value |
|----------------------|---------------------|
| Port Protocol | UDP |
| Local Address | 10.29.11.16 |
| Local Port | 138 |
| Caption | UDP 10.29.11.16:138 |
| Service Name | netbios-dgm |
| Process Name | System |
| Process ID | 4 |
| Process Description | |
| Process Manufacturer | |

UDP 10.29.11.16:1900

| Item | Value |
|----------------------|----------------------|
| Port Protocol | UDP |
| Local Address | 10.29.11.16 |
| Local Port | 1900 |
| Caption | UDP 10.29.11.16:1900 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 2600 |
| Process Description | |
| Process Manufacturer | |

UDP 10.29.11.16:56308

| Item | Value |
|----------------------|-----------------------|
| Port Protocol | UDP |
| Local Address | 10.29.11.16 |
| Local Port | 56308 |
| Caption | UDP 10.29.11.16:56308 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 2600 |
| Process Description | |
| Process Manufacturer | |

UDP 127.0.0.1:1900

| Item | Value |
|---------------|--------------------|
| Port Protocol | UDP |
| Local Address | 127.0.0.1 |
| Local Port | 1900 |
| Caption | UDP 127.0.0.1:1900 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 2600 |

| | |
|----------------------|--|
| Process Description | |
| Process Manufacturer | |

UDP 127.0.0.1:49560

| Item | Value |
|----------------------|---------------------|
| Port Protocol | UDP |
| Local Address | 127.0.0.1 |
| Local Port | 49560 |
| Caption | UDP 127.0.0.1:49560 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 1060 |
| Process Description | |
| Process Manufacturer | |

UDP 127.0.0.1:56304

| Item | Value |
|---------------|---------------------|
| Port Protocol | UDP |
| Local Address | 127.0.0.1 |
| Local Port | 56304 |
| Caption | UDP 127.0.0.1:56304 |
| Service Name | |

| | |
|----------------------|-----------|
| Process Name | lsass.exe |
| Process ID | 636 |
| Process Description | |
| Process Manufacturer | |

UDP 127.0.0.1:56309

| Item | Value |
|----------------------|---------------------|
| Port Protocol | UDP |
| Local Address | 127.0.0.1 |
| Local Port | 56309 |
| Caption | UDP 127.0.0.1:56309 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 2600 |
| Process Description | |
| Process Manufacturer | |

UDP 127.0.0.1:56310

| Item | Value |
|---------------|-----------|
| Port Protocol | UDP |
| Local Address | 127.0.0.1 |
| Local Port | 56310 |

| | |
|----------------------|---------------------|
| Caption | UDP 127.0.0.1:56310 |
| Service Name | |
| Process Name | svchost.exe |
| Process ID | 1252 |
| Process Description | |
| Process Manufacturer | |

Printer Permissions

doPDF v7

GOBIERNOCBA\27181758835

| Name | Value |
|-------------|--|
| Name | doPDF v7 |
| Object Type | Printer |
| Trustee | GOBIERNOCBA\27181758835 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

GOBIERNOCBA\27181758835

| Name | Value |
|-------------|--|
| Name | doPDF v7 |
| Object Type | Printer |
| Trustee | GOBIERNOCBA\27181758835 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00000000000011110000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

CREATOR OWNER

| Name | Value |
|-------------|----------------------------------|
| Name | doPDF v7 |
| Object Type | Printer |
| Trustee | CREATOR OWNER |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|--------------------------------------|
| Name | doPDF v7 |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 000000000000000010000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|--|
| Name | doPDF v7 |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 001000 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|--|
| Name | doPDF v7 |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 0000000000001111000000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|---|
| Name | doPDF v7 |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Container Inherit, Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Enviar a OneNote 2013**ws57550\Administrador**

| Name | Value |
|-------------|--|
| Name | Enviar a OneNote 2013 |
| Object Type | Printer |
| Trustee | ws57550\Administrador |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 000000000000111100000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

ws57550\Administrador

| Name | Value |
|-------------|--|
| Name | Enviar a OneNote 2013 |
| Object Type | Printer |
| Trustee | ws57550\Administrador |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |

| | |
|-------------|------------------------------------|
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 0000000000001111000000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

CREATOR OWNER

| Name | Value |
|-------------|----------------------------------|
| Name | Enviar a OneNote 2013 |
| Object Type | Printer |
| Trustee | CREATOR OWNER |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|-------------------------|
| Name | Enviar a OneNote 2013 |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |

| | |
|-------------|-------------------------------------|
| ACE Flags | |
| Access Mask | 00000000000000010000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|--|
| Name | Enviar a OneNote 2013 |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 001000 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|-------------------------|
| Name | Enviar a OneNote 2013 |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |

| | |
|-------------|--|
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 000000000000111100000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|---|
| Name | Enviar a OneNote 2013 |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Container Inherit, Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Fax

ws57550\Administrador

| Name | Value |
|-------------|---------|
| Name | Fax |
| Object Type | Printer |

| | |
|-------------|--|
| Trustee | ws57550\Administrador |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

ws57550\Administrador

| Name | Value |
|-------------|--|
| Name | Fax |
| Object Type | Printer |
| Trustee | ws57550\Administrador |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 0000000000001111000000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

CREATOR OWNER

| Name | Value |
|------|-------|
| Name | Fax |

| | |
|-------------|----------------------------------|
| Object Type | Printer |
| Trustee | CREATOR OWNER |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|----------------------------------|
| Name | Fax |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 00000000000000100000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|------|-------|
| Name | Fax |

| | |
|-------------|----------------------------------|
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|--|
| Name | Fax |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|------|-------|
| | |

| | |
|-------------|---|
| Name | Fax |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Container Inherit, Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

HP Designjet 500 42 by HP**GOBIERNOCBA\27181758835**

| Name | Value |
|-------------|--|
| Name | HP Designjet 500 42 by HP |
| Object Type | Printer |
| Trustee | GOBIERNOCBA\27181758835 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

GOBIERNOCBA\27181758835

| Name | Value |
|-------------|--|
| Name | HP Designjet 500 42 by HP |
| Object Type | Printer |
| Trustee | GOBIERNOCBA\27181758835 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 0000000000001111000000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

CREATOR OWNER

| Name | Value |
|-------------|----------------------------------|
| Name | HP Designjet 500 42 by HP |
| Object Type | Printer |
| Trustee | CREATOR OWNER |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|-------------------------------------|
| Name | HP Designjet 500 42 by HP |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 00000000000000010000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|---|
| Name | HP Designjet 500 42 by HP |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|--|
| Name | HP Designjet 500 42 by HP |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 0000000000001111000000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|---|
| Name | HP Designjet 500 42 by HP |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Container Inherit, Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

HP Designjet T520 36in HPGL2**GOBIERNOCBA\27181758835**

| Name | Value |
|-------------|--|
| Name | HP Designjet T520 36in HPGL2 |
| Object Type | Printer |
| Trustee | GOBIERNOCBA\27181758835 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 000000000000111100000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

GOBIERNOCBA\27181758835

| Name | Value |
|-------------|--|
| Name | HP Designjet T520 36in HPGL2 |
| Object Type | Printer |
| Trustee | GOBIERNOCBA\27181758835 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |

| | |
|-------------|----------------------------------|
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00000000000011110000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

CREATOR OWNER

| Name | Value |
|-------------|----------------------------------|
| Name | HP Designjet T520 36in HPGL2 |
| Object Type | Printer |
| Trustee | CREATOR OWNER |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|------------------------------|
| Name | HP Designjet T520 36in HPGL2 |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |

| | |
|-------------|--------------------------------------|
| ACE Flags | |
| Access Mask | 000000000000000010000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|--|
| Name | HP Designjet T520 36in HPGL2 |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 001000 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|------------------------------|
| Name | HP Designjet T520 36in HPGL2 |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |

| | |
|-------------|--|
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 000000000000111100000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|---|
| Name | HP Designjet T520 36in HPGL2 |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Container Inherit, Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

PrimoPDF**GOBIERNOCBA\27181758835**

| Name | Value |
|-------------|----------|
| Name | PrimoPDF |
| Object Type | Printer |

| | |
|-------------|--|
| Trustee | GOBIERNOCBA\27181758835 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

GOBIERNOCBA\27181758835

| Name | Value |
|-------------|--|
| Name | PrimoPDF |
| Object Type | Printer |
| Trustee | GOBIERNOCBA\27181758835 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 0000000000001111000000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

CREATOR OWNER

| Name | Value |
|------|----------|
| Name | PrimoPDF |

| | |
|-------------|----------------------------------|
| Object Type | Printer |
| Trustee | CREATOR OWNER |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|----------------------------------|
| Name | PrimoPDF |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 00000000000000100000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|------|----------|
| Name | PrimoPDF |

| | |
|-------------|----------------------------------|
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 00100000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|--|
| Name | PrimoPDF |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|------|-------|
| | |

| | |
|-------------|---|
| Name | PrimoPDF |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Container Inherit, Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Ricoh Aficio GWD3006 PS**GOBIERNOCBA\20255816927**

| Name | Value |
|-------------|--|
| Name | Ricoh Aficio GWD3006 PS |
| Object Type | Printer |
| Trustee | GOBIERNOCBA\20255816927 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 00000000000011110000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

GOBIERNOCBA\20255816927

| Name | Value |
|-------------|--|
| Name | Ricoh Aficio GWD3006 PS |
| Object Type | Printer |
| Trustee | GOBIERNOCBA\20255816927 |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Documents |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00000000000011110000000000110000 |
| Owner | NT AUTHORITY\SYSTEM |

CREATOR OWNER

| Name | Value |
|-------------|----------------------------------|
| Name | Ricoh Aficio GWD3006 PS |
| Object Type | Printer |
| Trustee | CREATOR OWNER |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|--------------------------------------|
| Name | Ricoh Aficio GWD3006 PS |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Read Permissions, Print |
| ACE Flags | |
| Access Mask | 000000000000000010000000000000001000 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|--|
| Name | Ricoh Aficio GWD3006 PS |
| Object Type | Printer |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | GENERIC_EXECUTE |
| ACE Flags | Container Inherit, Inherit Only |
| Access Mask | 001000 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|--|
| Name | Ricoh Aficio GWD3006 PS |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Delete, Read Permissions, Change Permissions, Take Ownership, Manage Printers, Print |
| ACE Flags | |
| Access Mask | 0000000000001111000000000000001100 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|---|
| Name | Ricoh Aficio GWD3006 PS |
| Object Type | Printer |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | GENERIC_ALL |
| ACE Flags | Container Inherit, Inherit Only, Object Inherit |
| Access Mask | 00010000000000000000000000000000 |
| Owner | NT AUTHORITY\SYSTEM |

Security Log

| Time Generated | Log File | Source Name | Description |
|----------------|----------|-------------|-------------|
|----------------|----------|-------------|-------------|

| | | | |
|-----------------------------|----------|---|---|
| 11/08/2021 11:40:13 a.m. | Security | Microsoft-Windows-Security-Audit ing | Error de una cuenta al iniciar sesión. Sujeto: Id. de seguridad: S-1-5-18 Nombre de cuenta: WS57550\$ Dominio de cuenta: GOBIERNOCBA Id. de inicio de sesión: 0x3e7 Tipo de inicio de sesión: S-1-5-181 Cuenta con error de inicio de sesión: Id. de seguridad: S-1-0-0 Nombre de cuenta: 20141773098 Dominio de cuenta: GOBIERNOCBA Información de error: Motivo del error: <unknown parameter: %%2313> Estado: 0xc000006d Subestado: S-1-5-180 Información de proceso: Id. de proceso del autor de la llamada: S-1-5-188 Nombre de proceso del autor de la llamada: S-1-5-189 Información de red: Nombre de estación de trabajo: S-1-5-184 Dirección de red de origen: WS57550\$0 Puerto de origen: WS57550\$1 Información de autenticación detallada: Proceso de inicio de sesión: S-1-5-182 Paquete de autenticación: |
|-----------------------------|----------|---|---|

| | | | |
|--|--|--|---|
| | | | <p>S-1-5-183 Servicios transitados: S-1-5-185 Nombre de paquete (sólo NTLM): S-1-5-186 Longitud de clave: S-1-5-187 Este evento se genera cuando se produce un error en una solicitud de inicio de sesión. Lo genera el equipo al que se intentó tener acceso. Los campos de sujeto indican la cuenta del sistema local que solicitó el inicio de sesión. Suele ser un servicio como el servicio de servidor o un proceso local como Winlogon.exe o Services.exe. El campo Tipo de inicio de sesión indica la clase de inicio de sesión que se solicitó. Los tipos más comunes son 2 (interactivo) y 3 (red). Los campos Información de proceso indican la cuenta y el proceso en el sistema que solicitó el inicio de sesión. Los campos Información de red indican dónde se originó una solicitud de inicio de sesión remota. Nombre de estación de trabajo no está siempre disponible y se puede</p> |
|--|--|--|---|

| | | | |
|--------------------------|----------|-------------------------------------|---|
| | | | dejar en blanco en algunos casos. Los campos de información de autenticación proporcionan información detallada sobre esta solicitud de inicio de sesión específica. - Servicios transitados indica los servicios intermedios que participaron en esta solicitud de inicio de sesión. - Nombre de paquete indica el subprotocolo que se usó entre los protocolos NTLM. - Longitud de clave indica la longitud de la clave de sesión generada. Será 0 si no se solicitó una clave de sesión. Event ID 4625 |
| 19/07/2021 11:36:31 a.m. | Security | Microsoft-Windows-Security-Auditing | Error de una cuenta al iniciar sesión. Sujeto: Id. de seguridad: S-1-5-18 Nombre de cuenta: WS57550\$ Dominio de cuenta: GOBIERNOCBA Id. de inicio de sesión: 0x3e7 Tipo de inicio de sesión: S-1-5-181 Cuenta con error de inicio de sesión: Id. de seguridad: S-1-0-0 Nombre de cuenta: 27259170341 Dominio de cuenta: GOBIERNOCBA Información de error: Motivo del error: |

| | | | |
|--|--|--|--|
| | | | <p>‘unknown parameter: %%2313’ Estado: 0xc000006d Subestado: S-1-5-180 Información de proceso: Id. de proceso del autor de la llamada: S-1-5-188 Nombre de proceso del autor de la llamada: S-1-5-189 Información de red: Nombre de estación de trabajo: S-1-5-184 Dirección de red de origen: WS57550\$0 Puerto de origen: WS57550\$1 Información de autenticación detallada: Proceso de inicio de sesión: S-1-5-182 Paquete de autenticación: S-1-5-183 Servicios transitados: S-1-5-185 Nombre de paquete (sólo NTLM): S-1-5-186 Longitud de clave: S-1-5-187 Este evento se genera cuando se produce un error en una solicitud de inicio de sesión. Lo genera el equipo al que se intentó tener acceso. Los campos de sujeto indican la cuenta del sistema local que solicitó el inicio de sesión. Suele ser un servicio como el</p> |
|--|--|--|--|

| | | | |
|--|--|--|--|
| | | | <p>servicio de servidor o un proceso local como Winlogon.exe o Services.exe. El campo Tipo de inicio de sesión indica la clase de inicio de sesión que se solicitó. Los tipos más comunes son 2 (interactivo) y 3 (red). Los campos Información de proceso indican la cuenta y el proceso en el sistema que solicitó el inicio de sesión. Los campos Información de red indican dónde se originó una solicitud de inicio de sesión remota. Nombre de estación de trabajo no está siempre disponible y se puede dejar en blanco en algunos casos. Los campos de información de autenticación proporcionan información detallada sobre esta solicitud de inicio de sesión específica. - Servicios transitados indica los servicios intermedios que participaron en esta solicitud de inicio de sesión. - Nombre de paquete indica el subprotocolo que se usó entre los protocolos.</p> |
|--|--|--|--|

| | | | |
|--|--|--|--|
| | | | uso entre los protocolos NTLM. - Longitud de clave indica la longitud de la clave de sesión generada. Será 0 si no se solicitó una clave de sesión. Event ID 4625 |
|--|--|--|--|

Security Settings

| Item | Name | Setting |
|-------------------|-------------------------|------------------------|
| AutoLogon | Enabled | No |
| Screen Saver | Enabled | Yes |
| Screen Saver | Timeout | 0 Seconds |
| Screen Saver | Password Protected | No |
| All Accounts | Force Network Logoff | Never |
| All Accounts | Minimum Password Length | 8 Characters |
| All Accounts | Maximum Password Age | 180 Days |
| All Accounts | Historical Passwords | 5 remembered |
| All Accounts | Lockout Threshold | 5 Attempts |
| Automatic Updates | Update Status | Scheduled installation |
| Automatic Updates | Update Schedule | Every day |
| Internet Explorer | Run Script | Allow |
| Internet Explorer | Run ActiveX | Allow |
| Internet Explorer | Run Java | Allow |
| Internet Explorer | Download Files | Allow |
| Internet Explorer | Install Desktop Items | Unknown |

| | | |
|-------------------|---------------------|-------------|
| Internet Explorer | Launch Applications | Prompt user |
|-------------------|---------------------|-------------|

Share Permissions

ADMIN\$

No Trustee

| Name | Value |
|-------------|-----------------------------|
| Name | ADMIN\$ |
| Object Type | Share |
| Trustee | No Trustee |
| ACE Type | |
| Permissions | No security |
| ACE Flags | |
| Access Mask | |
| Owner | NT SERVICE\TrustedInstaller |

C\$

No Trustee

| Name | Value |
|-------------|------------|
| Name | C\$ |
| Object Type | Share |
| Trustee | No Trustee |

| | |
|-------------|-----------------------------|
| ACE Type | |
| Permissions | No security |
| ACE Flags | |
| Access Mask | |
| Owner | NT SERVICE\TrustedInstaller |

D\$**No Trustee**

| Name | Value |
|-------------|---------------------|
| Name | D\$ |
| Object Type | Share |
| Trustee | No Trustee |
| ACE Type | |
| Permissions | No security |
| ACE Flags | |
| Access Mask | |
| Owner | NT AUTHORITY\SYSTEM |

Escaner**BUILTIN\Administradores**

| Name | Value |
|------|-------|
| | |

| | |
|-------------|-----------------------------------|
| Name | Escaner |
| Object Type | Share |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | Container Inherit, Object Inherit |
| Access Mask | 000000000001111000000011111111 |
| Owner | GOBIERNOCBA\20255816927 |

Todos

| Name | Value |
|-------------|-----------------------------------|
| Name | Escaner |
| Object Type | Share |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | Container Inherit, Object Inherit |
| Access Mask | 000000000001111000000011111111 |
| Owner | GOBIERNOCBA\20255816927 |

HP Designjet 500 42 by HP

GOBIERNOCBA\27181758835

| Name | Value |
|-------------|----------------------------------|
| Name | HP Designjet 500 42 by HP |
| Object Type | Share |
| Trustee | GOBIERNOCBA\27181758835 |
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |
| Access Mask | 00000000000011110000000111111111 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|----------------------------------|
| Name | HP Designjet 500 42 by HP |
| Object Type | Share |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |
| Access Mask | 00000000000011110000000111111111 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|--------------------------------|
| Name | HP Designjet 500 42 by HP |
| Object Type | Share |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |
| Access Mask | 000000000001111000000011111111 |
| Owner | NT AUTHORITY\SYSTEM |

IPC\$**No Trustee**

| Name | Value |
|-------------|-------------|
| Name | IPC\$ |
| Object Type | Share |
| Trustee | No Trustee |
| ACE Type | |
| Permissions | No security |
| ACE Flags | |
| Access Mask | |
| Owner | |

print\$

Todos

| Name | Value |
|-------------|----------------------------------|
| Name | print\$ |
| Object Type | Share |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Read |
| ACE Flags | |
| Access Mask | 00000000000100100000000010101001 |
| Owner | BUILTIN\Administradores |

BUILTIN\Administradores

| Name | Value |
|-------------|--------------------------------|
| Name | print\$ |
| Object Type | Share |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |
| Access Mask | 000000000001111000000011111111 |
| Owner | BUILTIN\Administradores |

Ricoh Aficio GWD3006 PS**GOBIERNOCBA\20255816927**

| Name | Value |
|-------------|---------------------------------|
| Name | Ricoh Aficio GWD3006 PS |
| Object Type | Share |
| Trustee | GOBIERNOCBA\20255816927 |
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |
| Access Mask | 0000000000011111000000011111111 |
| Owner | NT AUTHORITY\SYSTEM |

Todos

| Name | Value |
|-------------|-------------------------|
| Name | Ricoh Aficio GWD3006 PS |
| Object Type | Share |
| Trustee | Todos |
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |

| | |
|-------------|---------------------------------|
| Access Mask | 0000000000001111000000011111111 |
| Owner | NT AUTHORITY\SYSTEM |

BUILTIN\Administradores

| Name | Value |
|-------------|---------------------------------|
| Name | Ricoh Aficio GWD3006 PS |
| Object Type | Share |
| Trustee | BUILTIN\Administradores |
| ACE Type | Allow |
| Permissions | Full Control |
| ACE Flags | |
| Access Mask | 0000000000001111000000011111111 |
| Owner | NT AUTHORITY\SYSTEM |

System Restore

No restore points found, requires at least XP and the WMI service running.

User Privileges

| Privilege Name |
|--|
| Ajustar las cuotas de la memoria para un proceso |
| Administrador registro de seguridad y auditoría |
| Toma posesión de archivos y otros objetos |

Tomar posesión de archivos y otros objetos

Cargar y descargar controladores de dispositivo

Analizar el rendimiento del sistema

Cambiar la hora del sistema

Analizar un solo proceso

Aumentar prioridad de programación

Crear un archivo de paginación

Hacer copias de seguridad de archivos y directorios

Restaurar archivos y directorios

Apagar el sistema

Depurar programas

Modificar valores de entorno firmware

Omitir comprobación de recorrido

Forzar cierre desde un sistema remoto

Quitar equipo de la estación de acoplamiento

Realizar tareas de mantenimiento del volumen

Suplantar a un cliente tras la autenticación

Crear objetos globales

Aumentar el espacio de trabajo de un proceso

Cambiar la zona horaria

Crear vínculos simbólicos

Windows Firewall

Nombre | Configuración

| Name | Setting |
|------------------------|---------------------------------|
| Firewall Enabled | Yes |
| Authorised Application | Microsoft Lync UcMapi |
| Authorised Application | Microsoft Lync |
| Authorised Application | Corel PHOTO-PAINT X8 (64-Bit) |
| Authorised Application | CorelDRAW X8 (64-Bit) |
| Authorised Service | Compartir archivos e impresoras |
| Authorised Service | Detección de redes |
| Authorised Service | Escritorio remoto |
| Authorised Port | UDP:3935:* |

Grupos y Usuarios

Local Groups

Administradores

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Administradores |
| Comment Item | Los administradores tienen acceso completo y sin restricciones al equipo o dominio |

Members

| Group Name | Member Name |
|-------------------|--------------------|
| Administradores | Administrador |
| Administradores | Admins029 |
| Administradores | Domain Admins |
| Administradores | GGAdminGeneralWS |

Policy

| Group Name | Privilege Name |
|-------------------|---|
| Administradores | Administrar registro de seguridad y auditoría |
| Administradores | Hacer copias de seguridad de archivos y directorios |
| Administradores | Restaurar archivos y directorios |
| Administradores | Cambiar la hora del sistema |
| Administradores | Apagar el sistema |
| Administradores | Forzar cierre desde un sistema remoto |
| Administradores | Tomar posesión de archivos y otros objetos |
| Administradores | Depurar programas |
| Administradores | Modificar valores de entorno firmware |
| Administradores | Analizar el rendimiento del sistema |
| Administradores | Analizar un solo proceso |
| Administradores | Aumentar prioridad de programación |
| Administradores | Cargar y descargar controladores de dispositivo |
| Administradores | Crear un archivo de paginación |
| Administradores | Ajustar las cuotas de la memoria para un proceso |

| | |
|-----------------|--|
| Administradores | Ajustar las cuotas de la memoria para un proceso |
| Administradores | Omitir comprobación de recorrido |
| Administradores | Quitar equipo de la estación de acoplamiento |
| Administradores | Realizar tareas de mantenimiento del volumen |
| Administradores | Suplantar a un cliente tras la autenticación |
| Administradores | Crear objetos globales |
| Administradores | Cambiar la zona horaria |
| Administradores | Crear vínculos simbólicos |
| Administradores | SeInteractiveLogonRight |
| Administradores | SeBatchLogonRight |
| Administradores | SeRemoteInteractiveLogonRight |

Debugger Users

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Debugger Users |
| Comment Item | Debugger Users are non administrators who are allowed to use Visual Studio to debug processes, both locally and remotely. Only trusted users should be added to this group |

Members

No information found.

Policy

No information found.

Duplicadores

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Duplicadores |
| Comment Item | Pueden replicar archivos en un dominio |

Members

No information found.

Policy

No information found.

IIS_IUSRS

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | IIS_IUSRS |
| Comment Item | Grupo integrado usado por Internet Information Services. |

Members

Members

| Group Name | Member Name |
|-------------------|--------------------|
| IIS_IUSRS | IUSR |

Policy

No information found.

Invitados

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Invitados |
| Comment Item | De forma predeterminada, los invitados tienen el mismo acceso que los miembros del grupo Usuarios, excepto la cuenta de invitado que tiene más restricciones |

Members

| Group Name | Member Name |
|-------------------|--------------------|
| Invitados | Invitado |

Policy

No information found.

Lectores del registro de eventos

| Name | Value |
|--------------|---|
| Group Type | Local |
| Group Name | Lectores del registro de eventos |
| Comment Item | Los miembros de este grupo pueden leer registros de eventos del equipo local. |

Members

No information found.

Policy

No information found.

Ofrecer aplicaciones auxiliares de asistencia remota

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Ofrecer aplicaciones auxiliares de asistencia remota |
| Comment Item | Los miembros de este grupo pueden ofrecer asistencia remota a los usuarios de este equipo. |

Members

| Group Name | Member Name |
|--|--------------------|
| Ofrecer aplicaciones auxiliares de asistencia remota | GGAsistenciaRemota |

Policy**No information found.****Operadores criptográficos**

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Operadores criptográficos |
| Comment Item | Los miembros tienen autorización para realizar operaciones criptográficas. |

Members**No information found.****Policy****No information found.****Operadores de configuración de red**

| Name | Value |
|------------|-------|
| Group Type | Local |

| | |
|--------------|---|
| Group Name | Operadores de configuración de red |
| Comment Item | Los miembros en este equipo pueden tener algunos privilegios administrativos para administrar la configuración de las características de la red |

Members**No information found.****Policy****No information found.****Operadores de copia de seguridad**

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Operadores de copia de seguridad |
| Comment Item | Los operadores de copia de seguridad pueden invalidar restricciones de seguridad con el único propósito de hacer copias de seguridad o restaurar archivos. |

Members**No information found.****Policy**

| Group Name | Privilege Name |
|----------------------------------|---|
| Operadores de copia de seguridad | Hacer copias de seguridad de archivos y directorios |
| Operadores de copia de seguridad | Restaurar archivos y directorios |
| Operadores de copia de seguridad | Apagar el sistema |
| Operadores de copia de seguridad | Omitir comprobación de recorrido |
| Operadores de copia de seguridad | SeInteractiveLogonRight |
| Operadores de copia de seguridad | SeBatchLogonRight |

Usuarios

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Usuarios |
| Comment Item | Los usuarios no pueden hacer cambios accidentales o intencionados en el sistema y pueden ejecutar la mayoría de aplicaciones |

Members

| Group Name | Member Name |
|-------------------|-----------------------|
| Usuarios | Domain Users |
| Usuarios | INTERACTIVE |
| Usuarios | usuario |
| Usuarios | Usuarios autenticados |

Policy

| Group Name | Privilege Name |
|------------|--|
| Usuarios | Apagar el sistema |
| Usuarios | Omitir comprobación de recorrido |
| Usuarios | Quitar equipo de la estación de acoplamiento |
| Usuarios | Aumentar el espacio de trabajo de un proceso |
| Usuarios | Cambiar la zona horaria |
| Usuarios | SelInteractiveLogonRight |

Usuarios avanzados

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Usuarios avanzados |
| Comment Item | Los usuarios avanzados se incluyen para la compatibilidad con versiones anteriores y poseen derechos administrativos limitados |

Members

No information found.

Policy

No information found.

Usuarios COM distribuidos

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Usuarios COM distribuidos |
| Comment Item | Los miembros pueden iniciar, activar y usar objetos de COM distribuido en este equipo. |

Members

No information found.

Policy

No information found.

Usuarios de escritorio remoto

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Usuarios de escritorio remoto |
| Comment Item | A los miembros de este grupo se les concede el derecho de iniciar sesión remotamente |

Members

Members

| Group Name | Member Name |
|-------------------------------|--------------------|
| Usuarios de escritorio remoto | GGAsistenciaRemota |

Policy

| Group Name | Privilege Name |
|-------------------------------|-------------------------------|
| Usuarios de escritorio remoto | SeRemoteInteractiveLogonRight |

Usuarios del control remoto de ConfigMgr

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Usuarios del control remoto de ConfigMgr |
| Comment Item | Los miembros de este grupo pueden ver y controlar este equipo con el control remoto de Configuration Manager |

Members

| Group Name | Member Name |
|--|--------------------|
| Usuarios del control remoto de ConfigMgr | GGAdminGeneralWS |
| Usuarios del control remoto de ConfigMgr | usopocba |

Policy

No information found.

Usuarios del monitor de sistema

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Usuarios del monitor de sistema |
| Comment Item | Los miembros de este grupo tienen acceso a los datos del contador de rendimiento de forma local y remota |

Members

No information found.

Policy

No information found.

Usuarios del registro de rendimiento

| Name | Value |
|--------------|--|
| Group Type | Local |
| Group Name | Usuarios del registro de rendimiento |
| Comment Item | Los miembros de este grupo pueden programar contadores de registro y rendimiento, habilitar proveedores de seguimiento y recopilar seguimientos de eventos localmente y a través del acceso remoto a este equipo |

Members

No information found.

Policy

| Group Name | Privilege Name |
|--------------------------------------|-------------------|
| Usuarios del registro de rendimiento | SeBatchLogonRight |

Global Groups

None

| Name | Value |
|--------------|----------------|
| Group Type | Global |
| Group Name | None |
| Comment Item | Ordinary users |

Members

| Group Name | Member Name |
|------------|---------------|
| None | Administrador |
| None | Invitado |
| None | usuario |

Policy

No information found.

User Accounts**Administrador**

| Item | Value |
|--------------------|--|
| User Account | Administrador |
| Full Name | |
| Description | Cuenta integrada para la administración del equipo o dominio |
| Account Status | Enabled, Not Locked |
| Local Groups | Administradores |
| Global Groups | None |
| Last Logon | 03/02/2020 12:58:21 p.m. |
| Last Logoff | |
| Number Of Logons | 108 |
| Bad Password Count | 0 |
| Password Age | 1516 Days |
| Password Expired | No |
| Account Expires | |

Invitado

| Item | Value |
|--------------------|---|
| User Account | Invitado |
| Full Name | |
| Description | Cuenta integrada para el acceso como invitado al equipo o dominio |
| Account Status | Disabled, Not Locked |
| Local Groups | Invitados |
| Global Groups | None |
| Last Logon | |
| Last Logoff | |
| Number Of Logons | 0 |
| Bad Password Count | 0 |
| Password Age | 0 Days |
| Password Expired | No |
| Account Expires | |

usuario

| Item | Value |
|----------------|----------------------|
| User Account | usuario |
| Full Name | usuario |
| Description | usuario |
| Account Status | Disabled, Not Locked |
| Local Groups | Usuarios |

| | |
|--------------------|-----------|
| Global Groups | None |
| Last Logon | |
| Last Logoff | |
| Number Of Logons | 0 |
| Bad Password Count | 0 |
| Password Age | 2282 Days |
| Password Expired | Yes |
| Account Expires | |



Red Windows

Network Files

No information found.

Network Sessions

| Client Name | User Name | Connected | Idle |
|------------------------------|-------------|-----------|-----------|
| \[fe80::c462:b7a0:9ea9:ed36] | 20141773098 | 0 Minutes | 0 Minutes |

Network Shares

| Share Name | Share Type | Connections | Share Path |
|------------|------------------|-------------|------------|
| ADMIN\$ | Disk Drive Admin | 1 | C:\Windows |

| | | | |
|---------------------------|----------------------------------|---|--|
| C\$ | Disk Drive Admin | 1 | C:\ |
| D\$ | Disk Drive Admin | 1 | D:\ |
| Escaner | Disk Drive | 0 | C:\Escaner |
| HP Designjet 500 42 by HP | Print Queue | 0 | HP Designjet 500 42 by HP,LocalsplOnly |
| IPC\$ | Interprocess Communication Admin | 1 | |
| print\$ | Disk Drive | 0 | C:\Windows\system32\spool\drivers |
| Ricoh Aficio GWD3006 PS | Print Queue | 0 | Ricoh Aficio GWD3006 PS,LocalsplOnly |



Red TCP/IP

Intel(R) Ethernet Connection (2) I219-V

| Item | Value |
|--------------------|---|
| Adapter Number | 1 |
| Adapter Name | Intel(R) Ethernet Connection (2) I219-V |
| DNS Host Name | ws57550 |
| DNS Servers | |
| IP Address | |
| IP Subnet | 255.255.0.0 |
| Default IP Gateway | |
| DHCP Enabled | Yes |
| DHCP Server | 10.250.1.235 |

| | |
|---------------------|----------------------------------|
| DHCP Server | 10.290.1.250 |
| DHCP IP Address | 10.29.11.16 |
| DHCP Lease Obtained | 11/08/2021 12:00:52 p.m. |
| DHCP Lease Expires | 19/08/2021 12:00:52 p.m. |
| Status Code | 0 |
| Adapter Status | This device is working properly. |
| Adapter Type | Ethernet 802.3 |
| MAC Address | 1C:1B:0D:AD:56:B7 |
| Connection Status | Connected |
| Connection Speed | 1000 Mbps |



NetBIOS

LAN Adapter #1

| Item | Value |
|------------------|-------------------|
| Adapter Number | 1 |
| Software Release | 3.0 |
| MAC Address | 1c:1b:0d:ad:56:b7 |
| Adapter Type | Ethernet |
| Maximum Sessions | 16 |
| Sessions Pending | 0 |
| Maximum Data | 65535 Bytes |
| Maximum Datagram | 512 Bytes |



Dispositivos

Adaptadores de pantalla

NVIDIA GeForce GT 710

| Item | Value |
|-----------------|--|
| Device Type | Adaptadores de pantalla |
| Device Name | |
| Description | NVIDIA GeForce GT 710 |
| Manufacturer | NVIDIA |
| Location | Bus PCI 1, dispositivo 0, función 0 |
| Driver Provider | NVIDIA |
| Driver Version | 21.21.13.7570 |
| Driver Date | 10-25-2016 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E968-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_10DE&DEV_128B&SUBSYS_8C9 31462&REV_A1\4&31BDE77A&0&0008 |

Adaptadores de red

Adaptador asínc. de RAS

| Item | Value |
|-----------------|--|
| Device Type | Adaptadores de red |
| Device Name | |
| Description | Adaptador asínc. de RAS |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | SW\{EEAB7790-C514-11D1-B42B-00805FC1270E}\ASYNCMAC |

Adaptador ISATAP de Microsoft

| Item | Value |
|-----------------|-------------------------------|
| Device Type | Adaptadores de red |
| Device Name | |
| Description | Adaptador ISATAP de Microsoft |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |

| | |
|-----------------|--|
| Driver Provider | MICROSOFT |
| Driver Version | 6.1.7600.16385 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\ISATAP\0000 |

Intel(R) Ethernet Connection (2) I219-V

| Item | Value |
|-----------------|--|
| Device Type | Adaptadores de red |
| Device Name | |
| Description | Intel(R) Ethernet Connection (2) I219-V |
| Manufacturer | Intel |
| Location | Bus PCI 0, dispositivo 31, función 6 |
| Driver Provider | Intel |
| Driver Version | 12.15.23.7 |
| Driver Date | 7-26-2016 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_15B8&SUBSYS_E0001458&REV_00\3&11583659&1&FE |

Minipuerto WAN (IP)

| Item | Value |
|-----------------|--|
| Device Type | Adaptadores de red |
| Device Name | |
| Description | Minipuerto WAN (IP) |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\MS_NDISWANIP\0000 |

Minipuerto WAN (IPv6)

| Item | Value |
|--------------|-----------------------|
| Device Type | Adaptadores de red |
| Device Name | |
| Description | Minipuerto WAN (IPv6) |
| Manufacturer | Microsoft |
| Location | |

| | |
|-----------------|--|
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\MS_NDISWANIPV6\0000 |

Minipuerto WAN (L2TP)

| Item | Value |
|-----------------|--|
| Device Type | Adaptadores de red |
| Device Name | |
| Description | Minipuerto WAN (L2TP) |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\MS_L2TPMINIPORT\0000 |

Minipuerto WAN (Monitor de red)

| Item | Value |
|-----------------|--|
| Device Type | Adaptadores de red |
| Device Name | |
| Description | Minipuerto WAN (Monitor de red) |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\MS_NDISWANBH\0000 |

Minipuerto WAN (PPPOE)

| Item | Value |
|--------------|------------------------|
| Device Type | Adaptadores de red |
| Device Name | |
| Description | Minipuerto WAN (PPPOE) |
| Manufacturer | Microsoft |
| Location | |

| | |
|-----------------|--|
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\MS_PPPOEMINIPORT\0000 |

Minipuerto WAN (PPTP)

| Item | Value |
|-----------------|--|
| Device Type | Adaptadores de red |
| Device Name | |
| Description | Minipuerto WAN (PPTP) |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\MS_PPTPMINIPORT\0000 |

Minipuerto WAN (SSTP)

| Item | Value |
|-----------------|--|
| Device Type | Adaptadores de red |
| Device Name | |
| Description | Minipuerto WAN (SSTP) |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\MS_SSTPMINIPORT\0000 |

WAN Miniport (IKEv2)

| Item | Value |
|--------------|----------------------|
| Device Type | Adaptadores de red |
| Device Name | |
| Description | WAN Miniport (IKEv2) |
| Manufacturer | Microsoft |
| Location | |

| | |
|-----------------|--|
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\MS_AGILEVPNMINIPORT\0000 |

Adaptador ISATAP de Microsoft #2

| Item | Value |
|-----------------|--|
| Device Type | Adaptadores de red |
| Device Name | Adaptador ISATAP de Microsoft #2 |
| Description | Adaptador ISATAP de Microsoft |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7600.16385 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT*ISATAP\0001 |

Teredo Tunneling Pseudo-Interface

| Item | Value |
|-----------------|---|
| Device Type | Adaptadores de red |
| Device Name | Teredo Tunneling Pseudo-Interface |
| Description | Adaptador de tunelización Teredo de Microsoft |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7600.16385 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E972-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT*TEREDO\0000 |

Controladoras ATA/ATAPI IDE

Controladora ATA de serie AHCI 1.0 estándar

| Item | Value |
|--------------|--|
| Device Type | Controladoras ATA/ATAPI IDE |
| Device Name | |
| Description | Controladora ATA de serie AHCI 1.0 estándar |
| Manufacturer | Controladoras ATA de serie AHCI 1.0 estándar |

| | |
|-----------------|--|
| Manufacturer | Controladora ATA de serie AHCI 1.0 estandar |
| Location | Bus PCI 0, dispositivo 23, función 0 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.18231 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96A-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_A282&SUBSYS_B00 51458&REV_00\3&11583659&1&B8 |

ATA Channel 0

| Item | Value |
|-----------------|---|
| Device Type | Controladoras ATA/ATAPI IDE |
| Device Name | ATA Channel 0 |
| Description | Canal IDE |
| Manufacturer | (Tarjetas controladoras estándar IDE ATA/ATAPI) |
| Location | Channel 0 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.18231 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96A-E325-11CE-BFC1-08002BE10318} |

| | |
|-----------|----------------------------------|
| Device ID | PCIIDE\IDECHANNEL\4&3341AC2B&0&0 |
|-----------|----------------------------------|

ATA Channel 1

| Item | Value |
|-----------------|---|
| Device Type | Controladoras ATA/ATAPI IDE |
| Device Name | ATA Channel 1 |
| Description | Canal IDE |
| Manufacturer | (Tarjetas controladoras estándar IDE ATA/ATAPI) |
| Location | Channel 1 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.18231 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96A-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCIIDE\IDECHANNEL\4&3341AC2B&0&1 |

ATA Channel 2

| Item | Value |
|-------------|-----------------------------|
| Device Type | Controladoras ATA/ATAPI IDE |
| Device Name | ATA Channel 2 |
| Description | Canal IDE |

| | |
|-----------------|---|
| Manufacturer | (Tarjetas controladoras estándar IDE ATA/ATAPI) |
| Location | Channel 2 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.18231 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96A-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCIIDE\IDECHANNEL\4&3341AC2B&0&2 |

ATA Channel 3

| Item | Value |
|-----------------|---|
| Device Type | Controladoras ATA/ATAPI IDE |
| Device Name | ATA Channel 3 |
| Description | Canal IDE |
| Manufacturer | (Tarjetas controladoras estándar IDE ATA/ATAPI) |
| Location | Channel 3 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.18231 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |

| | |
|------------|--|
| Class GUID | {4D36E96A-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCIIDE\IDECHANNEL\4&3341AC2B&0&3 |

ATA Channel 4

| Item | Value |
|-----------------|---|
| Device Type | Controladoras ATA/ATAPI IDE |
| Device Name | ATA Channel 4 |
| Description | Canal IDE |
| Manufacturer | (Tarjetas controladoras estándar IDE ATA/ATAPI) |
| Location | Channel 4 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.18231 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96A-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCIIDE\IDECHANNEL\4&3341AC2B&0&4 |

ATA Channel 5

| Item | Value |
|-------------|-----------------------------|
| Device Type | Controladoras ATA/ATAPI IDE |
| Device Name | ATA Channel 5 |

| | |
|-----------------|---|
| Description | Canal IDE |
| Manufacturer | (Tarjetas controladoras estándar IDE ATA/ATAPI) |
| Location | Channel 5 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.18231 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96A-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCIIDE\IDECHANNEL\4&3341AC2B&0&5 |

Controladoras de bus serie universal

Concentrador raíz Intel(R) USB 3.0

| Item | Value |
|-----------------|--------------------------------------|
| Device Type | Controladoras de bus serie universal |
| Device Name | |
| Description | Concentrador raíz Intel(R) USB 3.0 |
| Manufacturer | Intel(R) Corporation |
| Location | |
| Driver Provider | Intel(R) Corporation |
| Driver Version | 5.0.0.32 |
| Driver Date | 8-18-2016 |
| Status Code | 0 |

| | |
|----------------|--|
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |
| Device ID | IUSB3\ROOT_HUB30\4&1867B3C4&0 |

Controladora de host Intel(R) USB 3.0 eXtensible

| Item | Value |
|-----------------|--|
| Device Type | Controladoras de bus serie universal |
| Device Name | |
| Description | Controladora de host Intel(R) USB 3.0 eXtensible |
| Manufacturer | Intel(R) Corporation |
| Location | Bus PCI 0, dispositivo 20, función 0 |
| Driver Provider | Intel(R) Corporation |
| Driver Version | 5.0.0.32 |
| Driver Date | 8-18-2016 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |
| Device ID | PCI\VEN_8086&DEV_A2AF&SUBSYS_500 71458&REV_00\3&11583659&1&A0 |

Dispositivo compuesto USB

| Item | Value |
|------|-------|
| | |

| | |
|-----------------|--|
| Device Type | Controladoras de bus serie universal |
| Device Name | |
| Description | Dispositivo compuesto USB |
| Manufacturer | (Controladora de host USB estándar) |
| Location | Port_#0007.Hub_#0001 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24138 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |
| Device ID | USB\VID_1A2C&PID_2D23\5&43BCAF8&0&7 |

Dispositivo de almacenamiento USB

| Item | Value |
|-----------------|--|
| Device Type | Controladoras de bus serie universal |
| Device Name | |
| Description | Dispositivo de almacenamiento USB |
| Manufacturer | Dispositivo de almacenamiento USB compatible |
| Location | Port_#0010.Hub_#0001 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.19144 |
| Driver Date | 6-21-2006 |

| | |
|----------------|--|
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {36FC9E60-C465-11CF-8056-444553540000} |
| Device ID | USB\VID_ABCD&PID_1234\5&43BCAF8&0&10 |

Controladoras de sonido y vídeo y dispositivos de juego

Dispositivo de High Definition Audio

| Item | Value |
|-----------------|--|
| Device Type | Controladoras de sonido y vídeo y dispositivos de juego |
| Device Name | |
| Description | Dispositivo de High Definition Audio |
| Manufacturer | Microsoft |
| Location | Bus interno de High Definition Audio |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 11-19-2010 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96C-E325-11CE-BFC1-08002BE10318} |
| Device ID | HDAUDIO\FUNC_01&VEN_10DE&DEV_005 1&SUBSYS_14628C93&REV_1001\5&22968518&0&0001 |

Dispositivo de High Definition Audio

| Item | Value |
|-----------------|--|
| Device Type | Controladoras de sonido y vídeo y dispositivos de juego |
| Device Name | |
| Description | Dispositivo de High Definition Audio |
| Manufacturer | Microsoft |
| Location | Bus interno de High Definition Audio |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 11-19-2010 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96C-E325-11CE-BFC1-08002BE10318} |
| Device ID | HDAUDIO\FUNC_01&VEN_10EC&DEV_089 2&SUBSYS_1458A182&REV_1003\4&371017BC&0&0001 |

Controladores que no son Plug and Play

Administrador de punto de montaje

| Item | Value |
|-------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Administrador de punto de montaje |

| | |
|-----------------|--|
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_MOUNTMGR\0000 |

Administrador de volúmenes dinámicos

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Administrador de volúmenes dinámicos |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |

| | |
|-----------|--------------------------|
| Device ID | ROOT\LEGACY_VOLMGRX\0000 |
|-----------|--------------------------|

Ancillary Function Driver for Winsock

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Ancillary Function Driver for Winsock |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_AFD\0000 |

Beep

| Item | Value |
|-------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Beep |

| | |
|-----------------|--|
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_BEEP\0000 |

Canal IDE

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Canal IDE |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |

| | |
|-----------|------------------------|
| Device ID | ROOT\LEGACY_ATAPI\0000 |
|-----------|------------------------|

CNG

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | CNG |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_CNG\0000 |

Controlador ARP IPv6 de acceso remoto

| Item | Value |
|-------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Controlador ARP IPv6 de acceso remoto |

| | |
|-----------------|--|
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_WANARPV6\0000 |

Controlador de archivos sin conexión

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Controlador de archivos sin conexión |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |

| | |
|-----------|----------------------|
| Device ID | ROOT\LEGACY_CSC\0000 |
|-----------|----------------------|

Controlador de autorización de Firewall de Windows

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Controlador de autorización de Firewall de Windows |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_MPSDRV\0000 |

Controlador de filtro de aceleración de bus de máquina virtual

| Item | Value |
|-------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Controlador de filtro de aceleración de bus de máquina virtual |

| | |
|-----------------|--|
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_STORFLT\0000 |

Controlador de protocolo TCP/IP

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Controlador de protocolo TCP/IP |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |

| | |
|-----------|------------------------|
| Device ID | ROOT\LEGACY_TCPIP\0000 |
|-----------|------------------------|

Controlador de QWAVE

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Controlador de QWAVE |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_QWAVEDRV\0000 |

Controlador de sistema NDIS

| Item | Value |
|-------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Controlador de sistema NDIS |

| | |
|-----------------|--|
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_NDIS\0000 |

Controlador de soporte TDI heredado NetIO

| Item | Value |
|-----------------|---|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Controlador de soporte TDI heredado NetIO |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |

| | |
|-----------|----------------------|
| Device ID | ROOT\LEGACY_TDX\0000 |
|-----------|----------------------|

Controlador del conmutador de la controladora de host Intel(R)

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Controlador del conmutador de la controladora de host Intel(R) |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_IUSB3HCS\0000 |

Controlador del filtro de Cifrado de unidad BitLocker

| Item | Value |
|-------------|---|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Controlador del filtro de Cifrado de unidad BitLocker |

| | |
|-----------------|--|
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_FVEVOL\0000 |

cyverak

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | cyverak |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |

| | |
|-----------|--------------------------|
| Device ID | ROOT\LEGACY_CYVERAK\0000 |
|-----------|--------------------------|

cyvrmtgn

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | cyvrmtgn |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_CYVRMTGN\0000 |

Hardware Policy Driver

| Item | Value |
|-------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Hardware Policy Driver |

| | |
|-----------------|--|
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_HWPOLICY\0000 |

HTTP

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | HTTP |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |

| | |
|-----------|-----------------------|
| Device ID | ROOT\LEGACY_HTTP\0000 |
|-----------|-----------------------|

KSecDD

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | KSecDD |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_KSECDD\0000 |

KSecPkg

| Item | Value |
|-------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | KSecPkg |

| | |
|-----------------|--|
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_KSECPKG\0000 |

LDDM Graphics Subsystem

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | LDDM Graphics Subsystem |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |

| | |
|-----------|--------------------------|
| Device ID | ROOT\LEGACY_DXGKRNL\0000 |
|-----------|--------------------------|

Link-Layer Topology Discovery Mapper I/O Driver

| Item | Value |
|-----------------|---|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Link-Layer Topology Discovery Mapper I/O Driver |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_LLTDIO\0000 |

Link-Layer Topology Discovery Responder

| Item | Value |
|-------------|---|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Link-Layer Topology Discovery Responder |

| | |
|-----------------|--|
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_RSPNDR\0000 |

msisadrv

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | msisadrv |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |

| | |
|-----------|---------------------------|
| Device ID | ROOT\LEGACY_MSISADRV\0000 |
|-----------|---------------------------|

Nal Service

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Nal Service |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_NAL\0000 |

NDProxy

| Item | Value |
|-------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | NDProxy |

| | |
|-----------------|--|
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_NDPROXY\0000 |

NETBT

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | NETBT |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |

| | |
|-----------|------------------------|
| Device ID | ROOT\LEGACY_NETBT\0000 |
|-----------|------------------------|

NSI proxy service driver.

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | NSI proxy service driver. |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_NSIPROXY\0000 |

Null

| Item | Value |
|-------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Null |

| | |
|-----------------|--|
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_NULL\0000 |

PEAUTH

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | PEAUTH |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |

| | |
|-----------|-------------------------|
| Device ID | ROOT\LEGACY_PEAUTH\0000 |
|-----------|-------------------------|

Performance Counters for Windows Driver

| Item | Value |
|-----------------|---|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Performance Counters for Windows Driver |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_PCW\0000 |

Programador de paquetes QoS

| Item | Value |
|-------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Programador de paquetes QoS |

| | |
|-----------------|--|
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_PSCHE\0000 |

RDP Encoder Mirror Driver

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | RDP Encoder Mirror Driver |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |

| | |
|-----------|---------------------------|
| Device ID | ROOT\LEGACY_RDPENCDD\0000 |
|-----------|---------------------------|

RDP Winstation Driver

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | RDP Winstation Driver |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_RDPWD\0000 |

RDPCDD

| Item | Value |
|-------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | RDPCDD |

| | |
|-----------------|--|
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_RDP CDD\0000 |

Reflector Display Driver used to gain access to graphics data

| Item | Value |
|-----------------|---|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Reflector Display Driver used to gain access to graphics data |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |

| | |
|-----------|---------------------------|
| Device ID | ROOT\LEGACY_RDPREFMP\0000 |
|-----------|---------------------------|

Registro común (CLFS)

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Registro común (CLFS) |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_CLFS\0000 |

Remote Desktop Services Security Filter Driver

| Item | Value |
|-------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Remote Desktop Services Security Filter Driver |

| | |
|-----------------|--|
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_TSSECSR\V0000 |

Security Driver

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Security Driver |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |

| | |
|-----------|-------------------------|
| Device ID | ROOT\LEGACY_SECDRV\0000 |
|-----------|-------------------------|

Security Processor Loader Driver

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Security Processor Loader Driver |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_SPLDR\0000 |

Servicio de marcos de controlador en modo Kernel

| Item | Value |
|-------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Servicio de marcos de controlador en modo Kernel |

| | |
|-----------------|--|
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_WDF01000\0000 |

SMS Process Event Driver

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | SMS Process Event Driver |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |

| | |
|-----------|--------------------------|
| Device ID | ROOT\LEGACY_PREPDRV\0000 |
|-----------|--------------------------|

System Attribute Cache

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | System Attribute Cache |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_DISCACHE\0000 |

TCP/IP Registry Compatibility

| Item | Value |
|-------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | TCP/IP Registry Compatibility |

| | |
|-----------------|--|
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_TCPIPREG\0000 |

TDTCP

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | TDTCP |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |

| | |
|-----------|--------------------------|
| Device ID | ROOT\LEGACY_TDTCPIP\0000 |
|-----------|--------------------------|

tedrpers-7.4.1.31675

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | tedrpers-7.4.1.31675 |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_TEDRPERS-7.4.1.31675\0000 |

Terminal Server Device Redirector Driver

| Item | Value |
|-------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Terminal Server Device Redirector Driver |

| | |
|-----------------|--|
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_RDPDR\0000 |

User Mode Driver Frameworks Platform Driver

| Item | Value |
|-----------------|---|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | User Mode Driver Frameworks Platform Driver |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_RDPDR\0000 |

| | |
|-----------|-------------------------|
| Device ID | ROOT\LEGACY_WUDFPP\0000 |
|-----------|-------------------------|

VgaSave

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | VgaSave |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_VGASAVE\0000 |

Volúmenes de almacenamiento

| Item | Value |
|-------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | Volúmenes de almacenamiento |

| | |
|-----------------|--|
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_VOLSNAP\0000 |

WFP Lightweight Filter

| Item | Value |
|-----------------|--|
| Device Type | Controladores que no son Plug and Play |
| Device Name | |
| Description | WFP Lightweight Filter |
| Manufacturer | |
| Location | |
| Driver Provider | |
| Driver Version | |
| Driver Date | |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {8ECC055D-047F-11D1-A537-0000F8753ED1} |
| Device ID | ROOT\LEGACY_WFPLWF\0000 |

Dispositivos de interfaz de usuario (HID)

Dispositivo compatible con HID

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos de interfaz de usuario (HID) |
| Device Name | |
| Description | Dispositivo compatible con HID |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24386 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {745A17A0-74D3-11D0-B6FE-00A0C90F57DA} |
| Device ID | HID\VID_1A2C&PID_2D23&MI_01&COL02\7&6451BA7&0&0001 |

Dispositivo de control del consumidor compatible con HID

| Item | Value |
|-------------|---|
| Device Type | Dispositivos de interfaz de usuario (HID) |
| Device Name | |

| | |
|-----------------|--|
| Description | Dispositivo de control del consumidor compatible con HID |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7600.16385 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {745A17A0-74D3-11D0-B6FE-00A0C90F57DA} |
| Device ID | HID\VID_1A2C&PID_2D23&MI_01&COL01\7&6451BA7&0&0000 |

Dispositivo de entrada USB

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos de interfaz de usuario (HID) |
| Device Name | |
| Description | Dispositivo de entrada USB |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | 0000.0014.0000.007.000.000.000.000.000 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24386 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |

| | |
|------------|---|
| Class GUID | {745A17A0-74D3-11D0-B6FE-00A0C90F57DA} |
| Device ID | USB\VID_1A2C&PID_2D23&MI_00\6&574C19&0&0000 |

Dispositivo de entrada USB

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos de interfaz de usuario (HID) |
| Device Name | |
| Description | Dispositivo de entrada USB |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | 0000.0014.0000.007.000.000.000.000.000 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24386 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {745A17A0-74D3-11D0-B6FE-00A0C90F57DA} |
| Device ID | USB\VID_1A2C&PID_2D23&MI_01\6&574C19&0&0001 |

Dispositivo de entrada USB

| Item | Value |
|-------------|---|
| Device Type | Dispositivos de interfaz de usuario (HID) |
| Device Name | |

| | |
|-----------------|--|
| Description | Dispositivo de entrada USB |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | Port_#0008.Hub_#0001 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24386 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {745A17A0-74D3-11D0-B6FE-00A0C90F57DA} |
| Device ID | USB\VID_093A&PID_2510\5&43BCAF8&0&8 |

Dispositivos del sistema

Administrador de volúmenes

| Item | Value |
|-----------------|------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Administrador de volúmenes |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |

| | |
|----------------|--|
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\VOLMGR\0000 |

Archivar como controlador de volumen

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Archivar como controlador de volumen |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7600.16385 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\BLBDRIVE\0000 |

Botón de característica fija ACPI

| Item | Value |
|-------------|--------------------------|
| Device Type | Dispositivos del sistema |

| | |
|-----------------|--|
| Device Name | |
| Description | Botón de característica fija ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\FIXEDBUTTON\2&DABA3FF&3 |

Botón de encendido ACPI

| Item | Value |
|-----------------|------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Botón de encendido ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |

| | |
|----------------|--|
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C0C\2&DABA3FF&3 |

Botón de suspensión ACPI

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Botón de suspensión ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C0E\2&DABA3FF&3 |

Bus PCI

| Item | Value |
|-------------|--------------------------|
| Device Type | Dispositivos del sistema |

| | |
|-----------------|--|
| Device Name | |
| Description | Bus PCI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0A08\0 |

Controlador BIOS de Microsoft System Management

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Controlador BIOS de Microsoft System Management |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |

| | |
|----------------|--|
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\MSSMBIOS\0000 |

Controlador de enumerador de unidades virtuales de Microsoft

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Controlador de enumerador de unidades virtuales de Microsoft |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\VDRVROOT\0000 |

Controlador de mouse de Terminal Server

| Item | Value |
|-------------|--------------------------|
| Device Type | Dispositivos del sistema |

| | |
|-----------------|---|
| Device Type | DISPOSITIVOS DEL SISTEMA |
| Device Name | |
| Description | Controlador de mouse de Terminal Server |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\RDP_MOU\0000 |

Controlador de teclado de Terminal Server

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Controlador de teclado de Terminal Server |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |

| | |
|----------------|--|
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\RDP_KBD\0000 |

Controladora de High Definition Audio

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Controladora de High Definition Audio |
| Manufacturer | Microsoft |
| Location | Bus PCI 0, dispositivo 31, función 3 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 11-19-2010 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_A2F0&SUBSYS_A18 21458&REV_00\3&11583659&1&FB |

Controladora de High Definition Audio

| Item | Value |
|-------------|--------------------------|
| Device Type | Dispositivos del sistema |

| Device Type | DISPOSITIVOS DEL SISTEMA |
|-----------------|--|
| Device Name | |
| Description | Controladora de High Definition Audio |
| Manufacturer | Microsoft |
| Location | Bus PCI 1, dispositivo 0, función 1 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 11-19-2010 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_10DE&DEV_0E0F&SUBSYS_8C931462&REV_A1\4&31BDE77A&0&0108 |

Controladora programable de interrupciones

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Controladora programable de interrupciones |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |

| | |
|----------------|--|
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0000\4&26EF5D7A&0 |

Cronómetro del sistema

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Cronómetro del sistema |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0100\4&26EF5D7A&0 |

Dispositivo concentrador de firmware Intel(R) 82802

| Item | Value |
|------|-------|
|------|-------|

| | |
|-----------------|---|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Dispositivo concentrador de firmware Intel(R) 82802 |
| Manufacturer | Intel |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\INT0800\4&26EF5D7A&0 |

Enumerador de bus compuesto

| Item | Value |
|-----------------|-----------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Enumerador de bus compuesto |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |

| | |
|----------------|--|
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\COMPOSITEBUS\0000 |

Enumerador de bus raíz de UMBus

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Enumerador de bus raíz de UMBus |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\UMBUS\0000 |

Enumerador de dispositivos de software Plug and Play

| Item | Value |
|------|-------|
|------|-------|

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Enumerador de dispositivos de software Plug and Play |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\SYSTEM\0000 |

Enumerador de UMBus

| Item | Value |
|-----------------|--------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Enumerador de UMBus |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |

| | |
|----------------|--|
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | UMB\UMB\1&841921D&0&PRINTERBUSENUMERATOR |

Intel(R) Management Engine Interface

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Intel(R) Management Engine Interface |
| Manufacturer | Intel |
| Location | Bus PCI 0, dispositivo 22, función 0 |
| Driver Provider | Intel |
| Driver Version | 11.6.0.1026 |
| Driver Date | 9-1-2016 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_A2BA&SUBSYS_1C3A1458&REV_00\3&11583659&1&B0 |

Intel(R) Xeon(R) E3 - 1200 v6/7th Gen Intel(R) Core(TM) Host Br

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Intel(R) Xeon(R) E3 - 1200 v6/7th Gen Intel(R) Core(TM) Host Br |
| Manufacturer | INTEL |
| Location | Bus PCI 0, dispositivo 0, función 0 |
| Driver Provider | INTEL |
| Driver Version | 10.1.1.38 |
| Driver Date | 10-3-2016 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_591F&SUBSYS_500 01458&REV_05\3&11583659&1&00 |

Intel(R) Xeon(R) E3 - 1200/1500 v5/6th Gen Intel(R) Core(TM) PC

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Intel(R) Xeon(R) E3 - 1200/1500 v5/6th Gen Intel(R) Core(TM) PC |
| Manufacturer | INTEL |
| Location | Bus PCI 0, dispositivo 1, función 0 |
| Driver Provider | INTEL |
| Driver Version | 10.1.1.38 |

| | |
|----------------|--|
| Driver Version | 10.1.1.50 |
| Driver Date | 10-3-2016 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_1901&SUBSYS_500 01458&REV_05\3&11583659&1&08 |

Interfaz lógica de puerto de impresora

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Interfaz lógica de puerto de impresora |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | LPT1 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | LPTENUM\MICROSOFTRAWPORT\5&301BB3D2&0&LPT1 |

Puente PCI estándar de PCI a PCI

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Procesador de datos numéricos |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C04\4&26EF5D7A&0 |

Puente PCI estándar de PCI a PCI

| Item | Value |
|-----------------|--------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Puente PCI estándar de PCI a PCI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | Bus PCI 0, dispositivo 27, función 0 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |

| | |
|----------------|--|
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_A2EB&SUBSYS_500 11458&REV_F0\3&11583659&1&D8 |

Puente PCI estándar de PCI a PCI

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Puente PCI estándar de PCI a PCI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | Bus PCI 0, dispositivo 28, función 0 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_A294&SUBSYS_500 11458&REV_F0\3&11583659&1&E0 |

Puente PCI estándar de PCI a PCI

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Puente PCI estándar de PCI a PCI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | Bus PCI 0, dispositivo 29, función 0 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_A298&SUBSYS_500 11458&REV_F03&11583659&1&E8 |

Puente PCI estándar de PCI a PCI

| Item | Value |
|--------------|--------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Puente PCI estándar de PCI a PCI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | Bus PCI 0, dispositivo 29, función 2 |

| | |
|-----------------|--|
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_A29A&SUBSYS_500 11458&REV_F0\3&11583659&1&EA |

Puente PCI estándar de PCI a PCI

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Puente PCI estándar de PCI a PCI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | Bus PCI 0, dispositivo 29, función 3 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_A29B&SUBSYS_500 114509 DC\1\ E0\29 11502650\19 ED |

11450&REV_FU13&11500&9&1&ED

Puente PCI estándar de PCI a PCI

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Puente PCI estándar de PCI a PCI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | Bus PCI 6, dispositivo 0, función 0 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_1283&DEV_8892&SUBSYS_000 00000&REV_71\4&34F2A3DD&0&00EB |

Puente PCI ISA estándar

| Item | Value |
|-------------|--------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Puente PCI ISA estándar |

| | |
|-----------------|--|
| Description | Puente PCI ISA estandar |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | Bus PCI 0, dispositivo 31, función 0 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | PCI\VEN_8086&DEV_A2C8&SUBSYS_500 11458&REV_00\3&11583659&1&F8 |

Recursos de la placa base

| Item | Value |
|-----------------|------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Recursos de la placa base |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |

| | |
|------------|--|
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\INT340E\2&DABA3FF&3 |

Recursos de la placa base

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Recursos de la placa base |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\INT3F0D\4&26EF5D7A&0 |

Recursos de la placa base

| Item | Value |
|-------------|--------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |

| | |
|-----------------|--|
| Description | Recursos de la placa base |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C02\0 |

Recursos de la placa base

| Item | Value |
|-----------------|------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Recursos de la placa base |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |

| | |
|------------|--|
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C02\1 |

Recursos de la placa base

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Recursos de la placa base |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C02\2 |

Recursos de la placa base

| Item | Value |
|-------------|--------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |

| | |
|-----------------|--|
| Description | Recursos de la placa base |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C02\5 |

Recursos de la placa base

| Item | Value |
|-----------------|------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Recursos de la placa base |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |

| | |
|------------|--|
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C02\IOTRAPS |

Recursos de la placa base

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Recursos de la placa base |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C02\LPC_DEV |

Recursos de la placa base

| Item | Value |
|-------------|--------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |

| | |
|-----------------|--|
| Description | Recursos de la placa base |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C02\PCHRESV |

Remote Desktop Device Redirector Bus

| Item | Value |
|-----------------|--------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Remote Desktop Device Redirector Bus |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7600.16385 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |

| | |
|------------|--|
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\RDPBUS\0000 |

Sistema CMOS/reloj en tiempo real

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Sistema CMOS/reloj en tiempo real |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0B00\4&26EF5D7A&0 |

Sistema Microsoft compatible con ACPI

| Item | Value |
|-------------|--------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |

| | |
|-----------------|--|
| Description | Sistema Microsoft compatible con ACPI |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24056 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI_HAL\PNP0C08\0 |

Temporizador de eventos de alta precisión

| Item | Value |
|-----------------|---|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Temporizador de eventos de alta precisión |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |

| | |
|------------|--|
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0103\0 |

Ventilador ACPI

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Ventilador ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C0B\0 |

Ventilador ACPI

| Item | Value |
|-------------|--------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |

| | |
|-----------------|--|
| Description | Ventilador ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C0B\1 |

Ventilador ACPI

| Item | Value |
|-----------------|------------------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Ventilador ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |

| | |
|------------|--|
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C0B\2 |

Ventilador ACPI

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Ventilador ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C0B\3 |

Ventilador ACPI

| Item | Value |
|-------------|--------------------------|
| Device Type | Dispositivos del sistema |
| Device Name | |

| | |
|-----------------|--|
| Description | Ventilador ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0C0B\4 |

Zona térmica ACPI

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Zona térmica ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |

| | |
|-----------|-----------------------|
| Device ID | ACPI\THERMALZONE\TZ00 |
|-----------|-----------------------|

Zona térmica ACPI

| Item | Value |
|-----------------|--|
| Device Type | Dispositivos del sistema |
| Device Name | |
| Description | Zona térmica ACPI |
| Manufacturer | (Dispositivos de sistema estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24441 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E97D-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\THERMALZONE\TZ01 |

Equipo**ACPI x64-based PC**

| Item | Value |
|-------------|--------|
| Device Type | Equipo |
| Device Name | |

| Device Name | |
|-----------------|--|
| Description | ACPI x64-based PC |
| Manufacturer | (Equipos estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7600.16385 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E966-E325-11CE-BFC1-08002BE10318} |
| Device ID | ROOT\ACPI_HAL\0000 |

Monitores

Monitor PnP genérico

| Item | Value |
|-----------------|----------------------------|
| Device Type | Monitores |
| Device Name | |
| Description | Monitor PnP genérico |
| Manufacturer | (Tipo de monitor estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7600.16385 |
| Driver Date | 6-21-2006 |

| | |
|----------------|---|
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96E-E325-11CE-BFC1-08002BE10318} |
| Device ID | DISPLAY\SAM0B35\5&1159B3B8&0&UID1048832 |

Mouse y otros dispositivos señaladores

Mouse compatible con HID

| Item | Value |
|-----------------|---|
| Device Type | Mouse y otros dispositivos señaladores |
| Device Name | |
| Description | Mouse compatible con HID |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7600.16385 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96F-E325-11CE-BFC1-08002BE10318} |
| Device ID | HID\VID_093A&PID_2510\6&148E47C9&0&0000 |

Mouse PS/2 de Microsoft

| Item | Value |
|-----------------|---|
| Device Type | Mouse y otros dispositivos señaladores |
| Device Name | |
| Description | Mouse PS/2 de Microsoft |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7600.16385 |
| Driver Date | 6-21-2006 |
| Status Code | 24 |
| Status Message | Code 24: This device is not present, is not working properly, or does not have all its drivers installed. |
| Class GUID | {4D36E96F-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0F03\0 |

Procesadores

Intel(R) Core(TM) i5-7400 CPU @ 3.00GHz

| Item | Value |
|--------------|---|
| Device Type | Procesadores |
| Device Name | Intel(R) Core(TM) i5-7400 CPU @ 3.00GHz |
| Description | Procesador Intel |
| Manufacturer | Intel |
| Location | |

| LOCATION | |
|-----------------|---|
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24475 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {50127DC3-0F36-415E-A6CC-4CB3BE910B65} |
| Device ID | ACPI\GENUINEINTEL_-_INTEL64_FAMILY_6_MODEL_158_-_INTEL(R)_CORE(TM)_I5-7400_CPU_@_3.00GHz_1 |

Intel(R) Core(TM) i5-7400 CPU @ 3.00GHz

| Item | Value |
|-----------------|---|
| Device Type | Procesadores |
| Device Name | Intel(R) Core(TM) i5-7400 CPU @ 3.00GHz |
| Description | Procesador Intel |
| Manufacturer | Intel |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24475 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {50127DC3-0F36-415E-A6CC-4CB3BE910B65} |
| Device ID | ACPI\GENUINEINTEL_-_INTEL64_FAMILY_6_MODEL_158_-_INTEL(R)_CORE(TM)_I5-7400_CPU_@_3.00GHz_1 |

| | |
|--|--|
| | LY_6_MODEL_158_-_INTEL(R)_CORE(TM)_I5-7400_CPU_@_3.00GHz\2 |
|--|--|

Intel(R) Core(TM) i5-7400 CPU @ 3.00GHz

| Item | Value |
|-----------------|--|
| Device Type | Procesadores |
| Device Name | Intel(R) Core(TM) i5-7400 CPU @ 3.00GHz |
| Description | Procesador Intel |
| Manufacturer | Intel |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24475 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {50127DC3-0F36-415E-A6CC-4CB3BE910B65} |
| Device ID | ACPI\GENUINEINTEL_-_INTEL64_FAMILY LY_6_MODEL_158_-_INTEL(R)_CORE(TM)_I5-7400_CPU_@_3.00GHz\3 |

Intel(R) Core(TM) i5-7400 CPU @ 3.00GHz

| Item | Value |
|-------------|---|
| Device Type | Procesadores |
| Device Name | Intel(R) Core(TM) i5-7400 CPU @ 3.00GHz |

| | |
|-----------------|--|
| Description | Procesador Intel |
| Manufacturer | Intel |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.24475 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {50127DC3-0F36-415E-A6CC-4CB3BE910B65} |
| Device ID | ACPI\GENUINEINTEL_-_INTEL64_FAMILY_6_MODEL_158_-_INTEL(R)_CORE(TM)_I5-7400_CPU_@_3.00GHZ\4 |

Puertos (COM y LPT)

Puerto de comunicaciones (COM1)

| Item | Value |
|-----------------|---------------------------------|
| Device Type | Puertos (COM y LPT) |
| Device Name | Puerto de comunicaciones (COM1) |
| Description | Puerto de comunicaciones |
| Manufacturer | (Tipos de puerto estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7600.16385 |

| | |
|----------------|--|
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E978-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0501\0 |

Puerto de impresora (LPT1)

| Item | Value |
|-----------------|--|
| Device Type | Puertos (COM y LPT) |
| Device Name | Puerto de impresora (LPT1) |
| Description | Puerto de impresora |
| Manufacturer | (Tipos de puerto estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7600.16385 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E978-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0400\0 |

Teclados

Dispositivo de teclado HID

| Item | Value |
|-----------------|---|
| Device Type | Teclados |
| Device Name | |
| Description | Dispositivo de teclado HID |
| Manufacturer | (Teclados estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E96B-E325-11CE-BFC1-08002BE10318} |
| Device ID | HID\VID_1A2C&PID_2D23&MI_00\7&38A5A45C&0&0000 |

Teclado PS/2 estándar

| Item | Value |
|-----------------|-----------------------|
| Device Type | Teclados |
| Device Name | |
| Description | Teclado PS/2 estándar |
| Manufacturer | (Teclados estándar) |
| Location | |
| Driver Provider | Microsoft |

| | |
|----------------|---|
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 24 |
| Status Message | Code 24: This device is not present, is not working properly, or does not have all its drivers installed. |
| Class GUID | {4D36E96B-E325-11CE-BFC1-08002BE10318} |
| Device ID | ACPI\PNP0303\0 |

Unidades de disco

ADATA SU650 ATA Device

| Item | Value |
|-----------------|---|
| Device Type | Unidades de disco |
| Device Name | ADATA SU650 ATA Device |
| Description | Unidad de disco |
| Manufacturer | (Unidades de disco estándar) |
| Location | Channel 3, Target 0, Lun 0 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.19133 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E967-E325-11CE-BFC1-08002BE10318} |
| Device ID | IDE\DISKADATA_SU650 _____XD0R00Z2\5&18392FD4&0&3.0.0 |

General UDisk USB Device

| Item | Value |
|-----------------|---|
| Device Type | Unidades de disco |
| Device Name | General UDisk USB Device |
| Description | Unidad de disco |
| Manufacturer | (Unidades de disco estándar) |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.19133 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E967-E325-11CE-BFC1-08002BE10318} |
| Device ID | USBSTOR\DISK&VEN_GENERAL&PROD_UD ISK&REV_5.00\6&3949BE59&0&_&0 |

TOSHIBA DT01ACA100 ATA Device

| Item | Value |
|-------------|-------------------------------|
| Device Type | Unidades de disco |
| Device Name | TOSHIBA DT01ACA100 ATA Device |
| Description | Unidad de disco |

| | |
|-----------------|--|
| Manufacturer | (Unidades de disco estándar) |
| Location | Channel 1, Target 0, Lun 0 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.19133 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {4D36E967-E325-11CE-BFC1-08002BE10318} |
| Device ID | IDE\DISK\TOSHIBA_DT01ACA100_____MS2OA750\5&211C717&0&1.0.0 |

Unidades de DVD o CD-ROM

HL-DT-ST DVDRAM GH24NSC0 ATA Device

| Item | Value |
|-----------------|-------------------------------------|
| Device Type | Unidades de DVD o CD-ROM |
| Device Name | HL-DT-ST DVDRAM GH24NSC0 ATA Device |
| Description | Unidad de CD-ROM |
| Manufacturer | (Unidades de CD-ROM estándar) |
| Location | Channel 4, Target 0, Lun 0 |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |

| | |
|------------|--|
| Class GUID | {4D36E965-E325-11CE-BFC1-08002BE10318} |
| Device ID | IDE\CDROMHL-DT-ST_DVDRAM_GH24NSC 0_____LI00____\5&57F7F2F&0&4.0.0 |

Volúmenes de almacenamiento

Volumen genérico

| Item | Value |
|-----------------|--|
| Device Type | Volúmenes de almacenamiento |
| Device Name | |
| Description | Volumen genérico |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {71A27CDD-812A-11D0-BEC7-08002BE2092F} |
| Device ID | STORAGE\VOLUME_\?_USBSTOR#DISK& VEN_GENERAL&PROD_UDISK&REV_5.00# 6&3949BE59&0&_&0#{53F56307-B6BF-11D0-94F2-00A0C91EFB8B} |

Volumen genérico

| Item | Value |
|-----------------|---|
| Device Type | Volúmenes de almacenamiento |
| Device Name | |
| Description | Volumen genérico |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {71A27CDD-812A-11D0-BEC7-08002BE2092F} |
| Device ID | STORAGE\VOLUME\{31E0DD40-FAAB-11EB-9377-806E6F6E6963}\#0000000000100000 |

Volumen genérico

| Item | Value |
|-----------------|-----------------------------|
| Device Type | Volúmenes de almacenamiento |
| Device Name | |
| Description | Volumen genérico |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |

| | |
|----------------|---|
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {71A27CDD-812A-11D0-BEC7-08002BE2092F} |
| Device ID | STORAGE\VOLUME\{DD2D91C2-51AE-11E7-82A9-806E6F6E6963}\#00000000000000007E00 |

Volumen genérico

| Item | Value |
|-----------------|---|
| Device Type | Volúmenes de almacenamiento |
| Device Name | |
| Description | Volumen genérico |
| Manufacturer | Microsoft |
| Location | |
| Driver Provider | Microsoft |
| Driver Version | 6.1.7601.17514 |
| Driver Date | 6-21-2006 |
| Status Code | 0 |
| Status Message | OK |
| Class GUID | {71A27CDD-812A-11D0-BEC7-08002BE2092F} |
| Device ID | STORAGE\VOLUME\{DD2D91C2-51AE-11E7-82A9-806E6F6E6963}\#00000026730CD800 |



Características Pantalla

Display #1

Identification

| Name | Value |
|--------------------|---------------------|
| Display Number | 1 |
| Display Name | S19D300 |
| Manufacturer | Samsung |
| Manufacture Date | Week 46, Year 2013 |
| Serial Number | H1AK500000 |
| Product ID | SAM0B35 |
| Display Size | 18.5" (41cm x 23cm) |
| Display Type | Analog, RGB Colour |
| Supported Features | Active-Off |
| Display Resolution | 1366 x 768 pixels |

Capabilities

| Display | Type | Description | Capable |
|---------|-------|---------------------|---------|
| 1 | Curve | Draw chord arcs | Yes |
| 1 | Curve | Draw circles | Yes |
| 1 | Curve | Draw chord ellipses | Yes |

| 1 | Curve | Draw chord interiors | Yes |
|---|---------|---------------------------------|-----|
| 1 | Curve | Draw pie wedges | Yes |
| 1 | Curve | Draw rounded rectangles | Yes |
| 1 | Curve | Draw styled borders | Yes |
| 1 | Curve | Draw wide borders | Yes |
| 1 | Curve | Draw wide styled borders | Yes |
| 1 | Line | Draw a polyline | Yes |
| 1 | Line | Draw styled lines | Yes |
| 1 | Line | Draw wide lines | Yes |
| 1 | Line | Draw wide styled lines | Yes |
| 1 | Line | Draw interiors | Yes |
| 1 | Line | Draw a marker | Yes |
| 1 | Line | Draw multiple markers | Yes |
| 1 | Polygon | Draw interior polygon | Yes |
| 1 | Polygon | Draw alternate-fill polygons | Yes |
| 1 | Polygon | Draw rectangles | Yes |
| 1 | Polygon | Draw a single scanline | Yes |
| 1 | Polygon | Draw polygon styled border | Yes |
| 1 | Polygon | Draw polygon wide border | Yes |
| 1 | Polygon | Draw polygon wide styled border | Yes |
| 1 | Polygon | Draw winding-fill polygons | Yes |
| 1 | Raster | Requires banding support | No |
| 1 | Raster | Can transfer bitmaps | Yes |
| 1 | Raster | Support bitmaps over 64 KB | Yes |

| | | | |
|---|--------|---|-----|
| 1 | Raster | Set/get bits in DI bitmap | Yes |
| 1 | Raster | Set DI bits to device | Yes |
| 1 | Raster | Can perform flood fills | Yes |
| 1 | Raster | Specifies a palette-based device | No |
| 1 | Raster | Capable of scaling | No |
| 1 | Raster | Can copy and stretch bitmap | Yes |
| 1 | Raster | Can copy and stretch DI bitmap | Yes |
| 1 | Text | Capable of character output precision | Yes |
| 1 | Text | Capable of stroke output precision | Yes |
| 1 | Text | Capable of stroke clip precision | Yes |
| 1 | Text | Capable of 90-degree character rotation | No |
| 1 | Text | Capable of any character rotation | No |
| 1 | Text | Scale independently x and y directions | No |
| 1 | Text | Capable of doubled character for scaling | No |
| 1 | Text | Integer multiples character scaling | No |
| 1 | Text | Any multiples for exact character scaling | No |
| 1 | Text | Draw double-weight characters | No |
| 1 | Text | Able to italicize | No |
| 1 | Text | Able to underline | Yes |
| 1 | Text | Able to strikeouts | Yes |
| 1 | Text | Able to draw raster fonts | Yes |
| 1 | Text | Able to draw vector fonts | Yes |
| 1 | Text | Scroll using a bit-block transfer | No |

Display Adapters

NVIDIA GeForce GT 710

| Item | Value |
|----------------------|-----------------------|
| Adapter Number | 1 |
| Name | NVIDIA GeForce GT 710 |
| Adapter RAM | 2048MB |
| Colour Depth | 32 bit |
| Vertical Resolution | 96dpi |
| Current Refresh Rate | 60Hz |
| Video Processor | GeForce GT 710 |
| Adapter DAC Type | Integrated RAMDAC |
| Adapter ID | GeForce GT 710 |
| BIOS | Version 80.28.a6.0.5f |



Impresoras Instaladas

Ricoh Aficio GWD3006 PS

| Item | Value |
|----------------|-------------------------|
| Printer Number | 1 |
| Printer Name | Ricoh Aficio GWD3006 PS |
| Share Name | Ricoh Aficio GWD3006 PS |

| | |
|---------------------------|--|
| Port Name | 10.29.2.55_2 |
| Location | |
| Pages Per Minute | |
| Attributes | Shared, Local Printer |
| Printer Status | Offline |
| Paper Size | Letter, 8 1/2- by 11-inches |
| Orientation | Portrait |
| Print Quality | 600 Dots Per Inch |
| Driver Name | Gestetner GWD3006 PS |
| Driver File | C:\Windows\system32\spool\DRIVERS\x64\3\PSCRIPT5.DLL |
| Driver Version | 6.1.7600.16385 |
| Driver Manufacturer | Microsoft Corporation |
| Driver Description | Controlador de impresora PostScript |
| Driver Data File | C:\Windows\system32\spool\DRIVERS\x64\3\GS1501E3.PPD |
| Driver Configuration File | C:\Windows\system32\spool\DRIVERS\x64\3\PS5UI.DLL |

PrimoPDF

| Item | Value |
|----------------|------------|
| Printer Number | 2 |
| Printer Name | PrimoPDF |
| Share Name | |
| Port Name | PrimoPort: |
| Location | |

| | |
|---------------------------|--|
| Pages Per Minute | |
| Attributes | Local Printer |
| Printer Status | |
| Paper Size | Letter, 8 1/2- by 11-inches |
| Orientation | Portrait |
| Print Quality | 600 Dots Per Inch |
| Driver Name | PrimoPDF |
| Driver File | C:\Windows\system32\spool\DRIVERS\x64\3\pscript5.dll |
| Driver Version | 6.1.7600.16385 |
| Driver Manufacturer | Microsoft Corporation |
| Driver Description | Controlador de impresora PostScript |
| Driver Data File | C:\Windows\system32\spool\DRIVERS\x64\3\primopdf.ppd |
| Driver Configuration File | C:\Windows\system32\spool\DRIVERS\x64\3\ps5ui.dll |

HP Designjet T520 36in HPGL2

| Item | Value |
|------------------|------------------------------|
| Printer Number | 3 |
| Printer Name | HP Designjet T520 36in HPGL2 |
| Share Name | |
| Port Name | HPDesignjetT52036in |
| Location | |
| Pages Per Minute | |
| Attributes | Local Printer |

| | |
|---------------------------|--|
| Printer Status | |
| Paper Size | Code 2058. |
| Orientation | Portrait |
| Print Quality | Low |
| Driver Name | HP Designjet T520 36in |
| Driver File | C:\Windows\system32\spool\DRIVERS\x64\3\UNIDRV.DLL |
| Driver Version | 6.1.7601.21853 |
| Driver Manufacturer | Microsoft Corporation |
| Driver Description | Unidrv Printer Driver |
| Driver Data File | C:\Windows\system32\spool\DRIVERS\x64\3\hpi27122.gpd |
| Driver Configuration File | C:\Windows\system32\spool\DRIVERS\x64\3\hpiPI125.DLL |

HP Designjet 500 42 by HP

| Item | Value |
|------------------|-----------------------------------|
| Printer Number | 4 |
| Printer Name | HP Designjet 500 42 by HP |
| Share Name | HP Designjet 500 42 by HP |
| Port Name | 10.29.11.140 |
| Location | |
| Pages Per Minute | |
| Attributes | Shared, Local Printer |
| Printer Status | |
| Paper Size | A4 sheet, 210- by 297-millimeters |

| | |
|---------------------------|--|
| Orientation | Portrait |
| Print Quality | Medium |
| Driver Name | HP Designjet 500 42 by HP |
| Driver File | C:\Windows\system32\spool\DRIVERS\x64\3\hpltdrv7.dll |
| Driver Version | v6.08 |
| Driver Manufacturer | Hewlett-Packard Corporation, Microsoft Corporation |
| Driver Description | Printer driver for HP DesignJet printers in Windows NT |
| Driver Data File | C:\Windows\system32\spool\DRIVERS\x64\3\hpdj542.dat |
| Driver Configuration File | C:\Windows\system32\spool\DRIVERS\x64\3\hpltume5.dll |

Fax

| Item | Value |
|------------------|-----------------------------|
| Printer Number | 5 |
| Printer Name | Fax |
| Share Name | |
| Port Name | SHRFAX: |
| Location | |
| Pages Per Minute | |
| Attributes | Local Printer |
| Printer Status | |
| Paper Size | Letter, 8 1/2- by 11-inches |
| Orientation | Portrait |
| Print Quality | 200 Dots Per Inch |

| | |
|---------------------------|--|
| Print Quality | 200 Dots Per Inch |
| Driver Name | Microsoft Shared Fax Driver |
| Driver File | C:\Windows\system32\spool\DRIVERS\x64\3\FXSDRV.DLL |
| Driver Version | 6.1.7601.17514 |
| Driver Manufacturer | Microsoft Corporation |
| Driver Description | Microsoft Fax Printer Driver |
| Driver Data File | C:\Windows\system32\spool\DRIVERS\x64\3\FXSUI.DLL |
| Driver Configuration File | C:\Windows\system32\spool\DRIVERS\x64\3\FXSUI.DLL |

Enviar a OneNote 2013

| Item | Value |
|------------------|-------------------------------------|
| Printer Number | 6 |
| Printer Name | Enviar a OneNote 2013 |
| Share Name | |
| Port Name | nul: |
| Location | |
| Pages Per Minute | |
| Attributes | Local Printer |
| Printer Status | |
| Paper Size | Letter, 8 1/2- by 11-inches |
| Orientation | Portrait |
| Print Quality | 600 Dots Per Inch |
| Driver Name | Send to Microsoft OneNote 15 Driver |

| | |
|---------------------------|---|
| Driver File | C:\Windows\system32\spool\DRIVERS\x64\3\mxdwdrv.dll |
| Driver Version | 6.1.7601.17514 |
| Driver Manufacturer | Microsoft Corporation |
| Driver Description | Microsoft XPS Document Writer |
| Driver Data File | C:\Windows\system32\spool\DRIVER S\x64\3\SendToOneNote.GPD |
| Driver Configuration File | C:\Windows\system32\spool\DRIVERS\x64\3\UniDrvUI.dll |

doPDF v7

| Item | Value |
|------------------|--|
| Printer Number | 7 |
| Printer Name | doPDF v7 |
| Share Name | |
| Port Name | DOP7: |
| Location | |
| Pages Per Minute | |
| Attributes | Local Printer |
| Printer Status | |
| Paper Size | Letter, 8 1/2- by 11-inches |
| Orientation | Portrait |
| Print Quality | 300 Dots Per Inch |
| Driver Name | doPDF 7 Printer Driver |
| Driver File | C:\Windows\system32\spool\DRIVERS\x64\3\dopdfpr7.dll |

| | |
|---------------------------|--|
| Driver Version | 7.3.382 |
| Driver Manufacturer | Softland |
| Driver Description | doPDF Printer Driver |
| Driver Data File | C:\Windows\system32\spool\DRIVERS\x64\3\dopdfpr7.dll |
| Driver Configuration File | C:\Windows\system32\spool\DRIVERS\x64\3\dopdfui7.dll |



Versión de BIOS

| Name | Value |
|--------------------|--|
| BIOS Version | ALASKA - 1072009 BIOS Date: 11/25/16 14:39:26 Ver: 05.0000C |
| Release Date | 11/25/16 |
| Video BIOS Version | Version 80.28.A6.00.5F Version 80.28.A6.00.5F Version 80.28.A6.00.5F |
| Video BIOS Date | 06/29/16 |



Gestión del Sistema

BIOS Details

| Item | Value |
|----------------|--------------------------|
| SMBIOS Version | 3.0 |
| BIOS Vendor | American Megatrends Inc. |
| BIOS Version | F2 |

| | |
|-----------------------|------------------|
| Start Address | 0xF000 |
| Release Date | 11/25/2016 |
| ROM Size | 8192KB |
| BIOS Characteristics | 00000001378B9880 |
| Ext. Characteristic 1 | 3 |
| Ext. Characteristic 2 | 13 |
| System BIOS Major | 5 |
| System BIOS Minor | 12 |
| Firmware Major | 255 |
| Firmware Minor | 255 |
| No Characteristics | No |
| ISA Support | No |
| MCA Support | No |
| EISA Support | No |
| PCI Support | Yes |
| PCMCIA Support | No |
| PnP Support | No |
| APM Support | No |
| BIOS Upgradeable | Yes |
| BIOS Shadowing | Yes |
| VL-VESA Support | No |
| ESCD Support | No |
| CD Boot | Yes |
| Selectable Boot | Yes |

| | |
|----------------------|-----|
| ROM Socketed | Yes |
| PCMCIA Boot | No |
| EDD Support | Yes |
| Floppy NEC 1.2MB | No |
| Floppy Toshiba 1.2MB | No |
| Floppy 360 KB | No |
| Floppy 1.2MB | Yes |
| Floppy 720KB | Yes |
| Floppy 2.88MB | Yes |
| Print Screen | Yes |
| Keyboard 8042 | No |
| Serial Services | Yes |
| Printer Services | Yes |
| CGA-Mono Video | No |
| NEC PC-98 | No |
| ACPI Support | Yes |
| USB Support | Yes |
| AGP Support | No |
| I2O Boot | No |
| LS-120 Boot | No |
| ATAPI ZIP Boot | No |
| Firewire Boot | No |
| Smart Battery | No |

System

| Item | Value |
|---------------------|--|
| Manufacturer | |
| Product Name | B250M-D3H |
| Version | Default string |
| Serial Number | Default string |
| Universal Unique ID | {031B021C-040D-05AD-5606-B70700080009} |
| Wake-Up Type | Power Switch |
| SKU Number | Default string |
| Product Family | Default string |

Baseboard

| Item | Value |
|---------------|-------------------------------|
| Board Number | 1 |
| Manufacturer | Gigabyte Technology Co., Ltd. |
| Product | B250M-D3H-CF |
| Version | x.x |
| Serial Number | Default string |
| Asset Tag | Default string |
| Features | Replacable |
| Board Type | Mother Board |

Chassis

| Item | Value |
|-----------------------|----------------|
| Manufacturer | Default string |
| Chassis Type | Desktop |
| Version | Default string |
| Serial Number | Default string |
| Asset Tag | Default string |
| Boot Up State | Safe |
| Power State | Safe |
| Thermal State | Safe |
| Security Status | None |
| OEM Defined | |
| Height | |
| Number Of Power Cords | 1 |

Processor

| Item | Value |
|------------------------|----------------------|
| Processor Number | 1 |
| Socket Designation | U3E1 |
| Processor Type | Central Processor |
| Processor Family | Unknown (code = 205) |
| Processor Manufacturer | Intel(R) Corporation |

| | |
|---------------------------|---|
| Processor ID | BFEBFBFF000906E9 |
| Processor Version | Intel(R) Core(TM) i5-7400 CPU @ 3.00GHz |
| Voltage | 1.000000V |
| External Clock | 100MHz |
| Maximum Speed | 8300MHz |
| Current Speed | 3300MHz |
| Status | CPU Socket Populated, Enabled |
| Processor Upgrade | Other |
| Serial Number | To Be Filled By O.E.M. |
| Asset Tag | To Be Filled By O.E.M. |
| Part Number | To Be Filled By O.E.M. |
| Core Count | 4 |
| Core Enabled | 4 |
| Thread Count | 4 |
| Processor Characteristics | 64-bit Capable |

Memory Controller

No information found, refer to Memory Array and Memory Device sections.

Memory Module

No information found, refer to Memory Array and Memory Device sections.

CPU Cache

CPU Cache #1

| Item | Value |
|-----------------------|--|
| Cache Number | 1 |
| Socket Designation | L1 Cache |
| Cache Configuration | Level 1, Internal, Enabled, Write-Back |
| Max. Cache Size | 256KB |
| Installed Cache | 256KB |
| Supported SRAM Type | Synchronous |
| Current SRAM Type | Synchronous |
| Cache Speed | |
| Error Correction Type | Parity |
| System Cache Type | Unified |
| Associativity | 8-way Set-Associative |

CPU Cache #2

| Item | Value |
|---------------------|--|
| Cache Number | 2 |
| Socket Designation | L2 Cache |
| Cache Configuration | Level 2, Internal, Enabled, Write-Back |
| Max. Cache Size | 1024KB |
| Installed Cache | 1024KB |
| Supported SRAM Type | Synchronous |

| | |
|-----------------------|-----------------------|
| Current SRAM Type | Synchronous |
| Cache Speed | |
| Error Correction Type | Single-Bit ECC |
| System Cache Type | Unified |
| Associativity | 4-way Set-Associative |

CPU Cache #3

| Item | Value |
|-----------------------|--|
| Cache Number | 3 |
| Socket Designation | L3 Cache |
| Cache Configuration | Level 2, Internal, Enabled, Write-Back |
| Max. Cache Size | 6144KB |
| Installed Cache | 6144KB |
| Supported SRAM Type | Synchronous |
| Current SRAM Type | Synchronous |
| Cache Speed | |
| Error Correction Type | Multi-Bit ECC |
| System Cache Type | Unified |
| Associativity | Unknown (code = 9) |

Port Connector

Port Connector #1

| Item | Value |
|--------------------------|------------|
| Port Number | 1 |
| Internal Designation | J1A1 |
| Internal Connection Type | None |
| External Designation | PS2Mouse |
| External Connection Type | PS/2 |
| Port Type | Mouse Port |

Port Connector #2

| Item | Value |
|--------------------------|---------------|
| Port Number | 2 |
| Internal Designation | J1A1 |
| Internal Connection Type | None |
| External Designation | Keyboard |
| External Connection Type | PS/2 |
| Port Type | Keyboard Port |

Port Connector #3

| Item | Value |
|--------------------------|-------|
| Port Number | 3 |
| Internal Designation | J2A1 |
| Internal Connection Type | None |

| | |
|--------------------------|-------------------------|
| External Designation | TV Out |
| External Connection Type | Mini-Centronics Type-14 |
| Port Type | Other (code = 255) |

Port Connector #4

| Item | Value |
|--------------------------|-------------------------------|
| Port Number | 4 |
| Internal Designation | J2A2A |
| Internal Connection Type | None |
| External Designation | COM A |
| External Connection Type | DB-9 pin male |
| Port Type | Serial Port 16550A Compatible |

Port Connector #5

| Item | Value |
|--------------------------|------------------|
| Port Number | 5 |
| Internal Designation | J2A2B |
| Internal Connection Type | None |
| External Designation | Video |
| External Connection Type | DB-15 pin female |
| Port Type | Video Port |

Port Connector #6

| Item | Value |
|--------------------------|------------------|
| Port Number | 6 |
| Internal Designation | J3A1 |
| Internal Connection Type | None |
| External Designation | USB1 |
| External Connection Type | Access Bus (USB) |
| Port Type | USB |

Port Connector #7

| Item | Value |
|--------------------------|------------------|
| Port Number | 7 |
| Internal Designation | J3A1 |
| Internal Connection Type | None |
| External Designation | USB2 |
| External Connection Type | Access Bus (USB) |
| Port Type | USB |

Port Connector #8

| Item | Value |
|-------------|-------|
| Port Number | 8 |

| | |
|--------------------------|------------------|
| Internal Designation | J3A1 |
| Internal Connection Type | None |
| External Designation | USB3 |
| External Connection Type | Access Bus (USB) |
| Port Type | USB |

Port Connector #9

| Item | Value |
|--------------------------|--------------------|
| Port Number | 9 |
| Internal Designation | J9A1 - TPM HDR |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #10

| Item | Value |
|--------------------------|--------------------------|
| Port Number | 10 |
| Internal Designation | J9C1 - PCIE DOCKING CONN |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |

| | |
|-----------|--------------------|
| Port Type | Other (code = 255) |
|-----------|--------------------|

Port Connector #11

| Item | Value |
|--------------------------|--------------------|
| Port Number | 11 |
| Internal Designation | J2B3 - CPU FAN |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #12

| Item | Value |
|--------------------------|--------------------|
| Port Number | 12 |
| Internal Designation | J6C2 - EXT HDMI |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #13

| Item | Value |
|--------------------------|--------------------|
| Port Number | 13 |
| Internal Designation | J3C1 - GMCH FAN |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #14

| Item | Value |
|--------------------------|--------------------|
| Port Number | 14 |
| Internal Designation | J1D1 - ITP |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #15

| Item | Value |
|--------------------------|-------------------|
| Port Number | 15 |
| Internal Designation | J9E2 - MDC INTPSR |
| Internal Connection Type | Other |

| | |
|--------------------------|--------------------|
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #16

| Item | Value |
|--------------------------|--------------------|
| Port Number | 16 |
| Internal Designation | J9E4 - MDC INTPSR |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #17

| Item | Value |
|--------------------------|------------------------|
| Port Number | 17 |
| Internal Designation | J9E3 - LPC HOT DOCKING |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #18

| Item | Value |
|--------------------------|--------------------|
| Port Number | 18 |
| Internal Designation | J9E1 - SCAN MATRIX |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #19

| Item | Value |
|--------------------------|----------------------|
| Port Number | 19 |
| Internal Designation | J9G1 - LPC SIDE BAND |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #20

| Item | Value |
|----------------------|----------------|
| Port Number | 20 |
| Internal Designation | I9E1 - UNIFIED |

| | |
|--------------------------|--------------------|
| Internal Designation | JOF1 - UNIFIED |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #21

| Item | Value |
|--------------------------|--------------------|
| Port Number | 21 |
| Internal Designation | J6F1 - LVDS |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #22

| Item | Value |
|--------------------------|----------------|
| Port Number | 22 |
| Internal Designation | J2F1 - LAI FAN |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |

| | |
|-----------|--------------------|
| Port Type | Other (code = 255) |
|-----------|--------------------|

Port Connector #23

| Item | Value |
|--------------------------|--------------------|
| Port Number | 23 |
| Internal Designation | J2G1 - GFX VID |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

Port Connector #24

| Item | Value |
|--------------------------|--------------------|
| Port Number | 24 |
| Internal Designation | J1G6 - AC JACK |
| Internal Connection Type | Other |
| External Designation | |
| External Connection Type | None |
| Port Type | Other (code = 255) |

System Slot

System Slot**System Slot #1**

| Item | Value |
|------------------------|------------------------|
| Slot Number | 1 |
| Slot Designation | J6B2 |
| Slot Type | PCI Express |
| Data Bus Width | 16x |
| Current Usage | In Use |
| Slot Length | Long |
| Slot ID | 0x0000 |
| Slot Characteristics 1 | 3.3 Volts, Shared Slot |
| Slot Characteristics 2 | Supports PME Signal |

System Slot #2

| Item | Value |
|------------------------|------------------------|
| Slot Number | 2 |
| Slot Designation | J6B1 |
| Slot Type | PCI Express |
| Data Bus Width | 1x |
| Current Usage | In Use |
| Slot Length | Short |
| Slot ID | 0x0001 |
| Slot Characteristics 1 | 3.3 Volts, Shared Slot |

| | |
|------------------------|---------------------|
| SLOT CHARACTERISTICS 2 | Supports PME Signal |
|------------------------|---------------------|

System Slot #3

| Item | Value |
|------------------------|------------------------|
| Slot Number | 3 |
| Slot Designation | J6D1 |
| Slot Type | PCI Express |
| Data Bus Width | 1x |
| Current Usage | In Use |
| Slot Length | Short |
| Slot ID | 0x0002 |
| Slot Characteristics 1 | 3.3 Volts, Shared Slot |
| Slot Characteristics 2 | Supports PME Signal |

System Slot #4

| Item | Value |
|------------------|-------------|
| Slot Number | 4 |
| Slot Designation | J7B1 |
| Slot Type | PCI Express |
| Data Bus Width | 1x |
| Current Usage | In Use |
| Slot Length | Short |
| Slot ID | 0x0000 |

| | |
|------------------------|------------------------|
| Slot ID | 0x0003 |
| Slot Characteristics 1 | 3.3 Volts, Shared Slot |
| Slot Characteristics 2 | Supports PME Signal |

System Slot #5

| Item | Value |
|------------------------|------------------------|
| Slot Number | 5 |
| Slot Designation | J8B4 |
| Slot Type | PCI Express |
| Data Bus Width | 1x |
| Current Usage | In Use |
| Slot Length | Short |
| Slot ID | 0x0004 |
| Slot Characteristics 1 | 3.3 Volts, Shared Slot |
| Slot Characteristics 2 | Supports PME Signal |

[Memory Array](#)

| Item | Value |
|------------------|-----------------------------|
| Array Number | 1 |
| Location | System board or motherboard |
| Use Item | System memory |
| Error Correction | None |

| | |
|-------------------|---------|
| Error Handle | 0xFFFFE |
| Number of Devices | 4 |

Memory Device

Memory Device #1

| Item | Value |
|--------------------|---------------------|
| Device Number | 1 |
| Error Handle | 0xFFFFE |
| Total Width | 64 bit |
| Data Width | 64 bit |
| Device Size | 4.00GB |
| Form Factor | DIMM |
| Device Set | Unknown |
| Device Locator | ChannelA-DIMM0 |
| Bank Locator | BANK 0 |
| Memory Type | Unknown (code = 26) |
| Memory Type Detail | Synchronous |
| Speed | 2667MHz |
| Manufacturer | Kingston |
| Serial Number | 103C5937 |
| Asset Tag | 9876543210 |
| Part Number | 9905713-019.A00G |

Memory Device #2

| Item | Value |
|--------------------|----------------|
| Device Number | 2 |
| Error Handle | 0xFFFFE |
| Total Width | 0 bit |
| Data Width | 0 bit |
| Device Size | 0 Bytes |
| Form Factor | Unknown |
| Device Set | Unknown |
| Device Locator | ChannelA-DIMM1 |
| Bank Locator | BANK 1 |
| Memory Type | Unknown |
| Memory Type Detail | Not Specified |
| Speed | 0MHz |
| Manufacturer | |
| Serial Number | |
| Asset Tag | |
| Part Number | |

Memory Device #3

| Item | Value |
|---------------|-------|
| Device Number | 3 |

| | |
|--------------------|---------------------|
| Error Handle | 0xFFFFE |
| Total Width | 64 bit |
| Data Width | 64 bit |
| Device Size | 4.00GB |
| Form Factor | DIMM |
| Device Set | Unknown |
| Device Locator | ChannelB-DIMM0 |
| Bank Locator | BANK 2 |
| Memory Type | Unknown (code = 26) |
| Memory Type Detail | Synchronous |
| Speed | 2667MHz |
| Manufacturer | Kingston |
| Serial Number | 0D3C5737 |
| Asset Tag | 9876543210 |
| Part Number | 9905713-019.A00G |

Memory Device #4

| Item | Value |
|---------------|---------|
| Device Number | 4 |
| Error Handle | 0xFFFFE |
| Total Width | 64 bit |
| Data Width | 64 bit |
| Device Size | 8.00GB |

| | |
|--------------------|---------------------|
| Form Factor | DIMM |
| Device Set | Unknown |
| Device Locator | ChannelB-DIMM1 |
| Bank Locator | BANK 3 |
| Memory Type | Unknown (code = 26) |
| Memory Type Detail | Synchronous |
| Speed | 2400MHz |
| Manufacturer | Kingston |
| Serial Number | EE2CED28 |
| Asset Tag | 9876543210 |
| Part Number | KHX2400C15/8G |



Procesadores

Processor #1

Basic Information

| Item | Value |
|-------------------|---|
| Processor Number | 1 |
| Name | Intel(R) Core(TM) i5-7400 CPU @ 3.00GHz |
| Short Name | Core |
| Speed - Estimated | 3000MHz |
| Speed - Registry | 3000MHz |

| | |
|------------------|------------------------|
| Processor Type | OEM Primary |
| Manufacturer | Intel(R) Corporation |
| Serial Number | |
| APIC Physical ID | 0x00, 0x02, 0x04, 0x06 |

Detailed Information

| Item | Value |
|-------------------------------|--------------|
| Processor Number | 1 |
| Logical Processors | 4 |
| Number Cores | 2 |
| Vendor String | GenuineIntel |
| Family | 6 |
| Model | 14 |
| Stepping | 9 |
| Extended Family | 0x00 |
| Extended Model | 0x09 |
| Brand ID | 0x00 |
| FPU - Floating Point Unit | Yes |
| VME - Virtual Mode Extensions | Yes |
| DE - Debugging Extensions | Yes |
| PSE - Page Size Extensions | Yes |
| TSC - Time Stamp Counter | Yes |

| | |
|----------------------------------|-----|
| MSR - Model Specific Registers | Yes |
| PAE - Physical Address Exts. | Yes |
| MCE - Machine Check Exceptions | Yes |
| CX8 - Compare Exchange 8 Byte | Yes |
| APIC - On Chip APIC present | Yes |
| SEP - Fast System Calls | Yes |
| MTRR - Memory Type Range Regs. | Yes |
| PGE - Page Global Enable | Yes |
| MCA - Machine Check Architecture | Yes |
| CMOV - Conditional Move | Yes |
| PAT - Page Attribute Table | Yes |
| PSE36 - 36bit Page Size Exts | Yes |
| PSN - Processor Serial Number | No |
| CLFL - CLFLUSH Instruction | Yes |
| DTES - Debug Trace EMON Store | Yes |
| ACPI - ACPI Supported | Yes |
| MMX - MMX Technology | Yes |
| FXFR - Fast Save/Restore | Yes |
| SSE - Streaming SIMD Exts. | Yes |
| SSE2 - Streaming SIMD Exts. 2 | Yes |
| SS - Selfsnoop | Yes |
| HTT - Hyper-Threading Technology | Yes |
| TM1 - Thermal Interrupt Status | Yes |
| IA64 - 64-bit Intel | No |

| | |
|---------------------------------|-----|
| PBE - Pending Break Event | Yes |
| MMEXT - MMX+ Technology | No |
| NOW3D - Support 3DNow! | No |
| NOW3DEXT - Support 3DNow!+ | No |
| SSE3 - Streaming SIMD Exts. 3 | Yes |
| EST - Enhanced SpeedStep(R) | Yes |
| CX16 - Compare Exchange 16 Byte | Yes |


Cache - TLB

| Item | Value |
|----------------------------|-------|
| Processor Number | 1 |
| Unified Cache | No |
| Code Entries - 4K | 0 |
| Code Associativity - 4K | 0 |
| Code Entries - 4M | 0 |
| Code Associativity - 4M | 0 |
| Data Entries - 4K | 64 |
| Data Associativity - 4K | 4 |
| Data Entries - 4M | 0 |
| Data Associativity - 4M | 0 |
| Unified Entries - 4K | 0 |
| Unified Associativity - 4K | 0 |
| Unified Entries - 4M | 0 |

Unified Associativity - 4M | 0



Memoria



| Item | Value |
|-------------------|---------|
| Total Memory | 16352MB |
| Free Memory | 14040MB |
| Maximum Swap File | 32684MB |
| Free Swap File | 30334MB |



Discos Físicos

TOSHIBA DT01ACA100

| Item | Value |
|-------------------|--------------------|
| Disk Number | 3 |
| Capacity | 953869MB |
| Disk Type | Fixed |
| Manufacturer | |
| Model | TOSHIBA DT01ACA100 |
| Serial Number | 475D4BPFS |
| Firmware Revision | MS2OA750 |
| Controller Rank | Secondary |
| Master/Slave | Master |

| Master/Slave | Master |
|-------------------|---------|
| Total Cylinders | 121601 |
| Total Heads | 255 |
| Sectors Per Track | 63 |
| Buffer Size | 47304KB |
| SMART Supported | Yes |
| SMART Enabled | Yes |
| SMART Self Test | |

ADATA SU650

| Item | Value |
|-------------------|--------------|
| Disk Number | 7 |
| Capacity | 114473MB |
| Disk Type | Fixed |
| Manufacturer | |
| Model | ADATA SU650 |
| Serial Number | 2L152L17S2N1 |
| Firmware Revision | XD0R00Z2 |
| Controller Rank | Quaternary |
| Master/Slave | Master |
| Total Cylinders | 14593 |
| Total Heads | 255 |
| Sectors Per Track | 63 |
| Buffer Size | 16384KB |


| | |
|-----------------|-----|
| SMART Supported | Yes |
| SMART Enabled | Yes |
| SMART Self Test | |

General UDisk

| Item | Value |
|-------------------|---------------|
| Disk Number | 3 |
| Capacity | 7680MB |
| Disk Type | Removeable |
| Manufacturer | |
| Model | General UDisk |
| Serial Number | |
| Firmware Revision | 5.00 |
| Controller Rank | |
| Master/Slave | |
| Total Cylinders | 979 |
| Total Heads | 255 |
| Sectors Per Track | 63 |
| Buffer Size | |
| SMART Supported | |
| SMART Enabled | |
| SMART Self Test | |



Discos Lógicos



Drive C

| Item | Value |
|--------------|-------------|
| Letter | C |
| Drive Type | Fixed Drive |
| Percent Used | 83% |
| Used Space | 93.8GB |
| Free Space | 18.0GB |
| Total Space | 112GB |

| | |
|----------------------|-----------|
| Volume Name | Sistema |
| File System | NTFS |
| Volume Serial Number | A514-12C0 |
| Sectors Per Cluster | 8 |
| Bytes Per Sector | 512 |
| Free Clusters | 4724903 |
| Total Clusters | 29304831 |

Drive D

| Item | Value |
|----------------------|-------------|
| Letter | D |
| Drive Type | Fixed Drive |
| Percent Used | 0% |
| Used Space | 3.38GB |
| Free Space | 774GB |
| Total Space | 778GB |
| Volume Name | |
| File System | NTFS |
| Volume Serial Number | A70D-F180 |
| Sectors Per Cluster | 8 |
| Bytes Per Sector | 512 |
| Free Clusters | 202986835 |
| Total Clusters | 203872874 |

Drive E

| Item | Value |
|------------|--------|
| Letter | E |
| Drive Type | CD-ROM |

Drive F

| Item | Value |
|----------------------|-----------------|
| Letter | F |
| Drive Type | Removable Drive |
| Percent Used | 12% |
| Used Space | 979MB |
| Free Space | 6.53GB |
| Total Space | 7.48GB |
| Volume Name | |
| File System | FAT32 |
| Volume Serial Number | 6EAB-8A94 |
| Sectors Per Cluster | 8 |
| Bytes Per Sector | 512 |
| Free Clusters | 1711403 |
| Total Clusters | 1961984 |



Programas de arranque

| Name | Settings Folder | Startup Command |
|----------------------|---|--|
| USB3MON | HKLM\Software\Microsoft\Windows\CurrentVersion\Run | "C:\Program Files (x86)\Intel\Intel(R) USB 3.0 3.1 eXtensible Host Controller Driver\Application\iusb3mon.exe" |
| NBKeyScan | HKLM\Software\Microsoft\Windows\CurrentVersion\Run | "C:\Program Files (x86)\Nero\Nero8\Nero BackItUp\NBKeyScan.exe" |
| ISUSScheduler | HKLM\Software\Microsoft\Windows\CurrentVersion\Run | "C:\Program Files (x86)\Common Files\InstallShield\UpdateService\issch.exe" -start |
| Autodesk Desktop App | HKLM\Software\Microsoft\Windows\CurrentVersion\Run | "C:\Program Files (x86)\Autodesk\Autodesk Desktop App\AutodeskDesktopApp.exe" -tray |
| desktop.ini | C:\ProgramData\Microsoft\Windows\Start Menu\Programs\Startup\ | |
| desktop.ini | C:\Users\20141773098\AppData\Roaming\Microsoft\Windows\Start Menu\Programs\Startup\ | |



ODBC Information

Data Sources

No information found.

No ODBC data sources found.

Drivers

Driver da Microsoft para arquivos texto (*.txt; *.csv)

| Item | Value |
|-----------------|--|
| Name | Driver da Microsoft para arquivos texto (*.txt; *.csv) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 6.1.7601.17632 |
| Driver_ODBC_Ver | 02.50 |

Driver do Microsoft Access (*.mdb)

| Item | Value |
|-----------------|------------------------------------|
| Name | Driver do Microsoft Access (*.mdb) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 6.1.7601.17632 |
| Driver_ODBC_Ver | 02.50 |

Driver do Microsoft dBase (*.dbf)

Driver do Microsoft dBase (*.dbf)

| Item | Value |
|-----------------|-----------------------------------|
| Name | Driver do Microsoft dBase (*.dbf) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 6.1.7601.17632 |
| Driver_ODBC_Ver | 02.50 |

Driver do Microsoft Excel (*.xls)

| Item | Value |
|-----------------|-----------------------------------|
| Name | Driver do Microsoft Excel (*.xls) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 6.1.7601.17632 |
| Driver_ODBC_Ver | 02.50 |

Driver do Microsoft Paradox (*.db)

| Item | Value |
|--------------|-------------------------------------|
| Name | Driver do Microsoft Paradox (*.db) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 6.1.7601.17632 |

| | |
|-----------------|-------|
| Driver_ODBC_Ver | 02.50 |
|-----------------|-------|

Driver para o Microsoft Visual FoxPro

| Item | Value |
|-----------------|---------------------------------------|
| Name | Driver para o Microsoft Visual FoxPro |
| Company | Microsoft Corporation |
| File_Name | vfpodbc.dll |
| File_Version | 1, 0, 2, 0 |
| Driver_ODBC_Ver | 02.50 |

Microsoft Access Driver (*.mdb)

| Item | Value |
|-----------------|---------------------------------|
| Name | Microsoft Access Driver (*.mdb) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 6.1.7601.17632 |
| Driver_ODBC_Ver | 02.50 |

Microsoft Access-Treiber (*.mdb)

| Item | Value |
|---------|----------------------------------|
| Name | Microsoft Access-Treiber (*.mdb) |
| Company | Microsoft Corporation |

| | |
|-----------------|-----------------------|
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 6.1.7601.17632 |
| Driver_ODBC_Ver | 02.50 |

Microsoft dBase Driver (*.dbf)

| Item | Value |
|-----------------|--------------------------------|
| Name | Microsoft dBase Driver (*.dbf) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 6.1.7601.17632 |
| Driver_ODBC_Ver | 02.50 |

Microsoft dBase VFP Driver (*.dbf)

| Item | Value |
|-----------------|------------------------------------|
| Name | Microsoft dBase VFP Driver (*.dbf) |
| Company | Microsoft Corporation |
| File_Name | vfpodbc.dll |
| File_Version | 1, 0, 2, 0 |
| Driver_ODBC_Ver | 02.50 |

Microsoft dBase-Treiber (*.dbf)

MICROSOFT dBase-Treiber (*.dbf)

| Item | Value |
|-----------------|---------------------------------|
| Name | Microsoft dBase-Treiber (*.dbf) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 6.1.7601.17632 |
| Driver_ODBC_Ver | 02.50 |

Microsoft Excel Driver (*.xls)

| Item | Value |
|-----------------|--------------------------------|
| Name | Microsoft Excel Driver (*.xls) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 6.1.7601.17632 |
| Driver_ODBC_Ver | 02.50 |

Microsoft Excel-Treiber (*.xls)

| Item | Value |
|--------------|---------------------------------|
| Name | Microsoft Excel-Treiber (*.xls) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 6.1.7601.17632 |

| | |
|-----------------|-------|
| Driver_ODBC_Ver | 02.50 |
|-----------------|-------|

Microsoft FoxPro VFP Driver (*.dbf)

| Item | Value |
|-----------------|-------------------------------------|
| Name | Microsoft FoxPro VFP Driver (*.dbf) |
| Company | Microsoft Corporation |
| File_Name | vfpodbc.dll |
| File_Version | 1, 0, 2, 0 |
| Driver_ODBC_Ver | 02.50 |

Microsoft ODBC for Oracle

| Item | Value |
|-----------------|---------------------------|
| Name | Microsoft ODBC for Oracle |
| Company | Microsoft Corporation |
| File_Name | msorcl32.dll |
| File_Version | 6.1.7601.23391 |
| Driver_ODBC_Ver | 02.50 |

Microsoft Paradox Driver (*.db)

| Item | Value |
|---------|----------------------------------|
| Name | Microsoft Paradox Driver (*.db) |
| Company | Microsoft Corporation |

| | |
|-----------------|-----------------------|
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 6.1.7601.17632 |
| Driver_ODBC_Ver | 02.50 |

Microsoft Paradox-Treiber (*.db)

| Item | Value |
|-----------------|-----------------------------------|
| Name | Microsoft Paradox-Treiber (*.db) |
| Company | Microsoft Corporation |
| File_Name | odbcjt32.dll |
| File_Version | 6.1.7601.17632 |
| Driver_ODBC_Ver | 02.50 |